

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	6	852	20	43.0	96	348	8.0	136	94	3.15	585	0.000			5
Vete, kärna (005)	1	5	886	17	35.2	105	334	8.0	102	90	3.50	623	0.000			5
Majs, finmald kärna (014)	1	2	565	19	44.5	95	323		95	46	3.70	672	0.000			5
Blandsäd, kärna, 50%korn/50%vete (114)	1	1	843	19	87.0	104				173	3.30	580	0.000			
Åkerböna, kärna (007)	1	1	862	36	89.0	278		3.0		32	4.70	393	0.000			
Majs hela plantan, grönmassa (030)	1	20	351	27	75.8	71	383		369	193	3.13	329	57.000			28
Grönmassa, gräs (0% baljv.) (161)	1	10	596	57	71.4	111	450		493	206	4.15		39.700	0.0	3.0	120
Grönmassa, gräs (0% baljv.) (161)	2	1	621	75	77.9	155	418		505	77	4.73		61.000			116
Grönmassa, gräs (0% baljv.) (161)	3	1	705	72	74.7	114	342		505	124	4.21		61.000			118
Ensilage, gräs (0% klöver) (162)	0	1	594	143	63.3	92	508	83.0	560	230	3.65		23.400	18.0	3.0	36
Ensilage, gräs (0% klöver) (162)	1	7	505	62	74.1	141	607	69.3	461	167	4.05		48.886	33.1	13.1	92
Ensilage, gräs (0% klöver) (162)	2	7	612	71	70.4	148	510	57.0	483	213	3.75		34.871	19.4	10.3	78
Ensilage, gräs (0% klöver) (162)	3	2	668	73	75.4	177	431	49.5	457	170	4.67		48.500	31.0	14.0	92
Ensilage, gräs (0% klöver) (162)	4	1	535	79	78.0	147	421	20.0	466	87	4.52		18.000	16.0	2.0	116
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	706	94	76.4	138			435	147	4.67		84.000			109
Grönmassa blandvall (1-50 % baljväxter) (164)	1	77	396	71	78.5	148	442		430	127	5.24	18	46.247	0.0	1.5	134
Grönmassa blandvall (1-50 % baljväxter) (164)	2	33	578	79	75.4	152	390		461	165	4.89		72.242	0.0	2.0	112
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21	608	82	74.0	154	390		491	154	4.50		84.000			95
Grönmassa blandvall (1-50 % baljväxter) (164)	4	13	484	86	75.9	159	395		458	146	4.80		84.000			110
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2	256	86	73.6	160	309		449	177	4.16		84.000			89
Ensilage, blandvall (1-50% klöver) (165)	0	11	482	92	69.8	149	527	89.0	467	210	3.72		45.636	32.9	10.1	57
Ensilage, blandvall (1-50% klöver) (165)	1	185	422	71	76.3	152	635	64.7	437	150	4.48	352	73.836	54.8	16.1	79
Ensilage, blandvall (1-50% klöver) (165)	2	122	448	77	75.2	160	574	66.5	455	161	4.48		68.777	50.2	15.1	63
Ensilage, blandvall (1-50% klöver) (165)	3	96	426	84	73.6	165	551	75.0	452	194	4.37		69.695	48.9	17.4	49
Ensilage, blandvall (1-50% klöver) (165)	4	51	401	86	73.7	170	551	66.2	430	202	4.19		78.547	60.5	15.9	51

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Ensilage, blandvall (1-50% klöver) (165)	5	9	265	94	73.9	174	582	71.8	414	214	4.41		104.089	82.9	17.6	33
Korn, helsädesensilage (250)	1	11	366	53	69.7	110	631	84.7	453	248	3.18	117	76.592	53.6	18.6	62
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	7	345	62	67.3	113	577	79.5	434	371	4.75	133	73.714	52.9	17.0	38
Majskolv, ensilerad (257)	1	16	556	18	81.1	78	360	34.2	211	233	2.25	540	46.275	38.4	4.3	5
Havre helsädesensilage degmognad (296)	1	2	392	48	67.6	88	591	56.5	552	219	3.52	38	67.285	51.0	16.0	76
Vete, helsäd ensilage (299)	1	9	332	63	74.0	126	665	66.9	444	190	3.98	48	72.778	49.4	18.4	88
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	4	369	51	68.6	109	624	115	398	304	2.40	205	63.250	50.8	11.0	26
Majs, helsädesensilage (305)	1	103	349	28	75.6	77	506	42.3	368	215	3.24	320	62.606	47.2	12.2	9
Hö, blandvall, 0-50% baljväxter (383)	0	3	906	61	65.6	87			579	221	3.53		0.000			128
Hö, blandvall, 0-50% baljväxter (383)	1	10	820	56	66.7	84	428		585	212	3.81		0.500	0.0	0.0	127
Hö, blandvall, 0-50% baljväxter (383)	2	1	869	75	70.3	93	422		520	199	4.04		0.000			116
Hö, blandvall, 0-50% baljväxter (383)	3	1	780	72	71.7	135	392		530	177	4.32		0.000			93
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4	686	79	68.2	151	383		452	361	5.20		72.000			86
Ensilage, blandvall (51-100% klöver) (438)	1	2	483	87	72.1	180	670	76.0	406	324	5.66		69.000	43.0	22.5	54
Ensilage, blandvall (51-100% klöver) (438)	3	1	458	90	68.4	176	606	89.0	401	409	4.84		54.000	25.0	22.0	40
Ensilage, blandvall (1-50% klöver) (326)	1	11	420	61	73.0	139	493	53.2	374	246	3.06	169	56.909	34.0	17.5	33
Fullfoder (TMR) ej kompletta data (1E3)	1	1	419	69	73.5	147	424	48.0	424	197	3.60	87				30

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	6				96.6	-49	7.34	12.3	62.0	-10
Vete, kärna (005)	1	5				112	-61	7.99	14.1		
Majs, finmald kärna (014)	1	2				109	-61	7.83	14.4	117	-96
Blandsäd, kärna, 50%korn/50%vete (114)	1	1				103	-47	7.69			
Åkerböna, kärna (007)	1	1				101	127	7.74			
Majs hela plantan, grönmassa (030)	1	20				87.2	-66	6.40	11.3	79.7	-77

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa, gräs (0% baljv.) (161)	1	10	2.50000	2.25000		84.1	-18	5.65	10.5		
Grönmassa, gräs (0% baljv.) (161)	2	1				91.5	9.6	6.44	11.4		
Grönmassa, gräs (0% baljv.) (161)	3	1				86.6	-20	6.01	10.9		
Ensilage, gräs (0% klöver) (162)	0	1		1.40000		70.2	-14	4.71	8.3	63.0	-16
Ensilage, gräs (0% klöver) (162)	1	7	2.40000	0.60000		83.0	11.0	6.02	10.9	70.5	16.0
Ensilage, gräs (0% klöver) (162)	2	7	1.00000	4.15714		82.9	17.5	5.68	10.2	68.3	55.7
Ensilage, gräs (0% klöver) (162)	3	2	2.00000	0.00000		90.5	31.9	6.22	11.0		
Ensilage, gräs (0% klöver) (162)	4	1	0.00000	0.00000		93.0	0.1	6.31	11.3		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				82.6	10.7	6.10	10.9	75.5	8.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	77	4.74359	3.17949		91.7	5.4	6.33	11.5	81.0	10.8
Grönmassa blandvall (1-50 % baljväxter) (164)	2	33	3.00000	1.40000		86.6	17.8	6.14	10.9	75.9	19.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21				83.9	23.7	6.09	10.7	73.5	30.6
Grönmassa blandvall (1-50 % baljväxter) (164)	4	13				85.2	26.3	6.20	10.9	75.8	32.4
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2				84.9	27.5	6.00	10.5	69.0	24.0
Ensilage, blandvall (1-50% klöver) (165)	0	11		1.63636		80.2	25.8	5.58	9.9	68.1	31.6
Ensilage, blandvall (1-50% klöver) (165)	1	185	2.90845	0.49514		83.1	23.4	6.31	11.2	72.3	16.1
Ensilage, blandvall (1-50% klöver) (165)	2	122	3.27473	0.71148		84.0	29.3	6.22	10.9	70.6	29.0
Ensilage, blandvall (1-50% klöver) (165)	3	96	3.08451	0.82660		82.7	35.8	6.06	10.6	69.6	40.5
Ensilage, blandvall (1-50% klöver) (165)	4	51	1.92105	0.33800		81.9	42.5	6.08	10.6	68.6	33.4
Ensilage, blandvall (1-50% klöver) (165)	5	9	3.57143	0.64444		78.8	50.7	6.13	10.5	68.0	50.5
Korn, helsädesensilage (250)	1	11	4.44444	1.00000		70.7	-4.5	5.76	10.4		
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	7	3.80000	1.40000		70.2	2.8	5.60	10.0		
Majskolv, ensilerad (257)	1	16	0.22222	0.00000		94.6	-72	7.08	12.6		
Havre helsädesensilage degmognad (296)	1	2				75.3	-30	5.54	10.1		
Vete, helsäd ensilage (299)	1	9	4.85714	0.71429		73.5	2.5	6.07	10.8		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	4	1.33333	0.66667		72.6	-5.7	5.70	10.1	64.0	-25
Majs, helsädesensilage (305)	1	103	3.26506	0.00000		83.4	-55	6.47	11.5	80.0	-68
Hö, blandvall, 0-50% baljväxter (383)	0	3				83.4	-38	5.05	9.5	68.0	-29
Hö, blandvall, 0-50% baljväxter (383)	1	10	5.00000	0.00000		85.9	-45	5.19	9.7	68.0	-45
Hö, blandvall, 0-50% baljväxter (383)	2	1				90.7	-44	5.41	10.1		
Hö, blandvall, 0-50% baljväxter (383)	3	1				99.3	-19	5.76	10.4		
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4				78.3	34.2	5.51	9.7		
Ensilage, blandvall (51-100% klöver) (438)	1	2	2.00000	1.50000		76.8	64.7	5.95	10.3		
Ensilage, blandvall (51-100% klöver) (438)	3	1	4.00000	3.00000		75.2	63.7	5.55	9.7		
Ensilage, blandvall (1-50% klöver) (326)	1	11	4.81818	0.63636		85.1	11.8	6.23	10.7		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	4	0.4	3.0	1.0	5.8	0.1	1.4	1.2	40	4	49.3	12.8	23.8	4.1	0.0
Vete, kärna (005)	1	2	0.4	3.0	1.1	5.1	0.1		1.2	36	2	48.0	26.0	23.5	4.4	
Majs, finmald kärna (014)	1	1	0.2	2.9	1.3	4.6	0.1		1.0	40	1	37.0	7.0	22.0	2.9	
Blandsäd, kärna, 50%korn/50%vete (114)	1	1	0.6	3.6	1.2	5.3	0.1		1.4	24	1	92.0	23.0	33.0	4.3	
Majs hela plantan, grönmassa (030)	1	19	1.5	1.8	1.1	8.7	0.2	1.9	0.9	127	13	103.2	25.4	26.7	3.9	0.0
Grönmassa, gräs (0% baljv.) (161)	1	10	4.2	2.3	1.6	17.5	1.0	3.4	1.7	278	3	104.3	60.0	20.0	5.0	
Grönmassa, gräs (0% baljv.) (161)	2	1	5.3	2.7	2.5	38.5	0.9	5.3	3.2	674	1	158.0	57.0	29.0	6.0	
Grönmassa, gräs (0% baljv.) (161)	3	1	5.8	2.9	2.3	25.5	1.5	11.0	3.1	214	1	152.0	73.0	38.0	6.0	
Ensilage, gräs (0% klöver) (162)	1	6	5.3	2.8	2.0	19.3	1.4	6.0	2.4	237	5	87.0	142.4	31.8	5.4	0.1
Ensilage, gräs (0% klöver) (162)	2	6	7.0	2.8	2.3	19.6	1.1	6.0	2.2	261	3	433.3	62.7	28.7	9.2	0.1
Ensilage, gräs (0% klöver) (162)	3	2	7.5	3.0	4.2	21.9	1.5	5.0	3.0	295	2	104.0	55.5	23.0	6.5	
Ensilage, gräs (0% klöver) (162)	4	1	6.0	3.9	2.9	30.2	3.2	11.4	3.8	353	1	97.0	73.0	25.0	6.0	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	5.4	3.0	2.1	30.4	1.7		2.8	544	1	435.0	98.0	324.0	6.9	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	76	5.2	2.8	1.8	24.4	1.0	5.1	2.1	399	45	166.5	44.8	28.1	5.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	29	6.2	3.0	2.2	24.4	1.7	6.2	2.5	389	22	131.4	62.2	30.2	6.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	20	5.8	3.1	2.4	23.8	1.5	5.1	2.5	380	15	139.7	64.5	28.3	6.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	12	6.7	3.1	2.7	23.1	1.8	7.8	2.7	346	9	151.9	70.9	24.7	6.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	5	2	8.7	3.5	2.7	22.4	1.7	4.2	3.4	309	2	189.0	122.0	30.5	7.8	
Ensilage, blandvall (1-50% klöver) (165)	0	8	7.8	3.2	2.6	23.3	1.5	8.5	2.3	278	8	445.4	98.4	34.0	7.3	
Ensilage, blandvall (1-50% klöver) (165)	1	182	5.5	2.8	1.9	22.9	1.4	6.4	2.1	332	115	168.9	56.4	33.6	5.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	117	6.1	3.0	2.2	23.9	1.8	9.2	2.5	282	75	159.5	64.5	34.0	6.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	90	7.3	3.1	2.6	23.7	1.6	9.6	2.6	250	50	179.1	62.9	33.0	7.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	47	7.8	3.2	2.8	22.9	1.9	10.9	2.7	195	27	255.4	74.8	29.6	7.4	0.1
Ensilage, blandvall (1-50% klöver) (165)	5	9	7.1	3.4	2.5	24.7	1.7	11.7	2.6	216	4	522.8	76.5	33.5	8.7	
Korn, helsädesensilage (250)	1	11	3.8	2.7	1.5	17.1	1.1	3.8	1.7	271	7	114.0	43.1	31.9	4.9	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	7	5.1	2.7	1.6	16.5	1.0	3.9	1.6	262	5	146.0	56.6	32.6	5.5	
Majskolv, ensilerad (257)	1	16	0.6	2.1	0.8	4.6	0.3	2.4	0.9	25	7	110.7	7.6	23.3	2.0	
Havre helsädesensilage degmognad (296)	1	2	2.4	2.5	1.2	18.6	1.2	3.9	1.4	332	2	120.5	76.5	26.5	4.7	0.1
Vete, helsäd ensilage (299)	1	9	4.1	2.7	1.3	19.7	0.8	2.7	1.8	343	4	182.5	42.8	27.0	5.4	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	4.4	3.1	1.8	12.6	1.0	2.3	1.7	197	1	76.0	20.0	20.0	5.2	
Majs, helsädesensilage (305)	1	103	1.8	1.8	1.2	9.1	0.3	3.1	0.9	118	58	75.3	24.4	28.2	4.2	0.1
Hö, blandvall, 0-50% baljväxter (383)	0	2	4.7	2.4	1.5	18.8	1.0		1.5	288	2	81.0	36.0	23.5	4.9	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	10	2.6	2.2	1.1	17.4	0.5	4.6	1.4	244	8	93.3	50.4	22.8	3.6	0.0
Hö, blandvall, 0-50% baljväxter (383)	2	1	2.8	2.6	1.0	21.7	0.5	3.8	1.8	357	1	90.0	43.0	24.0	5.0	
Hö, blandvall, 0-50% baljväxter (383)	3	1	4.2	3.2	2.4	25.7	0.5	6.7	2.5	334	1	126.0	60.0	25.0	6.0	
Grönmassa, blandvall (51-100% baljväxter) (437)	3	4	10.9	2.8	2.7	19.4	0.8	1.8	2.1	348	0					
Ensilage, blandvall (51-100% klöver) (438)	1	2	12.3	2.9	2.1	26.2	0.6	5.0	1.8	442	2	541.0	44.5	29.5	5.0	0.1

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (51-100% klöver) (438)	3	1	15.9	3.2	2.9	22.1	1.0	12.5	2.6	94	1	380.0	44.0	33.0	8.0	0.1
Ensilage, blandvall (1-50% klöver) (326)	1	11	6.0	3.4	2.7	15.9	2.5	9.9	2.3	93	3	264.7	78.0	92.7	20.7	1.0
Fullfoder (TMR) ej kompletta data (1E3)	1	1	6.6	4.1	2.8	13.9	1.5	5.5	2.2	128	1	350.0	97.0	75.0	23.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	852.167	46.9954	776.000	917.000
Aska	6	20.333	1.3663	18.000	22.000
OS smbh	6	43.000	47.1041	0.000	86.000
Råprot	6	95.950	10.1398	84.000	113.000
sRåprot	3	348.000	28.1603	317.000	372.000
NH3-N	2	8.000	1.4142	7.000	9.000
NDF	4	136.250	27.4879	105.000	172.000
iNDF	6	93.500	75.0380	25.000	162.000
nhNDF	6	3.150	0.0000	3.150	3.150
Stä	6	585.383	39.9189	540.000	659.300
TAF	6	0.000	0.0000	0.000	0.000
Socker	3	5.000	0.0000	5.000	5.000
AATp20	6	96.581	2.0346	94.439	99.340
PBVp20	6	-48.596	10.0508	-56.950	-30.003
NELp20	6	7.340	0.1896	7.077	7.580
OE*	4	12.300	1.4491	10.200	13.500
AAT*	1	62.000	.	62.000	62.000
PBV*	1	-10.000	.	-10.000	-10.000
Ca	4	0.400	0.0000	0.400	0.400
P	4	3.000	0.3916	2.600	3.500
Mg	4	1.025	0.1258	0.900	1.200
K	4	5.750	0.5802	5.000	6.300
Na	4	0.100	0.0000	0.100	0.100
Cl	1	1.400	.	1.400	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	4	1.225	0.4031	0.900	1.800
CAB	4	39.633	30.7089	-4.366	64.055
Fe	4	49.250	9.1788	41.000	61.000
Mn	4	12.750	2.2174	11.000	16.000
Zn	4	23.750	4.4253	19.000	28.000
Cu	4	4.075	0.2986	3.700	4.400
Se	1	0.007	.	0.007	0.007

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	886.400	41.4101	834.000	933.000
Aska	5	17.080	2.3520	15.000	21.000
OS smbh	5	35.200	48.1996	0.000	88.000
Råprot	5	104.520	7.7105	95.000	113.600
sRåprot	3	333.667	13.3167	319.000	345.000
NH3-N	1	8.000	.	8.000	8.000
NDF	3	102.000	15.7162	91.000	120.000
iNDF	5	89.800	88.7311	25.000	187.000
nhNDF	5	3.500	0.0000	3.500	3.500
Stä	5	623.160	59.0578	551.000	691.800
TAF	5	0.000	0.0000	0.000	0.000
Socker	3	5.000	0.0000	5.000	5.000
AATp20	5	112.178	0.8986	111.400	113.639
PBVp20	5	-60.743	7.1966	-68.588	-52.801

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	5	7.987	0.1015	7.824	8.077
OE*	3	14.133	0.1155	14.000	14.200
Ca	2	0.350	0.0707	0.300	0.400
P	2	2.950	0.2121	2.800	3.100
Mg	2	1.100	0.1414	1.000	1.200
K	2	5.050	0.2121	4.900	5.200
Na	2	0.100	0.0000	0.100	0.100
S	2	1.150	0.0707	1.100	1.200
CAB	2	36.277	9.8448	29.315	43.238
Fe	2	48.000	0.0000	48.000	48.000
Mn	2	26.000	1.4142	25.000	27.000
Zn	2	23.500	3.5355	21.000	26.000
Cu	2	4.350	0.3536	4.100	4.600

Fodermedel=Majs, finmald kärna (014) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	565.000	32.5269	542.000	588.000
Aska	2	18.500	6.3640	14.000	23.000
OS smbh	2	44.500	62.9328	0.000	89.000
Råprot	2	95.000	2.8284	93.000	97.000
sRåprot	1	323.000	.	323.000	323.000
NDF	2	94.500	30.4056	73.000	116.000
iNDF	2	45.500	28.9914	25.000	66.000
nhNDF	2	3.700	0.0000	3.700	3.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, finmald kärna (014) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	2	671.500	19.0919	658.000	685.000
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	4.500	0.7071	4.000	5.000
AATp20	2	109.243	0.2096	109.094	109.391
PBVp20	2	-61.394	2.4334	-63.114	-59.673
NELp20	2	7.834	0.0155	7.823	7.845
OE*	2	14.400	0.1414	14.300	14.500
AAT*	1	117.000	.	117.000	117.000
PBV*	1	-96.000	.	-96.000	-96.000
Ca	1	0.200	.	0.200	0.200
P	1	2.900	.	2.900	2.900
Mg	1	1.300	.	1.300	1.300
K	1	4.600	.	4.600	4.600
Na	1	0.100	.	0.100	0.100
S	1	1.000	.	1.000	1.000
CAB	1	39.777	.	39.777	39.777
Fe	1	37.000	.	37.000	37.000
Mn	1	7.000	.	7.000	7.000
Zn	1	22.000	.	22.000	22.000
Cu	1	2.900	.	2.900	2.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	843.000	.	843.000	843.000
Aska	1	19.000	.	19.000	19.000
OS smbh	1	87.000	.	87.000	87.000
Råprot	1	104.400	.	104.400	104.400
iNDF	1	173.000	.	173.000	173.000
nhNDF	1	3.300	.	3.300	3.300
Stä	1	580.100	.	580.100	580.100
TAF	1	0.000	.	0.000	0.000
AATp20	1	102.630	.	102.630	102.630
PBVp20	1	-46.679	.	-46.679	-46.679
NELp20	1	7.695	.	7.695	7.695
Ca	1	0.600	.	0.600	0.600
P	1	3.600	.	3.600	3.600
Mg	1	1.200	.	1.200	1.200
K	1	5.300	.	5.300	5.300
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	24.229	.	24.229	24.229
Fe	1	92.000	.	92.000	92.000
Mn	1	23.000	.	23.000	23.000
Zn	1	33.000	.	33.000	33.000
Cu	1	4.300	.	4.300	4.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	862.000	.	862.000	862.000
Aska	1	36.000	.	36.000	36.000
OS smbh	1	88.959	.	88.959	88.959
Råprot	1	278.000	.	278.000	278.000
NH3-N	1	3.000	.	3.000	3.000
iNDF	1	32.000	.	32.000	32.000
nhNDF	1	4.700	.	4.700	4.700
Stä	1	393.000	.	393.000	393.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	101.136	.	101.136	101.136
PBVp20	1	127.280	.	127.280	127.280
NELp20	1	7.735	.	7.735	7.735

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	20	351.000	61.033	272.000	432.000
Aska	20	27.000	3.584	23.000	31.500
OS smbh	20	75.825	2.707	72.350	78.800
Råprot	20	71.050	7.097	60.500	79.500
sRåprot	20	382.500	43.383	328.000	427.000
NDF	20	368.900	40.316	318.000	427.000
iNDF	20	193.070	14.595	180.486	212.500
nhNDF	20	3.134	0.532	2.339	3.768
Stä	20	329.250	51.118	253.000	381.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	20	57.000	0.000	57.000	57.000
Socker	20	27.650	29.988	8.000	64.500
AATp20	20	87.247	2.473	83.577	90.403
PBVp20	20	-65.555	6.966	-73.655	-56.481
NELp20	20	6.400	0.245	6.110	6.692
OE*	14	11.329	0.325	11.030	11.660
AAT*	3	79.667	0.577	79.000	80.000
PBV*	3	-76.667	5.508	-83.000	-73.000
Ca	19	1.453	0.379	1.100	2.200
P	19	1.784	0.261	1.300	2.000
Mg	19	1.053	0.217	0.800	1.400
K	19	8.732	1.314	6.600	10.900
Na	17	0.212	0.132	0.100	0.400
Cl	14	1.929	1.687	1.000	2.300
S	19	0.874	0.179	0.700	1.000
CAB	19	127.319	53.381	83.709	207.494
Fe	13	103.154	126.785	46.000	97.000
Mn	13	25.385	7.890	17.000	34.000
Zn	13	26.692	7.387	17.000	37.000
Cu	13	3.915	1.170	3.100	4.900
Se	2	0.031	0.027	0.012	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	596.000	202.694	320.000	819.500
Aska	10	56.900	17.117	37.500	82.000
OS smbh	10	71.440	7.371	62.250	79.100
Råprot	10	110.700	35.540	72.500	168.000
sRåprot	10	449.600	43.321	399.000	515.000
NDF	10	493.000	92.562	349.500	592.000
iNDF	10	205.600	93.654	85.000	318.500
nhNDF	10	4.151	0.489	3.694	4.920
TAF	10	39.700	27.540	6.000	61.000
Mjölksyra	4	0.000	0.000	0.000	0.000
Ättiksyra	4	3.000	4.243	0.000	9.000
Socker	10	119.900	22.869	92.000	149.500
PRF	4	2.500	3.000	0.000	6.000
BUF	4	2.250	2.062	0.000	4.000
AATp20	10	84.056	9.110	73.901	95.477
PBVp20	10	-18.409	20.798	-41.133	15.556
NELp20	10	5.648	0.563	4.932	6.248
OE*	10	10.495	1.083	9.090	11.555
Ca	10	4.240	2.876	1.950	9.150
P	10	2.300	0.527	1.600	2.950
Mg	10	1.560	0.467	0.950	2.250
K	10	17.460	7.883	9.100	28.400
Na	9	0.967	0.520	0.100	1.700
Cl	8	3.425	4.522	0.600	14.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	10	1.670	0.445	1.250	2.400
CAB	10	277.690	190.047	31.499	522.011
Fe	3	104.333	56.889	44.000	157.000
Mn	3	60.000	47.032	28.000	114.000
Zn	3	20.000	1.000	19.000	21.000
Cu	3	5.000	1.000	4.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	621.000	.	621.000	621.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	77.900	.	77.900	77.900
Råprot	1	155.000	.	155.000	155.000
sRåprot	1	418.000	.	418.000	418.000
NDF	1	505.000	.	505.000	505.000
iNDF	1	77.000	.	77.000	77.000
nhNDF	1	4.732	.	4.732	4.732
TAF	1	61.000	.	61.000	61.000
Socket	1	116.000	.	116.000	116.000
AATp20	1	91.525	.	91.525	91.525
PBVp20	1	9.625	.	9.625	9.625
NELp20	1	6.445	.	6.445	6.445
OE*	1	11.370	.	11.370	11.370
Ca	1	5.300	.	5.300	5.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	2.700	.	2.700	2.700
Mg	1	2.500	.	2.500	2.500
K	1	38.500	.	38.500	38.500
Na	1	0.900	.	0.900	0.900
Cl	1	5.300	.	5.300	5.300
S	1	3.200	.	3.200	3.200
CAB	1	674.489	.	674.489	674.489
Fe	1	158.000	.	158.000	158.000
Mn	1	57.000	.	57.000	57.000
Zn	1	29.000	.	29.000	29.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	705.000	.	705.000	705.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	74.700	.	74.700	74.700
Råprot	1	114.000	.	114.000	114.000
sRåprot	1	342.000	.	342.000	342.000
NDF	1	505.000	.	505.000	505.000
iNDF	1	124.000	.	124.000	124.000
nhNDF	1	4.214	.	4.214	4.214
TAF	1	61.000	.	61.000	61.000
Socket	1	118.000	.	118.000	118.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	86.644	.	86.644	86.644
PBVp20	1	-20.124	.	-20.124	-20.124
NELp20	1	6.007	.	6.007	6.007
OE*	1	10.880	.	10.880	10.880
Ca	1	5.800	.	5.800	5.800
P	1	2.900	.	2.900	2.900
Mg	1	2.300	.	2.300	2.300
K	1	25.500	.	25.500	25.500
Na	1	1.500	.	1.500	1.500
Cl	1	11.000	.	11.000	11.000
S	1	3.100	.	3.100	3.100
CAB	1	213.782	.	213.782	213.782
Fe	1	152.000	.	152.000	152.000
Mn	1	73.000	.	73.000	73.000
Zn	1	38.000	.	38.000	38.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	594.000	.	594.000	594.000
Aska	1	143.000	.	143.000	143.000
OS smbh	1	63.300	.	63.300	63.300
Råprot	1	92.000	.	92.000	92.000
sRåprot	1	508.000	.	508.000	508.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	83.000	.	83.000	83.000
NDF	1	560.000	.	560.000	560.000
iNDF	1	229.970	.	229.970	229.970
nhNDF	1	3.651	.	3.651	3.651
TAF	1	23.400	.	23.400	23.400
Mjölksyra	1	18.000	.	18.000	18.000
Ättiksyra	1	3.000	.	3.000	3.000
Socker	1	36.000	.	36.000	36.000
BUF	1	1.400	.	1.400	1.400
AATp20	1	70.222	.	70.222	70.222
PBVp20	1	-13.583	.	-13.583	-13.583
NELp20	1	4.708	.	4.708	4.708
OE*	1	8.300	.	8.300	8.300
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-16.000	.	-16.000	-16.000
CI	1	6.400	.	6.400	6.400

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	504.857	162.353	325.000	806.000
Aska	7	62.286	9.447	43.000	73.000
OS smbh	7	74.114	4.673	67.800	78.400
Råprot	7	140.857	21.973	116.000	171.000
sRåprot	7	607.286	114.866	442.000	797.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	6	69.333	34.027	41.000	137.000
NDF	7	461.286	52.140	376.000	516.000
iNDF	7	167.032	54.241	92.000	246.000
nhNDF	7	4.053	0.527	3.264	4.633
TAF	7	48.886	35.249	16.000	117.000
Mjölksyra	7	33.143	27.871	6.000	86.000
Ättiksyra	7	13.143	6.719	6.000	26.000
Socker	7	92.000	29.994	54.000	133.000
PRF	5	2.400	2.302	0.000	5.000
BUF	7	0.600	1.237	0.000	3.300
AATp20	7	82.957	4.045	78.464	90.614
PBVp20	7	10.989	18.341	-11.311	41.248
NELp20	7	6.018	0.453	5.412	6.540
OE*	7	10.899	0.688	10.000	11.570
AAT*	2	70.500	2.121	69.000	72.000
PBV*	2	16.000	8.485	10.000	22.000
Ca	6	5.267	0.920	4.000	6.500
P	6	2.767	0.242	2.500	3.100
Mg	6	2.017	0.264	1.700	2.300
K	6	19.333	5.917	13.100	27.200
Na	6	1.367	0.734	0.400	2.200
Cl	7	5.986	4.502	1.100	15.400
S	6	2.367	0.320	1.900	2.900
CAB	6	236.948	243.274	-200.123	481.114

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	5	87.000	11.832	73.000	100.000
Mn	5	142.400	140.297	50.000	372.000
Zn	5	31.800	6.760	22.000	39.000
Cu	5	5.360	1.071	4.000	6.800
Se	2	0.050	0.000	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	611.714	188.362	258.000	845.00
Aska	7	71.286	11.398	54.000	86.00
OS smbh	7	70.414	5.677	60.300	74.90
Råprot	7	147.571	32.888	114.000	195.00
sRåprot	7	510.000	100.575	378.000	705.00
NH3-N	7	57.000	60.967	2.000	185.00
NDF	7	483.429	36.258	447.000	541.00
iNDF	7	213.418	78.170	141.000	345.96
nhNDF	7	3.752	0.924	1.797	4.46
TAF	7	34.871	34.005	7.500	105.80
Mjölksyra	7	19.429	15.789	3.000	46.00
Ättiksyra	7	10.286	10.012	3.000	31.00
Socker	7	78.286	35.622	10.000	127.00
PRF	4	1.000	0.816	0.000	2.00
BUF	7	4.157	10.430	0.000	27.80
AATp20	7	82.902	11.140	61.852	97.30

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	7	17.510	34.380	-12.199	85.64
NELp20	7	5.677	0.476	4.876	6.14
OE*	7	10.191	0.953	8.400	11.01
AAT*	3	68.333	3.786	64.000	71.00
PBV*	3	55.667	28.290	23.000	72.00
Ca	6	6.983	3.727	4.200	14.30
P	6	2.767	0.497	2.100	3.60
Mg	6	2.267	0.615	1.700	3.30
K	6	19.583	4.835	10.600	25.00
Na	6	1.117	0.387	0.400	1.50
Cl	7	5.986	2.292	3.400	9.90
S	6	2.217	0.471	1.700	2.80
CAB	6	260.627	144.939	46.107	454.69
Fe	3	433.333	580.884	89.000	1104.00
Mn	3	62.667	36.828	29.000	102.00
Zn	3	28.667	8.327	22.000	38.00
Cu	3	9.167	0.971	8.100	10.00
Se	1	0.050	.	0.050	0.05

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	668.000	261.630	483.000	853.000
Aska	2	73.000	14.142	63.000	83.000
OS smbh	2	75.400	0.566	75.000	75.800
Råprot	2	177.000	1.414	176.000	178.000
sRåprot	2	430.500	154.856	321.000	540.000
NH3-N	2	49.500	30.406	28.000	71.000
NDF	2	457.000	31.113	435.000	479.000
iNDF	2	169.500	33.234	146.000	193.000
nhNDF	2	4.668	0.043	4.638	4.698
TAF	2	48.500	24.749	31.000	66.000
Mjölksyra	2	31.000	26.870	12.000	50.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	2	92.000	36.770	66.000	118.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	90.513	8.416	84.562	96.464
PBVp20	2	31.883	14.798	21.419	42.347
NELp20	2	6.217	0.078	6.161	6.272
OE*	2	10.985	0.262	10.800	11.170
Ca	2	7.450	0.212	7.300	7.600
P	2	2.950	0.354	2.700	3.200
Mg	2	4.200	0.424	3.900	4.500
K	2	21.850	7.000	16.900	26.800
Na	2	1.450	0.071	1.400	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	2	4.950	4.172	2.000	7.900
S	2	3.000	0.849	2.400	3.600
CAB	2	294.930	117.625	211.757	378.104
Fe	2	104.000	21.213	89.000	119.000
Mn	2	55.500	3.536	53.000	58.000
Zn	2	23.000	8.485	17.000	29.000
Cu	2	6.500	0.707	6.000	7.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	535.000	.	535.000	535.000
Aska	1	79.000	.	79.000	79.000
OS smbh	1	78.000	.	78.000	78.000
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	421.000	.	421.000	421.000
NH3-N	1	20.000	.	20.000	20.000
NDF	1	466.000	.	466.000	466.000
iNDF	1	87.000	.	87.000	87.000
nhNDF	1	4.518	.	4.518	4.518
TAF	1	18.000	.	18.000	18.000
Mjölksyra	1	16.000	.	16.000	16.000
Ättiksyra	1	2.000	.	2.000	2.000
Socker	1	116.000	.	116.000	116.000
PRF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	1	0.000	.	0.000	0.000
AATp20	1	92.996	.	92.996	92.996
PBVp20	1	0.069	.	0.069	0.069
NELp20	1	6.309	.	6.309	6.309
OE*	1	11.340	.	11.340	11.340
Ca	1	6.000	.	6.000	6.000
P	1	3.900	.	3.900	3.900
Mg	1	2.900	.	2.900	2.900
K	1	30.200	.	30.200	30.200
Na	1	3.200	.	3.200	3.200
Cl	1	11.400	.	11.400	11.400
S	1	3.800	.	3.800	3.800
CAB	1	352.882	.	352.882	352.882
Fe	1	97.000	.	97.000	97.000
Mn	1	73.000	.	73.000	73.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	706.000	224.860	547.000	865.000
Aska	2	94.000	12.728	85.000	103.000
OS smbh	2	76.400	3.536	73.900	78.900
Råprot	2	138.000	28.284	118.000	158.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	2	434.500	28.991	414.000	455.000
iNDF	2	147.491	60.066	105.018	189.964
nhNDF	2	4.669	1.387	3.688	5.650
TAF	2	84.000	0.000	84.000	84.000
Socker	2	108.500	36.062	83.000	134.000
AATp20	2	82.648	4.933	79.160	86.137
PBVp20	2	10.685	18.256	-2.224	23.594
NELp20	2	6.102	0.474	5.767	6.436
OE*	2	10.900	0.424	10.600	11.200
AAT*	2	75.500	2.121	74.000	77.000
PBV*	2	8.000	24.042	-9.000	25.000
Ca	1	5.400	.	5.400	5.400
P	1	3.000	.	3.000	3.000
Mg	1	2.100	.	2.100	2.100
K	1	30.400	.	30.400	30.400
Na	1	1.700	.	1.700	1.700
S	1	2.800	.	2.800	2.800
CAB	1	544.012	.	544.012	544.012
Fe	1	435.000	.	435.000	435.000
Mn	1	98.000	.	98.000	98.000
Zn	1	324.000	.	324.000	324.000
Cu	1	6.900	.	6.900	6.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	77	395.909	165.330	200.000	640.000
Aska	77	71.312	9.208	60.000	85.000
OS smbh	77	78.475	4.240	71.600	83.900
Råprot	77	147.597	28.123	117.000	175.000
sRåprot	52	441.558	61.289	368.000	508.000
NDF	77	430.403	44.251	383.000	495.000
iNDF	77	127.328	62.938	61.197	211.000
nhNDF	77	5.240	1.328	3.883	6.988
Stä	2	18.000	24.042	1.000	35.000
TAF	77	46.247	37.736	4.000	84.000
Mjölksyra	39	0.000	0.000	0.000	0.000
Ättiksyra	39	1.538	3.178	0.000	8.000
Socker	77	134.195	32.556	96.000	177.000
PRF	39	4.744	3.697	0.000	10.000
BUF	39	3.179	2.733	0.000	7.000
AATp20	77	91.692	6.289	82.993	98.373
PBVp20	77	5.367	20.305	-20.091	28.303
NELp20	77	6.332	0.430	5.773	6.969
OE*	77	11.509	0.687	10.430	12.400
AAT*	25	80.960	3.553	77.000	84.000
PBV*	25	10.760	15.284	-12.000	29.000
Ca	76	5.200	1.802	3.500	8.200
P	76	2.796	0.533	2.100	3.400
Mg	76	1.770	0.551	1.200	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	76	24.387	5.016	17.200	30.800
Na	74	1.023	0.756	0.400	1.700
Cl	48	5.108	3.953	1.500	8.100
S	76	2.068	0.411	1.600	2.600
CAB	76	398.762	123.048	248.504	542.455
Fe	45	166.533	90.742	84.000	320.000
Mn	45	44.778	12.503	29.000	59.000
Zn	45	28.089	6.612	21.000	36.000
Cu	45	5.573	1.764	4.000	7.200
Se	7	0.038	0.021	0.007	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	33	577.545	191.331	290.000	826.000
Aska	33	78.758	10.613	64.000	89.000
OS smbh	33	75.397	4.815	70.700	82.700
Råprot	33	152.121	29.863	117.000	193.000
sRåprot	14	390.071	54.435	316.000	440.000
NDF	33	460.636	48.636	398.000	521.000
iNDF	33	164.764	75.499	64.097	272.260
nhNDF	33	4.891	1.185	3.594	6.752
TAF	33	72.242	28.294	9.000	84.000
Mjölksyra	5	0.000	0.000	0.000	0.000
Ättiksyra	5	2.000	4.472	0.000	10.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	33	111.848	28.209	88.000	135.000
PRF	5	3.000	1.581	1.000	5.000
BUF	5	1.400	1.673	0.000	4.000
AATp20	33	86.618	6.872	80.217	95.453
PBVp20	33	17.804	21.123	-7.310	45.450
NELp20	33	6.136	0.486	5.564	6.859
OE*	33	10.910	0.740	10.050	11.900
AAT*	19	75.895	4.496	68.000	81.000
PBV*	19	19.053	31.181	-17.000	59.000
Ca	29	6.207	2.511	3.400	10.000
P	29	2.997	0.456	2.300	3.600
Mg	29	2.183	0.464	1.300	2.800
K	29	24.383	5.438	14.700	30.700
Na	29	1.679	1.234	0.400	3.800
Cl	14	6.186	3.646	1.700	8.500
S	29	2.483	0.438	2.000	3.100
CAB	29	388.843	132.620	180.487	563.641
Fe	22	131.409	59.569	77.000	201.000
Mn	22	62.227	20.949	42.000	97.000
Zn	22	30.227	5.723	25.000	36.000
Cu	22	6.373	1.236	5.000	7.800
Se	1	0.015	.	0.015	0.015

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	607.905	158.993	441.000	821.000
Aska	21	81.524	13.460	65.000	98.000
OS smbh	21	74.005	3.832	67.300	79.000
Råprot	21	153.619	25.707	125.000	185.000
sRåprot	6	389.667	47.798	300.000	442.000
NDF	21	491.381	38.225	458.000	534.000
iNDF	21	154.394	42.822	104.387	221.706
nhNDF	21	4.503	0.773	3.473	5.677
TAF	21	84.000	0.000	84.000	84.000
Socker	21	94.571	22.642	65.000	119.000
AATp20	21	83.864	5.008	76.345	89.094
PBVp20	21	23.670	19.582	-1.718	42.286
NELp20	21	6.087	0.386	5.423	6.477
OE*	21	10.658	0.610	9.600	11.360
AAT*	15	73.533	3.314	68.000	78.000
PBV*	15	30.600	24.415	-3.000	74.000
Ca	20	5.815	1.623	4.250	7.950
P	20	3.085	0.373	2.700	3.700
Mg	20	2.380	0.477	1.850	3.000
K	20	23.825	5.902	16.100	31.600
Na	20	1.510	0.947	0.800	2.400
Cl	6	5.133	2.015	3.000	7.900
S	20	2.545	0.411	2.100	3.150
CAB	20	379.868	139.555	169.412	531.357

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	15	139.733	97.496	73.000	353.000
Mn	15	64.533	23.028	44.000	79.000
Zn	15	28.333	6.020	23.000	39.000
Cu	15	6.713	0.894	5.600	8.300
Se	1	0.016	.	0.016	0.016

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	483.769	130.766	368.000	672.000
Aska	13	86.154	9.521	75.000	96.000
OS smbh	13	75.946	3.726	72.300	79.800
Råprot	13	158.846	24.128	122.000	189.000
sRåprot	3	395.000	52.849	352.000	454.000
NDF	13	458.308	35.212	417.000	516.000
iNDF	13	146.029	39.864	106.096	216.000
nhNDF	13	4.803	0.625	4.148	5.532
TAF	13	84.000	0.000	84.000	84.000
Socker	13	110.231	31.374	66.000	149.000
AATp20	13	85.214	3.377	79.658	88.592
PBVp20	13	26.256	20.623	0.142	48.963
NELp20	13	6.201	0.294	5.710	6.477
OE*	13	10.909	0.550	10.200	11.300
AAT*	10	75.800	3.120	70.500	79.000
PBV*	10	32.400	24.213	0.000	63.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	12	6.742	1.322	5.500	8.400
P	12	3.092	0.329	2.800	3.400
Mg	12	2.658	0.487	2.000	3.200
K	12	23.075	3.138	18.100	27.200
Na	12	1.842	0.858	1.100	3.200
Cl	3	7.800	7.451	2.400	16.300
S	12	2.717	0.645	2.200	3.300
CAB	12	346.209	126.597	266.982	473.584
Fe	9	151.889	43.993	100.000	241.000
Mn	9	70.889	26.322	43.000	115.000
Zn	9	24.667	3.464	18.000	30.000
Cu	9	6.811	0.851	5.800	8.200
Se	2	0.020	0.001	0.019	0.020

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	256.000	66.4680	209.000	303.000
Aska	2	85.500	4.9497	82.000	89.000
OS smbh	2	73.600	6.7882	68.800	78.400
Råprot	2	159.500	21.9203	144.000	175.000
sRåprot	1	309.000	.	309.000	309.000
NDF	2	448.500	53.0330	411.000	486.000
iNDF	2	176.639	60.3005	134.000	219.278
nhNDF	2	4.156	1.0157	3.438	4.874

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	2	84.000	0.0000	84.000	84.000
Socker	2	89.000	33.9411	65.000	113.000
AATp20	2	84.917	11.9086	76.496	93.338
PBVp20	2	27.500	0.8607	26.892	28.109
NELp20	2	6.001	0.6481	5.543	6.459
OE*	2	10.535	1.1809	9.700	11.370
AAT*	1	69.000	.	69.000	69.000
PBV*	1	24.000	.	24.000	24.000
Ca	2	8.700	0.2828	8.500	8.900
P	2	3.450	0.0707	3.400	3.500
Mg	2	2.700	0.2828	2.500	2.900
K	2	22.350	4.3134	19.300	25.400
Na	2	1.650	1.0607	0.900	2.400
Cl	1	4.200	.	4.200	4.200
S	2	3.350	0.6364	2.900	3.800
CAB	2	308.623	34.3847	284.310	332.937
Fe	2	189.000	16.9706	177.000	201.000
Mn	2	122.000	87.6812	60.000	184.000
Zn	2	30.500	0.7071	30.000	31.000
Cu	2	7.800	0.2828	7.600	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	481.545	130.646	320.000	634.00
Aska	11	92.182	27.669	67.000	112.00
OS smbh	11	69.818	8.574	61.700	77.60
Råprot	11	149.273	27.565	112.000	184.00
sRåprot	11	527.273	91.597	431.000	644.00
NH3-N	11	89.000	18.692	67.000	113.00
NDF	11	466.545	57.074	419.000	541.00
iNDF	11	209.608	77.365	136.451	285.69
nhNDF	11	3.717	1.215	2.385	4.82
TAF	11	45.636	33.562	12.500	83.20
Mjölksyra	11	32.909	27.980	5.000	67.00
Ättiksyra	11	10.091	5.375	5.000	18.00
Socker	11	57.273	26.676	29.000	88.00
BUF	11	1.636	1.330	0.300	3.30
AATp20	11	80.240	6.994	74.712	86.61
PBVp20	11	25.777	18.939	5.963	45.81
NELp20	11	5.579	0.835	4.818	6.40
OE*	11	9.873	1.460	8.600	11.30
AAT*	11	68.091	4.505	64.000	72.00
PBV*	11	31.636	24.101	10.000	61.00
Ca	8	7.813	1.857	5.200	11.20
P	8	3.225	0.345	2.800	3.70
Mg	8	2.575	0.578	1.500	3.40
K	8	23.300	4.879	14.500	31.80

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	8	1.538	1.496	0.100	4.40
Cl	11	8.482	3.874	3.300	13.20
S	8	2.350	0.566	1.400	2.90
CAB	8	277.853	80.621	212.941	464.04
Fe	8	445.375	489.195	96.000	1575.00
Mn	8	98.375	24.611	51.000	131.00
Zn	8	34.000	11.772	23.000	59.00
Cu	8	7.338	1.680	5.500	11.00

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	185	421.924	135.102	276.000	610.000
Aska	185	70.697	9.818	61.000	81.000
OS smbh	185	76.316	4.001	71.200	80.000
Råprot	185	152.016	23.025	121.000	178.000
sRåprot	185	634.573	93.488	516.000	725.000
NH3-N	183	64.683	26.157	36.000	103.000
NDF	185	437.341	50.266	375.000	513.000
iNDF	185	149.517	47.077	105.469	216.000
nhNDF	185	4.484	0.540	3.933	5.110
Stä	2	352.000	336.583	114.000	590.000
TAF	185	73.836	35.208	23.000	119.000
Mjölksyra	185	54.811	30.409	11.000	94.000
Ättiksyra	185	16.065	6.459	7.000	24.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	185	78.886	39.419	30.000	136.000
PRF	142	2.908	1.717	1.000	5.000
BUF	185	0.495	1.031	0.000	1.500
AATp20	185	83.051	4.453	77.432	89.049
PBVp20	185	23.424	20.792	-2.244	48.495
NELp20	185	6.306	0.388	5.781	6.678
OE*	185	11.160	0.644	10.360	11.770
AAT*	43	72.302	2.550	70.000	74.000
PBV*	43	16.070	22.044	-9.000	42.000
Ca	182	5.515	1.519	4.000	7.600
P	182	2.845	0.408	2.400	3.300
Mg	182	1.879	0.374	1.400	2.400
K	182	22.885	4.248	18.100	28.500
Na	182	1.382	0.619	0.600	2.100
Cl	184	6.357	4.397	2.600	10.900
S	182	2.147	0.420	1.600	2.500
CAB	182	332.296	152.409	172.694	488.973
Fe	115	168.870	100.199	90.000	270.000
Mn	115	56.391	21.097	38.000	74.000
Zn	115	33.574	18.619	22.000	43.000
Cu	115	5.735	1.294	4.000	7.200
Se	41	0.043	0.014	0.017	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	122	448.254	143.081	290.000	658.000
Aska	122	76.738	10.314	66.000	89.000
OS smbh	122	75.168	3.171	71.400	78.400
Råprot	122	159.877	23.113	130.000	188.000
sRåprot	122	574.328	90.402	451.000	663.000
NH3-N	122	66.541	42.310	30.000	95.000
NDF	122	455.221	37.984	414.000	503.000
iNDF	122	160.591	37.681	117.000	203.188
nhNDF	122	4.483	0.588	3.963	5.025
TAF	122	68.777	33.293	18.000	109.000
Mjölksyra	122	50.246	28.430	11.000	85.000
Ättiksyra	122	15.123	7.669	6.000	22.000
Socker	122	63.205	28.944	27.000	102.000
PRF	91	3.275	2.801	1.000	6.000
BUF	122	0.711	3.159	0.000	1.700
AATp20	122	84.028	5.037	78.194	89.977
PBVp20	122	29.257	19.543	6.396	54.695
NELp20	122	6.224	0.349	5.866	6.567
OE*	122	10.903	0.500	10.370	11.400
AAT*	31	70.645	1.889	68.000	72.000
PBV*	31	28.968	23.246	-1.000	59.000
Ca	117	6.091	1.375	4.900	7.900
P	117	3.034	0.390	2.500	3.500
Mg	117	2.247	0.425	1.800	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	117	23.911	4.798	17.500	29.300
Na	117	1.755	0.951	0.800	2.900
Cl	121	9.151	7.315	3.300	17.900
S	117	2.478	0.475	1.900	3.100
CAB	117	281.974	207.411	67.998	464.178
Fe	75	159.507	89.688	82.000	287.000
Mn	75	64.453	21.220	45.000	89.000
Zn	75	34.013	17.688	22.000	41.000
Cu	75	6.557	1.210	5.000	8.000
Se	15	0.046	0.011	0.023	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	96	425.760	135.470	277.000	642.000
Aska	96	83.979	27.536	68.000	101.000
OS smbh	96	73.590	2.680	70.000	76.500
Råprot	96	164.583	23.307	141.000	193.000
sRåprot	96	551.125	72.904	454.000	619.000
NH3-N	94	75.011	30.922	42.000	108.000
NDF	96	451.990	37.246	401.000	497.000
iNDF	96	194.274	47.839	147.251	261.379
nhNDF	96	4.370	0.590	3.607	5.045
TAF	96	69.695	28.670	21.000	100.400
Mjölksyra	96	48.885	23.676	9.000	74.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	94	17.426	9.100	8.000	26.000
Socker	96	49.125	23.701	23.000	82.000
PRF	71	3.085	2.837	0.000	6.000
BUF	94	0.827	1.748	0.000	2.000
AATp20	96	82.726	4.671	77.797	88.910
PBVp20	96	35.832	20.868	12.635	60.121
NELp20	96	6.065	0.348	5.601	6.434
OE*	96	10.566	0.591	9.900	11.130
AAT*	23	69.609	2.776	67.000	72.000
PBV*	23	40.478	31.833	10.000	73.000
Ca	90	7.279	2.447	5.750	9.450
P	90	3.146	0.374	2.750	3.700
Mg	90	2.591	0.498	2.100	3.200
K	90	23.703	4.405	18.050	29.250
Na	90	1.637	0.639	0.850	2.550
Cl	96	9.577	5.734	3.500	16.800
S	90	2.606	0.520	2.100	3.300
CAB	90	249.684	186.855	52.109	456.421
Fe	50	179.100	148.349	83.500	297.500
Mn	50	62.860	18.773	43.500	86.000
Zn	50	33.000	17.129	22.500	44.000
Cu	50	7.420	1.434	6.000	9.000
Se	11	0.047	0.009	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	51	401.471	153.398	259.000	667.000
Aska	51	85.667	10.959	74.000	101.000
OS smbh	51	73.682	3.820	72.000	76.700
Råprot	51	170.176	23.623	144.000	196.000
sRåprot	51	551.275	83.872	429.000	635.000
NH3-N	49	66.245	22.124	38.000	102.000
NDF	51	429.745	45.570	397.000	465.000
iNDF	51	201.820	44.905	157.000	264.000
nhNDF	51	4.188	0.591	3.539	4.805
TAF	51	78.547	34.943	23.000	119.000
Mjölksyra	51	60.549	29.755	9.000	96.000
Ättiksyra	50	15.920	6.468	7.000	23.000
Socker	51	51.098	31.619	22.000	96.000
PRF	38	1.921	1.583	0.000	5.000
BUF	50	0.338	0.693	0.000	1.000
AATp20	51	81.857	5.115	76.768	89.226
PBVp20	51	42.453	21.726	13.917	70.114
NELp20	51	6.076	0.383	5.798	6.391
OE*	51	10.556	0.604	10.200	11.040
AAT*	12	68.583	3.088	67.000	71.000
PBV*	12	33.417	27.161	14.000	71.000
Ca	47	7.815	1.857	5.800	10.400
P	47	3.226	0.321	2.800	3.600
Mg	47	2.774	0.458	2.300	3.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	47	22.857	3.482	18.500	26.400
Na	47	1.870	0.716	1.000	3.200
Cl	51	10.941	5.717	4.700	16.500
S	47	2.653	0.351	2.300	3.300
CAB	47	195.254	146.396	26.506	358.981
Fe	27	255.370	124.736	103.000	479.000
Mn	27	74.778	21.887	51.000	102.000
Zn	27	29.593	6.072	20.000	37.000
Cu	27	7.419	1.273	6.000	9.000
Se	6	0.055	0.008	0.050	0.070

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	264.889	34.661	195.000	307.00
Aska	9	94.000	17.812	78.000	127.00
OS smbh	9	73.889	4.745	62.700	79.50
Råprot	9	174.000	11.292	155.000	188.00
sRåprot	9	582.222	36.304	521.000	630.00
NH3-N	9	71.778	24.707	54.000	119.00
NDF	9	414.444	23.125	366.000	445.00
iNDF	9	213.788	63.955	114.423	304.00
nhNDF	9	4.414	0.799	2.383	5.00
TAF	9	104.089	8.941	91.200	122.00
Mjölksyra	9	82.889	8.192	71.000	98.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	9	17.556	3.539	13.000	24.00
Socker	9	33.222	12.184	10.000	46.00
PRF	7	3.571	2.370	1.000	8.00
BUF	9	0.644	1.028	0.000	2.60
AATp20	9	78.815	4.881	67.065	84.52
PBVp20	9	50.738	9.099	33.311	65.94
NELp20	9	6.126	0.480	4.940	6.47
OE*	9	10.504	0.856	8.400	11.10
AAT*	2	68.000	5.657	64.000	72.00
PBV*	2	50.500	4.950	47.000	54.00
Ca	9	7.100	0.903	6.100	9.00
P	9	3.389	0.501	2.800	4.20
Mg	9	2.489	0.190	2.100	2.70
K	9	24.722	4.786	18.000	32.00
Na	9	1.700	0.482	0.700	2.30
Cl	9	11.667	6.383	3.600	26.80
S	9	2.589	0.355	2.000	3.10
CAB	9	215.751	109.688	-50.869	321.16
Fe	4	522.750	391.403	255.000	1103.00
Mn	4	76.500	7.416	70.000	87.00
Zn	4	33.500	4.655	29.000	40.00
Cu	4	8.650	0.603	8.000	9.30

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	366.091	107.261	269.000	432.000
Aska	11	52.727	11.499	40.000	60.000
OS smbh	12	69.650	3.201	65.400	72.300
Råprot	11	109.909	17.638	90.000	132.000
sRåprot	11	630.727	98.053	543.000	713.000
NH3-N	11	84.727	32.410	51.000	108.000
NDF	11	453.364	48.432	402.000	505.000
iNDF	12	248.036	55.369	188.000	313.000
nhNDF	12	3.179	0.803	2.322	4.028
Stä	11	117.091	76.061	31.000	238.000
TAF	12	76.592	32.695	43.700	132.000
Mjölksyra	11	53.636	26.360	28.000	99.000
Ättiksyra	11	18.636	6.313	12.000	24.000
Socker	11	61.727	40.401	23.000	120.000
PRF	9	4.444	2.920	1.000	9.000
BUF	9	1.000	1.936	0.000	6.000
AATp20	12	70.748	2.354	67.478	73.353
PBVp20	12	-4.472	17.227	-24.838	18.024
NELp20	12	5.755	0.349	5.287	6.089
OE*	9	10.430	0.414	9.590	10.850
Ca	11	3.818	1.000	2.300	4.700
P	11	2.709	0.632	2.100	3.500
Mg	11	1.536	0.314	1.200	2.000
K	11	17.100	7.599	9.400	27.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	11	1.145	0.577	0.600	1.400
Cl	11	3.827	2.510	1.300	6.400
S	11	1.736	0.250	1.400	2.000
CAB	11	270.809	175.066	106.256	396.261
Fe	7	114.000	41.158	70.000	197.000
Mn	7	43.143	23.815	15.000	85.000
Zn	7	31.857	7.493	25.000	47.000
Cu	7	4.914	0.598	4.000	6.000
Se	2	0.033	0.024	0.016	0.050

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	344.571	79.1220	273.000	489.000
Aska	7	61.571	14.7067	40.000	82.000
OS smbh	7	67.329	4.1728	61.700	72.800
Råprot	7	113.429	25.9220	82.000	146.000
sRåprot	7	576.857	84.1099	438.000	718.000
NH3-N	6	79.500	36.0985	21.000	113.000
NDF	7	434.143	69.7362	344.000	547.000
iNDF	7	370.633	71.2221	295.000	474.612
nhNDF	7	4.753	2.8583	1.698	9.827
Stä	6	132.833	47.2331	96.000	211.000
TAF	7	73.714	41.1743	10.000	134.000
Mjölksyra	7	52.857	30.9700	0.000	89.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	7	17.000	10.4563	8.000	39.000
Socker	7	37.714	36.2938	11.000	104.000
PRF	5	3.800	3.4928	0.000	7.000
BUF	5	1.400	1.3416	0.000	3.000
AATp20	7	70.167	6.3068	64.833	80.014
PBVp20	7	2.786	21.2694	-17.015	40.370
NELp20	7	5.597	0.3320	5.260	6.124
OE*	5	9.972	0.5152	9.230	10.570
Ca	7	5.143	1.6632	2.800	7.200
P	7	2.686	0.2410	2.400	3.100
Mg	7	1.643	0.1718	1.400	1.900
K	7	16.471	3.8244	9.600	20.800
Na	7	1.000	0.9092	0.100	2.700
Cl	6	3.867	3.1309	0.400	8.700
S	7	1.557	0.3409	1.100	2.000
CAB	7	261.988	59.8461	187.219	366.399
Fe	5	146.000	82.2253	66.000	271.000
Mn	5	56.600	30.2622	22.000	91.000
Zn	5	32.600	6.0249	28.000	43.000
Cu	5	5.520	0.8871	4.900	7.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	555.875	46.812	501.000	611.000
Aska	16	17.813	15.145	11.000	18.000
OS smbh	16	81.138	2.530	78.300	84.500
Råprot	16	77.750	7.690	71.000	89.000
sRåprot	16	359.625	108.098	239.000	468.000
NH3-N	13	34.231	15.260	21.000	54.000
NDF	16	211.438	67.123	119.000	291.000
iNDF	16	232.938	21.246	204.000	261.000
nhNDF	16	2.248	1.196	1.413	3.269
Stä	16	540.375	51.790	467.000	614.000
TAF	16	46.275	5.884	36.200	53.000
Mjölksyra	16	38.375	7.623	24.000	46.000
Ättiksyra	9	4.333	2.236	1.000	8.000
Socker	16	5.000	0.000	5.000	5.000
PRF	9	0.222	0.441	0.000	1.000
BUF	9	0.000	0.000	0.000	0.000
AATp20	16	94.613	2.793	91.084	99.876
PBVp20	16	-72.069	5.303	-76.465	-63.200
NELp20	16	7.083	0.221	6.855	7.369
OE*	16	12.637	0.358	12.180	12.960
Ca	16	0.556	0.365	0.200	1.300
P	16	2.119	0.152	1.900	2.400
Mg	16	0.831	0.209	0.500	1.100
K	16	4.562	1.143	3.300	6.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	16	0.281	0.133	0.100	0.400
Cl	7	2.386	1.030	1.100	3.600
S	16	0.900	0.082	0.800	1.000
CAB	16	25.043	24.057	-5.838	61.372
Fe	7	110.714	121.766	33.000	349.000
Mn	7	7.571	1.134	6.000	9.000
Zn	7	23.286	4.071	16.000	26.000
Cu	7	2.000	0.577	1.000	3.000

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	391.500	217.082	238.000	545.000
Aska	2	48.000	8.485	42.000	54.000
OS smbh	2	67.600	0.283	67.400	67.800
Råprot	2	88.000	4.243	85.000	91.000
sRåprot	2	590.500	129.401	499.000	682.000
NH3-N	2	56.500	74.246	4.000	109.000
NDF	2	551.500	44.548	520.000	583.000
iNDF	2	218.894	18.535	205.787	232.000
nhNDF	2	3.517	0.371	3.255	3.779
Stä	2	37.500	28.991	17.000	58.000
TAF	2	67.285	57.580	26.570	108.000
Mjölksyra	2	51.000	57.983	10.000	92.000
Ättiksyra	1	16.000	.	16.000	16.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	76.000	84.853	16.000	136.000
AATp20	2	75.255	8.916	68.951	81.560
PBVp20	2	-30.125	10.850	-37.797	-22.452
NELp20	2	5.541	0.123	5.454	5.628
OE*	1	10.060	.	10.060	10.060
Ca	2	2.400	0.707	1.900	2.900
P	2	2.450	0.354	2.200	2.700
Mg	2	1.150	0.071	1.100	1.200
K	2	18.550	3.606	16.000	21.100
Na	2	1.150	0.495	0.800	1.500
Cl	2	3.850	1.344	2.900	4.800
S	2	1.350	0.071	1.300	1.400
CAB	2	331.599	156.017	221.279	441.919
Fe	2	120.500	6.364	116.000	125.000
Mn	2	76.500	58.690	35.000	118.000
Zn	2	26.500	7.778	21.000	32.000
Cu	2	4.700	1.838	3.400	6.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	331.889	65.914	233.000	436.000
Aska	9	63.333	11.180	44.000	79.000
OS smbh	9	73.978	3.201	69.500	78.400
Råprot	9	125.556	24.187	79.000	162.000
sRåprot	9	664.556	143.871	408.000	829.000
NH3-N	9	66.889	29.557	29.000	120.000
NDF	9	443.556	73.383	318.000	531.000
iNDF	9	189.583	40.797	136.000	264.000
nhNDF	9	3.983	0.601	2.538	4.467
Stä	9	48.000	48.275	17.000	171.000
TAF	9	72.778	44.992	9.000	138.000
Mjölksyra	9	49.444	34.352	0.000	98.000
Ättiksyra	9	18.444	11.631	0.000	32.000
Socker	9	88.333	44.545	21.000	157.000
PRF	7	4.857	1.773	2.000	8.000
BUF	7	0.714	1.496	0.000	4.000
AATp20	9	73.538	5.337	67.809	84.279
PBVp20	9	2.503	25.830	-47.778	34.386
NELp20	9	6.074	0.341	5.613	6.507
OE*	7	10.754	0.472	10.270	11.430
Ca	9	4.111	0.988	3.000	6.000
P	9	2.700	0.520	2.100	3.500
Mg	9	1.300	0.361	0.800	1.800
K	9	19.711	5.033	12.900	28.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	9	0.844	0.461	0.200	1.600
Cl	7	2.657	1.753	0.700	4.200
S	9	1.778	0.342	1.200	2.300
CAB	9	343.402	135.013	118.390	555.074
Fe	4	182.500	118.801	97.000	350.000
Mn	4	42.750	7.042	37.000	53.000
Zn	4	27.000	3.742	22.000	31.000
Cu	4	5.400	1.804	4.000	8.000
Se	1	0.011	.	0.011	0.011

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	368.750	46.0317	303.000	403.000
Aska	4	51.250	9.4296	42.000	64.000
OS smbh	4	68.550	1.7330	67.100	71.000
Råprot	4	108.500	25.5147	78.000	135.000
sRåprot	4	623.500	34.2783	588.000	669.000
NH3-N	4	115.000	44.6766	50.000	148.000
NDF	4	398.000	46.0217	338.000	437.000
iNDF	4	303.699	17.9099	280.000	319.000
nhNDF	4	2.404	0.3863	2.076	2.964
Stä	4	204.500	29.4901	171.000	238.000
TAF	4	63.250	7.0887	56.000	73.000
Mjölksyra	4	50.750	7.0415	45.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	4	11.000	0.8165	10.000	12.000
Socker	4	26.250	6.6018	19.000	34.000
PRF	3	1.333	1.1547	0.000	2.000
BUF	3	0.667	1.1547	0.000	2.000
AATp20	4	72.583	1.3855	71.276	74.508
PBVp20	4	-5.699	20.8169	-30.721	14.491
NELp20	4	5.700	0.1244	5.583	5.873
OE*	4	10.143	0.2750	9.890	10.400
AAT*	1	64.000	.	64.000	64.000
PBV*	1	-25.000	.	-25.000	-25.000
Ca	4	4.350	1.0630	3.500	5.900
P	4	3.100	0.7257	2.400	4.100
Mg	4	1.825	0.2986	1.400	2.100
K	4	12.550	0.7937	11.800	13.500
Na	4	0.975	0.4031	0.400	1.300
Cl	4	2.250	1.3229	0.700	3.400
S	4	1.650	0.5066	1.000	2.100
CAB	4	196.858	42.8835	142.652	246.474
Fe	1	76.000	.	76.000	76.000
Mn	1	20.000	.	20.000	20.000
Zn	1	20.000	.	20.000	20.000
Cu	1	5.200	.	5.200	5.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	103	348.709	49.6173	288.000	415.000
Aska	103	27.563	12.7153	21.000	32.000
OS smbh	104	75.620	2.5761	72.200	78.600
Råprot	103	76.660	8.6993	69.000	86.000
sRåprot	103	506.214	75.0612	423.000	595.000
NH3-N	97	42.289	19.8168	23.000	67.000
NDF	103	367.767	50.1252	320.000	435.000
iNDF	104	214.727	29.5805	179.680	251.000
nhNDF	104	3.241	0.5570	2.653	3.833
Stä	103	320.000	57.3375	255.000	384.000
TAF	104	62.606	13.4471	46.000	80.000
Mjölksyra	103	47.223	9.7769	33.000	58.000
Ättiksyra	103	12.194	5.1849	6.000	19.000
Socker	103	8.670	8.9513	5.000	16.000
PRF	83	3.265	1.4321	2.000	5.000
BUF	83	0.000	0.0000	0.000	0.000
AATp20	104	83.417	3.2156	79.686	86.616
PBVp20	104	-54.630	9.3408	-63.449	-46.117
NELp20	104	6.467	0.2405	6.120	6.732
OE*	84	11.465	0.4137	10.890	11.930
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-68.000	.	-68.000	-68.000
Ca	103	1.819	0.6231	1.200	2.300
P	103	1.839	0.2233	1.600	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	103	1.166	0.3060	0.900	1.500
K	103	9.078	2.0717	7.100	10.600
Na	103	0.265	0.2300	0.100	0.500
Cl	58	3.124	2.7866	1.400	6.700
S	103	0.918	0.1939	0.800	1.100
CAB	103	118.271	74.6442	77.300	178.079
Fe	58	75.276	27.1641	52.000	124.000
Mn	58	24.448	13.7613	12.000	34.000
Zn	58	28.172	17.3267	18.000	32.000
Cu	58	4.219	0.8721	3.000	5.000
Se	10	0.051	0.0032	0.050	0.055

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	905.667	59.1383	841.000	957.000
Aska	3	60.667	17.0098	48.000	80.000
OS smbh	3	65.567	6.3736	58.900	71.600
Råprot	3	86.667	19.8578	71.000	109.000
NDF	3	579.333	85.1606	481.000	629.000
iNDF	3	220.570	41.6551	191.933	268.357
nhNDF	3	3.534	0.6328	2.804	3.936
TAF	3	0.000	0.0000	0.000	0.000
Socket	3	128.333	28.0238	101.000	157.000
AATp20	3	83.359	6.5482	76.298	89.231

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	3	-37.941	9.7823	-46.152	-27.118
NELp20	3	5.051	0.4778	4.517	5.438
OE*	3	9.500	0.9165	8.500	10.300
AAT*	3	68.000	5.5678	62.000	73.000
PBV*	3	-29.000	12.2882	-38.000	-15.000
Ca	2	4.650	2.7577	2.700	6.600
P	2	2.350	0.2121	2.200	2.500
Mg	2	1.450	0.6364	1.000	1.900
K	2	18.750	2.1920	17.200	20.300
Na	2	1.000	1.2728	0.100	1.900
S	2	1.500	0.4243	1.200	1.800
CAB	2	288.423	27.2399	269.161	307.684
Fe	2	81.000	15.5563	70.000	92.000
Mn	2	36.000	9.8995	29.000	43.000
Zn	2	23.500	7.7782	18.000	29.000
Cu	2	4.850	2.3335	3.200	6.500
Se	2	0.030	0.0226	0.014	0.046

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	820.300	59.0500	741.500	899.000
Aska	10	56.200	6.1788	49.000	65.000
OS smbh	10	66.670	5.7668	58.300	72.900
Råprot	10	84.100	27.8626	47.500	123.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	3	428.000	47.6970	383.000	478.000
NDF	10	584.900	31.3916	541.000	624.500
iNDF	10	211.707	46.5950	160.074	280.296
nhNDF	10	3.814	0.7332	2.790	4.728
TAF	10	0.500	1.5811	0.000	2.500
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	10	127.000	16.3775	103.000	145.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	10	85.937	9.0858	72.757	95.872
PBVp20	10	-44.593	12.0671	-56.868	-24.497
NELp20	10	5.190	0.5732	4.329	5.809
OE*	10	9.722	0.9517	8.300	10.730
AAT*	7	68.000	6.6833	55.000	77.000
PBV*	7	-44.571	8.9230	-57.000	-34.000
Ca	10	2.640	0.8682	1.400	3.600
P	10	2.170	0.3683	1.600	2.600
Mg	10	1.120	0.3011	0.750	1.500
K	10	17.440	4.4483	11.650	23.100
Na	10	0.540	0.5621	0.100	1.400
Cl	3	4.633	3.3650	0.800	7.100
S	10	1.410	0.3573	0.900	1.900
CAB	10	243.643	79.8715	144.857	356.981

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	8	93.250	84.9651	47.000	301.000
Mn	8	50.375	10.3363	35.000	71.000
Zn	8	22.750	6.2278	13.000	35.000
Cu	8	3.638	0.4502	2.800	4.200
Se	1	0.008	.	0.008	0.008

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	869.000	.	869.000	869.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	70.300	.	70.300	70.300
Råprot	1	93.000	.	93.000	93.000
sRåprot	1	422.000	.	422.000	422.000
NDF	1	520.000	.	520.000	520.000
iNDF	1	199.000	.	199.000	199.000
nhNDF	1	4.037	.	4.037	4.037
TAF	1	0.000	.	0.000	0.000
Socket	1	116.000	.	116.000	116.000
AATp20	1	90.673	.	90.673	90.673
PBVp20	1	-44.363	.	-44.363	-44.363
NELp20	1	5.411	.	5.411	5.411
OE*	1	10.120	.	10.120	10.120
Ca	1	2.800	.	2.800	2.800
P	1	2.600	.	2.600	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	1	1.000	.	1.000	1.000
K	1	21.700	.	21.700	21.700
Na	1	0.500	.	0.500	0.500
Cl	1	3.800	.	3.800	3.800
S	1	1.800	.	1.800	1.800
CAB	1	357.184	.	357.184	357.184
Fe	1	90.000	.	90.000	90.000
Mn	1	43.000	.	43.000	43.000
Zn	1	24.000	.	24.000	24.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	780.000	.	780.000	780.000
Aska	1	72.000	.	72.000	72.000
OS smbh	1	71.700	.	71.700	71.700
Råprot	1	135.000	.	135.000	135.000
sRåprot	1	392.000	.	392.000	392.000
NDF	1	530.000	.	530.000	530.000
iNDF	1	177.000	.	177.000	177.000
nhNDF	1	4.324	.	4.324	4.324
TAF	1	0.000	.	0.000	0.000
Socker	1	93.000	.	93.000	93.000
AATp20	1	99.285	.	99.285	99.285

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-19.126	.	-19.126	-19.126
NELp20	1	5.760	.	5.760	5.760
OE*	1	10.390	.	10.390	10.390
Ca	1	4.200	.	4.200	4.200
P	1	3.200	.	3.200	3.200
Mg	1	2.400	.	2.400	2.400
K	1	25.700	.	25.700	25.700
Na	1	0.500	.	0.500	0.500
Cl	1	6.700	.	6.700	6.700
S	1	2.500	.	2.500	2.500
CAB	1	334.046	.	334.046	334.046
Fe	1	126.000	.	126.000	126.000
Mn	1	60.000	.	60.000	60.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	685.750	41.8599	632.000	725.000
Aska	4	79.250	0.9574	78.000	80.000
OS smbh	4	68.225	1.9155	66.900	71.000
Råprot	4	151.000	6.4807	143.000	158.000
sRåprot	4	383.000	30.7354	361.000	428.000
NDF	4	452.250	11.7011	437.000	465.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	4	361.000	39.6821	304.000	396.000
nhNDF	4	5.196	0.2461	4.923	5.509
TAF	4	72.000	0.0000	72.000	72.000
Socker	4	85.500	3.3166	81.000	89.000
AATp20	4	78.343	1.4717	77.095	80.183
PBVp20	4	34.225	4.1399	28.393	37.872
NELp20	4	5.510	0.1996	5.364	5.797
OE*	4	9.735	0.3130	9.510	10.190
Ca	4	10.900	0.8327	9.900	11.900
P	4	2.825	0.3594	2.500	3.300
Mg	4	2.675	0.1893	2.400	2.800
K	4	19.350	1.1210	18.600	21.000
Na	4	0.800	0.2160	0.500	1.000
Cl	4	1.775	0.6292	1.300	2.700
S	4	2.100	0.1826	1.900	2.300
CAB	4	348.418	13.8968	332.746	360.756

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	482.500	252.437	304.000	661.000
Aska	2	87.000	9.899	80.000	94.000
OS smbh	2	72.100	2.970	70.000	74.200
Råprot	2	180.000	4.243	177.000	183.000
sRåprot	2	669.500	40.305	641.000	698.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	2	76.000	26.870	57.000	95.000
NDF	2	405.500	28.991	385.000	426.000
iNDF	2	323.500	74.246	271.000	376.000
nhNDF	2	5.660	0.983	4.965	6.356
TAF	2	69.000	46.669	36.000	102.000
Mjölksyra	2	43.000	39.598	15.000	71.000
Ättiksyra	2	22.500	12.021	14.000	31.000
Socker	2	53.500	6.364	49.000	58.000
PRF	2	2.000	2.828	0.000	4.000
BUF	2	1.500	2.121	0.000	3.000
AATp20	2	76.754	3.391	74.357	79.152
PBVp20	2	64.739	9.071	58.326	71.153
NELp20	2	5.952	0.317	5.728	6.176
OE*	2	10.280	0.368	10.020	10.540
Ca	2	12.300	2.404	10.600	14.000
P	2	2.850	0.354	2.600	3.100
Mg	2	2.100	0.141	2.000	2.200
K	2	26.150	4.031	23.300	29.000
Na	2	0.600	0.000	0.600	0.600
Cl	2	5.000	4.808	1.600	8.400
S	2	1.800	0.141	1.700	1.900
CAB	2	441.540	247.367	266.625	616.455
Fe	2	541.000	480.833	201.000	881.000
Mn	2	44.500	24.749	27.000	62.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	29.500	2.121	28.000	31.000
Cu	2	5.000	0.000	5.000	5.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	458.000	.	458.000	458.000
Aska	1	90.000	.	90.000	90.000
OS smbh	1	68.400	.	68.400	68.400
Råprot	1	176.000	.	176.000	176.000
sRåprot	1	606.000	.	606.000	606.000
NH3-N	1	89.000	.	89.000	89.000
NDF	1	401.000	.	401.000	401.000
iNDF	1	409.000	.	409.000	409.000
nhNDF	1	4.845	.	4.845	4.845
TAF	1	54.000	.	54.000	54.000
Mjölksyra	1	25.000	.	25.000	25.000
Ättiksyra	1	22.000	.	22.000	22.000
Socker	1	40.000	.	40.000	40.000
PRF	1	4.000	.	4.000	4.000
BUF	1	3.000	.	3.000	3.000
AATp20	1	75.240	.	75.240	75.240
PBVp20	1	63.653	.	63.653	63.653
NELp20	1	5.547	.	5.547	5.547

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	9.650	.	9.650	9.650
Ca	1	15.900	.	15.900	15.900
P	1	3.200	.	3.200	3.200
Mg	1	2.900	.	2.900	2.900
K	1	22.100	.	22.100	22.100
Na	1	1.000	.	1.000	1.000
Cl	1	12.500	.	12.500	12.500
S	1	2.600	.	2.600	2.600
CAB	1	94.083	.	94.083	94.083
Fe	1	380.000	.	380.000	380.000
Mn	1	44.000	.	44.000	44.000
Zn	1	33.000	.	33.000	33.000
Cu	1	8.000	.	8.000	8.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	420.000	21.246	401.000	443.000
Aska	11	60.545	9.873	52.000	73.000
OS smbh	11	73.018	3.491	68.900	77.300
Råprot	11	138.818	16.055	118.000	155.000
sRåprot	11	493.182	37.971	453.000	541.000
NH3-N	11	53.182	17.865	33.000	78.000
NDF	11	373.909	82.746	286.000	460.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	11	246.182	26.007	220.000	271.000
nhNDF	11	3.057	0.758	2.237	3.956
Stä	11	168.909	60.914	115.000	258.000
TAF	11	56.909	18.960	39.000	67.000
Mjölksyra	11	34.000	16.929	21.000	54.000
Ättiksyra	11	17.455	6.471	12.000	27.000
Socker	11	33.364	15.048	20.000	48.000
PRF	11	4.818	1.537	3.000	7.000
BUF	11	0.636	1.027	0.000	2.000
AATp20	11	85.090	4.745	78.326	91.498
PBVp20	11	11.814	11.177	-1.800	22.457
NELp20	11	6.228	0.345	5.779	6.694
OE*	11	10.735	0.591	10.100	11.530
Ca	11	5.973	1.033	5.000	6.500
P	11	3.445	0.572	3.000	4.000
Mg	11	2.655	0.695	2.200	3.200
K	11	15.936	3.722	10.600	20.000
Na	11	2.509	0.906	1.800	4.100
Cl	11	9.855	4.269	4.700	14.000
S	11	2.336	0.499	1.900	2.700
CAB	11	93.055	105.040	-30.811	187.791
Fe	3	264.667	49.963	207.000	295.000
Mn	3	78.000	30.512	43.000	99.000
Zn	3	92.667	55.221	32.000	140.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	3	20.667	11.676	8.000	31.000
Se	1	1.000	.	1.000	1.000

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	419.000	.	419.000	419.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	424.000	.	424.000	424.000
NH3-N	1	48.000	.	48.000	48.000
NDF	1	424.000	.	424.000	424.000
iNDF	1	196.767	.	196.767	196.767
nhNDF	1	3.598	.	3.598	3.598
Stä	1	87.000	.	87.000	87.000
Socker	1	30.000	.	30.000	30.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	6.600	.	6.600	6.600
P	1	4.100	.	4.100	4.100
Mg	1	2.800	.	2.800	2.800
K	1	13.900	.	13.900	13.900
Na	1	1.500	.	1.500	1.500
Cl	1	5.500	.	5.500	5.500
S	1	2.200	.	2.200	2.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	128.287	.	128.287	128.287
Fe	1	350.000	.	350.000	350.000
Mn	1	97.000	.	97.000	97.000
Zn	1	75.000	.	75.000	75.000
Cu	1	23.800	.	23.800	23.800

*= Parametrar från det gamla svenska fodervärderingssystemet