

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	19	866	20	72.4	117	318	6.0	215	140	3.15	601	0.000			11
Havre, kärna, hög NDF (002)	1	1	892	25	75.0	124				392	2.00	479	0.000			
Vete, kärna (005)	1	13	859	19	70.4	134	366	6.0	148	155	3.50	623	0.000			5
Råg (011)	1	1	872	15	89.0	79				199	6.60	708	0.000			
Majs, finmald kärna (014)	1	6	650	16	58.4	91	245	11.0	100	119	3.70	653	0.000			5
Rågvete (015)	1	1	844	17	89.5	82				187	3.50	707	0.000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	5	850	18	87.0	124		6.0		173	3.30	638	0.000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	862	20	81.6	150		5.0	220	324	2.50	557	0.000			
Ärter, kärna (006)	1	1	802	31	92.0	220		4.0		13	7.90	487	0.000			
Majs hela plantan, grönmassa (030)	1	42	340	30	76.0	77	377		383	187	3.44	289	57.000			56
Prognos, gräs (0% baljv.) (041)	1	1	201		72.7					171	4.34		0.000			
Prognos, blandvall (1-50% baljv) (042)	0	7	209		73.2					170	4.32		0.000			
Prognos, blandvall (1-50% baljv) (042)	1	11	212		73.2					170	4.32		0.000			
Prognos, blandvall (1-50% baljv) (042)	2	4	184		73.2					170	4.32		0.000			
Prognos, blandvall (1-50% baljv) (042)	3	2	163		73.2					170	4.32		0.000			
Prognos, blandvall (51-100% baljv.) (043)	3	1	232		73.2					262	6.38		0.000			
Grönmassa, gräs (0% baljv.) (161)	1	8	522	64	71.5	131	530		509	183	3.99	22	61.000			103
Grönmassa, gräs (0% baljv.) (161)	2	1	426	65	72.1	136	342		504	167	3.83		61.000			109
Ensilage, gräs (0% klöver) (162)	1	17	396	68	75.8	146	650	81.5	457	154	4.60		83.324	65.6	15.5	58
Ensilage, gräs (0% klöver) (162)	2	7	383	74	72.4	154	622	92.7	456	196	3.83		64.943	49.1	13.0	54
Ensilage, gräs (0% klöver) (162)	3	3	600	71	70.6	147	517	65.0	486	218	3.86		47.267	30.3	13.7	63
Ensilage, gräs (0% klöver) (162)	4	2	348	80	69.6	175	535	72.0	462	248	3.64		88.550	68.5	18.5	29
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	500	78	73.5	143			469	175	4.14		84.000			110
Grönmassa blandvall (1-50 % baljväxter) (164)	1	60	451	71	76.5	146	442		451	148	4.94	19	61.633	0.0	3.8	126
Grönmassa blandvall (1-50 % baljväxter) (164)	2	36	507	76	72.2	139	454		477	195	4.17		81.778	0.0	0.0	97

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Grönmassa blandvall (1-50 % baljväxter) (164)	3	18	395	85	74.1	178	441		445	197	4.67		84.000			71
Grönmassa blandvall (1-50 % baljväxter) (164)	4	7	385	85	78.1	178	393		406	147	5.28		84.000			106
Ensilage, blandvall (1-50% klöver) (165)	0	12	390	83	73.2	139	623	102	457	182	4.02		73.292	54.9	14.8	54
Ensilage, blandvall (1-50% klöver) (165)	1	396	351	73	76.0	154	668	91.0	434	162	4.48		91.121	70.0	18.3	53
Ensilage, blandvall (1-50% klöver) (165)	2	155	438	76	73.6	150	595	72.4	451	191	4.20	136	66.368	48.4	15.3	63
Ensilage, blandvall (1-50% klöver) (165)	3	101	411	83	71.2	158	565	84.8	449	225	3.87		69.412	49.3	17.1	49
Ensilage, blandvall (1-50% klöver) (165)	4	28	383	90	73.2	176	544	71.3	419	213	3.99		76.550	59.0	15.7	51
Ensilage, blandvall (1-50% klöver) (165)	5	5	379	84	73.9	175	589	80.6	443	192	4.33		67.760	51.4	14.4	59
Korn, helsädesensilage (250)	1	11	340	57	73.4	116	554	56.2	436	190	3.60	69	34.373	23.6	9.0	118
Havre-ärt, helsädesensilage, 50% ärter (251)	1	4	414	53	66.7	98	674	75.8	441	281	2.41	147	77.750	58.5	17.3	38
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	361	76	67.1	130	628	76.3	422	385	4.12	150	87.500	60.3	24.7	21
Majskolv, ensilerad (257)	1	8	554	16	82.1	80	431	24.2	228	189	3.17	514	41.688	38.8	3.3	8
Solros ensilage skattat (286)	1	1	291	89	56.4	105		20.0	407	416	1.16	22	96.000			
Havre helsädesensilage degmognad (296)	1	3	457	64	69.2	127	631	64.3	501	238	3.81	37	56.333	40.3	13.0	74
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	505	55	69.7	112	680	88.0	460	232	3.11	100	42.000	30.0	12.0	89
Vete, helsäd ensilage (299)	1	6	404	52	69.5	112	631	74.5	457	262	3.34	95	52.417	34.8	15.5	70
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	7	446	62	70.3	126	608	69.7	420	253	3.03	70	50.981	33.3	16.8	81
Majs, helsädesensilage (305)	1	170	362	30	76.7	77	534	54.3	359	200	3.40	312	66.282	48.7	14.5	13
Råg, helsädesensilage, axgång (311)	1	3	299	51	64.3	78	790	91.3	586	233	3.35	21	90.000	68.0	22.0	52
Ärter, helsädesensilage, sen skörd (315)	1	1	265	73	79.9	131	564	115	329	143	4.13	109	70.000	56.0	14.0	66
Hö, blandvall, 0-50% baljväxter (383)	0	1	705	43	63.6	80			591	242	3.14		0.000			130
Hö, blandvall, 0-50% baljväxter (383)	1	9	849	54	66.7	88	413		562	222	3.63		0.000			137
Hö, blandvall, 0-50% baljväxter (383)	2	3	853	67	70.5	120	470		505	198	3.79		0.000			125
Ensilage, blandvall (51-100% klöver) (438)	1	3	384	88	76.6	189	709	75.3	362	215	4.31		98.300	77.3	18.7	43
Ensilage, blandvall (51-100% klöver) (438)	3	1	312	97	70.0	175	528	81.0	402	351	4.65		101.000	87.0	14.0	40

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Straw, untreated (barley, wheat, oat) (468)	1	2	737	54	52.3	70	439		658	442	4.19	21	0.000			26
Majskolv, färsk (518)	1	1	573	15	85.7	83	357		192	123	3.79	540	0.000			36
repja (1E3)	1	1	327	45	64.3	95	656	279	425	437	2.77	88	130.000	39.0	58.0	5
Ensilage, blandvall (1-50% klöver) (326)	1	11	427	64	75.5	152	519	60.1	330	236	3.06	179	74.545	48.0	21.0	38
Fullfoder (TMR) ej kompletta data (1E3)	1	13	416	68	76.5	148	554	67.2	352	187	3.49	167				42

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	19				94.6	-25	7.25	12.8		
Havre, kärna, hög NDF (002)	1	1				83.2	5.9	6.32			
Vete, kärna (005)	1	13				114	-34	7.92	12.8	61.0	-7.0
Råg (011)	1	1				103	-73	7.83			
Majs, finmald kärna (014)	1	6				110	-67	7.74	13.5	80.0	-48
Rågvete (015)	1	1				105	-73	7.74			
Blandsäd, kärna, 50%korn/50%vete (114)	1	5				106	-33	7.69			
Blandsäd, kärna, 50%havre/50%vete (115)	1	1				104	-1.6	7.08			
Ärter, kärna (006)	1	1				102	71.8	7.64			
Majs hela plantan, grönmassa (030)	1	42				87.8	-62	6.36	11.3	80.3	-71
Prognos, gräs (0% baljv.) (041)	1	1				95.9	-8.0	5.94	11.0		
Prognos, blandvall (1-50% baljv) (042)	0	7				96.4	-4.4	5.94	12.6		
Prognos, blandvall (1-50% baljv) (042)	1	11				96.4	-4.4	5.94	12.5		
Prognos, blandvall (1-50% baljv) (042)	2	4				96.4	-4.4	5.94	11.9		
Prognos, blandvall (1-50% baljv) (042)	3	2				96.4	-4.4	5.94	11.4		
Prognos, blandvall (51-100% baljv.) (043)	3	1				93.0	14.4	5.95	11.1		
Grönmassa, gräs (0% baljv.) (161)	1	8				82.0	3.1	5.80	10.4	71.5	10.5
Grönmassa, gräs (0% baljv.) (161)	2	1				86.4	0.8	5.87	10.5		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, gräs (0% klöver) (162)	1	17	3.50000	0.9118		80.7	19.4	6.25	11.1	72.0	23.3
Ensilage, gräs (0% klöver) (162)	2	7	3.50000	1.0857		79.3	29.3	5.89	10.5	69.6	29.4
Ensilage, gräs (0% klöver) (162)	3	3	1.50000	1.9333		81.6	19.2	5.73	10.2	69.0	61.0
Ensilage, gräs (0% klöver) (162)	4	2	2.00000	0.0500		77.6	50.7	5.79	10.0	69.0	62.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				81.7	17.3	5.95	10.6	74.0	15.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	60	1.50000	1.1429		88.2	9.4	6.20	11.2	77.3	4.3
Grönmassa blandvall (1-50 % baljväxter) (164)	2	36	3.00000	1.0000		81.4	14.4	5.86	10.4	72.3	18.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	18				85.3	44.1	6.13	10.6	73.7	70.2
Grönmassa blandvall (1-50 % baljväxter) (164)	4	7				88.8	38.7	6.41	11.3	78.5	54.8
Ensilage, blandvall (1-50% klöver) (165)	0	12		2.6250		79.1	17.7	5.92	10.5	70.3	18.2
Ensilage, blandvall (1-50% klöver) (165)	1	396	2.97744	1.2045		80.5	29.7	6.29	11.1	72.0	26.7
Ensilage, blandvall (1-50% klöver) (165)	2	155	2.98438	0.8253		81.6	24.1	6.02	10.7	70.5	24.5
Ensilage, blandvall (1-50% klöver) (165)	3	101	2.10526	1.5208		79.6	35.0	5.81	10.2	68.6	34.4
Ensilage, blandvall (1-50% klöver) (165)	4	28	1.38462	0.6571		81.7	48.3	6.00	10.4	69.7	50.9
Ensilage, blandvall (1-50% klöver) (165)	5	5	1.00000	0.9600		82.8	45.5	6.09	10.6	71.0	44.0
Korn, helsädesensilage (250)	1	11	0.87500	0.8750		78.7	-14	5.86	11.0	65.0	-35
Havre-ärt, helsädesensilage, 50% ärter (251)	1	4				67.7	-6.3	5.57			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	3.50000	0.0000		66.2	24.2	5.62	9.7		
Majskolv, ensilerad (257)	1	8	0.00000	0.0000		94.9	-70	7.17	12.5		
Solros ensilage skattat (286)	1	1				41.8	32.8	5.18			
Havre helsädesensilage degmognad (296)	1	3	4.00000	0.5000		77.0	1.2	5.67	10.3		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1				73.2	-3.4	5.61			
Vete, helsäd ensilage (299)	1	6	1.33333	0.3333		72.9	-7.8	5.69	10.1	57.0	45.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	7	1.25000	0.5000		75.7	4.6	5.73	10.6		
Majs, helsädesensilage (305)	1	170	3.10000	0.0000		83.5	-54	6.54	11.5	79.8	-68

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Råg, helsädesensilage, axgång (311)	1	3				62.6	-19	5.28			
Ärter, helsädesensilage, sen skörd (315)	1	1				80.9	2.0	6.41	11.8	82.0	-9.0
Hö, blandvall, 0-50% baljväxter (383)	0	1				81.8	-41	4.94	9.3	67.0	-34
Hö, blandvall, 0-50% baljväxter (383)	1	9				85.3	-39	5.16	9.7	70.1	-30
Hö, blandvall, 0-50% baljväxter (383)	2	3				91.3	-20	5.55	10.3	71.5	-1.0
Ensilage, blandvall (51-100% klöver) (438)	1	3	2.00000	0.9667		77.0	72.9	6.37	11.0	71.0	83.0
Ensilage, blandvall (51-100% klöver) (438)	3	1	0.00000	0.0000		73.8	64.5	5.79	9.8		
Straw, untreated (barley, wheat, oat) (468)	1	2				68.4	-43	3.85	7.3		
Majskolv, färsk (518)	1	1				104	-82	7.44			
repja (1E3)	1	1	9.00000	24.0000		54.8	17.1	5.29	9.4		
Ensilage, blandvall (1-50% klöver) (326)	1	11	4.63636	0.9091		85.6	23.7	6.49	11.1		
Fullfoder (TMR) ej kompletta data (1E3)	1	13						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	8	0.6	3.6	1.3	5.6	0.1		1.4	28	8	64.3	13.3	36.9	4.4	
Havre, kärna, hög NDF (002)	1	1	0.9	3.6	1.5	5.9	0.2		2.0	15	1	128.0	113.0	56.0	6.6	
Vete, kärna (005)	1	8	0.4	3.0	1.1	4.9	0.1	2.8	1.5	-2	8	66.1	28.4	30.8	4.2	
Råg (011)	1	1	0.3	2.8	1.0	5.0	0.1		1.0	50	1	33.0	20.0	27.0	3.8	
Majs, finmald kärna (014)	1	6	0.2	2.8	1.1	4.5	0.6	1.1	1.0	46	6	44.8	5.2	21.3	2.2	0.1
Blandsäd, kärna, 50%korn/50%vete (114)	1	3	0.5	3.5	1.2	5.3	0.1		1.4	25	3	39.7	22.7	33.0	3.9	
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	0.6	3.4	1.3	6.8	0.1		1.5	62	1	58.0	24.0	45.0	5.2	
Majs hela plantan, grönmassa (030)	1	26	1.9	1.9	1.2	8.7	0.3	1.9	0.9	124	20	72.9	25.1	24.3	3.6	0.0
Grönmassa, gräs (0% baljv.) (161)	1	8	4.7	2.5	1.6	20.4	1.3	4.9	1.8	326	8	154.1	57.8	28.3	4.6	0.1
Grönmassa, gräs (0% baljv.) (161)	2	1	5.9	3.0	2.6	20.5	2.2	7.0	2.5	267	1	214.0	98.0	46.0	7.0	0.1
Ensilage, gräs (0% klöver) (162)	1	16	6.2	2.8	1.7	22.2	1.9	6.2	2.1	349	14	86.4	44.4	28.4	5.4	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, gräs (0% klöver) (162)	2	7	8.5	2.5	2.4	18.2	2.6	9.1	3.0	134	6	93.0	27.3	30.5	6.2	0.1
Ensilage, gräs (0% klöver) (162)	3	3	9.0	2.5	2.6	18.6	1.6	9.1	2.4	140	2	89.0	35.5	30.5	7.9	
Ensilage, gräs (0% klöver) (162)	4	2	8.3	2.5	3.0	17.2	2.5	15.6	3.0	-74	2	148.0	42.0	31.5	7.4	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	7.2	2.6	1.6	25.2	0.7		1.5	449	1	65.0	23.0	23.0	3.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	54	6.3	2.7	1.7	21.5	1.1	4.7	2.0	339	43	127.9	47.1	25.7	5.1	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	31	8.5	2.7	2.2	22.3	1.4	8.0	2.1	321	22	96.7	43.7	28.7	6.2	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	18	8.3	3.2	2.4	24.7	1.1	11.2	2.7	253	12	181.3	60.0	30.7	6.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	4	9.3	3.4	2.5	25.9	1.0	10.9	2.6	278	4	116.3	42.5	25.8	6.9	
Ensilage, blandvall (1-50% klöver) (165)	0	9	11.1	2.8	2.0	20.5	1.6	7.2	2.3	238	9	233.9	42.1	24.8	5.3	
Ensilage, blandvall (1-50% klöver) (165)	1	369	7.0	2.8	1.7	23.1	1.6	6.1	2.2	350	335	126.9	42.7	28.4	5.8	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	148	8.0	2.7	2.2	21.4	1.9	8.5	2.5	237	124	125.7	45.0	30.9	6.4	0.1
Ensilage, blandvall (1-50% klöver) (165)	3	93	9.7	2.9	2.5	21.7	1.5	8.1	2.7	216	78	148.7	51.9	30.8	6.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	27	9.0	3.3	2.6	24.1	1.8	9.9	2.8	235	23	261.3	58.8	44.5	7.5	0.1
Ensilage, blandvall (1-50% klöver) (165)	5	5	6.0	3.1	2.3	24.1	3.2	16.3	2.7	124	4	221.5	54.3	22.0	7.7	0.1
Korn, helsädesensilage (250)	1	10	4.7	2.4	1.0	18.4	0.5	6.0	1.6	243	7	88.6	27.0	22.3	4.0	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	4	4.8	2.4	1.3	15.3	2.4	4.4	1.5	274	4	79.0	25.0	23.8	3.7	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	7.5	3.2	2.1	18.8	1.1	5.5	2.0	232	1	132.0	36.0	23.0	4.0	
Majskolv, ensilerad (257)	1	8	0.6	2.2	0.9	5.2	0.3	1.1	0.9	56	5	45.2	6.2	24.0	2.0	
Solros ensilage skattat (286)	1	1	14.4	3.4	4.5	23.8	0.1		2.2	109	1	79.0	58.0	40.0	13.1	
Havre helsädesensilage degmognad (296)	1	2	3.9	2.4	1.5	17.2	2.2	8.7	1.8	150	2	213.0	24.5	26.0	4.0	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	4.7	2.3	1.7	16.4	0.8	3.8	1.7	241	1	119.0	69.0	30.0	4.4	
Vete, helsäd ensilage (299)	1	6	4.5	2.0	1.4	15.0	0.8	3.6	1.7	211	6	251.3	45.0	24.3	5.0	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	7	6.6	2.6	1.8	18.1	1.3	7.9	2.3	153	5	90.2	34.0	51.6	6.7	0.1
Majs, helsädesensilage (305)	1	153	2.1	1.8	1.2	8.7	0.3	2.2	0.9	118	125	64.7	19.3	24.9	4.2	0.0
Råg, helsädesensilage, axgång (311)	1	3	2.5	2.4	1.0	17.9	0.2	2.5	1.3	318	3	104.3	21.0	17.0	4.0	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ärter, helsädesensilage, sen skörd (315)	1	1	15.8	2.0	2.0	14.5	0.2	9.8	0.9	47	1	145.0	44.0	31.0	5.1	
Hö, blandvall, 0-50% baljväxter (383)	0	1	2.9	1.6	1.2	8.4	0.8		1.1	40	1	59.0	84.0	28.0	2.7	
Hö, blandvall, 0-50% baljväxter (383)	1	9	4.2	2.2	1.5	17.2	1.2	6.5	1.7	239	9	84.6	66.8	23.7	4.1	0.1
Hö, blandvall, 0-50% baljväxter (383)	2	2	6.3	2.7	2.0	22.5	1.4	12.9	2.6	225	2	65.0	52.5	21.5	5.2	0.1
Ensilage, blandvall (51-100% klöver) (438)	1	3	14.0	3.2	1.7	24.0	1.1	5.8	2.0	373	3	108.0	42.7	22.3	7.3	0.0
Ensilage, blandvall (51-100% klöver) (438)	3	1	11.4	3.9	3.4	22.9	1.2	3.5	2.5	383	0					
Straw, untreated (barley, wheat, oat) (468)	1	2	9.1	0.9	1.3	5.8	0.7	2.8	1.3	21	2	126.0	21.0	9.5	4.5	0.1
Majskolv, färsk (518)	1	1	0.5	2.3	1.1	4.8	0.6	0.5	0.9	79	1	37.0	8.0	25.0	1.4	
repja (1E3)	1	1	0.7	4.6	1.5	10.7	3.7	14.2	2.3	***	0					
Ensilage, blandvall (1-50% klöver) (326)	1	11	7.2	3.8	2.7	16.2	1.9	6.5	2.6	157	8	249.4	61.9	57.0	10.5	0.3
Fullfoder (TMR) ej kompletta data (1E3)	1	13	6.8	3.6	2.7	15.2	3.2	5.8	2.4	214	13	251.4	77.9	68.2	12.7	0.4

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	865.684	24.6713	840.000	909.000
Aska	17	19.665	2.6294	16.200	23.400
OS smbh	19	72.421	32.2186	0.000	86.000
Råprot	18	117.150	18.1510	97.000	146.500
sRåprot	3	317.667	27.3008	299.000	349.000
NH3-N	1	6.000	.	6.000	6.000
NDF	14	215.143	46.6276	140.000	249.000
iNDF	19	140.368	51.3249	25.000	162.000
nhNDF	19	3.150	0.0000	3.150	3.150
Stä	18	601.033	45.9051	535.000	649.800
TAF	19	0.000	0.0000	0.000	0.000
Socker	4	11.000	12.0000	5.000	29.000
AATp20	19	94.611	2.2217	92.183	98.031
PBVp20	19	-24.524	18.2912	-52.513	2.688
NELp20	19	7.254	0.1684	7.000	7.469
OE*	3	12.833	0.4163	12.500	13.300
Ca	8	0.575	0.0886	0.400	0.700
P	8	3.575	0.4921	2.600	4.200
Mg	8	1.250	0.1069	1.100	1.400
K	8	5.588	0.7434	4.600	6.700
Na	8	0.125	0.0707	0.100	0.300
S	8	1.388	0.1246	1.200	1.600
CAB	8	27.816	18.1703	0.692	56.846
Fe	8	64.250	22.4992	43.000	101.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	8	13.250	4.3012	8.000	19.000
Zn	8	36.875	8.4081	29.000	50.000
Cu	8	4.388	0.9746	2.600	5.500

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	892.000	.	892.000	892.000
Aska	1	24.700	.	24.700	24.700
OS smbh	1	75.000	.	75.000	75.000
Råprot	1	124.400	.	124.400	124.400
iNDF	1	392.000	.	392.000	392.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	478.700	.	478.700	478.700
TAF	1	0.000	.	0.000	0.000
AATp20	1	83.174	.	83.174	83.174
PBVp20	1	5.903	.	5.903	5.903
NELp20	1	6.315	.	6.315	6.315
Ca	1	0.900	.	0.900	0.900
P	1	3.600	.	3.600	3.600
Mg	1	1.500	.	1.500	1.500
K	1	5.900	.	5.900	5.900
Na	1	0.200	.	0.200	0.200
S	1	2.000	.	2.000	2.000
CAB	1	14.872	.	14.872	14.872

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	128.000	.	128.000	128.000
Mn	1	113.000	.	113.000	113.000
Zn	1	56.000	.	56.000	56.000
Cu	1	6.600	.	6.600	6.600

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	858.538	16.226	839.000	883.000
Aska	13	19.215	4.041	16.100	23.000
OS smbh	15	70.400	36.435	0.000	88.000
Råprot	13	134.146	21.123	117.800	160.600
sRåprot	3	365.667	144.791	240.000	524.000
NH3-N	1	6.000	.	6.000	6.000
NDF	7	147.857	59.937	112.000	276.000
iNDF	15	154.600	67.074	25.000	187.000
nhNDF	15	3.500	0.000	3.500	3.500
Stä	13	623.031	75.380	518.700	692.000
TAF	15	0.000	0.000	0.000	0.000
Socker	3	5.000	0.000	5.000	5.000
AATp20	15	114.158	1.721	111.888	116.016
PBVp20	15	-34.430	19.617	-49.705	-1.214
NELp20	15	7.922	0.147	7.680	8.052
OE*	4	12.775	1.887	10.000	14.100
AAT*	1	61.000	.	61.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	1	-7.000	.	-7.000	-7.000
Ca	8	0.438	0.130	0.300	0.700
P	8	3.038	0.220	2.800	3.400
Mg	8	1.112	0.083	1.000	1.200
K	8	4.850	0.496	4.300	5.600
Na	6	0.100	0.000	0.100	0.100
Cl	2	2.750	2.475	1.000	4.500
S	8	1.475	0.345	1.100	2.100
CAB	8	-2.179	42.006	-97.940	39.546
Fe	8	66.125	39.161	35.000	137.000
Mn	8	28.375	7.150	14.000	35.000
Zn	8	30.750	6.585	21.000	41.000
Cu	8	4.175	0.636	3.300	5.100

Fodermedel=Råg (011) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	872.000	.	872.000	872.000
Aska	1	14.900	.	14.900	14.900
OS smbh	1	88.959	.	88.959	88.959
Råprot	1	79.100	.	79.100	79.100
iNDF	1	199.000	.	199.000	199.000
nhNDF	1	6.600	.	6.600	6.600
Stä	1	707.600	.	707.600	707.600
TAF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg (011) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	103.246	.	103.246	103.246
PBVp20	1	-73.237	.	-73.237	-73.237
NELp20	1	7.833	.	7.833	7.833
Ca	1	0.300	.	0.300	0.300
P	1	2.800	.	2.800	2.800
Mg	1	1.000	.	1.000	1.000
K	1	5.000	.	5.000	5.000
Na	1	0.100	.	0.100	0.100
S	1	1.000	.	1.000	1.000
CAB	1	50.007	.	50.007	50.007
Fe	1	33.000	.	33.000	33.000
Mn	1	20.000	.	20.000	20.000
Zn	1	27.000	.	27.000	27.000
Cu	1	3.800	.	3.800	3.800

Fodermedel=Majs, finmald kärna (014) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	650.333	100.482	543.000	811.000
Aska	6	16.333	3.204	11.000	20.000
OS smbh	6	58.433	45.285	0.000	89.000
Råprot	6	90.667	8.017	82.000	102.000
sRåprot	4	245.250	89.653	115.000	319.000
NH3-N	2	11.000	0.000	11.000	11.000
NDF	4	99.500	26.451	73.000	131.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, finmald kärna (014) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	6	119.167	115.858	25.000	279.000
nhNDF	6	3.700	0.000	3.700	3.700
Stä	6	653.167	29.889	613.000	694.000
TAF	6	0.000	0.000	0.000	0.000
Socker	4	5.000	0.000	5.000	5.000
AATp20	6	109.984	4.198	104.813	115.888
PBVp20	6	-66.753	4.805	-71.619	-59.804
NELp20	6	7.738	0.253	7.305	8.006
OE*	5	13.540	1.321	11.400	14.800
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-48.000	.	-48.000	-48.000
Ca	6	0.233	0.103	0.100	0.400
P	6	2.783	0.436	2.000	3.300
Mg	6	1.067	0.197	0.800	1.400
K	6	4.467	0.784	3.800	5.800
Na	4	0.625	0.862	0.100	1.900
Cl	4	1.075	0.359	0.800	1.600
S	6	1.017	0.160	0.900	1.300
CAB	6	46.399	52.626	-10.975	140.277
Fe	6	44.833	20.351	23.000	72.000
Mn	6	5.167	2.041	3.000	9.000
Zn	6	21.333	5.391	15.000	29.000
Cu	6	2.183	0.402	2.000	3.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	844.000	.	844.000	844.000
Aska	1	16.600	.	16.600	16.600
OS smbh	1	89.479	.	89.479	89.479
Råprot	1	81.800	.	81.800	81.800
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	707.300	.	707.300	707.300
TAF	1	0.000	.	0.000	0.000
AATp20	1	105.380	.	105.380	105.380
PBVp20	1	-72.500	.	-72.500	-72.500
NELp20	1	7.744	.	7.744	7.744

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	849.800	7.2595	842.000	857.000
Aska	5	18.120	1.2911	16.600	20.000
OS smbh	5	87.000	0.0000	87.000	87.000
Råprot	5	123.800	10.0950	117.000	141.300
NH3-N	1	6.000	.	6.000	6.000
iNDF	5	173.000	0.0000	173.000	173.000
nhNDF	5	3.300	0.0000	3.300	3.300
Stä	5	637.620	26.8354	601.000	663.900
TAF	5	0.000	0.0000	0.000	0.000
AATp20	5	106.021	1.0748	105.113	107.706

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	5	-32.885	8.4501	-38.843	-18.112
NELp20	5	7.689	0.1224	7.489	7.824
Ca	3	0.500	0.0000	0.500	0.500
P	3	3.500	0.3464	3.300	3.900
Mg	3	1.233	0.0577	1.200	1.300
K	3	5.267	0.3512	4.900	5.600
Na	3	0.100	0.0000	0.100	0.100
S	3	1.367	0.1155	1.300	1.500
CAB	3	25.460	11.0499	17.979	38.151
Fe	3	39.667	1.1547	39.000	41.000
Mn	3	22.667	6.1101	16.000	28.000
Zn	3	33.000	5.2915	29.000	39.000
Cu	3	3.900	0.4000	3.500	4.300

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	862.000	.	862.000	862.000
Aska	1	20.000	.	20.000	20.000
OS smbh	1	81.600	.	81.600	81.600
Råprot	1	150.000	.	150.000	150.000
NH3-N	1	5.000	.	5.000	5.000
NDF	1	220.000	.	220.000	220.000
iNDF	1	324.000	.	324.000	324.000
nhNDF	1	2.500	.	2.500	2.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	1	557.000	.	557.000	557.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	104.382	.	104.382	104.382
PBVp20	1	-1.605	.	-1.605	-1.605
NELp20	1	7.083	.	7.083	7.083
Ca	1	0.600	.	0.600	0.600
P	1	3.400	.	3.400	3.400
Mg	1	1.300	.	1.300	1.300
K	1	6.800	.	6.800	6.800
Na	1	0.100	.	0.100	0.100
S	1	1.500	.	1.500	1.500
CAB	1	61.976	.	61.976	61.976
Fe	1	58.000	.	58.000	58.000
Mn	1	24.000	.	24.000	24.000
Zn	1	45.000	.	45.000	45.000
Cu	1	5.200	.	5.200	5.200

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	802.000	.	802.000	802.000
Aska	1	31.000	.	31.000	31.000
OS smbh	1	92.000	.	92.000	92.000
Råprot	1	220.000	.	220.000	220.000
NH3-N	1	4.000	.	4.000	4.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	13.000	.	13.000	13.000
nhNDF	1	7.900	.	7.900	7.900
Stä	1	487.000	.	487.000	487.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	101.849	.	101.849	101.849
PBVp20	1	71.823	.	71.823	71.823
NELp20	1	7.640	.	7.640	7.640

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	42	339.619	64.7430	277.000	415.000
Aska	42	29.929	4.6454	24.000	36.000
OS smbh	42	76.000	2.8945	72.200	79.000
Råprot	42	76.667	6.1472	68.000	84.000
sRåprot	42	376.833	63.0207	320.000	422.000
NDF	42	383.310	40.0046	337.000	439.000
iNDF	42	186.576	23.9781	167.469	221.000
nhNDF	42	3.437	0.6892	2.274	4.077
Stä	42	288.810	64.4486	221.000	377.000
TAF	42	57.000	0.0000	57.000	57.000
Socker	42	56.119	47.2643	7.000	114.000
AATp20	42	87.784	3.0545	84.060	91.009
PBVp20	42	-61.681	6.2722	-68.357	-55.518
NELp20	42	6.361	0.2706	6.067	6.664

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	18	11.261	0.4198	10.420	11.600
AAT*	4	80.250	0.5000	80.000	81.000
PBV*	4	-70.500	4.4347	-74.000	-64.000
Ca	26	1.942	0.5873	1.300	2.800
P	26	1.873	0.1909	1.600	2.100
Mg	26	1.181	0.2209	0.900	1.500
K	26	8.723	1.4914	7.000	10.400
Na	25	0.260	0.1708	0.100	0.600
Cl	36	1.919	0.9261	1.200	3.200
S	26	0.896	0.1371	0.700	1.100
CAB	26	123.745	34.7038	80.384	171.689
Fe	20	72.850	33.6175	44.000	121.000
Mn	20	25.050	28.6696	9.000	43.500
Zn	20	24.250	9.9835	16.500	42.500
Cu	20	3.615	0.9190	2.300	4.950
Se	6	0.036	0.0197	0.012	0.060

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	201.000	.	201.000	201.000
OS smbh	1	72.700	.	72.700	72.700
iNDF	1	171.006	.	171.006	171.006
nhNDF	1	4.344	.	4.344	4.344
TAF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	95.932	.	95.932	95.932
PBVp20	1	-7.980	.	-7.980	-7.980
NELp20	1	5.936	.	5.936	5.936
OE*	1	11.000	.	11.000	11.000

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	209.143	33.4536	166.000	259.000
OS smbh	7	73.150	0.0000	73.150	73.150
iNDF	7	170.460	0.0000	170.460	170.460
nhNDF	7	4.315	0.0000	4.315	4.315
TAF	7	0.000	0.0000	0.000	0.000
AATp20	7	96.439	0.0000	96.439	96.439
PBVp20	7	-4.418	0.0000	-4.418	-4.418
NELp20	7	5.943	0.0000	5.943	5.943
OE*	7	12.614	0.2340	12.200	12.800

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	212.000	27.6007	186.000	260.000
OS smbh	11	73.150	0.0000	73.150	73.150
iNDF	11	170.460	0.0000	170.460	170.460
nhNDF	11	4.315	0.0000	4.315	4.315
TAF	11	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	11	96.439	0.0000	96.439	96.439
PBVp20	11	-4.418	0.0000	-4.418	-4.418
NELp20	11	5.943	0.0000	5.943	5.943
OE*	11	12.536	0.3202	12.200	12.800

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	184.000	28.6938	152.000	218.000
OS smbh	4	73.150	0.0000	73.150	73.150
iNDF	4	170.460	0.0000	170.460	170.460
nhNDF	4	4.315	0.0000	4.315	4.315
TAF	4	0.000	0.0000	0.000	0.000
AATp20	4	96.439	0.0000	96.439	96.439
PBVp20	4	-4.418	0.0000	-4.418	-4.418
NELp20	4	5.943	0.0000	5.943	5.943
OE*	4	11.850	0.3873	11.400	12.300

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	163.000	9.89949	156.000	170.000
OS smbh	2	73.150	0.00000	73.150	73.150
iNDF	2	170.460	0.00000	170.460	170.460
nhNDF	2	4.315	0.00000	4.315	4.315
TAF	2	0.000	0.00000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	2	96.439	0.00000	96.439	96.439
PBVp20	2	-4.418	0.00000	-4.418	-4.418
NELp20	2	5.943	0.00000	5.943	5.943
OE*	2	11.350	0.07071	11.300	11.400

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	232.000	.	232.000	232.000
OS smbh	1	73.158	.	73.158	73.158
iNDF	1	262.131	.	262.131	262.131
nhNDF	1	6.377	.	6.377	6.377
TAF	1	0.000	.	0.000	0.000
AATp20	1	92.987	.	92.987	92.987
PBVp20	1	14.357	.	14.357	14.357
NELp20	1	5.951	.	5.951	5.951
OE*	1	11.100	.	11.100	11.100

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	522.125	221.381	261.000	831.000
Aska	8	63.750	17.144	49.000	103.000
OS smbh	8	71.538	3.200	66.200	76.000
Råprot	8	130.625	37.167	89.000	207.000
sRåprot	4	529.750	116.073	410.000	669.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	8	509.125	31.252	475.000	555.000
iNDF	8	183.015	30.849	134.785	229.710
nhNDF	8	3.988	0.492	3.307	5.015
Stä	1	22.000	.	22.000	22.000
TAF	8	61.000	0.000	61.000	61.000
Socker	8	103.125	45.085	48.000	181.000
AATp20	8	82.026	4.036	75.998	88.674
PBVp20	8	3.095	29.641	-33.035	62.241
NELp20	8	5.797	0.315	5.249	6.235
OE*	8	10.433	0.474	9.700	10.920
AAT*	4	71.500	2.887	69.000	74.000
PBV*	4	10.500	52.969	-37.000	78.000
Ca	8	4.738	1.683	2.900	8.000
P	8	2.513	0.579	1.800	3.700
Mg	8	1.563	0.431	1.000	2.500
K	8	20.388	6.383	15.600	35.600
Na	8	1.313	1.151	0.200	3.100
Cl	3	4.900	0.889	4.200	5.900
S	8	1.800	0.393	1.400	2.600
CAB	8	326.196	174.604	181.773	741.923
Fe	8	154.125	93.602	49.000	286.000
Mn	8	57.750	20.408	19.000	88.000
Zn	8	28.250	5.036	20.000	33.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	8	4.600	0.962	3.600	6.000
Se	4	0.050	0.000	0.050	0.050

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	426.000	.	426.000	426.000
Aska	1	65.000	.	65.000	65.000
OS smbh	1	72.100	.	72.100	72.100
Råprot	1	136.000	.	136.000	136.000
sRåprot	1	342.000	.	342.000	342.000
NDF	1	504.000	.	504.000	504.000
iNDF	1	167.000	.	167.000	167.000
nhNDF	1	3.827	.	3.827	3.827
TAF	1	61.000	.	61.000	61.000
Socker	1	109.000	.	109.000	109.000
AATp20	1	86.448	.	86.448	86.448
PBVp20	1	0.810	.	0.810	0.810
NELp20	1	5.872	.	5.872	5.872
OE*	1	10.530	.	10.530	10.530
Ca	1	5.900	.	5.900	5.900
P	1	3.000	.	3.000	3.000
Mg	1	2.600	.	2.600	2.600
K	1	20.500	.	20.500	20.500
Na	1	2.200	.	2.200	2.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	7.000	.	7.000	7.000
S	1	2.500	.	2.500	2.500
CAB	1	266.516	.	266.516	266.516
Fe	1	214.000	.	214.000	214.000
Mn	1	98.000	.	98.000	98.000
Zn	1	46.000	.	46.000	46.000
Cu	1	7.000	.	7.000	7.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	396.176	135.459	271.000	633.000
Aska	17	67.706	6.213	61.000	75.000
OS smbh	17	75.800	3.675	70.400	80.200
Råprot	17	146.412	19.275	126.000	178.000
sRåprot	17	650.294	72.766	582.000	744.000
NH3-N	17	81.471	29.454	54.000	129.000
NDF	17	456.765	48.501	412.000	516.000
iNDF	17	153.931	33.664	109.114	214.476
nhNDF	17	4.600	0.535	3.834	5.375
TAF	17	83.324	38.154	22.000	127.900
Mjölksyra	17	65.588	33.380	11.000	101.000
Ättiksyra	17	15.529	7.010	6.000	24.000
Socker	17	58.412	31.688	20.000	111.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	3.500	0.707	3.000	4.000
BUF	17	0.912	1.399	0.000	3.800
AATp20	17	80.677	3.513	75.688	86.396
PBVp20	17	19.412	19.096	-6.905	48.845
NELp20	17	6.248	0.403	5.552	6.796
OE*	17	11.116	0.588	10.100	11.800
AAT*	15	72.000	1.512	70.000	74.000
PBV*	15	23.267	12.407	12.000	38.000
Ca	16	6.231	1.451	4.800	7.000
P	16	2.781	0.347	2.400	3.200
Mg	16	1.669	0.202	1.500	2.000
K	16	22.163	3.062	18.000	26.500
Na	16	1.856	0.734	0.800	2.800
Cl	17	6.241	2.439	3.200	9.200
S	16	2.131	0.252	1.800	2.500
CAB	16	348.650	99.119	200.759	458.318
Fe	14	86.429	16.723	61.000	102.000
Mn	14	44.429	18.563	26.000	75.000
Zn	14	28.429	4.309	23.000	33.000
Cu	14	5.400	1.049	4.000	6.800
Se	1	0.005	.	0.005	0.005

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	382.857	59.982	302.000	474.000
Aska	7	73.857	8.688	57.000	83.000
OS smbh	7	72.414	3.936	68.300	79.000
Råprot	7	154.429	21.908	139.000	191.000
sRåprot	7	622.000	63.419	550.000	718.000
NH3-N	7	92.714	20.295	68.000	129.000
NDF	7	455.857	42.132	394.000	498.000
iNDF	7	196.314	45.749	127.511	242.377
nhNDF	7	3.827	0.675	2.964	4.908
TAF	7	64.943	21.557	34.700	98.000
Mjölksyra	7	49.143	15.984	28.000	74.000
Ättiksyra	7	13.000	6.028	4.000	19.000
Socker	7	53.571	12.273	38.000	72.000
PRF	2	3.500	3.536	1.000	6.000
BUF	7	1.086	1.363	0.000	3.700
AATp20	7	79.330	2.416	76.710	84.218
PBVp20	7	29.349	17.422	15.460	61.857
NELp20	7	5.892	0.433	5.455	6.592
OE*	7	10.474	0.681	9.700	11.600
AAT*	5	69.600	2.302	68.000	73.000
PBV*	5	29.400	14.943	17.000	55.000
Ca	7	8.529	2.811	5.900	14.500
P	7	2.543	0.702	1.400	3.400
Mg	7	2.386	0.380	1.800	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	7	18.214	3.598	12.300	23.900
Na	7	2.643	1.302	1.000	4.800
Cl	7	9.100	4.134	3.800	16.600
S	7	3.043	0.896	2.200	5.000
CAB	7	134.229	182.442	-81.903	393.452
Fe	6	93.000	27.662	58.000	141.000
Mn	6	27.333	15.148	13.000	49.000
Zn	6	30.500	8.456	21.000	44.000
Cu	6	6.150	1.346	4.500	8.300
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	600.333	228.264	352.000	801.000
Aska	3	71.333	17.214	59.000	91.000
OS smbh	3	70.567	1.930	68.400	72.100
Råprot	3	147.333	33.020	115.000	181.000
sRåprot	3	517.333	102.574	406.000	608.000
NH3-N	3	65.000	51.468	18.000	120.000
NDF	3	486.333	58.072	420.000	528.000
iNDF	3	217.660	9.619	208.979	228.000
nhNDF	3	3.857	0.483	3.414	4.372
TAF	3	47.267	49.888	16.000	104.800
Mjölksyra	3	30.333	27.429	14.000	62.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	3	13.667	20.306	0.000	37.000
Socker	3	62.667	44.061	12.000	92.000
PRF	2	1.500	0.707	1.000	2.000
BUF	3	1.933	2.532	0.000	4.800
AATp20	3	81.649	6.686	75.380	88.685
PBVp20	3	19.234	36.156	-9.018	59.980
NELp20	3	5.732	0.245	5.457	5.928
OE*	3	10.193	0.260	9.930	10.450
AAT*	1	69.000	.	69.000	69.000
PBV*	1	61.000	.	61.000	61.000
Ca	3	9.000	4.800	4.200	13.800
P	3	2.533	0.643	1.800	3.000
Mg	3	2.567	0.351	2.200	2.900
K	3	18.567	6.872	11.400	25.100
Na	3	1.600	0.954	0.700	2.600
Cl	3	9.100	4.314	4.600	13.200
S	3	2.367	0.321	2.000	2.600
CAB	3	140.161	258.940	-129.727	386.551
Fe	2	89.000	5.657	85.000	93.000
Mn	2	35.500	6.364	31.000	40.000
Zn	2	30.500	7.778	25.000	36.000
Cu	2	7.900	0.141	7.800	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	348.000	18.385	335.000	361.000
Aska	2	80.000	9.899	73.000	87.000
OS smbh	2	69.600	0.990	68.900	70.300
Råprot	2	174.500	9.192	168.000	181.000
sRåprot	2	535.000	24.042	518.000	552.000
NH3-N	2	72.000	25.456	54.000	90.000
NDF	2	462.000	15.556	451.000	473.000
iNDF	2	247.687	41.454	218.375	277.000
nhNDF	2	3.642	0.404	3.356	3.928
TAF	2	88.550	20.577	74.000	103.100
Mjölksyra	2	68.500	17.678	56.000	81.000
Ättiksyra	2	18.500	3.536	16.000	21.000
Socker	2	29.000	11.314	21.000	37.000
PRF	1	2.000	.	2.000	2.000
BUF	2	0.050	0.071	0.000	0.100
AATp20	2	77.602	2.076	76.134	79.070
PBVp20	2	50.657	11.614	42.445	58.869
NELp20	2	5.786	0.099	5.716	5.855
OE*	2	9.955	0.064	9.910	10.000
AAT*	1	69.000	.	69.000	69.000
PBV*	1	62.000	.	62.000	62.000
Ca	2	8.250	0.636	7.800	8.700
P	2	2.500	1.131	1.700	3.300
Mg	2	3.000	1.131	2.200	3.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	2	17.200	7.637	11.800	22.600
Na	2	2.500	0.283	2.300	2.700
Cl	2	15.550	10.536	8.100	23.000
S	2	2.950	0.495	2.600	3.300
CAB	2	-73.810	510.737	-434.956	287.336
Fe	2	148.000	49.497	113.000	183.000
Mn	2	42.000	14.142	32.000	52.000
Zn	2	31.500	10.607	24.000	39.000
Cu	2	7.350	0.919	6.700	8.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	500.000	.	500.000	500.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	143.000	.	143.000	143.000
NDF	1	469.000	.	469.000	469.000
iNDF	1	174.836	.	174.836	174.836
nhNDF	1	4.140	.	4.140	4.140
TAF	1	84.000	.	84.000	84.000
Socker	1	110.000	.	110.000	110.000
AATp20	1	81.702	.	81.702	81.702
PBVp20	1	17.278	.	17.278	17.278

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	5.953	.	5.953	5.953
OE*	1	10.600	.	10.600	10.600
AAT*	1	74.000	.	74.000	74.000
PBV*	1	15.000	.	15.000	15.000
Ca	1	7.200	.	7.200	7.200
P	1	2.600	.	2.600	2.600
Mg	1	1.600	.	1.600	1.600
K	1	25.200	.	25.200	25.200
Na	1	0.700	.	0.700	0.700
S	1	1.500	.	1.500	1.500
CAB	1	448.792	.	448.792	448.792
Fe	1	65.000	.	65.000	65.000
Mn	1	23.000	.	23.000	23.000
Zn	1	23.000	.	23.000	23.000
Cu	1	3.800	.	3.800	3.800
Se	1	0.012	.	0.012	0.012

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	60	450.600	136.929	281.500	653.500
Aska	60	70.517	11.368	58.000	80.500
OS smbh	60	76.522	4.672	70.050	81.150
Råprot	60	145.767	28.841	105.500	180.500
sRåprot	25	442.000	87.555	351.000	581.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	60	450.950	60.074	374.000	534.000
iNDF	60	148.032	54.229	82.500	225.408
nhNDF	60	4.942	1.221	3.820	5.974
Stä	1	19.000	.	19.000	19.000
TAF	60	61.633	34.782	3.500	84.000
Mjölksyra	18	0.000	0.000	0.000	0.000
Ättiksyra	14	3.786	7.181	0.000	14.000
Socker	60	126.133	46.551	58.000	192.500
PRF	14	1.500	2.565	0.000	7.000
BUF	14	1.143	1.994	0.000	5.000
AATp20	60	88.184	7.151	79.508	96.847
PBVp20	60	9.365	22.116	-15.311	43.644
NELp20	60	6.205	0.388	5.703	6.655
OE*	60	11.199	0.791	10.245	12.000
AAT*	35	77.257	5.008	69.000	82.000
PBV*	35	4.289	26.971	-33.000	44.000
Ca	54	6.346	2.970	3.400	10.000
P	54	2.722	0.490	2.100	3.300
Mg	54	1.719	0.419	1.100	2.200
K	54	21.522	4.189	15.100	26.600
Na	54	1.113	0.930	0.200	2.200
Cl	23	4.730	3.380	0.900	9.600
S	54	2.028	0.471	1.500	2.600
CAB	54	339.335	98.586	173.599	442.501

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	43	127.907	114.262	63.000	259.000
Mn	43	47.070	26.611	16.000	82.000
Zn	43	25.674	5.651	19.000	32.000
Cu	43	5.056	1.012	3.800	6.500
Se	11	0.032	0.029	0.008	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	36	506.639	149.839	299.000	696.000
Aska	36	76.194	14.530	59.000	98.000
OS smbh	36	72.231	4.131	66.600	78.300
Råprot	36	139.250	25.695	103.000	171.000
sRåprot	14	454.071	97.565	382.000	615.000
NDF	36	476.556	44.634	417.000	541.000
iNDF	36	194.950	49.469	136.000	253.000
nhNDF	36	4.169	0.819	3.263	5.427
TAF	36	81.778	13.333	84.000	84.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	36	97.028	33.285	48.000	133.000
PRF	1	3.000	.	3.000	3.000
BUF	1	1.000	.	1.000	1.000
AATp20	36	81.371	5.541	73.792	88.103
PBVp20	36	14.378	21.004	-13.318	36.563

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	36	5.862	0.375	5.446	6.434
OE*	36	10.424	0.673	9.500	11.270
AAT*	22	72.318	4.303	67.000	77.000
PBV*	22	18.000	25.851	-19.000	40.000
Ca	31	8.548	4.166	4.500	14.200
P	31	2.710	0.386	2.200	3.100
Mg	31	2.171	0.485	1.700	2.800
K	31	22.261	4.947	16.600	27.200
Na	31	1.361	0.869	0.500	2.800
Cl	14	8.000	5.217	2.600	16.200
S	31	2.132	0.317	1.600	2.500
CAB	31	320.888	152.867	152.739	474.143
Fe	22	96.682	46.698	61.000	136.000
Mn	22	43.727	25.413	21.000	81.000
Zn	22	28.727	18.671	19.000	39.000
Cu	22	6.155	1.814	4.400	9.000
Se	6	0.034	0.019	0.007	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	18	394.944	127.119	231.000	589.000
Aska	18	85.222	17.437	69.000	112.000
OS smbh	18	74.050	3.783	69.500	79.600
Råprot	18	177.667	36.556	134.000	246.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	12	441.333	118.235	320.000	574.000
NDF	18	445.000	39.153	383.000	494.000
iNDF	18	196.736	60.241	132.000	300.000
nhNDF	18	4.665	1.168	3.649	6.084
TAF	18	84.000	0.000	84.000	84.000
Socker	18	70.944	36.644	17.000	118.000
AATp20	18	85.254	5.837	78.985	93.862
PBVp20	18	44.097	31.521	13.003	90.180
NELp20	18	6.130	0.361	5.728	6.481
OE*	18	10.614	0.595	10.000	11.270
AAT*	6	73.667	3.777	71.000	81.000
PBV*	6	70.167	47.178	8.000	127.000
Ca	18	8.278	2.992	4.100	12.200
P	18	3.200	0.543	2.700	3.800
Mg	18	2.361	0.385	1.700	2.800
K	18	24.728	4.775	17.200	33.000
Na	18	1.050	0.610	0.400	1.900
Cl	12	11.150	6.923	4.300	20.900
S	18	2.739	0.453	2.000	3.200
CAB	18	253.374	217.401	-114.808	540.751
Fe	12	181.250	181.466	64.000	398.000
Mn	12	60.000	42.471	26.000	131.000
Zn	12	30.667	6.358	22.000	38.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	12	6.725	1.359	5.000	8.700
Se	3	0.031	0.021	0.009	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	385.429	214.793	193.000	816.000
Aska	7	85.000	11.299	73.000	103.000
OS smbh	7	78.100	5.027	71.200	85.300
Råprot	7	178.286	21.453	154.000	205.000
sRåprot	3	392.667	8.083	384.000	400.000
NDF	7	406.143	51.712	326.000	474.000
iNDF	7	146.923	72.993	55.866	263.000
nhNDF	7	5.276	1.235	4.039	7.608
TAF	7	84.000	0.000	84.000	84.000
Socker	7	105.571	22.285	73.000	144.000
AATp20	7	88.755	4.673	82.442	96.072
PBVp20	7	38.739	14.671	23.815	57.400
NELp20	7	6.410	0.445	5.869	7.091
OE*	7	11.277	0.780	10.250	12.500
AAT*	4	78.500	3.416	74.000	82.000
PBV*	4	54.750	13.841	34.000	62.000
Ca	4	9.275	1.024	8.000	10.200
P	4	3.350	0.493	2.800	3.900
Mg	4	2.500	0.497	1.900	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	4	25.925	4.020	21.900	31.500
Na	4	0.975	0.591	0.400	1.800
Cl	3	10.900	3.816	7.300	14.900
S	4	2.625	0.386	2.400	3.200
CAB	4	277.992	205.765	57.008	540.624
Fe	4	116.250	40.648	88.000	175.000
Mn	4	42.500	11.619	31.000	53.000
Zn	4	25.750	4.573	21.000	31.000
Cu	4	6.900	1.281	5.600	8.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	389.667	89.909	298.000	465.000
Aska	12	83.083	28.063	57.000	126.000
OS smbh	12	73.233	2.402	70.500	75.900
Råprot	12	139.083	24.452	108.000	165.000
sRåprot	12	623.000	62.748	552.000	699.000
NH3-N	12	102.250	31.473	78.000	135.000
NDF	12	457.333	43.219	425.000	510.000
iNDF	12	182.043	33.662	149.159	218.187
nhNDF	12	4.021	0.605	3.549	4.546
TAF	12	73.292	22.762	51.300	105.100
Mjölksyra	12	54.917	20.197	28.000	81.000
Ättiksyra	12	14.750	5.048	10.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	12	53.583	32.895	14.000	101.000
BUF	12	2.625	4.207	0.100	6.100
AATp20	12	79.104	3.541	74.053	83.263
PBVp20	12	17.734	24.435	-10.717	42.176
NELp20	12	5.920	0.284	5.657	6.311
OE*	12	10.525	0.575	10.000	11.100
AAT*	12	70.250	1.712	69.000	72.000
PBV*	12	18.167	24.870	-13.000	44.000
Ca	9	11.122	11.243	4.700	40.800
P	9	2.756	0.480	2.300	3.700
Mg	9	2.011	0.454	1.200	2.700
K	9	20.533	2.678	17.200	25.000
Na	9	1.589	0.672	0.800	3.000
Cl	12	7.233	2.980	3.500	11.400
S	9	2.300	0.536	1.800	3.300
CAB	9	237.962	114.258	63.336	373.932
Fe	9	233.889	266.746	63.000	884.000
Mn	9	42.111	20.703	17.000	72.000
Zn	9	24.778	3.898	19.000	30.000
Cu	9	5.267	1.237	4.000	7.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	396	350.538	87.311	265.000	450.000
Aska	396	73.081	8.288	63.000	82.000
OS smbh	396	75.974	2.979	72.100	79.500
Råprot	396	154.457	19.483	129.000	179.000
sRåprot	396	667.545	56.686	602.000	728.000
NH3-N	396	90.977	30.050	59.000	123.000
NDF	396	434.136	42.460	382.000	490.000
iNDF	396	162.120	34.530	122.390	209.355
nhNDF	396	4.479	0.516	3.896	5.040
TAF	396	91.121	29.664	46.000	126.000
Mjölksyra	396	69.960	26.275	30.000	99.000
Ättiksyra	396	18.293	6.692	10.000	26.000
Socker	396	53.311	30.246	21.000	94.000
PRF	133	2.977	2.137	1.000	6.000
BUF	396	1.205	2.544	0.000	3.100
AATp20	396	80.531	3.038	77.076	84.320
PBVp20	396	29.726	18.578	5.803	53.565
NELp20	396	6.291	0.309	5.889	6.635
OE*	396	11.081	0.485	10.430	11.680
AAT*	263	71.977	1.378	70.000	73.000
PBV*	263	26.749	17.220	4.000	49.000
Ca	369	6.964	1.917	4.600	9.300
P	369	2.792	0.381	2.300	3.300
Mg	369	1.747	0.294	1.500	2.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	369	23.090	3.674	18.300	27.600
Na	369	1.614	0.803	0.600	2.700
Cl	395	6.127	3.917	2.500	10.500
S	369	2.181	0.373	1.700	2.700
CAB	369	350.131	127.930	192.509	485.404
Fe	335	126.904	89.892	75.000	187.000
Mn	335	42.740	22.240	23.000	68.000
Zn	335	28.370	15.674	22.000	35.000
Cu	335	5.838	1.236	4.500	7.100
Se	63	0.061	0.055	0.021	0.060

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	155	438.148	123.507	306.000	618.000
Aska	155	75.594	14.014	64.000	87.000
OS smbh	155	73.564	3.542	69.200	77.200
Råprot	155	150.110	22.651	120.000	178.000
sRåprot	155	595.174	80.957	489.000	683.000
NH3-N	155	72.445	28.192	39.000	98.000
NDF	155	451.490	36.899	409.000	495.000
iNDF	155	190.549	46.164	139.000	255.000
nhNDF	155	4.198	0.635	3.449	4.938
Stä	2	135.500	3.536	133.000	138.000
TAF	155	66.368	31.621	23.000	109.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	155	48.426	27.024	12.000	87.000
Ättiksyra	154	15.279	6.669	7.000	24.000
Socker	155	63.452	30.699	23.000	109.000
PRF	64	2.984	1.956	1.000	5.000
BUF	154	0.825	1.573	0.000	2.000
AATp20	155	81.644	4.103	76.812	86.355
PBVp20	155	24.082	20.163	-1.891	49.495
NELp20	155	6.022	0.378	5.567	6.419
OE*	155	10.652	0.596	10.000	11.220
AAT*	90	70.489	2.051	68.000	72.000
PBV*	90	24.478	20.545	0.500	51.000
Ca	148	7.983	2.458	5.200	11.500
P	148	2.698	0.486	2.100	3.300
Mg	148	2.226	0.346	1.800	2.600
K	148	21.409	4.420	15.700	26.700
Na	148	1.853	0.991	0.700	3.200
Cl	153	8.517	4.378	4.000	12.900
S	148	2.453	0.421	1.900	3.100
CAB	148	237.270	135.565	76.709	414.475
Fe	124	125.718	131.650	63.000	181.000
Mn	124	45.024	20.684	21.000	74.000
Zn	124	30.871	21.306	21.000	36.000
Cu	124	6.415	1.226	5.100	8.000
Se	26	0.072	0.078	0.011	0.180

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	101	410.584	130.399	263.000	598.000
Aska	101	82.693	10.650	73.000	97.000
OS smbh	101	71.213	3.762	65.700	75.200
Råprot	101	158.079	23.105	124.000	187.000
sRåprot	101	564.554	74.850	474.000	650.000
NH3-N	101	84.842	30.856	49.000	121.000
NDF	101	449.218	39.493	403.000	506.000
iNDF	101	225.218	44.077	171.000	291.434
nhNDF	101	3.866	0.851	2.822	4.761
TAF	101	69.412	27.819	28.000	104.100
Mjölksyra	100	49.270	21.284	17.000	77.500
Ättiksyra	101	17.109	9.821	8.000	29.000
Socker	101	48.802	29.981	17.000	91.000
PRF	38	2.105	1.970	0.000	4.000
BUF	101	1.521	3.140	0.000	3.500
AATp20	101	79.606	4.772	73.848	86.884
PBVp20	101	34.978	21.458	7.048	64.488
NELp20	101	5.806	0.362	5.295	6.204
OE*	101	10.179	0.603	9.300	10.870
AAT*	63	68.571	1.990	66.000	71.000
PBV*	63	34.446	23.321	4.000	70.000
Ca	93	9.749	3.103	5.900	13.600
P	93	2.868	0.506	2.300	3.500
Mg	93	2.499	0.423	2.000	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	93	21.662	3.910	16.900	26.500
Na	93	1.519	0.816	0.600	2.500
Cl	100	8.106	5.172	3.300	13.900
S	93	2.691	0.419	2.200	3.200
CAB	93	216.463	167.774	54.207	391.512
Fe	78	148.679	125.595	72.000	220.000
Mn	78	51.872	35.952	22.000	86.000
Zn	78	30.808	24.384	20.000	37.000
Cu	78	6.885	1.198	5.300	8.500
Se	16	0.050	0.016	0.019	0.071

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	28	383.071	159.059	250.000	640.000
Aska	28	89.893	15.356	75.000	100.000
OS smbh	28	73.229	3.169	67.300	76.900
Råprot	28	176.036	22.088	149.000	202.000
sRåprot	28	543.714	98.012	347.000	628.000
NH3-N	28	71.321	25.777	40.000	111.000
NDF	28	418.607	46.089	356.000	490.000
iNDF	28	212.604	45.661	156.671	279.000
nhNDF	28	3.990	0.707	3.031	4.837
TAF	28	76.550	40.672	15.500	125.000
Mjölksyra	28	59.000	34.409	10.000	102.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	28	15.714	7.911	5.000	26.000
Socker	28	51.250	28.451	17.000	97.000
PRF	13	1.385	1.609	0.000	4.000
BUF	28	0.657	1.065	0.000	1.900
AATp20	28	81.665	4.504	75.289	87.463
PBVp20	28	48.303	22.124	17.824	75.983
NELp20	28	5.998	0.362	5.480	6.396
OE*	28	10.429	0.483	9.600	11.060
AAT*	15	69.667	1.633	67.000	71.000
PBV*	15	50.867	16.071	36.000	72.000
Ca	27	9.026	2.926	5.800	14.200
P	27	3.304	0.675	2.600	4.400
Mg	27	2.567	0.392	2.000	3.100
K	27	24.067	5.990	16.500	32.900
Na	27	1.781	0.775	0.800	2.700
Cl	28	9.893	5.617	3.600	19.900
S	27	2.767	0.590	2.200	3.500
CAB	27	235.443	165.697	19.594	469.787
Fe	23	261.304	298.517	85.000	422.000
Mn	23	58.783	28.339	27.000	104.000
Zn	23	44.478	45.990	22.000	90.000
Cu	23	7.474	1.342	6.000	9.000
Se	6	0.052	0.022	0.022	0.090

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	378.800	125.015	285.000	586.000
Aska	5	84.400	8.678	74.000	97.000
OS smbh	5	73.860	3.715	68.600	78.300
Råprot	5	175.000	36.380	135.000	218.000
sRåprot	5	588.800	92.546	430.000	662.000
NH3-N	5	80.600	39.119	33.000	138.000
NDF	5	443.200	57.487	356.000	510.000
iNDF	5	191.898	48.359	146.340	265.000
nhNDF	5	4.330	0.642	3.331	4.980
TAF	5	67.760	34.425	33.000	109.100
Mjölksyra	5	51.400	28.395	25.000	87.000
Ättiksyra	5	14.400	6.465	5.000	21.000
Socker	5	59.000	10.368	47.000	75.000
PRF	3	1.000	0.000	1.000	1.000
BUF	5	0.960	1.293	0.000	2.700
AATp20	5	82.815	6.775	74.818	91.775
PBVp20	5	45.529	27.119	13.672	78.230
NELp20	5	6.090	0.409	5.547	6.465
OE*	5	10.594	0.525	9.850	11.200
AAT*	2	71.000	1.414	70.000	72.000
PBV*	2	44.000	35.355	19.000	69.000
Ca	5	5.960	1.026	4.700	7.400
P	5	3.140	0.477	2.600	3.600
Mg	5	2.340	0.351	1.900	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	5	24.120	3.005	20.000	27.600
Na	5	3.200	1.355	1.700	5.200
Cl	5	16.340	2.076	14.300	19.200
S	5	2.740	0.219	2.500	3.100
CAB	5	124.479	114.780	-32.800	274.533
Fe	4	221.500	87.394	137.000	312.000
Mn	4	54.250	36.646	25.000	102.000
Zn	4	22.000	2.944	19.000	26.000
Cu	4	7.650	1.136	6.000	8.600
Se	2	0.050	0.000	0.050	0.050

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	339.636	100.363	274.000	432.000
Aska	11	57.455	15.795	40.000	67.000
OS smbh	11	73.391	3.984	69.500	78.800
Råprot	11	115.818	22.054	88.000	143.000
sRåprot	11	554.000	123.994	476.000	703.000
NH3-N	10	56.200	42.975	15.500	123.000
NDF	11	436.455	33.043	414.000	469.000
iNDF	11	189.724	57.185	122.000	250.000
nhNDF	11	3.595	0.601	2.939	4.066
Stä	11	69.455	90.083	2.000	195.000
TAF	11	34.373	24.004	18.000	52.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	11	23.636	17.007	14.000	39.000
Ättiksyra	11	9.000	7.563	3.000	16.000
Socker	11	117.727	57.734	27.000	180.000
PRF	8	0.875	1.458	0.000	4.000
BUF	8	0.875	1.356	0.000	4.000
AATp20	11	78.688	6.377	68.736	84.973
PBVp20	11	-13.698	16.233	-24.713	0.251
NELp20	11	5.857	0.355	5.475	6.226
OE*	9	10.967	0.632	10.300	11.790
AAT*	1	65.000	.	65.000	65.000
PBV*	1	-35.000	.	-35.000	-35.000
Ca	10	4.680	4.227	1.650	11.150
P	10	2.430	0.291	2.050	2.800
Mg	10	1.010	0.404	0.450	1.550
K	10	18.400	4.167	11.800	23.200
Na	10	0.480	0.301	0.200	0.950
Cl	6	6.017	5.179	1.600	16.000
S	10	1.620	0.343	1.150	2.000
CAB	10	243.447	126.118	73.228	386.723
Fe	7	88.571	46.865	46.000	182.000
Mn	7	27.000	17.029	14.000	64.000
Zn	7	22.286	6.184	16.000	34.000
Cu	7	3.957	0.860	3.000	5.000
Se	1	0.007	.	0.007	0.007

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	413.750	69.720	356.000	501.000
Aska	4	53.000	10.614	40.000	65.000
OS smbh	4	66.675	2.775	63.400	69.400
Råprot	4	98.000	8.287	86.000	104.000
sRåprot	4	673.500	99.346	568.000	807.000
NH3-N	4	75.750	21.438	53.000	101.000
NDF	4	441.250	47.947	390.000	497.000
iNDF	4	281.177	6.244	273.101	288.121
nhNDF	4	2.405	0.096	2.317	2.506
Stä	4	147.000	90.734	65.000	229.000
TAF	4	77.750	9.535	65.000	86.000
Mjölksyra	4	58.500	11.240	44.000	70.000
Ättiksyra	4	17.250	2.217	14.000	19.000
Socker	4	37.500	27.000	24.000	78.000
AATp20	4	67.692	3.827	64.376	72.830
PBVp20	4	-6.292	8.620	-14.230	4.395
NELp20	4	5.567	0.300	5.262	5.840
Ca	4	4.800	1.180	3.800	6.500
P	4	2.400	0.424	1.800	2.700
Mg	4	1.325	0.150	1.200	1.500
K	4	15.250	3.597	11.900	20.200
Na	4	2.400	2.239	0.400	5.600
Cl	4	4.425	1.078	3.200	5.600
S	4	1.525	0.359	1.000	1.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	4	274.413	115.543	191.380	440.949
Fe	4	79.000	20.199	57.000	103.000
Mn	4	25.000	10.033	19.000	40.000
Zn	4	23.750	6.850	14.000	30.000
Cu	4	3.725	0.556	3.100	4.400
Se	1	0.022	.	0.022	0.022

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	361.000	102.093	290.000	478.000
Aska	3	75.667	27.301	57.000	107.000
OS smbh	3	67.067	4.486	63.900	72.200
Råprot	3	130.000	41.243	94.000	175.000
sRåprot	3	627.667	140.632	531.000	789.000
NH3-N	3	76.333	52.596	31.000	134.000
NDF	3	422.000	103.504	319.000	526.000
iNDF	3	385.439	118.624	285.000	516.316
nhNDF	3	4.117	1.683	2.984	6.051
Stä	3	150.000	42.579	106.000	191.000
TAF	3	87.500	48.065	59.500	143.000
Mjölksyra	3	60.333	34.356	40.000	100.000
Ättiksyra	3	24.667	11.547	18.000	38.000
Socker	3	20.667	5.859	14.000	25.000
PRF	2	3.500	2.121	2.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	2	0.000	0.000	0.000	0.000
AATp20	3	66.227	5.775	59.646	70.451
PBVp20	3	24.216	45.485	-11.835	75.319
NELp20	3	5.622	0.384	5.393	6.065
OE*	2	9.660	0.580	9.250	10.070
Ca	2	7.450	4.172	4.500	10.400
P	2	3.200	1.131	2.400	4.000
Mg	2	2.050	0.919	1.400	2.700
K	2	18.800	3.111	16.600	21.000
Na	2	1.100	0.283	0.900	1.300
Cl	3	5.467	3.288	3.000	9.200
S	2	2.000	0.849	1.400	2.600
CAB	2	231.814	243.802	59.419	404.208
Fe	1	132.000	.	132.000	132.000
Mn	1	36.000	.	36.000	36.000
Zn	1	23.000	.	23.000	23.000
Cu	1	4.000	.	4.000	4.000

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	554.125	53.985	465.000	621.000
Aska	8	15.875	2.031	13.000	19.000
OS smbh	8	82.125	3.391	76.700	85.800
Råprot	8	80.250	4.950	75.000	86.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	8	431.125	111.242	291.000	543.000
NH3-N	5	24.200	22.753	1.000	52.000
NDF	8	228.125	45.883	156.000	304.000
iNDF	8	188.716	50.535	124.525	256.000
nhNDF	8	3.174	0.722	2.168	3.967
Stä	8	514.000	38.471	475.000	589.000
TAF	8	41.688	8.376	29.000	53.000
Mjölksyra	5	38.800	8.526	27.000	48.000
Ättiksyra	4	3.250	1.500	2.000	5.000
Socker	8	8.000	4.175	5.000	14.000
PRF	4	0.000	0.000	0.000	0.000
BUF	4	0.000	0.000	0.000	0.000
AATp20	8	94.915	2.207	92.362	97.656
PBVp20	8	-70.402	5.505	-78.178	-61.846
NELp20	8	7.170	0.317	6.688	7.559
OE*	5	12.496	0.459	11.910	12.890
Ca	8	0.575	0.365	0.200	1.200
P	8	2.150	0.278	1.900	2.800
Mg	8	0.863	0.106	0.700	1.000
K	8	5.200	0.657	4.200	6.200
Na	8	0.250	0.141	0.100	0.400
Cl	5	1.140	0.820	0.500	2.500
S	8	0.888	0.136	0.800	1.200
CAB	8	56.175	16.842	30.537	79.642

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	5	45.200	9.654	35.000	60.000
Mn	5	6.200	0.837	5.000	7.000
Zn	5	24.000	7.036	18.000	35.000
Cu	5	2.040	0.270	1.800	2.500

Fodermedel=Solros ensilage skattat (286) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	291.000	.	291.000	291.000
Aska	1	89.000	.	89.000	89.000
OS smbh	2	56.400	0.0000	56.400	56.400
Råprot	1	105.000	.	105.000	105.000
NH3-N	1	20.000	.	20.000	20.000
NDF	1	407.000	.	407.000	407.000
iNDF	2	416.438	22.6507	400.422	432.455
nhNDF	2	1.164	0.2431	0.992	1.336
Stä	1	22.000	.	22.000	22.000
TAF	2	96.000	0.0000	96.000	96.000
AATp20	2	41.849	0.3399	41.609	42.089
PBVp20	2	32.820	2.5396	31.024	34.616
NELp20	2	5.182	0.1897	5.048	5.317
Ca	1	14.400	.	14.400	14.400
P	1	3.400	.	3.400	3.400
Mg	1	4.500	.	4.500	4.500
K	1	23.800	.	23.800	23.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Solros ensilage skattat (286) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.100	.	0.100	0.100
S	1	2.200	.	2.200	2.200
CAB	1	109.346	.	109.346	109.346
Fe	1	79.000	.	79.000	79.000
Mn	1	58.000	.	58.000	58.000
Zn	1	40.000	.	40.000	40.000
Cu	1	13.100	.	13.100	13.100

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	456.667	76.9697	404.000	545.000
Aska	3	64.000	14.1067	51.000	79.000
OS smbh	3	69.200	2.3431	67.700	71.900
Råprot	3	127.333	25.6580	99.000	149.000
sRåprot	3	631.333	91.7842	532.000	713.000
NH3-N	3	64.333	8.6217	55.000	72.000
NDF	3	501.333	47.5430	455.000	550.000
iNDF	3	237.951	27.5758	207.853	262.000
nhNDF	3	3.808	0.3430	3.501	4.179
Stä	3	37.000	17.3494	18.000	52.000
TAF	3	56.333	37.6342	14.000	86.000
Mjölksyra	3	40.333	28.7460	8.000	63.000
Ättiksyra	3	13.000	6.0828	6.000	17.000
Socker	3	74.333	7.3711	66.000	80.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	4.000	2.8284	2.000	6.000
BUF	2	0.500	0.7071	0.000	1.000
AATp20	3	77.021	6.3439	73.138	84.342
PBVp20	3	1.189	15.8332	-16.858	12.747
NELp20	3	5.671	0.3305	5.356	6.015
OE*	2	10.265	0.3748	10.000	10.530
Ca	2	3.900	0.0000	3.900	3.900
P	2	2.350	0.2121	2.200	2.500
Mg	2	1.450	0.3536	1.200	1.700
K	2	17.200	2.8284	15.200	19.200
Na	2	2.200	1.8385	0.900	3.500
Cl	3	8.733	5.8449	4.100	15.300
S	2	1.800	0.4243	1.500	2.100
CAB	2	149.810	97.3316	80.987	218.634
Fe	2	213.000	36.7696	187.000	239.000
Mn	2	24.500	7.7782	19.000	30.000
Zn	2	26.000	8.4853	20.000	32.000
Cu	2	4.000	0.0000	4.000	4.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	505.000	.	505.000	505.000
Aska	1	55.000	.	55.000	55.000
OS smbh	1	69.700	.	69.700	69.700
Råprot	1	112.000	.	112.000	112.000
sRåprot	1	680.000	.	680.000	680.000
NH3-N	1	88.000	.	88.000	88.000
NDF	1	460.000	.	460.000	460.000
iNDF	1	232.467	.	232.467	232.467
nhNDF	1	3.108	.	3.108	3.108
Stä	1	100.000	.	100.000	100.000
TAF	1	42.000	.	42.000	42.000
Mjölksyra	1	30.000	.	30.000	30.000
Ättiksyra	1	12.000	.	12.000	12.000
Socker	1	89.000	.	89.000	89.000
AATp20	1	73.196	.	73.196	73.196
PBVp20	1	-3.359	.	-3.359	-3.359
NELp20	1	5.610	.	5.610	5.610
Ca	1	4.700	.	4.700	4.700
P	1	2.300	.	2.300	2.300
Mg	1	1.700	.	1.700	1.700
K	1	16.400	.	16.400	16.400
Na	1	0.800	.	0.800	0.800
Cl	1	3.800	.	3.800	3.800
S	1	1.700	.	1.700	1.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	240.928	.	240.928	240.928
Fe	1	119.000	.	119.000	119.000
Mn	1	69.000	.	69.000	69.000
Zn	1	30.000	.	30.000	30.000
Cu	1	4.400	.	4.400	4.400

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	404.000	96.060	306.000	571.00
Aska	6	51.667	18.403	32.000	81.00
OS smbh	6	69.467	3.328	63.300	72.60
Råprot	6	112.000	18.889	97.000	139.00
sRåprot	6	630.833	109.044	474.000	747.00
NH3-N	6	74.500	45.995	12.000	130.00
NDF	6	456.833	43.874	384.000	511.00
iNDF	6	261.850	59.600	203.488	374.00
nhNDF	6	3.343	0.725	2.500	4.52
Stä	6	95.000	77.509	11.000	201.00
TAF	6	52.417	28.393	19.000	89.00
Mjölksyra	6	34.833	21.977	3.000	59.00
Ättiksyra	6	15.500	10.035	5.000	31.00
Socker	6	70.167	40.192	29.000	140.00
PRF	3	1.333	1.155	0.000	2.00
BUF	3	0.333	0.577	0.000	1.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	6	72.921	3.315	69.112	78.75
PBVp20	6	-7.813	19.489	-31.313	21.68
NELp20	6	5.690	0.281	5.182	5.96
OE*	4	10.123	0.491	9.390	10.41
AAT*	1	57.000	.	57.000	57.00
PBV*	1	45.000	.	45.000	45.00
Ca	6	4.467	1.271	3.400	6.40
P	6	1.983	0.504	1.200	2.50
Mg	6	1.417	0.248	1.100	1.80
K	6	15.033	3.292	11.300	19.90
Na	6	0.750	0.809	0.100	2.20
Cl	6	3.617	2.988	0.100	8.90
S	6	1.667	0.535	1.200	2.70
CAB	6	211.048	163.785	-21.245	425.11
Fe	6	251.333	381.409	54.000	1026.00
Mn	6	45.000	26.907	12.000	87.00
Zn	6	24.333	6.501	16.000	34.00
Cu	6	4.950	1.283	3.900	7.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	446.143	80.714	372.000	576.000
Aska	7	61.571	13.722	46.000	85.000
OS smbh	7	70.271	4.454	62.900	75.000
Råprot	7	126.143	16.648	113.000	151.000
sRåprot	7	608.429	81.103	496.000	715.000
NH3-N	7	69.714	26.569	15.000	93.000
NDF	7	420.143	64.300	284.000	475.000
iNDF	7	252.933	58.923	179.000	336.319
nhNDF	7	3.027	1.124	1.301	4.392
Stä	6	70.333	40.683	31.000	128.000
TAF	7	50.981	23.203	26.870	82.000
Mjölksyra	7	33.286	19.864	11.000	64.000
Ättiksyra	6	16.833	6.178	8.000	25.000
Socker	7	80.714	46.446	21.000	161.000
PRF	4	1.250	1.500	0.000	3.000
BUF	4	0.500	1.000	0.000	2.000
AATp20	7	75.705	3.508	68.776	79.544
PBVp20	7	4.555	19.255	-9.984	37.629
NELp20	7	5.731	0.400	5.137	6.238
OE*	5	10.582	0.574	9.630	11.080
Ca	7	6.614	2.951	4.000	12.800
P	7	2.600	0.560	1.800	3.300
Mg	7	1.843	0.513	1.100	2.400
K	7	18.143	3.582	13.900	23.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	7	1.300	0.787	0.200	2.600
Cl	7	7.871	4.838	1.700	15.400
S	7	2.329	0.640	1.700	3.600
CAB	7	153.267	148.316	-125.922	321.451
Fe	5	90.200	10.918	72.000	100.000
Mn	5	34.000	23.791	14.000	70.000
Zn	5	51.600	36.391	22.000	113.000
Cu	5	6.700	2.285	5.000	10.000
Se	2	0.130	0.113	0.050	0.210

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	170	361.553	51.8335	292.500	428.500
Aska	170	29.794	9.8952	23.000	35.000
OS smbh	170	76.722	2.5112	73.300	79.400
Råprot	170	77.300	7.7824	70.500	86.000
sRåprot	170	533.659	84.2979	428.000	632.000
NH3-N	166	54.307	22.1602	28.000	80.000
NDF	170	358.747	45.2952	306.000	409.000
iNDF	170	200.469	28.5900	167.294	239.500
nhNDF	170	3.398	0.4513	2.850	3.945
Stä	170	312.171	53.5791	261.500	373.500
TAF	170	66.282	15.1393	46.000	84.000
Mjölksyra	170	48.741	11.8393	33.500	62.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	170	14.500	5.1386	8.000	21.000
Socker	170	13.288	8.9128	5.000	27.000
PRF	70	3.100	1.2757	2.000	4.000
BUF	70	0.000	0.0000	0.000	0.000
AATp20	170	83.498	2.9935	79.306	87.349
PBVp20	170	-54.302	8.7613	-64.224	-45.223
NELp20	170	6.543	0.2388	6.243	6.792
OE*	78	11.453	0.3302	11.030	11.870
AAT*	8	79.750	0.4629	79.000	80.000
PBV*	8	-67.750	5.4182	-77.000	-59.000
Ca	153	2.131	0.5245	1.600	2.700
P	153	1.837	0.2541	1.600	2.200
Mg	152	1.216	0.2138	1.000	1.500
K	153	8.706	1.8328	6.900	10.800
Na	151	0.285	0.1651	0.100	0.500
Cl	141	2.197	1.7634	1.300	3.200
S	153	0.916	0.1416	0.800	1.100
CAB	153	118.246	61.7549	76.541	172.182
Fe	125	64.664	20.0209	44.000	86.000
Mn	125	19.264	14.5359	8.000	36.000
Zn	125	24.920	13.2584	17.000	31.000
Cu	125	4.194	1.0821	3.000	5.000
Se	20	0.043	0.0217	0.006	0.065

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	299.333	38.3970	255.000	322.000
Aska	3	51.000	6.5574	44.000	57.000
OS smbh	3	64.333	5.9911	59.400	71.000
Råprot	3	77.667	6.4291	73.000	85.000
sRåprot	3	790.333	18.8768	774.000	811.000
NH3-N	3	91.333	19.5021	72.000	111.000
NDF	3	586.000	31.4802	560.000	621.000
iNDF	3	233.463	47.8641	178.807	267.897
nhNDF	3	3.349	0.8021	2.790	4.268
Stä	3	20.667	5.5076	17.000	27.000
TAF	3	90.000	8.0000	82.000	98.000
Mjölksyra	3	68.000	7.5498	61.000	76.000
Ättiksyra	3	22.000	8.5440	14.000	31.000
Socker	3	52.333	20.5994	29.000	68.000
AATp20	3	62.551	5.0273	58.664	68.228
PBVp20	3	-18.831	12.1637	-32.579	-9.465
NELp20	3	5.276	0.5240	4.897	5.874
Ca	3	2.533	0.0577	2.500	2.600
P	3	2.433	0.5132	2.000	3.000
Mg	3	0.967	0.2082	0.800	1.200
K	3	17.867	3.1070	14.400	20.400
Na	3	0.233	0.2309	0.100	0.500
Cl	3	2.500	0.6000	1.900	3.100
S	3	1.267	0.2082	1.100	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	3	317.504	72.9058	233.462	363.763
Fe	3	104.333	47.2476	69.000	158.000
Mn	3	21.000	5.2915	15.000	25.000
Zn	3	17.000	2.6458	15.000	20.000
Cu	3	4.000	0.4583	3.600	4.500
Se	1	0.030	.	0.030	0.030

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	265.000	.	265.000	265.000
Aska	1	73.000	.	73.000	73.000
OS smbh	1	79.900	.	79.900	79.900
Råprot	1	131.000	.	131.000	131.000
sRåprot	1	564.000	.	564.000	564.000
NH3-N	1	115.000	.	115.000	115.000
NDF	1	329.000	.	329.000	329.000
iNDF	1	142.714	.	142.714	142.714
nhNDF	1	4.134	.	4.134	4.134
Stä	1	109.000	.	109.000	109.000
TAF	1	70.000	.	70.000	70.000
Mjölksyra	1	56.000	.	56.000	56.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	66.000	.	66.000	66.000
AATp20	1	80.936	.	80.936	80.936

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	2.011	.	2.011	2.011
NELp20	1	6.412	.	6.412	6.412
OE*	1	11.800	.	11.800	11.800
AAT*	1	82.000	.	82.000	82.000
PBV*	1	-9.000	.	-9.000	-9.000
Ca	1	15.800	.	15.800	15.800
P	1	2.000	.	2.000	2.000
Mg	1	2.000	.	2.000	2.000
K	1	14.500	.	14.500	14.500
Na	1	0.200	.	0.200	0.200
Cl	1	9.800	.	9.800	9.800
S	1	0.900	.	0.900	0.900
CAB	1	47.233	.	47.233	47.233
Fe	1	145.000	.	145.000	145.000
Mn	1	44.000	.	44.000	44.000
Zn	1	31.000	.	31.000	31.000
Cu	1	5.100	.	5.100	5.100

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	705.000	.	705.000	705.000
Aska	1	43.000	.	43.000	43.000
OS smbh	1	63.600	.	63.600	63.600
Råprot	1	80.000	.	80.000	80.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	591.000	.	591.000	591.000
iNDF	1	241.968	.	241.968	241.968
nhNDF	1	3.143	.	3.143	3.143
TAF	1	0.000	.	0.000	0.000
Socker	1	130.000	.	130.000	130.000
AATp20	1	81.772	.	81.772	81.772
PBVp20	1	-41.271	.	-41.271	-41.271
NELp20	1	4.936	.	4.936	4.936
OE*	1	9.300	.	9.300	9.300
AAT*	1	67.000	.	67.000	67.000
PBV*	1	-34.000	.	-34.000	-34.000
Ca	1	2.900	.	2.900	2.900
P	1	1.600	.	1.600	1.600
Mg	1	1.200	.	1.200	1.200
K	1	8.400	.	8.400	8.400
Na	1	0.800	.	0.800	0.800
S	1	1.100	.	1.100	1.100
CAB	1	40.021	.	40.021	40.021
Fe	1	59.000	.	59.000	59.000
Mn	1	84.000	.	84.000	84.000
Zn	1	28.000	.	28.000	28.000
Cu	1	2.700	.	2.700	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	848.667	101.563	637.000	935.000
Aska	9	54.333	9.836	39.000	76.000
OS smbh	9	66.678	5.345	60.400	76.400
Råprot	9	88.333	27.106	49.000	132.000
sRåprot	1	413.000	.	413.000	413.000
NDF	9	562.444	30.270	511.000	598.000
iNDF	9	222.432	50.129	136.153	285.886
nhNDF	9	3.629	0.772	2.503	5.156
TAF	9	0.000	0.000	0.000	0.000
Socker	9	136.667	62.656	76.000	259.000
AATp20	9	85.268	3.155	79.593	90.362
PBVp20	9	-39.487	28.550	-85.283	5.359
NELp20	9	5.162	0.348	4.746	5.755
OE*	9	9.731	0.918	8.700	11.400
AAT*	8	70.125	5.693	64.000	80.000
PBV*	8	-30.375	36.723	-86.000	22.000
Ca	9	4.211	1.917	2.000	8.300
P	9	2.222	0.509	1.600	3.300
Mg	9	1.533	0.604	0.900	2.700
K	9	17.156	5.152	6.800	25.100
Na	9	1.178	1.276	0.100	4.200
Cl	1	6.500	.	6.500	6.500
S	9	1.689	0.473	1.000	2.300
CAB	9	238.873	155.480	-23.726	539.957

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	9	84.556	53.278	41.000	205.000
Mn	9	66.778	34.608	12.000	110.000
Zn	9	23.667	7.826	16.000	38.000
Cu	9	4.089	1.506	2.600	7.700
Se	4	0.069	0.098	0.005	0.213

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	853.000	79.164	762.000	906.000
Aska	3	67.000	11.358	59.000	80.000
OS smbh	3	70.533	2.627	67.500	72.100
Råprot	3	119.667	11.930	110.000	133.000
sRåprot	1	470.000	.	470.000	470.000
NDF	3	505.333	27.465	488.000	537.000
iNDF	3	197.702	14.864	187.000	214.674
nhNDF	3	3.794	0.166	3.604	3.915
TAF	3	0.000	0.000	0.000	0.000
Socker	3	125.000	18.358	112.000	146.000
AATp20	3	91.327	4.758	85.866	94.576
PBVp20	3	-20.335	8.822	-29.093	-11.451
NELp20	3	5.549	0.287	5.219	5.745
OE*	3	10.257	0.569	9.600	10.600
AAT*	2	71.500	3.536	69.000	74.000
PBV*	2	-1.000	9.899	-8.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	2	6.250	2.616	4.400	8.100
P	2	2.700	0.000	2.700	2.700
Mg	2	1.950	0.354	1.700	2.200
K	2	22.500	0.424	22.200	22.800
Na	2	1.400	1.273	0.500	2.300
Cl	1	12.900	.	12.900	12.900
S	2	2.550	0.354	2.300	2.800
CAB	2	224.829	134.965	129.395	320.264
Fe	2	65.000	12.728	56.000	74.000
Mn	2	52.500	36.062	27.000	78.000
Zn	2	21.500	3.536	19.000	24.000
Cu	2	5.200	1.131	4.400	6.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	383.667	74.4603	327.000	468.000
Aska	3	88.000	8.7178	82.000	98.000
OS smbh	3	76.567	2.6633	74.300	79.500
Råprot	3	189.333	34.5012	155.000	224.000
sRåprot	3	709.333	3.0551	706.000	712.000
NH3-N	3	75.333	17.6163	61.000	95.000
NDF	3	362.000	76.7268	304.000	449.000
iNDF	3	214.926	78.8654	162.000	305.568

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	3	4.307	0.4136	4.049	4.784
TAF	3	98.300	29.8277	72.800	131.100
Mjölksyra	3	77.333	24.0069	62.000	105.000
Ättiksyra	3	18.667	9.2916	8.000	25.000
Socker	3	43.000	30.8058	15.000	76.000
PRF	1	2.000	.	2.000	2.000
BUF	3	0.967	0.8505	0.100	1.800
AATp20	3	77.021	5.7078	71.093	82.479
PBVp20	3	72.894	30.3916	38.982	97.669
NELp20	3	6.370	0.2171	6.156	6.590
OE*	3	10.987	0.5005	10.500	11.500
AAT*	2	71.000	1.4142	70.000	72.000
PBV*	2	83.000	21.2132	68.000	98.000
Ca	3	14.000	8.1296	6.300	22.500
P	3	3.200	0.1000	3.100	3.300
Mg	3	1.733	0.2309	1.600	2.000
K	3	24.000	4.3139	19.500	28.100
Na	3	1.067	0.3512	0.700	1.400
Cl	3	5.767	1.0116	4.600	6.400
S	3	2.000	0.2646	1.800	2.300
CAB	3	372.746	92.1762	287.079	470.281
Fe	3	108.000	8.6603	98.000	113.000
Mn	3	42.667	16.1658	28.000	60.000
Zn	3	22.333	4.6188	17.000	25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	3	7.267	0.2517	7.000	7.500
Se	1	0.036	.	0.036	0.036

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	312.000	.	312.000	312.000
Aska	1	97.000	.	97.000	97.000
OS smbh	1	70.000	.	70.000	70.000
Råprot	1	175.000	.	175.000	175.000
sRåprot	1	528.000	.	528.000	528.000
NH3-N	1	81.000	.	81.000	81.000
NDF	1	402.000	.	402.000	402.000
iNDF	1	351.000	.	351.000	351.000
nhNDF	1	4.654	.	4.654	4.654
TAF	1	101.000	.	101.000	101.000
Mjölksyra	1	87.000	.	87.000	87.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	40.000	.	40.000	40.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	73.808	.	73.808	73.808
PBVp20	1	64.452	.	64.452	64.452
NELp20	1	5.792	.	5.792	5.792
OE*	1	9.830	.	9.830	9.830

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	11.400	.	11.400	11.400
P	1	3.900	.	3.900	3.900
Mg	1	3.400	.	3.400	3.400
K	1	22.900	.	22.900	22.900
Na	1	1.200	.	1.200	1.200
Cl	1	3.500	.	3.500	3.500
S	1	2.500	.	2.500	2.500
CAB	1	383.010	.	383.010	383.010

Fodermedel=Straw, untreated (barley, wheat, oat) (468) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	737.000	200.818	595.000	879.000
Aska	2	53.500	43.134	23.000	84.000
OS smbh	2	52.300	2.546	50.500	54.100
Råprot	2	69.500	7.778	64.000	75.000
sRåprot	2	439.000	35.355	414.000	464.000
NDF	2	657.500	70.004	608.000	707.000
iNDF	2	441.500	23.335	425.000	458.000
nhNDF	2	4.189	0.905	3.549	4.829
Stä	2	21.000	4.243	18.000	24.000
TAF	2	0.000	0.000	0.000	0.000
Socker	2	26.000	12.728	17.000	35.000
AATp20	2	68.402	1.065	67.649	69.156
PBVp20	2	-42.635	3.088	-44.818	-40.452

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Straw, untreated (barley, wheat, oat) (468) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	3.852	0.031	3.830	3.874
OE*	2	7.320	0.099	7.250	7.390
Ca	2	9.050	5.020	5.500	12.600
P	2	0.900	0.141	0.800	1.000
Mg	2	1.250	0.354	1.000	1.500
K	2	5.800	0.283	5.600	6.000
Na	2	0.650	0.495	0.300	1.000
Cl	2	2.750	0.071	2.700	2.800
S	2	1.250	0.071	1.200	1.300
CAB	2	21.009	26.327	2.393	39.625
Fe	2	126.000	62.225	82.000	170.000
Mn	2	21.000	8.485	15.000	27.000
Zn	2	9.500	0.707	9.000	10.000
Cu	2	4.500	0.707	4.000	5.000
Se	2	0.075	0.007	0.070	0.080

Fodermedel=Majskolv, färsk (518) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	573.000	.	573.000	573.000
Aska	1	15.000	.	15.000	15.000
OS smbh	1	85.700	.	85.700	85.700
Råprot	1	83.000	.	83.000	83.000
sRåprot	1	357.000	.	357.000	357.000
NDF	1	192.000	.	192.000	192.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, färsk (518) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	123.411	.	123.411	123.411
nhNDF	1	3.794	.	3.794	3.794
Stä	1	540.000	.	540.000	540.000
TAF	1	0.000	.	0.000	0.000
Socker	1	36.000	.	36.000	36.000
AATp20	1	103.801	.	103.801	103.801
PBVp20	1	-82.440	.	-82.440	-82.440
NELp20	1	7.436	.	7.436	7.436
Ca	1	0.500	.	0.500	0.500
P	1	2.300	.	2.300	2.300
Mg	1	1.100	.	1.100	1.100
K	1	4.800	.	4.800	4.800
Na	1	0.600	.	0.600	0.600
Cl	1	0.500	.	0.500	0.500
S	1	0.900	.	0.900	0.900
CAB	1	78.515	.	78.515	78.515
Fe	1	37.000	.	37.000	37.000
Mn	1	8.000	.	8.000	8.000
Zn	1	25.000	.	25.000	25.000
Cu	1	1.400	.	1.400	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=repja (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	327.000	.	327.000	327.000
Aska	1	45.000	.	45.000	45.000
OS smbh	1	64.300	.	64.300	64.300
Råprot	1	95.000	.	95.000	95.000
sRåprot	1	656.000	.	656.000	656.000
NH3-N	1	279.000	.	279.000	279.000
NDF	1	425.000	.	425.000	425.000
iNDF	1	437.000	.	437.000	437.000
nhNDF	1	2.775	.	2.775	2.775
Stä	1	88.000	.	88.000	88.000
TAF	1	130.000	.	130.000	130.000
Mjölksyra	1	39.000	.	39.000	39.000
Ättiksyra	1	58.000	.	58.000	58.000
Socker	1	5.000	.	5.000	5.000
PRF	1	9.000	.	9.000	9.000
BUF	1	24.000	.	24.000	24.000
AATp20	1	54.849	.	54.849	54.849
PBVp20	1	17.058	.	17.058	17.058
NELp20	1	5.286	.	5.286	5.286
OE*	1	9.430	.	9.430	9.430
Ca	1	0.700	.	0.700	0.700
P	1	4.600	.	4.600	4.600
Mg	1	1.500	.	1.500	1.500
K	1	10.700	.	10.700	10.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=repja (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	3.700	.	3.700	3.700
Cl	1	14.200	.	14.200	14.200
S	1	2.300	.	2.300	2.300
CAB	1	-109.223	.	-109.223	-109.223

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	426.818	35.386	384.000	470.000
Aska	11	64.091	8.723	55.000	70.000
OS smbh	11	75.455	2.715	73.600	77.200
Råprot	11	152.273	20.372	128.000	181.000
sRåprot	11	519.455	54.824	441.000	569.000
NH3-N	11	60.091	24.732	31.000	88.000
NDF	11	329.545	56.589	264.000	365.000
iNDF	11	236.182	21.743	205.000	257.000
nhNDF	11	3.062	0.412	2.563	3.446
Stä	11	179.273	34.566	144.000	230.000
TAF	11	74.545	12.731	62.000	92.000
Mjölksyra	11	48.000	14.192	38.000	59.000
Ättiksyra	11	21.000	4.171	16.000	26.000
Socker	11	37.727	14.269	25.000	54.000
PRF	11	4.636	1.286	4.000	6.000
BUF	11	0.909	1.514	0.000	2.000
AATp20	11	85.588	4.330	80.283	90.326

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	11	23.665	13.647	9.330	44.892
NELp20	11	6.493	0.264	6.297	6.722
OE*	11	11.096	0.384	10.800	11.410
Ca	11	7.191	1.359	5.700	8.700
P	11	3.809	0.669	3.200	4.900
Mg	11	2.691	0.563	2.000	3.300
K	11	16.236	1.179	14.900	17.400
Na	11	1.909	0.619	1.100	2.700
Cl	11	6.455	4.114	3.300	12.200
S	11	2.555	0.501	2.100	3.000
CAB	11	156.779	101.292	16.137	250.600
Fe	8	249.375	72.445	133.000	351.000
Mn	8	61.875	18.712	40.000	93.000
Zn	8	57.000	14.580	34.000	76.000
Cu	8	10.500	1.927	7.000	13.000
Se	3	0.270	0.079	0.210	0.360

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	415.923	61.5663	365.000	475.000
Aska	13	67.692	10.8273	56.000	81.000
OS smbh	13	76.492	3.6811	70.400	80.600
Råprot	13	147.846	20.9835	122.000	172.000
sRåprot	13	554.231	60.0779	476.000	626.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	13	67.231	17.9497	50.000	93.000
NDF	13	351.923	50.0091	295.000	416.000
iNDF	13	186.760	30.0674	151.264	237.695
nhNDF	13	3.493	0.3322	2.972	3.868
Stä	13	166.692	79.8732	86.000	264.000
Socker	13	41.846	22.1090	25.000	55.000
NELp20	13	0.000	0.0000	0.000	0.000
Ca	13	6.754	1.4638	5.000	9.000
P	13	3.623	0.8388	2.600	4.300
Mg	13	2.715	0.5886	2.100	3.400
K	13	15.192	3.6077	11.400	20.000
Na	13	3.185	1.8197	1.400	4.700
Cl	13	5.831	3.1311	2.400	9.000
S	13	2.385	0.7046	1.800	3.000
CAB	13	213.726	86.1439	114.270	305.356
Fe	13	251.385	77.4075	190.000	360.000
Mn	13	77.923	36.6139	51.000	110.000
Zn	13	68.154	34.5105	47.000	113.000
Cu	13	12.731	7.6667	7.400	21.900
Se	4	0.355	0.2297	0.190	0.688

*= Parametrar från det gamla svenska fodervärderingssystemet