

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	8	853	26	62.7	106	426	8.0	205	138	3.15	557	0.000			18
Havre, kärna, hög NDF (002)	1	4	868	28	75.0	103			339	392	2.00	543	0.000			
Vete, kärna (005)	1	15	858	17	70.4	111	331	6.5	126	155	3.50	641	0.000			12
Blandsäd, kärna, 50%havre/50%korn (096)	1	2	839	25	80.5	106				304	2.50	586	0.000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	9	850	18	87.0	113		6.3	192	173	3.30	643	0.000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	3	847	23	81.6	111		6.3	204	324	2.50	585	0.000			
Åkerböna, kärna (007)	1	2	858	33	89.0	299		2.0		32	4.70	402	0.000			
Majs hela plantan, grönmassa (030)	1	21	325	29	75.9	77	375		374	198	3.32	292	57.000			37
Prognos, blandvall (1-50% baljv) (042)	1	2	196		73.2					170	4.32		0.000			
Råg, helsäd, grönmassa (138)	1	1	373	47	65.0	86	791	88.0	458	294	2.27	95	90.000	74.0	16.0	81
Grönmassa, gräs (0% baljv.) (161)	1	3	531	77	83.7	157			428	59	7.22		61.000			177
Grönmassa, gräs (0% baljv.) (161)	2	2	580	84	76.6	135	402		457	130	4.65		61.000			103
Ensilage, gräs (0% klöver) (162)	0	1	387	78	75.8	127	544	74.0	466	148	4.68		81.100	63.0	17.0	45
Ensilage, gräs (0% klöver) (162)	1	23	429	67	75.9	131	630	74.9	449	149	4.54		65.057	48.7	13.7	91
Ensilage, gräs (0% klöver) (162)	2	16	455	77	73.0	134	530	71.8	463	182	3.99		53.431	39.7	11.1	71
Ensilage, gräs (0% klöver) (162)	3	10	406	86	75.8	158	540	73.0	447	152	4.66		66.930	52.1	12.8	48
Ensilage, gräs (0% klöver) (162)	4	4	321	88	71.5	157	546	112	433	229	3.80		90.450	60.8	24.3	38
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	527	106	67.7	175			429	258	2.85		84.000			40
Grönmassa blandvall (1-50 % baljväxter) (164)	1	77	426	71	78.6	138	443		443	114	5.34		68.377	0.0	0.0	147
Grönmassa blandvall (1-50 % baljväxter) (164)	2	48	469	84	74.8	140	411		461	152	4.39		72.354	0.0	0.0	105
Grönmassa blandvall (1-50 % baljväxter) (164)	3	29	472	89	72.5	143	386		487	173	4.19		84.000			84
Grönmassa blandvall (1-50 % baljväxter) (164)	4	19	418	93	75.0	170	383		439	157	4.27		84.000			79
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6	500	89	81.1	180	411		416	87	5.71		84.000			132
Ensilage, blandvall (1-50% klöver) (165)	0	26	488	74	72.9	124	525	70.8	462	182	4.00		54.192	40.5	11.5	82
Ensilage, blandvall (1-50% klöver) (165)	1	257	437	71	76.8	133	617	72.1	425	149	4.56		63.178	46.8	13.6	96

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Ensilage, blandvall (1-50% klöver) (165)	2	197	465	80	74.6	144	526	68.9	444	171	4.23		58.284	43.5	12.4	75
Ensilage, blandvall (1-50% klöver) (165)	3	156	447	88	73.8	149	506	77.2	435	185	4.02		59.948	44.0	12.9	63
Ensilage, blandvall (1-50% klöver) (165)	4	65	398	94	75.1	164	517	71.9	408	179	4.16		74.431	58.5	13.7	58
Ensilage, blandvall (1-50% klöver) (165)	5	5	309	91	76.0	151	555	77.6	406	167	4.30		79.840	61.6	15.8	47
Korn, helsädesensilage (250)	1	17	433	60	68.6	96	609	84.6	404	275	2.36	189	60.712	44.5	13.3	42
Havre-ärt, helsädesensilage, 50% ärter (251)	1	10	396	70	67.1	105	650	79.4	454	262	2.73	109	74.300	56.6	15.7	30
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	2	322	74	66.0	146	563	113	463	346	3.60	68	115.500	72.0	39.5	54
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	7	327	64	66.6	116	610	105	448	404	5.89	95	75.071	58.1	14.9	28
Majskolv, ensilerad (257)	1	1	591	14	85.7	76	417		180	133	3.51	563	38.100			15
Havre helsädesensilage degmognad (296)	1	20	379	79	66.2	92	585	85.7	447	289	2.70	114	65.900	48.8	14.4	44
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	5	362	67	67.1	109	590	81.8	446	269	2.65	81	79.600	62.0	17.6	55
Vete, helsäd ensilage (299)	1	5	472	69	68.3	112	645	76.4	492	231	3.28	40	47.300	30.8	14.0	94
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	8	389	62	70.3	113	614	80.5	414	258	2.95	153	71.250	53.4	17.9	35
Majs, helsädesensilage (305)	1	27	344	31	76.0	75	518	52.7	379	201	3.46	299	60.444	43.0	14.2	16
Ärter, helsädesensilage, sen skörd (315)	1	1	462	52	77.6	145	697	153	345	183	3.55	250	92.000	55.0	37.0	13
Hö, blandvall, 0-50% baljväxter (383)	0	2	735	49	69.9	107			526	203	3.72		0.000			152
Hö, blandvall, 0-50% baljväxter (383)	1	8	824	64	66.5	71			557	222	3.50		0.000			147
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	520	87	54.5	104			517	614	9.87		72.000			58
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3	372	98	66.5	151			411	446	5.41		72.000			79
Ensilage, blandvall (51-100% klöver) (438)	3	1	312	102	70.4	170			377	374	4.69		72.000			82
Ensilage, blandvall (1-50% klöver) (326)	1	3	363	55	70.2	131	558	137	420	302	3.56	33	69.333	23.3	27.7	40
Övrigt foder ej kompletta data (1E3)	1	1	861	19	0.0	125		6.0				565				
Fullfoder (TMR) ej kompletta data (1E3)	1	1	378	100	66.8	168	373	74.0	404	287	2.37	96				32

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	8				94.0	-35	7.23	12.9	93.0	-47
Havre, kärna, hög NDF (002)	1	4				81.9	-14	6.38	11.6	69.0	-3.0
Vete, kärna (005)	1	15				113	-53	7.91	13.9	93.5	-41
Blandsäd, kärna, 50%havre/50%korn (096)	1	2				90.1	-26	7.03			
Blandsäd, kärna, 50%korn/50%vete (114)	1	9				104	-40	7.53	13.4	93.7	-35
Blandsäd, kärna, 50%havre/50%vete (115)	1	3				101	-36	7.18			
Åkerböna, kärna (007)	1	2				102	146	7.85			
Majs hela plantan, grönmassa (030)	1	21				87.7	-61	6.35	11.4	80.0	-68
Prognos, blandvall (1-50% baljv) (042)	1	2				96.4	-4.4	5.94	13.0		
Råg, helsäd, grönmassa (138)	1	1				53.6	4.2	5.10	10.0	64.0	-35
Grönmassa, gräs (0% baljv.) (161)	1	3				94.8	6.0	6.80	12.3	82.7	14.7
Grönmassa, gräs (0% baljv.) (161)	2	2				86.4	-0.6	6.10	11.1	74.0	37.0
Ensilage, gräs (0% klöver) (162)	0	1		0.1000		81.6	-0.2	6.19	11.0	72.0	4.0
Ensilage, gräs (0% klöver) (162)	1	23	3.6667	1.2739		81.9	3.0	6.13	11.1	71.9	1.9
Ensilage, gräs (0% klöver) (162)	2	16	3.0000	1.0563		81.6	7.0	5.84	10.6	69.8	7.9
Ensilage, gräs (0% klöver) (162)	3	10	2.3333	0.6300		83.8	25.0	6.19	10.9	71.0	25.3
Ensilage, gräs (0% klöver) (162)	4	4	10.0000	2.2000		77.1	34.9	5.79	10.2	69.7	36.7
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				75.5	57.6	5.41	9.4	67.5	58.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	77	4.6667	3.4000		88.7	1.0	6.36	11.5	79.1	-3.9
Grönmassa blandvall (1-50 % baljväxter) (164)	2	48	2.5714	1.5714		84.0	11.3	6.03	10.8	73.8	9.8
Grönmassa blandvall (1-50 % baljväxter) (164)	3	29				81.1	17.9	5.89	10.3	71.9	21.5
Grönmassa blandvall (1-50 % baljväxter) (164)	4	19				84.2	38.3	6.11	10.7	72.9	50.1
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6				92.5	33.8	6.69	11.7	79.5	30.5
Ensilage, blandvall (1-50% klöver) (165)	0	26		1.2308		81.9	-0.7	5.83	10.6	70.4	3.2
Ensilage, blandvall (1-50% klöver) (165)	1	257	3.5714	1.2482		83.8	4.7	6.20	11.2	72.5	6.8

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	2	197	3.7857	0.9538		84.0	14.0	6.03	10.8	70.9	19.6
Ensilage, blandvall (1-50% klöver) (165)	3	156	3.2609	1.7173		83.1	20.7	5.93	10.5	70.2	27.8
Ensilage, blandvall (1-50% klöver) (165)	4	65	2.0769	1.0156		83.3	34.0	6.09	10.7	70.5	41.1
Ensilage, blandvall (1-50% klöver) (165)	5	5	1.0000	1.4400		81.9	24.5	6.16	10.9	71.7	38.0
Korn, helsädesensilage (250)	1	17	5.7500	1.2500		70.3	-16	5.55	10.1	59.0	4.5
Havre-ärt, helsädesensilage, 50% ärter (251)	1	10				68.3	-1.7	5.48	9.9	35.5	20.0
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	2	3.5000	0.5000		65.8	38.5	5.54	9.4		
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	7	4.5000	1.5000		69.3	6.6	5.50	9.8	61.0	4.7
Majskolv, ensilerad (257)	1	1				98.7	-80	7.51			
Havre helsädesensilage degmognad (296)	1	20	4.6250	2.1250		71.9	-20	5.13	9.7	62.5	-33
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	5				67.4	2.9	5.43			
Vete, helsäd ensilage (299)	1	5				71.4	-5.7	5.41	9.5	61.0	-17
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	8	0.0000	0.0000		73.4	-3.8	5.81	9.9	61.0	-6.3
Majs, helsädesensilage (305)	1	27	3.7000	0.0000		83.5	-56	6.44	11.5	79.5	-67
Ärter, helsädesensilage, sen skörd (315)	1	1				77.1	22.0	6.60			
Hö, blandvall, 0-50% baljväxter (383)	0	2				89.7	-29	5.49	10.4	72.5	-18
Hö, blandvall, 0-50% baljväxter (383)	1	8				82.3	-51	5.03	9.6	68.5	-45
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1				62.7	14.9	4.20	7.4	56.0	8.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3				73.7	42.1	5.23	9.3	67.0	36.0
Ensilage, blandvall (51-100% klöver) (438)	3	1				76.8	54.9	5.58	9.8	70.0	49.0
Ensilage, blandvall (1-50% klöver) (326)	1	3	6.0000	12.3333		79.5	13.0	5.87	10.3		
Övrigt foder ej kompletta data (1E3)	1	1						0.00			
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			
Råvarublandning - ej kompletta data (1E3)	1	0						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	5	0.8	3.4	1.4	6.7	0.4		1.3	73	4	54.3	19.3	33.8	5.4	
Havre, kärna, hög NDF (002)	1	3	0.5	2.2	0.9	3.3	0.1		0.9	14	3	95.7	47.3	33.3	4.2	
Vete, kärna (005)	1	11	0.4	3.1	1.2	4.5	0.1	1.0	1.2	18	11	49.8	38.5	30.5	4.7	0.1
Blandsäd, kärna, 50%korn/50%vete (114)	1	7	0.4	3.1	1.2	4.9	0.1		1.3	20	7	52.0	31.1	31.4	4.8	0.0
Blandsäd, kärna, 50%havre/50%vete (115)	1	4	0.5	3.3	1.3	5.1	0.1		1.3	31	4	63.0	36.5	32.8	5.0	0.0
Åkerböna, kärna (007)	1	2	1.0	4.5	1.4	12.8	0.2		1.7	203	2	60.0	16.0	52.5	17.2	0.0
Majs hela plantan, grönmassa (030)	1	19	1.6	1.8	1.1	9.4	0.3	1.8	0.9	150	15	70.5	32.3	25.3	3.6	0.0
Råg, helsäd, grönmassa (138)	1	1	2.6	2.0	1.3	12.0	0.6	1.9	1.5	186	1	77.0	44.0	27.0	5.2	
Grönmassa, gräs (0% baljv.) (161)	1	3	4.4	2.7	1.7	29.5	0.6		2.1	511	3	117.7	55.3	29.7	5.9	
Grönmassa, gräs (0% baljv.) (161)	2	2	5.8	2.6	2.1	22.2	0.8	4.2	2.5	315	2	82.5	57.0	25.0	6.7	
Ensilage, gräs (0% klöver) (162)	0	1	5.9	2.4	2.5	22.4	1.0	3.9	2.5	350	1	250.0	67.0	25.0	8.0	
Ensilage, gräs (0% klöver) (162)	1	23	4.8	2.3	1.7	21.7	0.7	5.1	1.8	327	23	154.7	73.0	24.6	5.5	0.0
Ensilage, gräs (0% klöver) (162)	2	15	5.9	2.6	2.2	24.2	0.6	6.1	2.1	343	15	107.3	89.3	25.8	6.5	0.0
Ensilage, gräs (0% klöver) (162)	3	10	6.6	3.1	2.5	24.9	1.0	8.0	2.6	295	9	133.1	75.8	24.6	7.5	0.0
Ensilage, gräs (0% klöver) (162)	4	4	7.6	2.9	3.0	21.9	1.1	7.0	2.8	232	4	266.8	93.0	26.5	7.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	12.9	3.3	2.3	25.5	0.7		2.3	406	2	307.0	83.0	36.5	9.8	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	1	67	5.1	2.6	1.7	24.3	0.6	6.8	1.9	380	62	136.1	58.9	25.6	5.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	42	7.1	2.7	2.3	24.5	0.8	9.8	2.2	354	42	173.9	67.9	26.6	7.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	29	7.2	2.9	2.5	25.5	0.9	17.8	2.6	285	29	350.9	81.8	25.9	7.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	18	8.2	3.1	2.7	28.6	0.7	15.5	2.8	371	18	184.2	75.4	24.4	7.7	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6	5.2	3.3	2.2	27.9	1.0	9.9	3.4	315	6	116.5	67.0	23.3	7.2	
Ensilage, blandvall (1-50% klöver) (165)	0	24	5.9	2.4	2.0	21.7	0.7	5.9	1.9	307	24	161.5	87.8	25.6	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	247	5.0	2.4	1.7	22.6	0.7	5.0	1.8	357	227	191.4	66.1	27.5	5.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	191	6.5	2.7	2.3	24.4	1.0	7.0	2.2	334	176	166.5	76.8	25.5	7.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	146	7.8	2.8	2.7	24.4	1.0	7.3	2.4	312	136	351.2	84.0	34.5	7.8	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	4	62	8.3	3.1	2.8	25.4	1.1	8.9	2.5	287	58	239.7	85.7	26.6	8.0	0.1
Ensilage, blandvall (1-50% klöver) (165)	5	5	5.9	3.3	2.3	24.0	1.3	8.3	2.4	289	4	398.8	94.8	22.0	7.0	
Korn, helsädesensilage (250)	1	15	3.9	2.6	1.7	15.6	0.9	3.2	1.7	241	13	381.6	69.8	29.2	5.4	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	9	4.8	2.6	1.7	17.6	1.1	3.5	1.3	312	9	317.2	66.2	28.8	4.9	0.0
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	2	4.8	2.8	2.0	18.3	1.5	7.2	2.2	193	1	125.0	33.0	28.0	6.0	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	4	5.2	2.8	2.0	17.5	1.3	4.3	1.6	303	3	164.7	62.0	42.0	5.3	0.1
Majskolv, ensilerad (257)	1	1	0.2	2.0	1.1	4.4	0.1	0.8	1.0	32	1	52.0	11.0	28.0	2.6	
Havre helsädesensilage degmognad (296)	1	16	4.3	2.5	1.6	17.6	7.7	14.6	1.7	212	13	186.5	59.8	28.9	5.1	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	4	5.6	2.6	2.0	15.3	1.0	2.9	1.5	253	4	148.3	99.3	32.8	5.7	
Vete, helsäd ensilage (299)	1	5	3.3	2.3	1.6	18.5	1.1	4.3	1.7	295	5	238.6	64.4	25.0	5.1	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	6	5.6	2.8	2.0	17.3	1.0	2.8	1.7	286	4	121.3	82.8	44.0	5.8	0.0
Majs, helsädesensilage (305)	1	27	1.6	1.8	1.1	8.9	0.3	2.6	0.9	116	22	128.1	27.3	24.9	4.4	0.0
Ärter, helsädesensilage, sen skörd (315)	1	1	8.3	2.5	2.7	13.9	0.3	3.5	1.3	189	1	76.0	28.0	33.0	8.0	0.0
Hö, blandvall, 0-50% baljväxter (383)	0	1	5.1	2.0	2.1	11.5	0.4		1.6	71	1	66.0	111.0	25.0	6.0	
Hö, blandvall, 0-50% baljväxter (383)	1	5	2.9	1.6	1.4	16.0	0.5		1.2	213	5	140.4	126.0	18.6	4.0	
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	10.8	1.9	2.7	17.2	0.2		1.1	250	1	66.0	29.0	19.0	8.1	
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3	11.0	2.3	3.0	21.7	0.5		1.6	348	3	167.7	34.7	25.7	10.1	0.0
Ensilage, blandvall (51-100% klöver) (438)	3	1	9.8	2.3	3.1	25.9	0.8		1.8	447	1	134.0	38.0	24.0	9.8	0.0
Ensilage, blandvall (1-50% klöver) (326)	1	3	4.4	3.8	2.3	13.5	2.5	10.6	2.4	7	0					
Övrigt foder ej kompletta data (1E3)	1	1	0.4	3.1	1.2	5.7	0.1		1.2		1	47.0	18.0	31.0	5.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	852.875	32.761	780.000	888.000
Aska	8	25.500	6.619	20.000	40.000
OS smbh	8	62.700	39.017	0.000	86.000
Råprot	8	106.175	15.044	91.600	141.000
sRåprot	3	426.000	176.847	276.000	621.000
NH3-N	1	8.000	.	8.000	8.000
NDF	4	205.250	102.510	123.000	341.000
iNDF	8	138.250	75.670	25.000	246.000
nhNDF	8	3.150	0.000	3.150	3.150
Stä	8	556.950	125.290	264.000	643.200
TAF	8	0.000	0.000	0.000	0.000
Socker	3	18.333	23.094	5.000	45.000
AATp20	8	93.971	5.175	82.872	99.838
PBVp20	8	-34.617	14.531	-51.800	-9.816
NELp20	8	7.233	0.400	6.378	7.731
OE*	5	12.866	1.269	10.730	14.000
AAT*	2	93.000	1.414	92.000	94.000
PBV*	2	-46.500	10.607	-54.000	-39.000
Ca	5	0.820	0.884	0.400	2.400
P	5	3.440	0.241	3.100	3.700
Mg	5	1.360	0.207	1.200	1.700
K	5	6.660	2.388	5.400	10.900
Na	5	0.380	0.626	0.100	1.500
S	5	1.280	0.295	1.100	1.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	5	73.051	69.970	33.652	197.687
Fe	4	54.250	4.349	50.000	58.000
Mn	4	19.250	5.439	15.000	27.000
Zn	4	33.750	2.500	30.000	35.000
Cu	4	5.400	0.638	4.500	5.900

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	868.250	14.1038	851.000	884.000
Aska	4	28.450	5.6865	21.200	35.100
OS smbh	4	75.000	0.0000	75.000	75.000
Råprot	4	102.575	6.9183	96.100	110.000
NDF	1	339.000	.	339.000	339.000
iNDF	4	392.000	0.0000	392.000	392.000
nhNDF	4	2.000	0.0000	2.000	2.000
Stä	4	543.350	92.5326	478.000	676.900
TAF	4	0.000	0.0000	0.000	0.000
AATp20	4	81.909	2.3323	79.447	85.073
PBVp20	4	-13.901	5.8257	-19.805	-5.862
NELp20	4	6.377	0.0871	6.304	6.504
OE*	1	11.600	.	11.600	11.600
AAT*	1	69.000	.	69.000	69.000
PBV*	1	-3.000	.	-3.000	-3.000
Ca	3	0.467	0.4163	0.000	0.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	3	2.200	1.9287	0.000	3.600
Mg	3	0.867	0.7572	0.000	1.400
K	3	3.333	2.8868	0.000	5.000
Na	3	0.067	0.0577	0.000	0.100
S	3	0.867	0.7572	0.000	1.400
CAB	3	14.265	30.0868	-19.718	37.507
Fe	3	95.667	6.1101	89.000	101.000
Mn	3	47.333	6.4291	40.000	52.000
Zn	3	33.333	5.5076	28.000	39.000
Cu	3	4.233	0.5686	3.600	4.700

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	858.000	31.9486	824.000	903.000
Aska	15	17.167	2.2718	14.500	20.000
OS smbh	15	70.400	36.4355	0.000	88.000
Råprot	15	111.407	9.5704	101.000	121.000
sRåprot	3	330.667	54.3722	293.000	393.000
NH3-N	2	6.500	0.7071	6.000	7.000
NDF	5	125.800	36.0305	74.000	174.000
iNDF	15	154.600	67.0744	25.000	187.000
nhNDF	15	3.500	0.0000	3.500	3.500
Stä	15	641.160	45.6496	556.000	687.700
TAF	15	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	4	11.750	13.5000	5.000	32.000
AATp20	15	112.576	1.1942	110.940	113.847
PBVp20	15	-53.468	8.3431	-61.755	-43.173
NELp20	15	7.912	0.0887	7.802	8.027
OE*	5	13.900	0.4528	13.100	14.200
AAT*	2	93.500	0.7071	93.000	94.000
PBV*	2	-41.000	1.4142	-42.000	-40.000
Ca	11	0.355	0.0688	0.300	0.400
P	11	3.118	0.3430	2.800	3.500
Mg	11	1.155	0.2067	1.000	1.400
K	11	4.545	0.4435	3.900	4.900
Na	10	0.100	0.0000	0.100	0.100
Cl	2	1.000	0.2828	0.800	1.200
S	11	1.227	0.1104	1.100	1.400
CAB	11	18.031	10.3462	4.028	28.180
Fe	11	49.818	11.7713	38.000	59.000
Mn	11	38.455	10.6805	25.000	51.000
Zn	11	30.545	6.9479	25.000	42.000
Cu	11	4.655	0.6267	4.000	5.300
Se	2	0.069	0.0297	0.048	0.090

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	839.000	7.0711	834.000	844.000
Aska	2	25.050	3.6062	22.500	27.600
OS smbh	2	80.500	0.0000	80.500	80.500
Råprot	2	105.550	15.2028	94.800	116.300
iNDF	2	304.000	0.0000	304.000	304.000
nhNDF	2	2.500	0.0000	2.500	2.500
Stä	2	586.350	13.6472	576.700	596.000
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	90.114	0.1143	90.033	90.195
PBVp20	2	-26.416	14.7682	-36.859	-15.974
NELp20	2	7.032	0.0432	7.002	7.063

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	850.000	17.8326	822.000	880.000
Aska	8	18.375	2.0345	16.000	22.000
OS smbh	9	87.000	0.0000	87.000	87.000
Råprot	8	113.025	11.5754	88.600	124.000
NH3-N	3	6.333	0.5774	6.000	7.000
NDF	6	191.667	26.4399	147.000	224.000
iNDF	9	173.000	0.0000	173.000	173.000
nhNDF	9	3.300	0.0000	3.300	3.300
Stä	8	643.438	35.1936	594.000	686.300
TAF	9	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	9	103.989	1.4406	102.359	106.407
PBVp20	9	-39.516	10.3638	-63.360	-29.561
NELp20	9	7.531	0.2025	7.205	7.817
OE*	3	13.367	0.0577	13.300	13.400
AAT*	3	93.667	1.1547	93.000	95.000
PBV*	3	-35.333	4.5092	-40.000	-31.000
Ca	7	0.443	0.0787	0.400	0.600
P	7	3.086	0.2193	2.800	3.400
Mg	7	1.171	0.1113	1.100	1.400
K	7	4.900	0.5164	4.100	5.600
Na	7	0.100	0.0000	0.100	0.100
S	7	1.300	0.1155	1.200	1.500
CAB	7	20.249	13.3625	-0.212	44.401
Fe	7	52.000	13.3915	39.000	78.000
Mn	7	31.143	8.0504	24.000	47.000
Zn	7	31.429	4.5408	26.000	40.000
Cu	7	4.829	0.7204	4.100	6.200
Se	1	0.024	.	0.024	0.024

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	847.333	4.1633	844.000	852.000
Aska	4	22.525	7.0358	18.000	33.000
OS smbh	4	81.600	0.0000	81.600	81.600
Råprot	4	110.525	9.1307	97.000	116.100
NH3-N	3	6.333	0.5774	6.000	7.000
NDF	3	204.000	85.0823	142.000	301.000
iNDF	4	324.000	0.0000	324.000	324.000
nhNDF	4	2.500	0.0000	2.500	2.500
Stä	4	585.300	72.7569	479.000	644.000
TAF	4	0.000	0.0000	0.000	0.000
AATp20	4	100.878	6.2229	91.982	105.998
PBVp20	4	-36.016	4.5399	-42.111	-31.177
NELp20	4	7.184	0.5547	6.360	7.568
Ca	4	0.525	0.1258	0.400	0.700
P	4	3.275	0.2217	3.100	3.600
Mg	4	1.275	0.0957	1.200	1.400
K	4	5.050	0.6658	4.500	6.000
Na	4	0.100	0.0000	0.100	0.100
S	4	1.275	0.1258	1.100	1.400
CAB	4	31.281	24.7572	9.402	66.515
Fe	4	63.000	15.8745	42.000	78.000
Mn	4	36.500	8.8129	29.000	49.000
Zn	4	32.750	2.8723	29.000	35.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	4	5.025	0.3948	4.700	5.600
Se	1	0.006	.	0.006	0.006

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	857.500	36.0624	832.000	883.000
Aska	2	32.500	0.7071	32.000	33.000
OS smbh	2	88.959	0.0000	88.959	88.959
Råprot	2	299.000	8.4853	293.000	305.000
NH3-N	2	2.000	0.0000	2.000	2.000
iNDF	2	32.000	0.0000	32.000	32.000
nhNDF	2	4.700	0.0000	4.700	4.700
Stä	2	402.000	18.3848	389.000	415.000
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	102.378	0.4994	102.024	102.731
PBVp20	2	146.147	7.5915	140.779	151.515
NELp20	2	7.852	0.0082	7.846	7.857
Ca	2	1.000	0.0000	1.000	1.000
P	2	4.500	1.4142	3.500	5.500
Mg	2	1.400	0.1414	1.300	1.500
K	2	12.800	1.4142	11.800	13.800
Na	2	0.150	0.0707	0.100	0.200
S	2	1.650	0.2121	1.500	1.800
CAB	2	202.593	46.3530	169.817	235.370

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	60.000	0.0000	60.000	60.000
Mn	2	16.000	0.0000	16.000	16.000
Zn	2	52.500	7.7782	47.000	58.000
Cu	2	17.150	4.7376	13.800	20.500
Se	1	0.020	.	0.020	0.020

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	324.762	39.5094	288.000	375.000
Aska	19	29.211	4.5041	22.000	35.000
OS smbh	21	75.924	1.8724	73.400	78.300
Råprot	19	76.895	6.1904	70.000	85.000
sRåprot	19	375.316	33.0253	334.000	412.000
NDF	19	374.053	24.5164	344.000	403.000
iNDF	21	197.850	23.1463	170.221	221.000
nhNDF	21	3.321	0.5215	2.592	3.948
Stä	19	292.105	43.6194	232.000	370.000
TAF	21	57.000	0.0000	57.000	57.000
Socker	19	37.263	38.3201	10.000	113.000
AATp20	21	87.692	1.5491	85.313	89.382
PBVp20	21	-61.235	5.5477	-68.610	-53.710
NELp20	21	6.354	0.1645	6.151	6.456
OE*	13	11.375	0.1747	11.160	11.570
AAT*	4	80.000	0.0000	80.000	80.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	4	-68.250	3.8622	-72.000	-63.000
Ca	19	1.647	0.3533	1.100	2.100
P	19	1.795	0.2758	1.400	2.200
Mg	19	1.100	0.2000	0.800	1.400
K	19	9.411	1.1308	8.400	11.100
Na	16	0.275	0.1571	0.100	0.500
Cl	15	1.800	0.3485	1.300	2.200
S	19	0.879	0.1032	0.700	1.000
CAB	19	149.540	29.8032	118.891	194.325
Fe	15	70.467	36.5530	35.000	104.000
Mn	15	32.267	12.3141	17.000	52.000
Zn	15	25.333	11.0303	13.000	38.000
Cu	15	3.633	0.7798	2.000	4.300
Se	5	0.006	0.0008	0.005	0.007

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	196.000	9.89949	189.000	203.000
OS smbh	2	73.150	0.00000	73.150	73.150
iNDF	2	170.460	0.00000	170.460	170.460
nhNDF	2	4.315	0.00000	4.315	4.315
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	96.439	0.00000	96.439	96.439
PBVp20	2	-4.418	0.00000	-4.418	-4.418

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	5.943	0.00000	5.943	5.943
OE*	2	12.950	0.35355	12.700	13.200

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	373.000	.	373.000	373.000
Aska	1	47.000	.	47.000	47.000
OS smbh	1	65.000	.	65.000	65.000
Råprot	1	86.000	.	86.000	86.000
sRåprot	1	791.000	.	791.000	791.000
NH3-N	1	88.000	.	88.000	88.000
NDF	1	458.000	.	458.000	458.000
iNDF	1	293.727	.	293.727	293.727
nhNDF	1	2.271	.	2.271	2.271
Stä	1	95.000	.	95.000	95.000
TAF	1	90.000	.	90.000	90.000
Mjölksyra	1	74.000	.	74.000	74.000
Ättiksyra	1	16.000	.	16.000	16.000
Socket	1	81.000	.	81.000	81.000
AATp20	1	53.556	.	53.556	53.556
PBVp20	1	4.177	.	4.177	4.177
NELp20	1	5.104	.	5.104	5.104
OE*	1	10.000	.	10.000	10.000
AAT*	1	64.000	.	64.000	64.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	1	-35.000	.	-35.000	-35.000
Ca	1	2.600	.	2.600	2.600
P	1	2.000	.	2.000	2.000
Mg	1	1.300	.	1.300	1.300
K	1	12.000	.	12.000	12.000
Na	1	0.600	.	0.600	0.600
Cl	1	1.900	.	1.900	1.900
S	1	1.500	.	1.500	1.500
CAB	1	185.721	.	185.721	185.721
Fe	1	77.000	.	77.000	77.000
Mn	1	44.000	.	44.000	44.000
Zn	1	27.000	.	27.000	27.000
Cu	1	5.200	.	5.200	5.200

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	531.333	58.6544	495.000	599.000
Aska	3	76.667	2.5166	74.000	79.000
OS smbh	3	83.733	0.9713	82.900	84.800
Råprot	3	157.333	10.6927	148.000	169.000
NDF	3	428.000	13.8924	419.000	444.000
iNDF	3	58.887	10.1422	47.733	67.554
nhNDF	3	7.221	0.4849	6.939	7.781
TAF	3	61.000	0.0000	61.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	3	176.667	15.6312	160.000	191.000
AATp20	3	94.824	1.5282	93.657	96.554
PBVp20	3	6.023	7.3911	-0.712	13.930
NELp20	3	6.802	0.1161	6.713	6.934
OE*	3	12.300	0.1732	12.200	12.500
AAT*	3	82.667	0.5774	82.000	83.000
PBV*	3	14.667	9.6090	6.000	25.000
Ca	3	4.367	0.3055	4.100	4.700
P	3	2.733	0.2517	2.500	3.000
Mg	3	1.667	0.1155	1.600	1.800
K	3	29.500	0.8185	28.800	30.400
Na	3	0.600	0.1732	0.500	0.800
S	3	2.067	0.2309	1.800	2.200
CAB	3	510.551	21.1485	492.755	533.931
Fe	3	117.667	27.7909	96.000	149.000
Mn	3	55.333	2.8868	52.000	57.000
Zn	3	29.667	5.7735	23.000	33.000
Cu	3	5.867	0.6658	5.100	6.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	580.000	272.943	387.000	773.000
Aska	2	83.500	0.707	83.000	84.000
OS smbh	2	76.550	4.031	73.700	79.400
Råprot	2	135.000	41.012	106.000	164.000
sRåprot	1	402.000	.	402.000	402.000
NDF	2	456.500	64.347	411.000	502.000
iNDF	2	129.764	42.093	100.000	159.528
nhNDF	2	4.652	0.127	4.562	4.742
TAF	2	61.000	0.000	61.000	61.000
Socker	2	103.000	38.184	76.000	130.000
AATp20	2	86.447	1.502	85.385	87.509
PBVp20	2	-0.573	40.613	-29.291	28.144
NELp20	2	6.103	0.151	5.996	6.209
OE*	2	11.055	0.643	10.600	11.510
AAT*	1	74.000	.	74.000	74.000
PBV*	1	37.000	.	37.000	37.000
Ca	2	5.750	0.636	5.300	6.200
P	2	2.550	0.212	2.400	2.700
Mg	2	2.050	0.212	1.900	2.200
K	2	22.200	7.920	16.600	27.800
Na	2	0.750	0.778	0.200	1.300
Cl	1	4.200	.	4.200	4.200
S	2	2.500	0.424	2.200	2.800
CAB	2	314.556	193.914	177.438	451.674

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	82.500	27.577	63.000	102.000
Mn	2	57.000	2.828	55.000	59.000
Zn	2	25.000	15.556	14.000	36.000
Cu	2	6.650	2.333	5.000	8.300

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	387.000	.	387.000	387.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	75.800	.	75.800	75.800
Råprot	1	127.000	.	127.000	127.000
sRåprot	1	544.000	.	544.000	544.000
NH3-N	1	74.000	.	74.000	74.000
NDF	1	466.000	.	466.000	466.000
iNDF	1	148.322	.	148.322	148.322
nhNDF	1	4.677	.	4.677	4.677
TAF	1	81.100	.	81.100	81.100
Mjölksyra	1	63.000	.	63.000	63.000
Ättiksyra	1	17.000	.	17.000	17.000
Socker	1	45.000	.	45.000	45.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	81.632	.	81.632	81.632
PBVp20	1	-0.222	.	-0.222	-0.222
NELp20	1	6.192	.	6.192	6.192

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	11.000	.	11.000	11.000
AAT*	1	72.000	.	72.000	72.000
PBV*	1	4.000	.	4.000	4.000
Ca	1	5.900	.	5.900	5.900
P	1	2.400	.	2.400	2.400
Mg	1	2.500	.	2.500	2.500
K	1	22.400	.	22.400	22.400
Na	1	1.000	.	1.000	1.000
Cl	1	3.900	.	3.900	3.900
S	1	2.500	.	2.500	2.500
CAB	1	350.259	.	350.259	350.259
Fe	1	250.000	.	250.000	250.000
Mn	1	67.000	.	67.000	67.000
Zn	1	25.000	.	25.000	25.000
Cu	1	8.000	.	8.000	8.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	23	429.304	169.393	266.000	689.000
Aska	23	67.130	9.270	60.000	76.000
OS smbh	23	75.943	5.005	67.900	80.800
Råprot	23	130.739	36.049	81.000	168.000
sRåprot	23	629.739	105.119	464.000	725.000
NH3-N	23	74.870	28.577	41.000	109.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	23	449.478	58.807	390.000	549.000
iNDF	23	149.068	42.509	109.921	201.663
nhNDF	23	4.535	0.774	3.868	5.479
TAF	23	65.057	41.686	19.500	122.900
Mjölksyra	23	48.739	34.951	11.000	98.000
Ättiksyra	23	13.696	7.778	5.000	23.000
Socker	23	91.261	54.115	24.000	147.000
PRF	3	3.667	1.528	2.000	5.000
BUF	23	1.274	1.339	0.100	2.600
AATp20	23	81.946	4.361	76.843	85.258
PBVp20	23	2.975	31.282	-39.847	34.886
NELp20	23	6.133	0.569	5.259	6.709
OE*	23	11.143	0.831	9.800	12.000
AAT*	20	71.850	2.540	68.000	74.500
PBV*	20	1.850	29.962	-42.000	35.500
Ca	23	4.796	1.419	3.700	6.200
P	23	2.291	0.467	1.500	2.900
Mg	23	1.691	0.278	1.400	2.000
K	23	21.730	5.176	17.300	28.400
Na	23	0.661	0.543	0.200	1.300
Cl	23	5.074	2.930	1.900	10.100
S	23	1.839	0.475	1.200	2.400
CAB	23	326.626	103.725	197.904	493.810
Fe	23	154.696	103.084	59.000	257.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	23	73.043	40.158	40.000	112.000
Zn	23	24.609	6.920	15.000	31.000
Cu	23	5.535	1.609	3.400	7.800
Se	4	0.014	0.006	0.010	0.023

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	455.250	128.918	370.000	736.000
Aska	16	76.500	5.367	68.000	83.000
OS smbh	16	72.987	3.721	67.600	77.900
Råprot	16	134.375	30.117	99.000	175.000
sRåprot	16	530.188	141.625	320.000	668.000
NH3-N	16	71.750	20.450	45.000	101.000
NDF	16	462.875	35.281	426.000	512.000
iNDF	16	182.208	45.760	129.318	242.342
nhNDF	16	3.988	0.706	2.956	4.720
TAF	16	53.431	26.437	27.400	97.100
Mjölksyra	15	39.667	21.992	14.000	76.000
Ättiksyra	16	11.125	6.752	1.000	21.000
Socker	16	70.688	28.737	43.000	93.000
PRF	2	3.000	0.000	3.000	3.000
BUF	16	1.056	1.188	0.000	2.800
AATp20	16	81.621	2.790	78.534	84.432
PBVp20	16	7.041	25.166	-20.885	39.773

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	16	5.845	0.481	5.117	6.453
OE*	16	10.554	0.614	9.600	11.330
AAT*	14	69.786	1.718	67.000	72.000
PBV*	14	7.857	24.359	-20.000	43.000
Ca	15	5.873	1.988	3.600	9.100
P	15	2.587	0.372	2.100	2.900
Mg	15	2.207	0.425	1.800	2.800
K	15	24.167	5.345	18.300	31.300
Na	15	0.607	0.413	0.200	1.400
Cl	16	6.113	2.796	3.200	9.700
S	15	2.060	0.580	1.200	3.000
CAB	15	342.930	115.992	186.635	478.655
Fe	15	107.333	48.123	60.000	148.000
Mn	15	89.333	66.276	45.000	157.000
Zn	15	25.800	5.467	19.000	34.000
Cu	15	6.507	1.253	5.000	7.900
Se	1	0.008	.	0.008	0.008

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	405.500	121.410	269.000	589.500
Aska	10	86.200	9.163	76.500	99.500
OS smbh	10	75.830	2.741	73.000	79.700
Råprot	10	158.000	26.348	129.500	199.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	10	540.100	75.761	425.500	645.500
NH3-N	10	73.000	26.550	39.000	107.500
NDF	10	447.400	46.636	383.000	510.500
iNDF	10	151.964	19.846	125.426	176.472
nhNDF	10	4.662	0.768	3.831	5.736
TAF	10	66.930	21.869	40.600	100.000
Mjölksyra	10	52.100	21.221	29.500	83.500
Ättiksyra	10	12.800	4.894	7.000	20.000
Socker	10	47.500	17.109	27.500	73.500
PRF	3	2.333	0.577	2.000	3.000
BUF	10	0.630	0.797	0.000	1.900
AATp20	10	83.768	2.588	80.039	86.556
PBVp20	10	25.029	23.395	1.228	64.017
NELp20	10	6.189	0.305	5.902	6.659
OE*	10	10.897	0.422	10.400	11.460
AAT*	7	71.000	1.155	69.000	72.000
PBV*	7	25.286	16.760	-2.000	51.000
Ca	10	6.620	1.148	5.400	8.450
P	10	3.050	0.474	2.350	3.550
Mg	10	2.540	0.232	2.250	2.850
K	10	24.930	2.998	21.450	28.950
Na	10	1.000	0.394	0.550	1.550
Cl	10	8.010	3.880	3.450	14.150
S	10	2.560	0.450	1.950	3.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	10	295.440	88.869	154.482	374.091
Fe	9	133.111	67.068	66.000	276.000
Mn	9	75.778	14.498	64.000	112.000
Zn	9	24.556	4.773	15.000	32.000
Cu	9	7.500	1.455	4.200	9.100
Se	1	0.014	.	0.014	0.014

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	321.000	69.909	250.000	407.000
Aska	4	87.500	7.895	78.000	94.000
OS smbh	4	71.500	4.753	66.800	77.700
Råprot	4	156.750	18.301	142.000	183.000
sRåprot	4	546.250	44.657	480.000	573.000
NH3-N	4	111.500	34.694	89.000	163.000
NDF	4	433.250	48.362	402.000	505.000
iNDF	4	228.678	74.983	137.430	310.000
nhNDF	4	3.797	0.940	2.598	4.631
TAF	4	90.450	18.910	64.600	108.100
Mjölksyra	4	60.750	22.470	36.000	89.000
Ättiksyra	4	24.250	15.735	11.000	47.000
Socker	4	37.750	25.171	20.000	75.000
PRF	1	10.000	.	10.000	10.000
BUF	4	2.200	3.226	0.100	7.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	4	77.106	3.027	72.736	79.667
PBVp20	4	34.862	18.459	19.295	58.445
NELp20	4	5.789	0.366	5.502	6.322
OE*	4	10.180	0.693	9.520	11.100
AAT*	3	69.667	2.082	68.000	72.000
PBV*	3	36.667	24.542	22.000	65.000
Ca	4	7.575	0.602	7.000	8.400
P	4	2.850	0.700	2.500	3.900
Mg	4	2.975	0.263	2.700	3.200
K	4	21.850	1.507	20.500	23.300
Na	4	1.125	0.377	0.700	1.600
Cl	4	7.000	1.794	4.500	8.400
S	4	2.850	0.404	2.300	3.200
CAB	4	232.428	30.414	187.876	253.716
Fe	4	266.750	162.247	148.000	505.000
Mn	4	93.000	13.241	76.000	104.000
Zn	4	26.500	7.141	19.000	34.000
Cu	4	7.450	2.053	5.300	9.400
Se	1	0.026	.	0.026	0.026

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	526.500	219.910	371.000	682.000
Aska	2	106.000	4.243	103.000	109.000
OS smbh	2	67.700	4.101	64.800	70.600
Råprot	2	175.000	22.627	159.000	191.000
NDF	2	429.000	18.385	416.000	442.000
iNDF	2	257.889	66.160	211.106	304.671
nhNDF	2	2.851	0.897	2.217	3.485
TAF	2	84.000	0.000	84.000	84.000
Socker	2	39.500	41.719	10.000	69.000
AATp20	2	75.549	5.227	71.853	79.245
PBVp20	2	57.639	12.522	48.784	66.493
NELp20	2	5.414	0.500	5.060	5.767
OE*	2	9.350	0.636	8.900	9.800
AAT*	2	67.500	3.536	65.000	70.000
PBV*	2	58.000	16.971	46.000	70.000
Ca	2	12.900	0.141	12.800	13.000
P	2	3.300	0.566	2.900	3.700
Mg	2	2.250	0.212	2.100	2.400
K	2	25.450	5.586	21.500	29.400
Na	2	0.650	0.495	0.300	1.000
S	2	2.250	0.354	2.000	2.500
CAB	2	406.137	142.292	305.521	506.752
Fe	2	307.000	176.777	182.000	432.000
Mn	2	83.000	32.527	60.000	106.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	36.500	7.778	31.000	42.000
Cu	2	9.750	1.202	8.900	10.600
Se	1	0.063	.	0.063	0.063

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	77	425.896	136.202	258.000	628.000
Aska	76	70.605	9.449	58.000	83.000
OS smbh	77	78.586	4.999	69.000	84.200
Råprot	76	137.855	27.584	98.000	168.000
sRåprot	21	442.952	43.980	393.000	503.000
NDF	76	442.697	54.644	376.000	522.000
iNDF	77	114.047	52.474	56.000	187.447
nhNDF	77	5.335	1.410	4.029	6.901
TAF	77	68.377	30.849	6.000	84.000
Mjölksyra	16	0.000	0.000	0.000	0.000
Ättiksyra	15	0.000	0.000	0.000	0.000
Socker	76	147.355	43.016	92.000	208.000
PRF	15	4.667	4.923	0.000	12.000
BUF	15	3.400	1.682	2.000	6.000
AATp20	77	88.696	7.166	77.584	97.973
PBVp20	77	0.980	19.167	-28.599	24.607
NELp20	77	6.365	0.448	5.588	6.860
OE*	76	11.549	0.837	10.100	12.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	55	79.109	4.965	71.000	84.000
PBV*	55	-3.925	22.285	-38.000	24.000
Ca	67	5.060	1.806	3.100	7.500
P	67	2.554	0.467	2.100	3.200
Mg	67	1.666	0.373	1.200	2.200
K	67	24.346	4.389	17.700	29.900
Na	67	0.631	0.476	0.200	1.200
Cl	19	6.758	3.536	0.300	12.200
S	67	1.934	0.407	1.400	2.500
CAB	67	380.388	116.966	226.739	545.835
Fe	62	136.081	73.717	74.000	214.000
Mn	62	58.855	23.132	37.000	84.000
Zn	62	25.645	4.570	20.000	32.000
Cu	62	5.523	1.208	4.000	7.400
Se	16	0.017	0.014	0.006	0.049

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	48	468.896	131.480	332.000	667.000
Aska	47	83.787	9.802	70.000	98.000
OS smbh	48	74.819	4.545	67.200	79.900
Råprot	47	140.489	23.340	119.000	168.000
sRåprot	10	410.800	37.312	372.000	465.500
NDF	47	460.574	38.135	410.000	513.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	48	152.392	58.111	70.000	231.415
nhNDF	48	4.387	0.890	3.221	5.475
TAF	48	72.354	28.494	5.000	84.000
Mjölksyra	7	0.000	0.000	0.000	0.000
Ättiksyra	7	0.000	0.000	0.000	0.000
Socker	47	105.255	39.272	53.000	146.000
PRF	7	2.571	1.272	1.000	4.000
BUF	7	1.571	0.976	0.000	3.000
AATp20	48	83.955	7.837	73.855	99.137
PBVp20	48	11.281	18.475	-8.896	36.838
NELp20	48	6.026	0.417	5.366	6.522
OE*	47	10.772	0.797	9.600	11.710
AAT*	37	73.784	4.151	67.000	79.000
PBV*	37	9.759	23.141	-11.000	39.000
Ca	42	7.105	2.744	3.800	10.700
P	42	2.702	0.395	2.300	3.100
Mg	42	2.307	0.583	1.700	3.000
K	42	24.467	3.525	20.600	28.600
Na	42	0.781	0.446	0.300	1.300
Cl	10	9.770	5.464	5.400	17.900
S	42	2.221	0.539	1.700	3.000
CAB	42	354.463	117.073	233.095	467.333
Fe	42	173.905	201.649	72.000	282.000
Mn	42	67.905	26.351	38.000	109.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	42	26.643	7.008	21.000	33.000
Cu	42	7.017	1.681	5.000	8.900
Se	12	0.021	0.010	0.010	0.034

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	29	472.138	139.873	291.000	733.000
Aska	29	89.103	15.603	69.000	111.000
OS smbh	29	72.472	4.343	64.400	77.800
Råprot	29	142.690	23.689	116.000	184.000
sRåprot	9	385.556	44.590	313.000	452.000
NDF	29	486.621	42.013	438.000	537.000
iNDF	29	172.969	47.436	112.300	253.115
nhNDF	29	4.192	0.822	3.026	5.578
TAF	29	84.000	0.000	84.000	84.000
Socker	29	83.931	39.872	22.000	121.000
AATp20	29	81.119	5.484	71.438	87.308
PBVp20	29	17.852	22.983	-8.484	53.536
NELp20	29	5.886	0.401	5.138	6.435
OE*	29	10.327	0.778	8.800	11.100
AAT*	20	71.900	4.833	64.000	77.000
PBV*	20	21.450	26.486	-7.500	56.000
Ca	29	7.155	2.444	4.300	11.100
P	29	2.928	0.411	2.500	3.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	29	2.514	0.583	1.600	3.400
K	29	25.534	4.725	19.000	30.600
Na	29	0.934	0.468	0.400	1.500
Cl	9	17.844	7.790	8.800	31.700
S	29	2.590	0.679	1.800	3.200
CAB	29	284.528	222.499	-74.653	510.333
Fe	29	350.931	938.652	84.000	597.000
Mn	29	81.759	47.176	45.000	124.000
Zn	29	25.862	5.699	19.000	32.000
Cu	29	7.586	2.304	5.300	10.200
Se	5	0.026	0.027	0.008	0.074

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	417.947	134.719	259.000	602.000
Aska	19	93.368	12.535	75.000	111.000
OS smbh	19	74.953	4.842	69.300	79.700
Råprot	19	169.895	28.641	143.000	213.000
sRåprot	5	383.200	23.015	358.000	409.000
NDF	19	438.947	44.541	372.000	493.000
iNDF	19	156.575	63.822	85.000	248.599
nhNDF	19	4.272	0.986	2.702	5.415
TAF	19	84.000	0.000	84.000	84.000
Socket	19	79.211	31.886	32.000	120.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	19	84.214	5.921	76.297	91.888
PBVp20	19	38.332	26.115	7.865	72.741
NELp20	19	6.115	0.457	5.565	6.579
OE*	19	10.669	0.789	9.600	11.560
AAT*	14	72.929	3.792	69.000	77.000
PBV*	14	50.143	28.579	28.000	83.000
Ca	18	8.167	2.776	5.500	12.800
P	18	3.094	0.581	2.600	4.000
Mg	18	2.672	0.478	2.000	3.600
K	18	28.600	5.702	22.100	36.800
Na	18	0.717	0.350	0.300	1.200
Cl	5	15.500	6.288	6.500	21.200
S	18	2.800	0.671	2.000	4.100
CAB	18	370.716	200.855	44.671	681.608
Fe	18	184.222	151.936	82.000	504.000
Mn	18	75.444	23.520	39.000	103.000
Zn	18	24.389	4.060	18.000	28.000
Cu	18	7.678	1.759	5.000	10.300
Se	4	0.073	0.082	0.021	0.193

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	499.500	129.775	385.000	756.000
Aska	6	88.833	13.732	71.000	108.000
OS smbh	6	81.083	1.038	79.200	82.400
Råprot	6	179.833	15.316	161.000	201.000
sRåprot	4	411.000	17.569	387.000	429.000
NDF	6	415.667	17.466	389.000	433.000
iNDF	6	86.646	16.525	69.636	117.000
nhNDF	6	5.714	0.331	5.401	6.330
TAF	6	84.000	0.000	84.000	84.000
Socker	6	131.833	11.089	121.000	151.000
AATp20	6	92.544	3.632	87.395	96.895
PBVp20	6	33.763	9.108	24.227	48.310
NELp20	6	6.694	0.147	6.479	6.847
OE*	6	11.723	0.186	11.500	11.980
AAT*	2	79.500	0.707	79.000	80.000
PBV*	2	30.500	6.364	26.000	35.000
Ca	6	5.200	0.970	3.900	6.800
P	6	3.283	0.508	2.700	4.200
Mg	6	2.150	0.295	1.800	2.600
K	6	27.867	4.190	20.000	31.700
Na	6	1.033	0.441	0.500	1.600
Cl	4	9.900	2.246	7.900	13.100
S	6	3.400	0.636	2.600	4.500
CAB	6	315.083	111.183	158.539	447.305

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	6	116.500	39.104	81.000	192.000
Mn	6	67.000	35.276	39.000	135.000
Zn	6	23.333	2.422	21.000	27.000
Cu	6	7.233	0.463	6.800	8.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	26	487.846	177.956	314.000	776.000
Aska	26	74.308	15.362	48.000	93.000
OS smbh	26	72.927	5.100	67.000	78.500
Råprot	26	124.154	30.510	85.000	157.000
sRåprot	26	525.346	95.148	383.000	644.000
NH3-N	26	70.846	29.617	28.000	100.000
NDF	26	462.346	60.696	392.000	539.000
iNDF	26	182.014	40.622	135.694	238.828
nhNDF	26	4.001	0.659	3.104	4.748
TAF	26	54.192	31.069	14.500	99.400
Mjölksyra	26	40.500	26.361	6.000	82.000
Ättiksyra	26	11.462	5.729	5.000	21.000
Socker	26	82.308	47.045	29.000	157.000
BUF	26	1.231	1.259	0.100	3.800
AATp20	26	81.904	3.937	77.077	85.594
PBVp20	26	-0.700	25.297	-33.924	26.929
NELp20	26	5.828	0.513	5.145	6.472

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	26	10.550	0.785	9.600	11.600
AAT*	26	70.423	2.403	67.000	74.000
PBV*	26	3.154	28.034	-35.000	33.000
Ca	24	5.892	1.698	4.000	8.200
P	24	2.446	0.636	1.600	3.200
Mg	24	2.013	0.554	1.400	2.700
K	24	21.704	5.245	13.000	27.800
Na	24	0.683	0.543	0.100	1.300
Cl	26	5.915	3.772	0.600	11.000
S	24	1.908	0.686	1.100	2.700
CAB	24	307.200	86.055	182.509	404.776
Fe	24	161.542	101.341	86.000	255.000
Mn	24	87.833	42.281	48.000	138.000
Zn	24	25.583	9.623	18.000	33.000
Cu	24	6.408	1.644	4.400	8.100
Se	1	0.020	.	0.020	0.020

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	257	436.794	135.240	293.000	634.000
Aska	257	70.521	14.757	58.000	79.000
OS smbh	257	76.823	4.713	71.000	81.200
Råprot	257	133.428	27.581	96.000	168.000
sRåprot	257	617.342	96.977	485.000	727.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	256	72.125	27.801	38.000	103.000
NDF	257	425.078	56.401	364.000	496.000
iNDF	257	148.947	47.370	105.000	200.236
nhNDF	257	4.556	0.699	3.669	5.409
TAF	257	63.178	34.406	19.400	112.100
Mjölksyra	256	46.844	29.569	11.000	88.000
Ättiksyra	257	13.619	6.527	5.000	22.000
Socker	257	96.409	53.126	33.000	176.000
PRF	42	3.571	2.074	1.000	6.000
BUF	257	1.248	3.243	0.000	2.600
AATp20	257	83.794	5.232	78.834	91.408
PBVp20	257	4.731	23.463	-27.814	31.892
NELp20	257	6.201	0.457	5.653	6.652
OE*	257	11.246	0.768	10.300	12.000
AAT*	215	72.507	2.397	70.000	74.000
PBV*	215	6.791	25.579	-29.000	39.000
Ca	247	5.020	1.498	3.600	7.000
P	247	2.363	0.404	1.900	2.900
Mg	247	1.711	0.316	1.400	2.100
K	247	22.642	4.165	16.900	27.700
Na	247	0.749	0.624	0.200	1.500
Cl	257	5.006	2.624	2.000	8.600
S	247	1.796	0.453	1.200	2.400
CAB	247	357.075	100.623	229.282	478.591

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	227	191.352	234.736	76.000	349.000
Mn	227	66.084	27.103	40.000	95.000
Zn	227	27.529	24.985	19.000	32.000
Cu	227	5.485	1.143	4.200	7.000
Se	56	0.020	0.017	0.007	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	197	464.898	147.176	286.000	703.000
Aska	197	80.239	10.424	68.000	93.000
OS smbh	197	74.639	3.056	70.500	78.400
Råprot	197	143.523	24.432	112.000	178.000
sRåprot	197	526.335	106.473	377.000	650.000
NH3-N	194	68.876	25.890	33.000	101.000
NDF	197	443.959	38.248	395.000	496.000
iNDF	197	170.525	40.925	123.025	223.417
nhNDF	197	4.229	0.697	3.252	5.016
TAF	197	58.284	29.545	17.700	98.100
Mjölksyra	197	43.487	24.277	12.000	76.000
Ättiksyra	197	12.447	6.619	4.000	20.000
Socker	197	74.878	40.784	20.000	133.000
PRF	28	3.786	2.515	0.000	7.000
BUF	197	0.954	1.119	0.000	2.500
AATp20	197	83.960	4.291	79.328	89.977

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	197	14.016	22.640	-15.377	43.159
NELp20	197	6.028	0.351	5.584	6.486
OE*	197	10.774	0.514	10.000	11.400
AAT*	169	70.876	1.493	69.000	73.000
PBV*	169	19.575	23.754	-9.000	52.000
Ca	191	6.543	2.025	4.300	9.700
P	191	2.684	0.395	2.200	3.100
Mg	191	2.280	0.451	1.800	3.000
K	191	24.388	3.904	20.500	29.200
Na	191	0.996	0.643	0.300	1.700
Cl	197	7.007	3.413	2.800	11.400
S	191	2.167	0.465	1.600	2.700
CAB	191	334.111	103.954	203.838	467.833
Fe	176	166.472	152.607	75.000	300.000
Mn	176	76.813	34.120	48.000	112.000
Zn	176	25.523	5.052	20.000	32.000
Cu	176	7.063	1.284	5.400	8.700
Se	25	0.025	0.022	0.010	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	156	446.686	138.74	296.000	663.000
Aska	156	88.256	14.84	74.000	98.000
OS smbh	156	73.801	2.98	69.900	77.000
Råprot	156	149.192	21.80	118.000	178.000
sRåprot	156	505.776	90.41	362.000	613.000
NH3-N	154	77.240	31.77	36.000	114.000
NDF	156	434.667	42.35	376.000	488.000
iNDF	156	185.213	46.76	138.326	241.000
nhNDF	156	4.016	0.73	3.047	4.880
TAF	156	59.948	30.30	20.500	98.000
Mjölksyra	156	43.962	24.71	12.000	74.000
Ättiksyra	156	12.936	6.59	5.000	22.000
Socker	156	62.891	33.82	21.000	109.000
PRF	23	3.261	2.45	0.000	7.000
BUF	156	1.717	3.05	0.100	3.400
AATp20	156	83.139	5.62	76.665	90.933
PBVp20	156	20.665	20.42	-3.345	48.389
NELp20	156	5.929	0.33	5.495	6.297
OE*	156	10.544	0.52	9.800	11.100
AAT*	133	70.180	1.53	68.000	72.000
PBV*	133	27.774	21.68	-1.000	56.000
Ca	146	7.779	2.36	5.300	11.200
P	146	2.797	0.40	2.400	3.300
Mg	146	2.744	0.48	2.200	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	146	24.440	4.39	19.000	30.100
Na	146	1.034	0.98	0.300	1.800
Cl	155	7.283	3.87	2.600	12.200
S	146	2.396	0.48	1.800	3.000
CAB	146	311.685	110.19	175.953	441.152
Fe	136	351.176	1404.79	80.000	384.000
Mn	136	83.963	35.22	47.000	122.000
Zn	136	34.478	96.50	21.000	32.000
Cu	136	7.839	2.29	5.900	10.000
Se	22	0.037	0.03	0.013	0.072

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	65	398.385	115.719	257.000	547.000
Aska	64	93.500	9.274	83.000	104.000
OS smbh	65	75.118	2.854	72.400	78.900
Råprot	64	164.078	23.905	134.000	199.000
sRåprot	64	516.750	80.629	432.000	617.000
NH3-N	64	71.859	24.921	39.000	103.000
NDF	64	407.703	45.543	352.000	463.000
iNDF	65	179.263	35.486	128.779	225.000
nhNDF	65	4.159	0.683	3.315	5.078
TAF	65	74.431	35.722	23.400	118.000
Mjölksyra	64	58.469	32.324	12.000	98.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	64	13.656	4.788	7.000	19.000
Socker	64	57.844	36.673	22.000	117.000
PRF	13	2.077	1.553	0.000	4.000
BUF	64	1.016	1.391	0.000	3.100
AATp20	65	83.278	5.269	77.415	92.087
PBVp20	65	34.029	21.595	7.680	64.529
NELp20	65	6.085	0.293	5.723	6.437
OE*	64	10.702	0.462	10.290	11.300
AAT*	51	70.490	1.419	69.000	72.000
PBV*	51	41.059	23.606	14.000	74.000
Ca	62	8.345	1.918	6.200	10.900
P	62	3.077	0.416	2.500	3.600
Mg	62	2.777	0.416	2.400	3.400
K	62	25.387	3.950	20.400	29.700
Na	62	1.063	0.670	0.400	1.700
Cl	64	8.911	3.743	4.600	13.000
S	62	2.508	0.448	2.000	3.100
CAB	62	286.860	114.783	155.722	409.015
Fe	58	239.672	160.087	119.000	430.000
Mn	58	85.655	26.922	52.000	119.000
Zn	58	26.569	5.676	22.000	33.000
Cu	58	7.959	1.299	6.400	9.900
Se	8	0.050	0.033	0.025	0.116

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	309.400	44.100	264.000	382.000
Aska	5	90.600	25.354	52.000	116.000
OS smbh	5	75.960	4.507	68.000	79.100
Råprot	5	151.400	25.813	113.000	180.000
sRåprot	5	555.200	96.789	441.000	673.000
NH3-N	5	77.600	38.266	48.000	141.000
NDF	5	405.600	36.060	374.000	466.000
iNDF	5	166.531	60.089	137.938	274.000
nhNDF	5	4.303	0.692	3.100	4.852
TAF	5	79.840	19.767	47.000	97.100
Mjölksyra	5	61.600	19.995	29.000	80.000
Ättiksyra	5	15.800	1.643	13.000	17.000
Socker	5	46.600	25.793	11.000	74.000
PRF	2	1.000	1.414	0.000	2.000
BUF	5	1.440	2.581	0.000	6.000
AATp20	5	81.907	1.748	79.624	83.838
PBVp20	5	24.493	21.305	-6.899	47.824
NELp20	5	6.161	0.381	5.486	6.411
OE*	5	10.850	0.549	9.990	11.360
AAT*	3	71.667	1.155	71.000	73.000
PBV*	3	38.000	21.284	15.000	57.000
Ca	5	5.860	1.085	4.000	6.600
P	5	3.280	0.471	2.900	4.100
Mg	5	2.260	0.261	2.000	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	5	24.000	6.789	13.500	30.600
Na	5	1.340	0.802	0.600	2.500
Cl	5	8.320	5.450	3.200	14.700
S	5	2.380	0.722	1.800	3.600
CAB	5	288.955	98.715	183.710	438.031
Fe	4	398.750	253.566	117.000	622.000
Mn	4	94.750	24.185	70.000	126.000
Zn	4	22.000	2.828	18.000	24.000
Cu	4	7.025	0.624	6.200	7.700

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	432.941	45.233	371.000	481.00
Aska	17	60.412	17.993	38.000	85.00
OS smbh	17	68.559	2.884	64.000	73.20
Råprot	17	96.471	19.301	75.000	125.00
sRåprot	17	608.765	119.373	478.000	725.00
NH3-N	17	84.588	25.742	39.000	114.00
NDF	17	404.118	60.728	334.000	518.00
iNDF	17	274.844	35.067	223.000	308.44
nhNDF	17	2.356	0.605	1.567	3.27
Stä	17	189.000	103.115	22.000	300.00
TAF	17	60.712	22.747	29.700	93.00
Mjölksyra	17	44.471	17.346	22.000	66.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	17	13.294	5.796	6.000	19.00
Socker	17	42.294	25.161	18.000	76.00
PRF	4	5.750	4.113	2.000	11.00
BUF	4	1.250	0.500	1.000	2.00
AATp20	17	70.256	3.292	65.456	74.19
PBVp20	17	-16.146	18.331	-40.478	10.09
NELp20	17	5.552	0.298	5.149	5.96
OE*	6	10.110	0.393	9.600	10.64
AAT*	2	59.000	0.000	59.000	59.00
PBV*	2	4.500	0.707	4.000	5.00
Ca	15	3.927	1.768	1.900	6.80
P	15	2.633	0.467	2.200	3.20
Mg	15	1.713	0.338	1.300	2.10
K	15	15.640	4.466	10.600	21.70
Na	15	0.947	0.533	0.200	1.50
Cl	16	3.206	2.103	1.200	5.80
S	15	1.720	0.509	1.300	2.60
CAB	15	240.514	127.555	113.250	403.61
Fe	13	381.615	486.336	94.000	1277.00
Mn	13	69.846	28.876	34.000	99.00
Zn	13	29.231	7.748	22.000	37.00
Cu	13	5.354	1.082	4.300	7.40
Se	1	0.049	.	0.049	0.05

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	395.900	88.620	313.500	546.000
Aska	10	69.900	12.324	54.000	84.500
OS smbh	10	67.080	4.437	60.300	72.050
Råprot	10	104.600	11.266	89.500	119.000
sRåprot	10	649.500	68.657	549.000	726.500
NH3-N	10	79.400	18.313	52.000	102.000
NDF	10	454.100	63.799	379.500	544.000
iNDF	10	262.249	36.097	216.713	303.785
nhNDF	10	2.728	0.492	2.092	3.447
Stä	10	109.300	75.326	28.000	225.500
TAF	10	74.300	19.247	46.000	98.000
Mjölksyra	10	56.600	18.584	27.000	79.500
Ättiksyra	10	15.700	4.138	10.500	22.000
Socker	10	30.000	18.655	12.000	61.000
AATp20	10	68.337	4.676	62.304	74.350
PBVp20	10	-1.727	12.466	-19.826	14.615
NELp20	10	5.481	0.367	4.964	5.943
OE*	1	9.900	.	9.900	9.900
AAT*	2	35.500	37.477	9.000	62.000
PBV*	2	20.000	53.740	-18.000	58.000
Ca	9	4.789	0.932	2.900	6.200
P	9	2.633	0.477	1.900	3.400
Mg	9	1.722	0.323	1.200	2.400
K	9	17.644	4.293	13.600	25.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	9	1.078	0.905	0.400	3.400
Cl	10	3.540	2.069	1.200	6.750
S	9	1.311	0.176	0.900	1.500
CAB	9	311.955	47.923	255.773	385.880
Fe	9	317.222	229.289	100.000	758.000
Mn	9	66.222	29.773	15.000	103.000
Zn	9	28.778	8.423	22.000	50.000
Cu	9	4.900	0.650	3.900	5.800
Se	1	0.010	.	0.010	0.010

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	321.500	55.861	282.000	361.000
Aska	2	73.500	6.364	69.000	78.000
OS smbh	2	66.000	1.838	64.700	67.300
Råprot	2	145.500	0.707	145.000	146.000
sRåprot	2	563.000	38.184	536.000	590.000
NH3-N	2	113.000	35.355	88.000	138.000
NDF	2	463.000	11.314	455.000	471.000
iNDF	2	345.500	34.648	321.000	370.000
nhNDF	2	3.604	0.059	3.562	3.646
Stä	2	68.000	18.385	55.000	81.000
TAF	2	115.500	27.577	96.000	135.000
Mjölksyra	2	72.000	21.213	57.000	87.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	2	39.500	4.950	36.000	43.000
Socker	2	54.000	14.142	44.000	64.000
PRF	2	3.500	0.707	3.000	4.000
BUF	2	0.500	0.707	0.000	1.000
AATp20	2	65.763	4.419	62.638	68.887
PBVp20	2	38.539	6.739	33.774	43.304
NELp20	2	5.542	0.046	5.509	5.574
OE*	2	9.430	0.240	9.260	9.600
Ca	2	4.750	1.344	3.800	5.700
P	2	2.800	0.141	2.700	2.900
Mg	2	2.000	0.566	1.600	2.400
K	2	18.250	2.333	16.600	19.900
Na	2	1.450	0.919	0.800	2.100
Cl	2	7.200	2.970	5.100	9.300
S	2	2.150	0.778	1.600	2.700
CAB	2	192.603	112.559	113.012	272.195
Fe	1	125.000	.	125.000	125.000
Mn	1	33.000	.	33.000	33.000
Zn	1	28.000	.	28.000	28.000
Cu	1	6.000	.	6.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	327.000	58.589	268.000	425.000
Aska	7	63.857	8.194	56.000	77.000
OS smbh	7	66.643	3.779	61.100	70.300
Råprot	7	116.000	13.736	88.000	131.000
sRåprot	7	609.714	115.291	453.000	737.000
NH3-N	7	105.429	42.461	43.000	158.000
NDF	7	448.000	58.569	371.000	519.000
iNDF	7	404.004	75.564	313.000	496.534
nhNDF	7	5.891	2.588	2.152	8.725
Stä	7	94.714	75.166	32.000	239.000
TAF	7	75.071	21.265	36.500	101.500
Mjölksyra	7	58.143	23.441	23.000	93.000
Ättiksyra	7	14.857	3.934	8.000	19.000
Socker	7	27.714	18.364	11.000	63.000
PRF	2	4.500	2.121	3.000	6.000
BUF	2	1.500	2.121	0.000	3.000
AATp20	7	69.321	5.718	63.054	79.371
PBVp20	7	6.604	12.037	-16.577	18.858
NELp20	7	5.501	0.309	5.050	5.740
OE*	5	9.770	0.386	9.300	10.200
AAT*	3	61.000	2.646	59.000	64.000
PBV*	3	4.667	4.933	-1.000	8.000
Ca	4	5.200	1.637	2.900	6.700
P	4	2.800	0.408	2.400	3.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	4	2.000	0.476	1.300	2.300
K	4	17.525	5.962	12.100	26.000
Na	4	1.250	0.947	0.400	2.300
Cl	7	4.271	3.329	0.700	9.300
S	4	1.575	0.222	1.400	1.900
CAB	4	302.712	185.447	138.457	568.885
Fe	3	164.667	47.120	135.000	219.000
Mn	3	62.000	24.515	37.000	86.000
Zn	3	42.000	30.315	24.000	77.000
Cu	3	5.333	0.306	5.000	5.600
Se	1	0.050	.	0.050	0.050

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	591.000	.	591.000	591.000
Aska	1	14.000	.	14.000	14.000
OS smbh	1	85.700	.	85.700	85.700
Råprot	1	76.000	.	76.000	76.000
sRåprot	1	417.000	.	417.000	417.000
NDF	1	180.000	.	180.000	180.000
iNDF	1	132.522	.	132.522	132.522
nhNDF	1	3.514	.	3.514	3.514
Stä	1	563.000	.	563.000	563.000
TAF	1	38.100	.	38.100	38.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	15.000	.	15.000	15.000
AATp20	1	98.735	.	98.735	98.735
PBVp20	1	-80.442	.	-80.442	-80.442
NELp20	1	7.510	.	7.510	7.510
Ca	1	0.200	.	0.200	0.200
P	1	2.000	.	2.000	2.000
Mg	1	1.100	.	1.100	1.100
K	1	4.400	.	4.400	4.400
Na	1	0.100	.	0.100	0.100
Cl	1	0.800	.	0.800	0.800
S	1	1.000	.	1.000	1.000
CAB	1	31.845	.	31.845	31.845
Fe	1	52.000	.	52.000	52.000
Mn	1	11.000	.	11.000	11.000
Zn	1	28.000	.	28.000	28.000
Cu	1	2.600	.	2.600	2.600

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	20	379.050	56.478	313.500	448.500
Aska	20	78.800	60.701	54.000	80.000
OS smbh	20	66.230	4.398	61.450	72.350
Råprot	20	92.100	22.815	68.500	121.500
sRåprot	20	584.900	100.429	463.000	720.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	20	85.650	29.090	47.500	117.500
NDF	20	447.400	50.440	380.000	513.000
iNDF	20	288.638	46.149	242.116	339.000
nhNDF	20	2.697	0.854	1.831	4.173
Stä	20	113.500	77.040	30.500	216.500
TAF	20	65.900	24.033	31.500	92.000
Mjölksyra	20	48.800	19.463	22.500	72.500
Ättiksyra	20	14.400	7.776	6.500	25.500
Socker	20	44.200	31.235	13.000	94.500
PRF	8	4.625	3.114	0.000	8.000
BUF	8	2.125	1.246	0.000	4.000
AATp20	20	71.914	5.762	65.572	78.745
PBVp20	20	-19.934	17.078	-39.987	-0.120
NELp20	20	5.132	1.274	4.680	5.926
OE*	10	9.683	1.009	8.150	10.690
AAT*	2	62.500	0.707	62.000	63.000
PBV*	2	-32.500	0.707	-33.000	-32.000
Ca	16	4.288	1.958	2.500	8.200
P	16	2.463	0.377	2.000	3.000
Mg	16	1.594	0.396	1.200	2.200
K	16	17.638	4.029	14.300	21.700
Na	16	7.694	26.597	0.600	2.900
Cl	19	14.616	44.138	2.300	8.100
S	16	1.650	0.455	1.000	2.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	16	212.174	294.042	158.179	400.417
Fe	13	186.538	138.988	98.000	255.000
Mn	13	59.846	19.386	36.000	85.000
Zn	13	28.923	11.310	21.000	50.000
Cu	13	5.085	1.122	4.000	6.000
Se	3	0.013	0.006	0.008	0.020

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	362.400	56.6772	312.000	449.000
Aska	5	66.600	4.6690	62.000	74.000
OS smbh	5	67.080	4.6596	59.200	71.300
Råprot	5	109.200	11.5629	98.000	123.000
sRåprot	5	590.400	96.8597	513.000	759.000
NH3-N	5	81.800	27.1698	64.000	130.000
NDF	5	446.000	40.2368	381.000	479.000
iNDF	5	269.062	55.6462	218.788	354.525
nhNDF	5	2.649	0.6979	1.671	3.282
Stä	5	80.600	80.1330	17.000	192.000
TAF	5	79.600	39.0679	50.000	148.000
Mjölksyra	5	62.000	38.5940	32.000	129.000
Ättiksyra	5	17.600	2.0736	15.000	20.000
Socker	5	55.000	42.6204	11.000	107.000
AATp20	5	67.412	5.2289	60.895	72.719

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	5	2.852	11.9040	-11.902	19.891
NELp20	5	5.429	0.4084	4.795	5.882
Ca	4	5.625	1.4104	3.900	7.200
P	4	2.625	0.4573	2.300	3.300
Mg	4	1.950	0.1732	1.700	2.100
K	4	15.325	1.6500	13.900	17.400
Na	4	1.000	1.0231	0.200	2.500
Cl	5	2.920	1.8966	0.600	5.100
S	4	1.450	0.3000	1.300	1.900
CAB	4	253.248	26.6309	218.684	276.961
Fe	4	148.250	73.6812	99.000	257.000
Mn	4	99.250	23.3435	66.000	116.000
Zn	4	32.750	8.0156	27.000	44.000
Cu	4	5.725	0.8382	4.600	6.600

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	472.000	137.546	332.000	665.000
Aska	5	68.600	5.550	61.000	75.000
OS smbh	5	68.260	4.677	62.500	74.800
Råprot	5	111.800	45.488	60.000	185.000
sRåprot	5	645.200	97.641	572.000	810.000
NH3-N	5	76.400	24.172	55.000	112.000
NDF	5	491.600	73.663	388.000	571.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	5	230.651	48.790	166.233	296.495
nhNDF	5	3.282	0.784	2.350	4.276
Stä	5	40.000	38.987	18.000	108.000
TAF	5	47.300	21.183	21.500	72.500
Mjölksyra	5	30.800	15.205	11.000	45.000
Ättiksyra	5	14.000	7.176	8.000	25.000
Socker	5	93.600	31.973	44.000	126.000
AATp20	5	71.375	6.134	63.798	80.622
PBVp20	5	-5.690	31.653	-45.084	40.045
NELp20	5	5.407	0.438	4.900	6.082
OE*	2	9.500	0.000	9.500	9.500
AAT*	2	61.000	0.000	61.000	61.000
PBV*	2	-17.000	1.414	-18.000	-16.000
Ca	5	3.280	1.365	1.900	5.100
P	5	2.320	0.363	1.700	2.600
Mg	5	1.560	0.483	1.000	2.200
K	5	18.540	5.115	9.800	23.300
Na	5	1.140	1.226	0.300	3.100
Cl	5	4.260	0.910	3.000	5.400
S	5	1.740	0.594	1.000	2.400
CAB	5	294.984	99.675	121.024	353.669
Fe	5	238.600	135.177	142.000	471.000
Mn	5	64.400	24.131	28.000	92.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	5	25.000	4.690	20.000	32.000
Cu	5	5.120	1.128	3.300	6.300

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	388.875	74.7366	276.000	469.000
Aska	8	62.125	8.6096	50.000	73.000
OS smbh	8	70.263	2.1220	66.900	72.800
Råprot	8	112.500	11.5511	98.000	125.000
sRåprot	8	614.250	90.3940	498.000	774.000
NH3-N	8	80.500	25.6626	32.000	111.000
NDF	8	414.250	35.9514	369.000	467.000
iNDF	8	258.488	25.5947	211.499	294.795
nhNDF	8	2.953	0.6794	2.220	4.283
Stä	8	152.750	78.7795	47.000	246.000
TAF	8	71.250	16.2547	53.000	95.000
Mjölksyra	8	53.375	18.7231	33.000	87.000
Ättiksyra	8	17.875	6.9372	8.000	26.000
Socker	8	35.000	14.5994	21.000	66.000
PRF	2	0.000	0.0000	0.000	0.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	8	73.364	2.8327	70.430	78.084
PBVp20	8	-3.814	13.5692	-21.698	12.891
NELp20	8	5.810	0.1911	5.489	6.003

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	6	9.893	0.4120	9.300	10.290
AAT*	4	61.000	1.1547	60.000	62.000
PBV*	4	-6.250	11.1168	-15.000	9.000
Ca	6	5.633	1.0347	4.700	7.400
P	6	2.833	0.2944	2.400	3.200
Mg	6	2.033	0.3777	1.600	2.600
K	6	17.250	2.6266	13.700	20.500
Na	6	0.967	0.3983	0.300	1.300
Cl	8	2.788	1.4662	1.100	5.300
S	6	1.683	0.3764	1.200	2.100
CAB	6	285.509	83.0110	195.413	387.914
Fe	4	121.250	49.4124	75.000	189.000
Mn	4	82.750	62.8563	27.000	169.000
Zn	4	44.000	27.7729	21.000	84.000
Cu	4	5.775	1.1177	4.700	7.200
Se	2	0.020	0.0085	0.014	0.026

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	27	344.333	54.826	290.000	409.000
Aska	27	31.481	5.605	24.000	37.000
OS smbh	27	75.989	2.412	73.000	78.500
Råprot	27	74.741	6.915	66.000	85.000
sRåprot	27	518.222	78.898	414.000	620.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	26	52.692	19.436	30.000	70.000
NDF	27	378.852	51.419	338.000	435.000
iNDF	27	200.504	22.088	177.487	231.057
nhNDF	27	3.464	0.412	2.897	3.949
Stä	27	299.074	67.715	198.000	387.000
TAF	27	60.444	16.535	28.000	78.000
Mjölksyra	27	42.963	13.894	23.000	57.000
Ättiksyra	27	14.222	5.577	6.000	22.000
Socker	27	16.296	11.505	5.000	30.000
PRF	10	3.700	1.494	1.500	5.500
BUF	10	0.000	0.000	0.000	0.000
AATp20	27	83.524	3.375	78.891	88.054
PBVp20	27	-56.479	8.990	-68.634	-45.557
NELp20	27	6.442	0.256	6.131	6.710
OE*	16	11.514	0.341	11.100	11.980
AAT*	6	79.500	0.548	79.000	80.000
PBV*	6	-67.333	2.338	-71.000	-64.000
Ca	27	1.563	0.426	1.100	2.300
P	27	1.830	0.306	1.500	2.100
Mg	27	1.063	0.202	0.800	1.300
K	27	8.915	0.980	7.700	10.000
Na	26	0.273	0.151	0.100	0.500
Cl	22	2.582	2.982	1.500	2.500
S	27	0.911	0.134	0.800	1.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	27	116.049	83.311	64.307	164.877
Fe	22	128.136	161.532	56.000	238.000
Mn	22	27.318	10.139	14.000	40.000
Zn	22	24.909	8.423	18.000	30.000
Cu	22	4.350	0.762	3.400	5.100
Se	5	0.015	0.020	0.005	0.050

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	462.000	.	462.000	462.000
Aska	1	52.000	.	52.000	52.000
OS smbh	1	77.600	.	77.600	77.600
Råprot	1	145.000	.	145.000	145.000
sRåprot	1	697.000	.	697.000	697.000
NH3-N	1	153.000	.	153.000	153.000
NDF	1	345.000	.	345.000	345.000
iNDF	1	183.107	.	183.107	183.107
nhNDF	1	3.552	.	3.552	3.552
Stä	1	250.000	.	250.000	250.000
TAF	1	92.000	.	92.000	92.000
Mjölksyra	1	55.000	.	55.000	55.000
Ättiksyra	1	37.000	.	37.000	37.000
Socker	1	13.000	.	13.000	13.000
AATp20	1	77.055	.	77.055	77.055

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	22.034	.	22.034	22.034
NELp20	1	6.602	.	6.602	6.602
Ca	1	8.300	.	8.300	8.300
P	1	2.500	.	2.500	2.500
Mg	1	2.700	.	2.700	2.700
K	1	13.900	.	13.900	13.900
Na	1	0.300	.	0.300	0.300
Cl	1	3.500	.	3.500	3.500
S	1	1.300	.	1.300	1.300
CAB	1	188.701	.	188.701	188.701
Fe	1	76.000	.	76.000	76.000
Mn	1	28.000	.	28.000	28.000
Zn	1	33.000	.	33.000	33.000
Cu	1	8.000	.	8.000	8.000
Se	1	0.008	.	0.008	0.008

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	734.500	26.1630	716.000	753.000
Aska	2	49.000	5.6569	45.000	53.000
OS smbh	2	69.850	3.4648	67.400	72.300
Råprot	2	107.000	5.6569	103.000	111.000
NDF	2	525.500	36.0624	500.000	551.000
iNDF	2	202.979	21.2820	187.930	218.027

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	3.724	0.3098	3.505	3.943
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	152.000	36.7696	126.000	178.000
AATp20	2	89.743	4.0977	86.846	92.641
PBVp20	2	-29.401	1.5273	-30.481	-28.321
NELp20	2	5.494	0.2784	5.298	5.691
OE*	2	10.350	0.6364	9.900	10.800
AAT*	2	72.500	3.5355	70.000	75.000
PBV*	2	-17.500	0.7071	-18.000	-17.000
Ca	1	5.100	.	5.100	5.100
P	1	2.000	.	2.000	2.000
Mg	1	2.100	.	2.100	2.100
K	1	11.500	.	11.500	11.500
Na	1	0.400	.	0.400	0.400
S	1	1.600	.	1.600	1.600
CAB	1	70.664	.	70.664	70.664
Fe	1	66.000	.	66.000	66.000
Mn	1	111.000	.	111.000	111.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	823.750	72.397	719.000	909.000
Aska	8	63.875	8.576	54.000	77.000
OS smbh	8	66.525	2.896	63.200	70.600
Råprot	8	71.375	18.181	55.000	114.000
NDF	8	557.000	52.628	442.000	625.000
iNDF	8	222.136	26.562	182.735	251.103
nhNDF	8	3.498	0.478	2.907	4.185
TAF	8	0.000	0.000	0.000	0.000
Socker	8	147.250	27.411	117.000	196.000
AATp20	8	82.273	3.474	77.975	86.250
PBVp20	8	-50.584	15.416	-67.105	-17.293
NELp20	8	5.030	0.249	4.732	5.337
OE*	8	9.613	0.528	9.000	10.400
AAT*	8	68.500	3.338	65.000	73.000
PBV*	8	-45.375	18.094	-64.000	-6.000
Ca	5	2.920	1.588	1.300	4.700
P	5	1.560	0.270	1.300	2.000
Mg	5	1.380	0.239	1.100	1.700
K	5	16.000	2.758	11.800	19.200
Na	5	0.480	0.743	0.100	1.800
S	5	1.220	0.396	0.900	1.900
CAB	5	212.982	68.195	120.456	306.997
Fe	5	140.400	157.376	49.000	420.000
Mn	5	126.000	50.234	66.000	190.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	5	18.600	6.107	13.000	29.000
Cu	5	3.960	1.071	3.200	5.800

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	520.000	.	520.000	520.000
Aska	1	87.000	.	87.000	87.000
OS smbh	1	54.500	.	54.500	54.500
Råprot	1	104.000	.	104.000	104.000
NDF	1	517.000	.	517.000	517.000
iNDF	1	613.774	.	613.774	613.774
nhNDF	1	9.866	.	9.866	9.866
TAF	1	72.000	.	72.000	72.000
Socker	1	58.000	.	58.000	58.000
AATp20	1	62.679	.	62.679	62.679
PBVp20	1	14.945	.	14.945	14.945
NELp20	1	4.197	.	4.197	4.197
OE*	1	7.400	.	7.400	7.400
AAT*	1	56.000	.	56.000	56.000
PBV*	1	8.000	.	8.000	8.000
Ca	1	10.800	.	10.800	10.800
P	1	1.900	.	1.900	1.900
Mg	1	2.700	.	2.700	2.700
K	1	17.200	.	17.200	17.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.200	.	0.200	0.200
S	1	1.100	.	1.100	1.100
CAB	1	250.266	.	250.266	250.266
Fe	1	66.000	.	66.000	66.000
Mn	1	29.000	.	29.000	29.000
Zn	1	19.000	.	19.000	19.000
Cu	1	8.100	.	8.100	8.100

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	372.333	32.021	341.000	405.000
Aska	3	98.000	10.149	89.000	109.000
OS smbh	3	66.533	2.610	63.600	68.600
Råprot	3	151.333	19.140	131.000	169.000
NDF	3	411.000	37.987	377.000	452.000
iNDF	3	445.631	36.701	415.085	486.343
nhNDF	3	5.414	0.944	4.572	6.434
TAF	3	72.000	0.000	72.000	72.000
Socker	3	79.333	6.807	74.000	87.000
AATp20	3	73.687	2.220	71.151	75.283
PBVp20	3	42.094	14.832	26.775	56.386
NELp20	3	5.226	0.207	4.989	5.373
OE*	3	9.267	0.321	8.900	9.500
AAT*	3	67.000	1.732	65.000	68.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	3	36.000	15.524	20.000	51.000
Ca	3	10.967	1.893	8.800	12.300
P	3	2.300	0.361	2.000	2.700
Mg	3	3.000	0.500	2.500	3.500
K	3	21.667	2.501	18.800	23.400
Na	3	0.533	0.351	0.200	0.900
S	3	1.600	0.346	1.200	1.800
CAB	3	347.746	60.684	277.871	387.238
Fe	3	167.667	102.496	87.000	283.000
Mn	3	34.667	14.572	23.000	51.000
Zn	3	25.667	4.163	21.000	29.000
Cu	3	10.067	1.274	8.600	10.900
Se	2	0.049	0.002	0.047	0.050

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	312.000	.	312.000	312.000
Aska	1	102.000	.	102.000	102.000
OS smbh	1	70.400	.	70.400	70.400
Råprot	1	170.000	.	170.000	170.000
NDF	1	377.000	.	377.000	377.000
iNDF	1	374.074	.	374.074	374.074
nhNDF	1	4.688	.	4.688	4.688
TAF	1	72.000	.	72.000	72.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	82.000	.	82.000	82.000
AATp20	1	76.774	.	76.774	76.774
PBVp20	1	54.906	.	54.906	54.906
NELp20	1	5.584	.	5.584	5.584
OE*	1	9.800	.	9.800	9.800
AAT*	1	70.000	.	70.000	70.000
PBV*	1	49.000	.	49.000	49.000
Ca	1	9.800	.	9.800	9.800
P	1	2.300	.	2.300	2.300
Mg	1	3.100	.	3.100	3.100
K	1	25.900	.	25.900	25.900
Na	1	0.800	.	0.800	0.800
S	1	1.800	.	1.800	1.800
CAB	1	446.659	.	446.659	446.659
Fe	1	134.000	.	134.000	134.000
Mn	1	38.000	.	38.000	38.000
Zn	1	24.000	.	24.000	24.000
Cu	1	9.800	.	9.800	9.800
Se	1	0.023	.	0.023	0.023

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	363.333	135.375	209.000	462.000
Aska	3	55.333	12.897	41.000	66.000
OS smbh	3	70.167	4.100	67.700	74.900
Råprot	3	130.667	32.393	110.000	168.000
sRåprot	3	558.000	65.597	485.000	612.000
NH3-N	3	137.333	95.259	64.000	245.000
NDF	3	420.333	77.106	341.000	495.000
iNDF	3	302.000	96.814	223.000	410.000
nhNDF	3	3.557	0.617	2.924	4.156
Stä	1	33.000	.	33.000	33.000
TAF	3	69.333	42.712	21.000	102.000
Mjölksyra	3	23.333	30.616	0.000	58.000
Ättiksyra	3	27.667	24.987	6.000	55.000
Socker	3	40.333	13.013	27.000	53.000
PRF	3	6.000	3.606	3.000	10.000
BUF	3	12.333	21.362	0.000	37.000
AATp20	3	79.503	10.049	73.109	91.085
PBVp20	3	12.952	15.243	3.298	30.525
NELp20	3	5.874	0.306	5.631	6.218
OE*	3	10.310	0.592	9.860	10.980
Ca	3	4.400	2.982	1.100	6.900
P	3	3.800	1.100	2.700	4.900
Mg	3	2.267	0.651	1.600	2.900
K	3	13.467	3.630	9.600	16.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	3	2.533	1.305	1.500	4.000
Cl	3	10.567	10.226	1.800	21.800
S	3	2.400	0.300	2.100	2.700
CAB	3	6.908	310.051	-344.647	241.319

Fodermedel=Övrigt foder ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	861.0	.	861.0	861.0
Aska	1	19.0	.	19.0	19.0
OS smbh	1	0.0	.	0.0	0.0
Råprot	1	125.0	.	125.0	125.0
NH3-N	1	6.0	.	6.0	6.0
Stä	1	565.0	.	565.0	565.0
NELp20	1	0.0	.	0.0	0.0
Ca	1	0.4	.	0.4	0.4
P	1	3.1	.	3.1	3.1
Mg	1	1.2	.	1.2	1.2
K	1	5.7	.	5.7	5.7
Na	1	0.1	.	0.1	0.1
S	1	1.2	.	1.2	1.2
Fe	1	47.0	.	47.0	47.0
Mn	1	18.0	.	18.0	18.0
Zn	1	31.0	.	31.0	31.0
Cu	1	5.8	.	5.8	5.8

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	378.000	.	378.000	378.000
Aska	1	100.000	.	100.000	100.000
OS smbh	1	66.800	.	66.800	66.800
Råprot	1	168.000	.	168.000	168.000
sRåprot	1	373.000	.	373.000	373.000
NH3-N	1	74.000	.	74.000	74.000
NDF	1	404.000	.	404.000	404.000
iNDF	1	287.178	.	287.178	287.178
nhNDF	1	2.373	.	2.373	2.373
Stä	1	96.000	.	96.000	96.000
Socker	1	32.000	.	32.000	32.000
NELp20	1	0.000	.	0.000	0.000
CI	1	11.100	.	11.100	11.100

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	0	.	0	0
TAF	1	0	.	0	0
NELp20	1	0	.	0	0

*= Parametrar från det gamla svenska fodervärderingssystemet