

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socket
Korn, kärna (001)	1	8	853	26	62.7	106	426	8.0	205	138	3.15	557	0.000			18
Havre, kärna, hög NDF (002)	1	5	850	26	75.0	109			342	392	2.00	561	0.000			
Vete, kärna (005)	1	15	858	17	70.4	111	331	6.5	126	155	3.50	641	0.000			12
Blandsäd, kärna, 50%havre/50%korn (096)	1	2	839	25	80.5	106				304	2.50	586	0.000			
Blandsäd, kärna, 50%korn/50%vete (114)	1	10	850	19	87.0	115		6.3	192	173	3.30	640	0.000			
Blandsäd, kärna, 50%havre/50%vete (115)	1	4	849	22	81.6	110		6.3	204	324	2.50	590	0.000			
Åkerböna, kärna (007)	1	2	858	33	89.0	299		2.0		32	4.70	402	0.000			
Majs hela plantan, grönmassa (030)	1	21	325	29	75.9	77	375		374	198	3.32	292	57.000			37
Prognos, blandvall (1-50% baljv) (042)	1	2	196		73.2					170	4.32		0.000			
Råg, helsäd, grönmassa (138)	1	1	373	47	65.0	86	791	88.0	458	294	2.27	95	90.000	74.0	16.0	81
Grönmassa, gräs (0% baljv.) (161)	1	3	531	77	83.7	157			428	59	7.22		61.000			177
Grönmassa, gräs (0% baljv.) (161)	2	2	580	84	76.6	135	402		457	130	4.65		61.000			103
Ensilage, gräs (0% klöver) (162)	0	1	387	78	75.8	127	544	74.0	466	148	4.68		81.100	63.0	17.0	45
Ensilage, gräs (0% klöver) (162)	1	24	434	68	76.1	133	633	75.3	447	148	4.54		66.388	49.3	14.4	89
Ensilage, gräs (0% klöver) (162)	2	17	451	76	73.2	137	539	72.8	461	180	4.01		56.347	41.8	12.0	68
Ensilage, gräs (0% klöver) (162)	3	11	407	86	75.6	159	544	73.5	445	157	4.60		67.664	51.5	14.1	47
Ensilage, gräs (0% klöver) (162)	4	4	321	88	71.5	157	546	112	433	229	3.80		90.450	60.8	24.3	38
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	527	106	67.7	175			429	258	2.85		84.000			40
Grönmassa blandvall (1-50 % baljväxter) (164)	1	77	426	71	78.6	138	443		443	114	5.34		68.377	0.0	0.0	147
Grönmassa blandvall (1-50 % baljväxter) (164)	2	48	469	84	74.8	140	411		461	152	4.39		72.354	0.0	0.0	105
Grönmassa blandvall (1-50 % baljväxter) (164)	3	29	472	89	72.5	143	386		487	173	4.19		84.000			84
Grönmassa blandvall (1-50 % baljväxter) (164)	4	19	418	93	75.0	170	383		439	157	4.27		84.000			79
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6	500	89	81.1	180	411		416	87	5.71		84.000			132
Ensilage, blandvall (1-50% klöver) (165)	0	27	488	74	72.9	124	530	71.4	462	183	3.99		54.511	40.9	11.4	82
Ensilage, blandvall (1-50% klöver) (165)	1	262	437	71	76.8	133	618	72.2	426	149	4.55		63.118	46.8	13.6	96

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Ensilage, blandvall (1-50% klöver) (165)	2	205	468	80	74.5	143	526	68.6	445	172	4.21		57.446	42.8	12.3	75
Ensilage, blandvall (1-50% klöver) (165)	3	162	445	88	73.7	150	506	77.8	435	186	4.00		60.082	43.9	13.1	62
Ensilage, blandvall (1-50% klöver) (165)	4	69	392	94	74.9	164	520	72.2	407	182	4.11		76.699	60.4	14.1	56
Ensilage, blandvall (1-50% klöver) (165)	5	5	309	91	76.0	151	555	77.6	406	167	4.30		79.840	61.6	15.8	47
Korn, helsädesensilage (250)	1	18	428	61	68.7	98	609	83.6	405	273	2.41	184	60.950	44.5	13.6	44
Havre-ärt, helsädesensilage, 50% ärter (251)	1	10	396	70	67.1	105	650	79.4	454	262	2.73	109	74.300	56.6	15.7	30
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	2	322	74	66.0	146	563	113	463	346	3.60	68	115.500	72.0	39.5	54
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	7	327	64	66.6	116	610	105	448	404	5.89	95	75.071	58.1	14.9	28
Majskolv, ensilerad (257)	1	1	591	14	85.7	76	417		180	133	3.51	563	38.100			15
Havre helsädesensilage degmognad (296)	1	20	379	79	66.2	92	585	85.7	447	289	2.70	114	65.900	48.8	14.4	44
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	5	362	67	67.1	109	590	81.8	446	269	2.65	81	79.600	62.0	17.6	55
Vete, helsäd ensilage (299)	1	5	472	69	68.3	112	645	76.4	492	231	3.28	40	47.300	30.8	14.0	94
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	8	389	62	70.3	113	614	80.5	414	258	2.95	153	71.250	53.4	17.9	35
Majs, helsädesensilage (305)	1	30	339	31	75.9	75	521	52.6	380	204	3.47	297	61.133	43.5	14.5	16
Ärter, helsädesensilage, sen skörd (315)	1	1	462	52	77.6	145	697	153	345	183	3.55	250	92.000	55.0	37.0	13
Hö, blandvall, 0-50% baljväxter (383)	0	2	735	49	69.9	107			526	203	3.72		0.000			152
Hö, blandvall, 0-50% baljväxter (383)	1	8	824	64	66.5	71			557	222	3.50		0.000			147
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	520	87	54.5	104			517	614	9.87		72.000			58
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3	372	98	66.5	151			411	446	5.41		72.000			79
Ensilage, blandvall (51-100% klöver) (438)	3	1	312	102	70.4	170			377	374	4.69		72.000			82
Ensilage, blandvall (1-50% klöver) (326)	1	4	373	59	71.6	135	550	119	405	276	3.52	109	61.750	24.5	23.3	49
Övrigt foder ej kompletta data (1E3)	1	1	861	19	0.0	125		6.0				565				
Fullfoder (TMR) ej kompletta data (1E3)	1	1	378	100	66.8	168	373	74.0	404	287	2.37	96				32

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	8				94.0	-35	7.23	12.9	93.0	-47
Havre, kärna, hög NDF (002)	1	5				83.2	-9.1	6.37	11.4	71.5	6.5
Vete, kärna (005)	1	15				113	-53	7.91	13.9	93.5	-41
Blandsäd, kärna, 50%havre/50%korn (096)	1	2				90.1	-26	7.03			
Blandsäd, kärna, 50%korn/50%vete (114)	1	10				104	-38	7.54	13.5	93.8	-32
Blandsäd, kärna, 50%havre/50%vete (115)	1	4				101	-36	7.22			
Åkerböna, kärna (007)	1	2				102	146	7.85			
Majs hela plantan, grönmassa (030)	1	21				87.7	-61	6.35	11.4	80.0	-68
Prognos, blandvall (1-50% baljv) (042)	1	2				96.4	-4.4	5.94	13.0		
Råg, helsäd, grönmassa (138)	1	1				53.6	4.2	5.10	10.0	64.0	-35
Grönmassa, gräs (0% baljv.) (161)	1	3				94.8	6.0	6.80	12.3	82.7	14.7
Grönmassa, gräs (0% baljv.) (161)	2	2				86.4	-0.6	6.10	11.1	74.0	37.0
Ensilage, gräs (0% klöver) (162)	0	1		0.10000		81.6	-0.2	6.19	11.0	72.0	4.0
Ensilage, gräs (0% klöver) (162)	1	24	3.7500	1.26250		81.9	5.1	6.15	11.2	71.9	1.9
Ensilage, gräs (0% klöver) (162)	2	17	3.0000	1.05294		81.5	10.0	5.88	10.6	69.8	7.9
Ensilage, gräs (0% klöver) (162)	3	11	2.2500	0.66364		83.4	26.1	6.17	10.9	71.0	25.3
Ensilage, gräs (0% klöver) (162)	4	4	10.0000	2.20000		77.1	34.9	5.79	10.2	69.7	36.7
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				75.5	57.6	5.41	9.4	67.5	58.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	77	4.6667	3.40000		88.7	1.0	6.36	11.5	79.1	-3.9
Grönmassa blandvall (1-50 % baljväxter) (164)	2	48	2.5714	1.57143		84.0	11.3	6.03	10.8	73.8	9.8
Grönmassa blandvall (1-50 % baljväxter) (164)	3	29				81.1	17.9	5.89	10.3	71.9	21.5
Grönmassa blandvall (1-50 % baljväxter) (164)	4	19				84.2	38.3	6.11	10.7	72.9	50.1
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6				92.5	33.8	6.69	11.7	79.5	30.5
Ensilage, blandvall (1-50% klöver) (165)	0	27		1.25185		81.8	-0.4	5.82	10.5	70.4	3.3
Ensilage, blandvall (1-50% klöver) (165)	1	262	3.5227	1.22519		83.7	4.5	6.20	11.2	72.5	6.3

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	2	205	3.8000	0.94390		83.9	13.7	6.01	10.8	70.8	19.3
Ensilage, blandvall (1-50% klöver) (165)	3	162	3.2000	1.71790		83.1	21.1	5.93	10.5	70.1	28.3
Ensilage, blandvall (1-50% klöver) (165)	4	69	2.0769	0.97353		82.8	34.4	6.07	10.7	70.4	40.8
Ensilage, blandvall (1-50% klöver) (165)	5	5	1.0000	1.44000		81.9	24.5	6.16	10.9	71.7	38.0
Korn, helsädesensilage (250)	1	18	5.0000	1.00000		70.4	-16	5.57	10.2	59.0	4.5
Havre-ärt, helsädesensilage, 50% ärter (251)	1	10				68.3	-1.7	5.48	9.9	35.5	20.0
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	2	3.5000	0.50000		65.8	38.5	5.54	9.4		
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	7	4.5000	1.50000		69.3	6.6	5.50	9.8	61.0	4.7
Majskolv, ensilerad (257)	1	1				98.7	-80	7.51			
Havre helsädesensilage degmognad (296)	1	20	4.6250	2.12500		71.9	-20	5.13	9.7	62.5	-33
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	5				67.4	2.9	5.43			
Vete, helsäd ensilage (299)	1	5				71.4	-5.7	5.41	9.5	61.0	-17
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	8	0.0000	0.00000		73.4	-3.8	5.81	9.9	61.0	-6.3
Majs, helsädesensilage (305)	1	30	3.5000	0.00000		83.3	-56	6.43	11.5	79.5	-67
Ärter, helsädesensilage, sen skörd (315)	1	1				77.1	22.0	6.60			
Hö, blandvall, 0-50% baljväxter (383)	0	2				89.7	-29	5.49	10.4	72.5	-18
Hö, blandvall, 0-50% baljväxter (383)	1	8				82.3	-51	5.03	9.6	68.5	-45
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1				62.7	14.9	4.20	7.4	56.0	8.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3				73.7	42.1	5.23	9.3	67.0	36.0
Ensilage, blandvall (51-100% klöver) (438)	3	1				76.8	54.9	5.58	9.8	70.0	49.0
Ensilage, blandvall (1-50% klöver) (326)	1	4	4.7500	9.25000		81.8	13.2	6.02	10.5		
Övrigt foder ej kompletta data (1E3)	1	1						0.00			
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			
Råvarublandning - ej kompletta data (1E3)	1	0						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	5	0.8	3.4	1.4	6.7	0.4		1.3	73	4	54.3	19.3	33.8	5.4	
Havre, kärna, hög NDF (002)	1	4	0.6	2.6	1.0	4.0	0.1		1.0	25	4	92.5	49.3	32.8	4.2	
Vete, kärna (005)	1	11	0.4	3.1	1.2	4.5	0.1	1.0	1.2	18	11	49.8	38.5	30.5	4.7	0.1
Blandsäd, kärna, 50%korn/50%vete (114)	1	8	0.5	3.2	1.2	5.0	0.1		1.3	25	8	54.3	31.1	32.1	4.9	0.0
Blandsäd, kärna, 50%havre/50%vete (115)	1	5	0.5	3.3	1.3	5.1	0.1		1.3	35	5	60.6	37.6	33.2	5.0	0.0
Åkerböna, kärna (007)	1	2	1.0	4.5	1.4	12.8	0.2		1.7	203	2	60.0	16.0	52.5	17.2	0.0
Majs hela plantan, grönmassa (030)	1	19	1.6	1.8	1.1	9.4	0.3	1.8	0.9	150	15	70.5	32.3	25.3	3.6	0.0
Råg, helsäd, grönmassa (138)	1	1	2.6	2.0	1.3	12.0	0.6	1.9	1.5	186	1	77.0	44.0	27.0	5.2	
Grönmassa, gräs (0% baljv.) (161)	1	3	4.4	2.7	1.7	29.5	0.6		2.1	511	3	117.7	55.3	29.7	5.9	
Grönmassa, gräs (0% baljv.) (161)	2	2	5.8	2.6	2.1	22.2	0.8	4.2	2.5	315	2	82.5	57.0	25.0	6.7	
Ensilage, gräs (0% klöver) (162)	0	1	5.9	2.4	2.5	22.4	1.0	3.9	2.5	350	1	250.0	67.0	25.0	8.0	
Ensilage, gräs (0% klöver) (162)	1	24	4.8	2.3	1.7	22.1	0.7	5.0	1.9	336	24	156.6	72.3	25.1	5.6	0.0
Ensilage, gräs (0% klöver) (162)	2	16	5.8	2.6	2.2	24.3	0.6	6.0	2.1	346	16	114.1	88.4	26.4	6.6	0.0
Ensilage, gräs (0% klöver) (162)	3	11	6.6	3.0	2.5	24.9	1.0	7.7	2.6	301	10	148.8	74.3	25.7	7.6	0.0
Ensilage, gräs (0% klöver) (162)	4	4	7.6	2.9	3.0	21.9	1.1	7.0	2.8	232	4	266.8	93.0	26.5	7.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	12.9	3.3	2.3	25.5	0.7		2.3	406	2	307.0	83.0	36.5	9.8	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	1	67	5.1	2.6	1.7	24.3	0.6	6.8	1.9	380	62	136.1	58.9	25.6	5.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	42	7.1	2.7	2.3	24.5	0.8	9.8	2.2	354	42	173.9	67.9	26.6	7.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	29	7.2	2.9	2.5	25.5	0.9	17.8	2.6	285	29	350.9	81.8	25.9	7.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	18	8.2	3.1	2.7	28.6	0.7	15.5	2.8	371	18	184.2	75.4	24.4	7.7	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	5	6	5.2	3.3	2.2	27.9	1.0	9.9	3.4	315	6	116.5	67.0	23.3	7.2	
Ensilage, blandvall (1-50% klöver) (165)	0	24	5.9	2.4	2.0	21.7	0.7	5.8	1.9	307	24	161.5	87.8	25.6	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	252	5.0	2.4	1.7	22.6	0.7	5.0	1.8	356	230	191.1	66.2	27.5	5.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	198	6.5	2.7	2.3	24.3	1.0	7.0	2.2	331	182	167.2	77.8	25.5	7.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	152	7.8	2.8	2.7	24.4	1.0	7.3	2.4	311	141	345.7	84.2	35.3	7.8	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	4	66	8.4	3.1	2.8	25.3	1.1	8.7	2.5	290	62	275.5	86.6	26.9	8.0	0.1
Ensilage, blandvall (1-50% klöver) (165)	5	5	5.9	3.3	2.3	24.0	1.3	8.3	2.4	289	4	398.8	94.8	22.0	7.0	
Korn, helsädesensilage (250)	1	16	4.0	2.6	1.7	15.7	1.0	3.4	1.7	237	13	381.6	69.8	29.2	5.4	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	9	4.8	2.6	1.7	17.6	1.1	3.5	1.3	312	9	317.2	66.2	28.8	4.9	0.0
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	2	4.8	2.8	2.0	18.3	1.5	7.2	2.2	193	1	125.0	33.0	28.0	6.0	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	4	5.2	2.8	2.0	17.5	1.3	4.3	1.6	303	3	164.7	62.0	42.0	5.3	0.1
Majskolv, ensilerad (257)	1	1	0.2	2.0	1.1	4.4	0.1	0.8	1.0	32	1	52.0	11.0	28.0	2.6	
Havre helsädesensilage degmognad (296)	1	16	4.3	2.5	1.6	17.6	7.7	14.6	1.7	212	13	186.5	59.8	28.9	5.1	0.0
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	4	5.6	2.6	2.0	15.3	1.0	2.9	1.5	253	4	148.3	99.3	32.8	5.7	
Vete, helsäd ensilage (299)	1	5	3.3	2.3	1.6	18.5	1.1	4.3	1.7	295	5	238.6	64.4	25.0	5.1	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	6	5.6	2.8	2.0	17.3	1.0	2.8	1.7	286	4	121.3	82.8	44.0	5.8	0.0
Majs, helsädesensilage (305)	1	30	1.6	1.9	1.1	9.0	0.3	2.6	0.9	121	24	124.1	29.2	25.1	4.2	0.0
Ärter, helsädesensilage, sen skörd (315)	1	1	8.3	2.5	2.7	13.9	0.3	3.5	1.3	189	1	76.0	28.0	33.0	8.0	0.0
Hö, blandvall, 0-50% baljväxter (383)	0	1	5.1	2.0	2.1	11.5	0.4		1.6	71	1	66.0	111.0	25.0	6.0	
Hö, blandvall, 0-50% baljväxter (383)	1	5	2.9	1.6	1.4	16.0	0.5		1.2	213	5	140.4	126.0	18.6	4.0	
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	10.8	1.9	2.7	17.2	0.2		1.1	250	1	66.0	29.0	19.0	8.1	
Grönmassa, blandvall (51-100% baljväxter) (437)	3	3	11.0	2.3	3.0	21.7	0.5		1.6	348	3	167.7	34.7	25.7	10.1	0.0
Ensilage, blandvall (51-100% klöver) (438)	3	1	9.8	2.3	3.1	25.9	0.8		1.8	447	1	134.0	38.0	24.0	9.8	0.0
Ensilage, blandvall (1-50% klöver) (326)	1	4	5.1	3.8	2.5	15.3	2.6	9.0	2.5	89	1	262.0	92.0	58.0	15.0	0.3
Övrigt foder ej kompletta data (1E3)	1	1	0.4	3.1	1.2	5.7	0.1		1.2		1	47.0	18.0	31.0	5.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	852.875	32.761	780.000	888.000
Aska	8	25.500	6.619	20.000	40.000
OS smbh	8	62.700	39.017	0.000	86.000
Råprot	8	106.175	15.044	91.600	141.000
sRåprot	3	426.000	176.847	276.000	621.000
NH3-N	1	8.000	.	8.000	8.000
NDF	4	205.250	102.510	123.000	341.000
iNDF	8	138.250	75.670	25.000	246.000
nhNDF	8	3.150	0.000	3.150	3.150
Stä	8	556.950	125.290	264.000	643.200
TAF	8	0.000	0.000	0.000	0.000
Socker	3	18.333	23.094	5.000	45.000
AATp20	8	93.971	5.175	82.872	99.838
PBVp20	8	-34.617	14.531	-51.800	-9.816
NELp20	8	7.233	0.400	6.378	7.731
OE*	5	12.866	1.269	10.730	14.000
AAT*	2	93.000	1.414	92.000	94.000
PBV*	2	-46.500	10.607	-54.000	-39.000
Ca	5	0.820	0.884	0.400	2.400
P	5	3.440	0.241	3.100	3.700
Mg	5	1.360	0.207	1.200	1.700
K	5	6.660	2.388	5.400	10.900
Na	5	0.380	0.626	0.100	1.500
S	5	1.280	0.295	1.100	1.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	5	73.051	69.970	33.652	197.687
Fe	4	54.250	4.349	50.000	58.000
Mn	4	19.250	5.439	15.000	27.000
Zn	4	33.750	2.500	30.000	35.000
Cu	4	5.400	0.638	4.500	5.900

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	849.800	43.0256	776.000	884.000
Aska	5	25.960	7.4332	16.000	35.100
OS smbh	5	75.000	0.0000	75.000	75.000
Råprot	5	109.460	16.5201	96.100	137.000
NDF	2	342.000	4.2426	339.000	345.000
iNDF	5	392.000	0.0000	392.000	392.000
nhNDF	5	2.000	0.0000	2.000	2.000
Stä	5	561.080	89.4062	478.000	676.900
TAF	5	0.000	0.0000	0.000	0.000
AATp20	5	83.187	3.4995	79.447	88.299
PBVp20	5	-9.125	11.8116	-19.805	9.980
NELp20	5	6.365	0.0801	6.304	6.504
OE*	2	11.400	0.2828	11.200	11.600
AAT*	2	71.500	3.5355	69.000	74.000
PBV*	2	6.500	13.4350	-3.000	16.000
Ca	4	0.550	0.3786	0.000	0.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	4	2.600	1.7664	0.000	3.800
Mg	4	0.975	0.6551	0.000	1.400
K	4	3.950	2.6602	0.000	5.800
Na	4	0.075	0.0500	0.000	0.100
S	4	0.950	0.6403	0.000	1.400
CAB	4	25.191	32.8777	-19.718	57.967
Fe	4	92.500	8.0623	83.000	101.000
Mn	4	49.250	6.5000	40.000	55.000
Zn	4	32.750	4.6458	28.000	39.000
Cu	4	4.175	0.4787	3.600	4.700

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	858.000	31.9486	824.000	903.000
Aska	15	17.167	2.2718	14.500	20.000
OS smbh	15	70.400	36.4355	0.000	88.000
Råprot	15	111.407	9.5704	101.000	121.000
sRåprot	3	330.667	54.3722	293.000	393.000
NH3-N	2	6.500	0.7071	6.000	7.000
NDF	5	125.800	36.0305	74.000	174.000
iNDF	15	154.600	67.0744	25.000	187.000
nhNDF	15	3.500	0.0000	3.500	3.500
Stä	15	641.160	45.6496	556.000	687.700
TAF	15	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	4	11.750	13.5000	5.000	32.000
AATp20	15	112.576	1.1942	110.940	113.847
PBVp20	15	-53.468	8.3431	-61.755	-43.173
NELp20	15	7.912	0.0887	7.802	8.027
OE*	5	13.900	0.4528	13.100	14.200
AAT*	2	93.500	0.7071	93.000	94.000
PBV*	2	-41.000	1.4142	-42.000	-40.000
Ca	11	0.355	0.0688	0.300	0.400
P	11	3.118	0.3430	2.800	3.500
Mg	11	1.155	0.2067	1.000	1.400
K	11	4.545	0.4435	3.900	4.900
Na	10	0.100	0.0000	0.100	0.100
Cl	2	1.000	0.2828	0.800	1.200
S	11	1.227	0.1104	1.100	1.400
CAB	11	18.031	10.3462	4.028	28.180
Fe	11	49.818	11.7713	38.000	59.000
Mn	11	38.455	10.6805	25.000	51.000
Zn	11	30.545	6.9479	25.000	42.000
Cu	11	4.655	0.6267	4.000	5.300
Se	2	0.069	0.0297	0.048	0.090

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	839.000	7.0711	834.000	844.000
Aska	2	25.050	3.6062	22.500	27.600
OS smbh	2	80.500	0.0000	80.500	80.500
Råprot	2	105.550	15.2028	94.800	116.300
iNDF	2	304.000	0.0000	304.000	304.000
nhNDF	2	2.500	0.0000	2.500	2.500
Stä	2	586.350	13.6472	576.700	596.000
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	90.114	0.1143	90.033	90.195
PBVp20	2	-26.416	14.7682	-36.859	-15.974
NELp20	2	7.032	0.0432	7.002	7.063

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	849.600	16.8602	823.000	869.000
Aska	9	18.778	2.2543	16.000	22.000
OS smbh	10	87.000	0.0000	87.000	87.000
Råprot	9	115.022	12.3751	88.600	131.000
NH3-N	4	6.250	0.5000	6.000	7.000
NDF	6	191.667	26.4399	147.000	224.000
iNDF	10	173.000	0.0000	173.000	173.000
nhNDF	10	3.300	0.0000	3.300	3.300
Stä	9	639.611	34.8646	594.000	686.300
TAF	10	0.000	0.0000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	10	104.224	1.5495	102.666	106.377
PBVp20	10	-38.190	10.6325	-53.527	-27.909
NELp20	10	7.536	0.1915	7.258	7.791
OE*	4	13.525	0.3202	13.300	14.000
AAT*	4	93.750	0.9574	93.000	95.000
PBV*	4	-32.250	7.1822	-40.000	-23.000
Ca	8	0.450	0.0756	0.400	0.600
P	8	3.150	0.2726	2.800	3.600
Mg	8	1.175	0.1035	1.100	1.400
K	8	5.038	0.6163	4.100	6.000
Na	8	0.100	0.0000	0.100	0.100
S	8	1.288	0.1126	1.200	1.500
CAB	8	24.546	17.3442	-0.212	54.631
Fe	8	54.250	13.9361	39.000	78.000
Mn	8	31.125	7.4534	24.000	47.000
Zn	8	32.125	4.6426	26.000	40.000
Cu	8	4.863	0.6739	4.100	6.200
Se	1	0.024	.	0.024	0.024

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	849.250	5.1235	844.000	855.000
Aska	5	22.000	6.2052	18.000	33.000
OS smbh	5	81.600	0.0000	81.600	81.600
Råprot	5	110.180	7.9449	97.000	116.100
NH3-N	3	6.333	0.5774	6.000	7.000
NDF	3	204.000	85.0823	142.000	301.000
iNDF	5	324.000	0.0000	324.000	324.000
nhNDF	5	2.500	0.0000	2.500	2.500
Stä	5	590.120	63.9244	479.000	644.000
TAF	5	0.000	0.0000	0.000	0.000
AATp20	5	100.855	5.3895	91.982	105.998
PBVp20	5	-36.318	3.9893	-42.111	-31.177
NELp20	5	7.224	0.4884	6.360	7.568
Ca	5	0.500	0.1225	0.400	0.700
P	5	3.300	0.2000	3.100	3.600
Mg	5	1.260	0.0894	1.200	1.400
K	5	5.140	0.6107	4.500	6.000
Na	5	0.100	0.0000	0.100	0.100
S	5	1.260	0.1140	1.100	1.400
CAB	5	34.520	22.6308	9.402	66.515
Fe	5	60.600	14.7580	42.000	78.000
Mn	5	37.600	8.0187	29.000	49.000
Zn	5	33.200	2.6833	29.000	35.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	5	5.000	0.3464	4.700	5.600
Se	1	0.006	.	0.006	0.006

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	857.500	36.0624	832.000	883.000
Aska	2	32.500	0.7071	32.000	33.000
OS smbh	2	88.959	0.0000	88.959	88.959
Råprot	2	299.000	8.4853	293.000	305.000
NH3-N	2	2.000	0.0000	2.000	2.000
iNDF	2	32.000	0.0000	32.000	32.000
nhNDF	2	4.700	0.0000	4.700	4.700
Stä	2	402.000	18.3848	389.000	415.000
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	102.378	0.4994	102.024	102.731
PBVp20	2	146.147	7.5915	140.779	151.515
NELp20	2	7.852	0.0082	7.846	7.857
Ca	2	1.000	0.0000	1.000	1.000
P	2	4.500	1.4142	3.500	5.500
Mg	2	1.400	0.1414	1.300	1.500
K	2	12.800	1.4142	11.800	13.800
Na	2	0.150	0.0707	0.100	0.200
S	2	1.650	0.2121	1.500	1.800
CAB	2	202.593	46.3530	169.817	235.370

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	60.000	0.0000	60.000	60.000
Mn	2	16.000	0.0000	16.000	16.000
Zn	2	52.500	7.7782	47.000	58.000
Cu	2	17.150	4.7376	13.800	20.500
Se	1	0.020	.	0.020	0.020

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	324.762	39.5094	288.000	375.000
Aska	19	29.211	4.5041	22.000	35.000
OS smbh	21	75.924	1.8724	73.400	78.300
Råprot	19	76.895	6.1904	70.000	85.000
sRåprot	19	375.316	33.0253	334.000	412.000
NDF	19	374.053	24.5164	344.000	403.000
iNDF	21	197.850	23.1463	170.221	221.000
nhNDF	21	3.321	0.5215	2.592	3.948
Stä	19	292.105	43.6194	232.000	370.000
TAF	21	57.000	0.0000	57.000	57.000
Socker	19	37.263	38.3201	10.000	113.000
AATp20	21	87.692	1.5491	85.313	89.382
PBVp20	21	-61.235	5.5477	-68.610	-53.710
NELp20	21	6.354	0.1645	6.151	6.456
OE*	13	11.375	0.1747	11.160	11.570
AAT*	4	80.000	0.0000	80.000	80.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	4	-68.250	3.8622	-72.000	-63.000
Ca	19	1.647	0.3533	1.100	2.100
P	19	1.795	0.2758	1.400	2.200
Mg	19	1.100	0.2000	0.800	1.400
K	19	9.411	1.1308	8.400	11.100
Na	16	0.275	0.1571	0.100	0.500
Cl	15	1.800	0.3485	1.300	2.200
S	19	0.879	0.1032	0.700	1.000
CAB	19	149.540	29.8032	118.891	194.325
Fe	15	70.467	36.5530	35.000	104.000
Mn	15	32.267	12.3141	17.000	52.000
Zn	15	25.333	11.0303	13.000	38.000
Cu	15	3.633	0.7798	2.000	4.300
Se	5	0.006	0.0008	0.005	0.007

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	196.000	9.89949	189.000	203.000
OS smbh	2	73.150	0.00000	73.150	73.150
iNDF	2	170.460	0.00000	170.460	170.460
nhNDF	2	4.315	0.00000	4.315	4.315
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	96.439	0.00000	96.439	96.439
PBVp20	2	-4.418	0.00000	-4.418	-4.418

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	5.943	0.00000	5.943	5.943
OE*	2	12.950	0.35355	12.700	13.200

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	373.000	.	373.000	373.000
Aska	1	47.000	.	47.000	47.000
OS smbh	1	65.000	.	65.000	65.000
Råprot	1	86.000	.	86.000	86.000
sRåprot	1	791.000	.	791.000	791.000
NH3-N	1	88.000	.	88.000	88.000
NDF	1	458.000	.	458.000	458.000
iNDF	1	293.727	.	293.727	293.727
nhNDF	1	2.271	.	2.271	2.271
Stä	1	95.000	.	95.000	95.000
TAF	1	90.000	.	90.000	90.000
Mjölksyra	1	74.000	.	74.000	74.000
Ättiksyra	1	16.000	.	16.000	16.000
Socket	1	81.000	.	81.000	81.000
AATp20	1	53.556	.	53.556	53.556
PBVp20	1	4.177	.	4.177	4.177
NELp20	1	5.104	.	5.104	5.104
OE*	1	10.000	.	10.000	10.000
AAT*	1	64.000	.	64.000	64.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	1	-35.000	.	-35.000	-35.000
Ca	1	2.600	.	2.600	2.600
P	1	2.000	.	2.000	2.000
Mg	1	1.300	.	1.300	1.300
K	1	12.000	.	12.000	12.000
Na	1	0.600	.	0.600	0.600
Cl	1	1.900	.	1.900	1.900
S	1	1.500	.	1.500	1.500
CAB	1	185.721	.	185.721	185.721
Fe	1	77.000	.	77.000	77.000
Mn	1	44.000	.	44.000	44.000
Zn	1	27.000	.	27.000	27.000
Cu	1	5.200	.	5.200	5.200

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	531.333	58.6544	495.000	599.000
Aska	3	76.667	2.5166	74.000	79.000
OS smbh	3	83.733	0.9713	82.900	84.800
Råprot	3	157.333	10.6927	148.000	169.000
NDF	3	428.000	13.8924	419.000	444.000
iNDF	3	58.887	10.1422	47.733	67.554
nhNDF	3	7.221	0.4849	6.939	7.781
TAF	3	61.000	0.0000	61.000	61.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	3	176.667	15.6312	160.000	191.000
AATp20	3	94.824	1.5282	93.657	96.554
PBVp20	3	6.023	7.3911	-0.712	13.930
NELp20	3	6.802	0.1161	6.713	6.934
OE*	3	12.300	0.1732	12.200	12.500
AAT*	3	82.667	0.5774	82.000	83.000
PBV*	3	14.667	9.6090	6.000	25.000
Ca	3	4.367	0.3055	4.100	4.700
P	3	2.733	0.2517	2.500	3.000
Mg	3	1.667	0.1155	1.600	1.800
K	3	29.500	0.8185	28.800	30.400
Na	3	0.600	0.1732	0.500	0.800
S	3	2.067	0.2309	1.800	2.200
CAB	3	510.551	21.1485	492.755	533.931
Fe	3	117.667	27.7909	96.000	149.000
Mn	3	55.333	2.8868	52.000	57.000
Zn	3	29.667	5.7735	23.000	33.000
Cu	3	5.867	0.6658	5.100	6.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	580.000	272.943	387.000	773.000
Aska	2	83.500	0.707	83.000	84.000
OS smbh	2	76.550	4.031	73.700	79.400
Råprot	2	135.000	41.012	106.000	164.000
sRåprot	1	402.000	.	402.000	402.000
NDF	2	456.500	64.347	411.000	502.000
iNDF	2	129.764	42.093	100.000	159.528
nhNDF	2	4.652	0.127	4.562	4.742
TAF	2	61.000	0.000	61.000	61.000
Socker	2	103.000	38.184	76.000	130.000
AATp20	2	86.447	1.502	85.385	87.509
PBVp20	2	-0.573	40.613	-29.291	28.144
NELp20	2	6.103	0.151	5.996	6.209
OE*	2	11.055	0.643	10.600	11.510
AAT*	1	74.000	.	74.000	74.000
PBV*	1	37.000	.	37.000	37.000
Ca	2	5.750	0.636	5.300	6.200
P	2	2.550	0.212	2.400	2.700
Mg	2	2.050	0.212	1.900	2.200
K	2	22.200	7.920	16.600	27.800
Na	2	0.750	0.778	0.200	1.300
Cl	1	4.200	.	4.200	4.200
S	2	2.500	0.424	2.200	2.800
CAB	2	314.556	193.914	177.438	451.674

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	82.500	27.577	63.000	102.000
Mn	2	57.000	2.828	55.000	59.000
Zn	2	25.000	15.556	14.000	36.000
Cu	2	6.650	2.333	5.000	8.300

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	387.000	.	387.000	387.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	75.800	.	75.800	75.800
Råprot	1	127.000	.	127.000	127.000
sRåprot	1	544.000	.	544.000	544.000
NH3-N	1	74.000	.	74.000	74.000
NDF	1	466.000	.	466.000	466.000
iNDF	1	148.322	.	148.322	148.322
nhNDF	1	4.677	.	4.677	4.677
TAF	1	81.100	.	81.100	81.100
Mjölksyra	1	63.000	.	63.000	63.000
Ättiksyra	1	17.000	.	17.000	17.000
Socker	1	45.000	.	45.000	45.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	81.632	.	81.632	81.632
PBVp20	1	-0.222	.	-0.222	-0.222
NELp20	1	6.192	.	6.192	6.192

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	11.000	.	11.000	11.000
AAT*	1	72.000	.	72.000	72.000
PBV*	1	4.000	.	4.000	4.000
Ca	1	5.900	.	5.900	5.900
P	1	2.400	.	2.400	2.400
Mg	1	2.500	.	2.500	2.500
K	1	22.400	.	22.400	22.400
Na	1	1.000	.	1.000	1.000
Cl	1	3.900	.	3.900	3.900
S	1	2.500	.	2.500	2.500
CAB	1	350.259	.	350.259	350.259
Fe	1	250.000	.	250.000	250.000
Mn	1	67.000	.	67.000	67.000
Zn	1	25.000	.	25.000	25.000
Cu	1	8.000	.	8.000	8.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	24	433.542	166.965	266.000	689.000
Aska	24	67.583	9.334	60.000	78.000
OS smbh	24	76.063	4.929	67.900	80.800
Råprot	24	133.042	37.018	81.000	179.000
sRåprot	24	632.542	103.721	464.000	725.000
NH3-N	24	75.292	28.026	41.000	109.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	24	446.958	58.824	389.000	549.000
iNDF	24	148.273	41.756	109.921	201.663
nhNDF	24	4.535	0.757	3.868	5.479
TAF	24	66.388	41.288	19.500	122.900
Mjölksyra	24	49.292	34.290	11.000	98.000
Ättiksyra	24	14.375	8.303	5.000	28.000
Socker	24	89.375	53.725	24.000	147.000
PRF	4	3.750	1.258	2.000	5.000
BUF	24	1.263	1.311	0.100	2.600
AATp20	24	81.909	4.269	76.843	85.258
PBVp20	24	5.147	32.391	-39.847	55.082
NELp20	24	6.151	0.563	5.259	6.709
OE*	24	11.157	0.816	9.800	12.000
AAT*	20	71.850	2.540	68.000	74.500
PBV*	20	1.850	29.962	-42.000	35.500
Ca	24	4.829	1.397	3.700	6.200
P	24	2.342	0.519	1.500	3.000
Mg	24	1.704	0.279	1.400	2.000
K	24	22.092	5.362	17.300	30.400
Na	24	0.654	0.532	0.200	1.300
Cl	24	5.013	2.882	1.900	10.100
S	24	1.854	0.470	1.200	2.400
CAB	24	336.364	112.101	197.904	514.478
Fe	24	156.625	101.261	59.000	257.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	24	72.250	39.467	40.000	112.000
Zn	24	25.125	7.225	15.000	35.000
Cu	24	5.596	1.602	3.400	7.800
Se	4	0.014	0.006	0.010	0.023

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	450.588	126.296	370.000	736.000
Aska	17	76.294	5.265	68.000	83.000
OS smbh	17	73.188	3.697	67.600	77.900
Råprot	17	137.412	31.735	99.000	181.000
sRåprot	17	539.471	142.370	320.000	688.000
NH3-N	17	72.765	20.238	45.000	101.000
NDF	17	461.412	34.690	426.000	512.000
iNDF	17	179.961	45.266	129.318	242.342
nhNDF	17	4.009	0.688	2.956	4.720
TAF	17	56.347	28.280	27.400	101.100
Mjölksyra	16	41.750	22.823	14.000	76.000
Ättiksyra	17	12.000	7.467	1.000	24.000
Socker	17	68.353	29.443	31.000	93.000
PRF	3	3.000	0.000	3.000	3.000
BUF	17	1.053	1.151	0.000	2.800
AATp20	17	81.494	2.751	78.534	84.432
PBVp20	17	10.027	27.302	-20.885	49.892

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	17	5.880	0.488	5.117	6.453
OE*	17	10.589	0.612	9.600	11.330
AAT*	14	69.786	1.718	67.000	72.000
PBV*	14	7.857	24.359	-20.000	43.000
Ca	16	5.825	1.930	3.600	9.100
P	16	2.606	0.368	2.100	2.900
Mg	16	2.206	0.411	1.800	2.800
K	16	24.256	5.176	18.300	31.300
Na	16	0.631	0.411	0.200	1.400
Cl	17	6.006	2.743	3.200	9.700
S	16	2.119	0.608	1.200	3.000
CAB	16	345.846	112.665	186.635	478.655
Fe	16	114.125	53.847	60.000	216.000
Mn	16	88.438	64.129	45.000	157.000
Zn	16	26.438	5.865	19.000	36.000
Cu	16	6.600	1.266	5.000	8.000
Se	1	0.008	.	0.008	0.008

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	407.455	115.362	280.000	549.000
Aska	11	85.909	8.746	80.000	95.000
OS smbh	11	75.627	2.686	73.300	77.300
Råprot	11	158.545	25.061	138.000	191.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	11	544.364	73.251	427.000	640.000
NH3-N	11	73.545	25.252	46.000	89.000
NDF	11	445.364	44.755	409.000	495.000
iNDF	11	157.058	25.297	131.852	180.944
nhNDF	11	4.605	0.753	3.840	4.920
TAF	11	67.664	20.889	40.700	98.000
Mjölksyra	11	51.455	20.245	30.000	79.000
Ättiksyra	11	14.091	6.316	8.000	21.000
Socker	11	47.364	16.237	36.000	69.000
PRF	4	2.250	0.500	2.000	3.000
BUF	11	0.664	0.765	0.000	1.700
AATp20	11	83.428	2.703	80.023	86.477
PBVp20	11	26.103	22.479	7.752	59.966
NELp20	11	6.172	0.295	5.920	6.463
OE*	11	10.867	0.412	10.570	11.120
AAT*	7	71.000	1.155	69.000	72.000
PBV*	7	25.286	16.760	-2.000	51.000
Ca	11	6.573	1.100	5.800	7.800
P	11	3.027	0.456	2.500	3.500
Mg	11	2.527	0.224	2.300	2.800
K	11	24.855	2.855	22.400	28.200
Na	11	0.982	0.379	0.800	1.400
Cl	11	7.700	3.822	3.800	13.200
S	11	2.573	0.429	2.000	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	11	300.657	86.066	177.741	365.046
Fe	10	148.800	80.372	72.500	283.000
Mn	10	74.300	14.446	62.500	94.500
Zn	10	25.700	5.774	18.500	34.000
Cu	10	7.550	1.381	5.600	9.050
Se	1	0.014	.	0.014	0.014

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	321.000	69.909	250.000	407.000
Aska	4	87.500	7.895	78.000	94.000
OS smbh	4	71.500	4.753	66.800	77.700
Råprot	4	156.750	18.301	142.000	183.000
sRåprot	4	546.250	44.657	480.000	573.000
NH3-N	4	111.500	34.694	89.000	163.000
NDF	4	433.250	48.362	402.000	505.000
iNDF	4	228.678	74.983	137.430	310.000
nhNDF	4	3.797	0.940	2.598	4.631
TAF	4	90.450	18.910	64.600	108.100
Mjölksyra	4	60.750	22.470	36.000	89.000
Ättiksyra	4	24.250	15.735	11.000	47.000
Socker	4	37.750	25.171	20.000	75.000
PRF	1	10.000	.	10.000	10.000
BUF	4	2.200	3.226	0.100	7.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	4	77.106	3.027	72.736	79.667
PBVp20	4	34.862	18.459	19.295	58.445
NELp20	4	5.789	0.366	5.502	6.322
OE*	4	10.180	0.693	9.520	11.100
AAT*	3	69.667	2.082	68.000	72.000
PBV*	3	36.667	24.542	22.000	65.000
Ca	4	7.575	0.602	7.000	8.400
P	4	2.850	0.700	2.500	3.900
Mg	4	2.975	0.263	2.700	3.200
K	4	21.850	1.507	20.500	23.300
Na	4	1.125	0.377	0.700	1.600
Cl	4	7.000	1.794	4.500	8.400
S	4	2.850	0.404	2.300	3.200
CAB	4	232.428	30.414	187.876	253.716
Fe	4	266.750	162.247	148.000	505.000
Mn	4	93.000	13.241	76.000	104.000
Zn	4	26.500	7.141	19.000	34.000
Cu	4	7.450	2.053	5.300	9.400
Se	1	0.026	.	0.026	0.026

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	526.500	219.910	371.000	682.000
Aska	2	106.000	4.243	103.000	109.000
OS smbh	2	67.700	4.101	64.800	70.600
Råprot	2	175.000	22.627	159.000	191.000
NDF	2	429.000	18.385	416.000	442.000
iNDF	2	257.889	66.160	211.106	304.671
nhNDF	2	2.851	0.897	2.217	3.485
TAF	2	84.000	0.000	84.000	84.000
Socker	2	39.500	41.719	10.000	69.000
AATp20	2	75.549	5.227	71.853	79.245
PBVp20	2	57.639	12.522	48.784	66.493
NELp20	2	5.414	0.500	5.060	5.767
OE*	2	9.350	0.636	8.900	9.800
AAT*	2	67.500	3.536	65.000	70.000
PBV*	2	58.000	16.971	46.000	70.000
Ca	2	12.900	0.141	12.800	13.000
P	2	3.300	0.566	2.900	3.700
Mg	2	2.250	0.212	2.100	2.400
K	2	25.450	5.586	21.500	29.400
Na	2	0.650	0.495	0.300	1.000
S	2	2.250	0.354	2.000	2.500
CAB	2	406.137	142.292	305.521	506.752
Fe	2	307.000	176.777	182.000	432.000
Mn	2	83.000	32.527	60.000	106.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	36.500	7.778	31.000	42.000
Cu	2	9.750	1.202	8.900	10.600
Se	1	0.063	.	0.063	0.063

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	77	425.896	136.202	258.000	628.000
Aska	76	70.605	9.449	58.000	83.000
OS smbh	77	78.586	4.999	69.000	84.200
Råprot	76	137.855	27.584	98.000	168.000
sRåprot	21	442.952	43.980	393.000	503.000
NDF	76	442.697	54.644	376.000	522.000
iNDF	77	114.047	52.474	56.000	187.447
nhNDF	77	5.335	1.410	4.029	6.901
TAF	77	68.377	30.849	6.000	84.000
Mjölksyra	16	0.000	0.000	0.000	0.000
Ättiksyra	15	0.000	0.000	0.000	0.000
Socker	76	147.355	43.016	92.000	208.000
PRF	15	4.667	4.923	0.000	12.000
BUF	15	3.400	1.682	2.000	6.000
AATp20	77	88.696	7.166	77.584	97.973
PBVp20	77	0.980	19.167	-28.599	24.607
NELp20	77	6.365	0.448	5.588	6.860
OE*	76	11.549	0.837	10.100	12.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	55	79.109	4.965	71.000	84.000
PBV*	55	-3.925	22.285	-38.000	24.000
Ca	67	5.060	1.806	3.100	7.500
P	67	2.554	0.467	2.100	3.200
Mg	67	1.666	0.373	1.200	2.200
K	67	24.346	4.389	17.700	29.900
Na	67	0.631	0.476	0.200	1.200
Cl	19	6.758	3.536	0.300	12.200
S	67	1.934	0.407	1.400	2.500
CAB	67	380.388	116.966	226.739	545.835
Fe	62	136.081	73.717	74.000	214.000
Mn	62	58.855	23.132	37.000	84.000
Zn	62	25.645	4.570	20.000	32.000
Cu	62	5.523	1.208	4.000	7.400
Se	16	0.017	0.014	0.006	0.049

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	48	468.896	131.480	332.000	667.000
Aska	47	83.787	9.802	70.000	98.000
OS smbh	48	74.819	4.545	67.200	79.900
Råprot	47	140.489	23.340	119.000	168.000
sRåprot	10	410.800	37.312	372.000	465.500
NDF	47	460.574	38.135	410.000	513.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	48	152.392	58.111	70.000	231.415
nhNDF	48	4.387	0.890	3.221	5.475
TAF	48	72.354	28.494	5.000	84.000
Mjölksyra	7	0.000	0.000	0.000	0.000
Ättiksyra	7	0.000	0.000	0.000	0.000
Socker	47	105.255	39.272	53.000	146.000
PRF	7	2.571	1.272	1.000	4.000
BUF	7	1.571	0.976	0.000	3.000
AATp20	48	83.955	7.837	73.855	99.137
PBVp20	48	11.281	18.475	-8.896	36.838
NELp20	48	6.026	0.417	5.366	6.522
OE*	47	10.772	0.797	9.600	11.710
AAT*	37	73.784	4.151	67.000	79.000
PBV*	37	9.759	23.141	-11.000	39.000
Ca	42	7.105	2.744	3.800	10.700
P	42	2.702	0.395	2.300	3.100
Mg	42	2.307	0.583	1.700	3.000
K	42	24.467	3.525	20.600	28.600
Na	42	0.781	0.446	0.300	1.300
Cl	10	9.770	5.464	5.400	17.900
S	42	2.221	0.539	1.700	3.000
CAB	42	354.463	117.073	233.095	467.333
Fe	42	173.905	201.649	72.000	282.000
Mn	42	67.905	26.351	38.000	109.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	42	26.643	7.008	21.000	33.000
Cu	42	7.017	1.681	5.000	8.900
Se	12	0.021	0.010	0.010	0.034

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	29	472.138	139.873	291.000	733.000
Aska	29	89.103	15.603	69.000	111.000
OS smbh	29	72.472	4.343	64.400	77.800
Råprot	29	142.690	23.689	116.000	184.000
sRåprot	9	385.556	44.590	313.000	452.000
NDF	29	486.621	42.013	438.000	537.000
iNDF	29	172.969	47.436	112.300	253.115
nhNDF	29	4.192	0.822	3.026	5.578
TAF	29	84.000	0.000	84.000	84.000
Socker	29	83.931	39.872	22.000	121.000
AATp20	29	81.119	5.484	71.438	87.308
PBVp20	29	17.852	22.983	-8.484	53.536
NELp20	29	5.886	0.401	5.138	6.435
OE*	29	10.327	0.778	8.800	11.100
AAT*	20	71.900	4.833	64.000	77.000
PBV*	20	21.450	26.486	-7.500	56.000
Ca	29	7.155	2.444	4.300	11.100
P	29	2.928	0.411	2.500	3.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	29	2.514	0.583	1.600	3.400
K	29	25.534	4.725	19.000	30.600
Na	29	0.934	0.468	0.400	1.500
Cl	9	17.844	7.790	8.800	31.700
S	29	2.590	0.679	1.800	3.200
CAB	29	284.528	222.499	-74.653	510.333
Fe	29	350.931	938.652	84.000	597.000
Mn	29	81.759	47.176	45.000	124.000
Zn	29	25.862	5.699	19.000	32.000
Cu	29	7.586	2.304	5.300	10.200
Se	5	0.026	0.027	0.008	0.074

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	417.947	134.719	259.000	602.000
Aska	19	93.368	12.535	75.000	111.000
OS smbh	19	74.953	4.842	69.300	79.700
Råprot	19	169.895	28.641	143.000	213.000
sRåprot	5	383.200	23.015	358.000	409.000
NDF	19	438.947	44.541	372.000	493.000
iNDF	19	156.575	63.822	85.000	248.599
nhNDF	19	4.272	0.986	2.702	5.415
TAF	19	84.000	0.000	84.000	84.000
Socket	19	79.211	31.886	32.000	120.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	19	84.214	5.921	76.297	91.888
PBVp20	19	38.332	26.115	7.865	72.741
NELp20	19	6.115	0.457	5.565	6.579
OE*	19	10.669	0.789	9.600	11.560
AAT*	14	72.929	3.792	69.000	77.000
PBV*	14	50.143	28.579	28.000	83.000
Ca	18	8.167	2.776	5.500	12.800
P	18	3.094	0.581	2.600	4.000
Mg	18	2.672	0.478	2.000	3.600
K	18	28.600	5.702	22.100	36.800
Na	18	0.717	0.350	0.300	1.200
Cl	5	15.500	6.288	6.500	21.200
S	18	2.800	0.671	2.000	4.100
CAB	18	370.716	200.855	44.671	681.608
Fe	18	184.222	151.936	82.000	504.000
Mn	18	75.444	23.520	39.000	103.000
Zn	18	24.389	4.060	18.000	28.000
Cu	18	7.678	1.759	5.000	10.300
Se	4	0.073	0.082	0.021	0.193

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	499.500	129.775	385.000	756.000
Aska	6	88.833	13.732	71.000	108.000
OS smbh	6	81.083	1.038	79.200	82.400
Råprot	6	179.833	15.316	161.000	201.000
sRåprot	4	411.000	17.569	387.000	429.000
NDF	6	415.667	17.466	389.000	433.000
iNDF	6	86.646	16.525	69.636	117.000
nhNDF	6	5.714	0.331	5.401	6.330
TAF	6	84.000	0.000	84.000	84.000
Socker	6	131.833	11.089	121.000	151.000
AATp20	6	92.544	3.632	87.395	96.895
PBVp20	6	33.763	9.108	24.227	48.310
NELp20	6	6.694	0.147	6.479	6.847
OE*	6	11.723	0.186	11.500	11.980
AAT*	2	79.500	0.707	79.000	80.000
PBV*	2	30.500	6.364	26.000	35.000
Ca	6	5.200	0.970	3.900	6.800
P	6	3.283	0.508	2.700	4.200
Mg	6	2.150	0.295	1.800	2.600
K	6	27.867	4.190	20.000	31.700
Na	6	1.033	0.441	0.500	1.600
Cl	4	9.900	2.246	7.900	13.100
S	6	3.400	0.636	2.600	4.500
CAB	6	315.083	111.183	158.539	447.305

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	6	116.500	39.104	81.000	192.000
Mn	6	67.000	35.276	39.000	135.000
Zn	6	23.333	2.422	21.000	27.000
Cu	6	7.233	0.463	6.800	8.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	27	487.630	174.504	314.000	776.000
Aska	27	74.370	15.067	48.000	93.000
OS smbh	27	72.874	5.008	67.000	78.500
Råprot	27	124.259	29.922	85.000	157.000
sRåprot	27	529.519	95.786	383.000	644.000
NH3-N	27	71.407	29.188	28.000	100.000
NDF	27	462.481	59.521	392.000	539.000
iNDF	27	182.705	39.995	135.694	238.828
nhNDF	27	3.989	0.650	3.104	4.748
TAF	27	54.511	30.511	14.500	99.400
Mjölksyra	27	40.852	25.914	6.000	82.000
Ättiksyra	27	11.407	5.625	5.000	21.000
Socker	27	82.370	46.133	29.000	157.000
BUF	27	1.252	1.239	0.100	3.800
AATp20	27	81.763	3.929	77.077	85.594
PBVp20	27	-0.369	24.866	-33.924	26.929
NELp20	27	5.822	0.503	5.145	6.472

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	27	10.541	0.772	9.600	11.600
AAT*	27	70.407	2.358	67.000	74.000
PBV*	27	3.296	27.499	-35.000	33.000
Ca	24	5.892	1.698	4.000	8.200
P	24	2.446	0.636	1.600	3.200
Mg	24	2.013	0.554	1.400	2.700
K	24	21.704	5.245	13.000	27.800
Na	24	0.683	0.543	0.100	1.300
Cl	27	5.833	3.724	0.600	11.000
S	24	1.908	0.686	1.100	2.700
CAB	24	307.200	86.055	182.509	404.776
Fe	24	161.542	101.341	86.000	255.000
Mn	24	87.833	42.281	48.000	138.000
Zn	24	25.583	9.623	18.000	33.000
Cu	24	6.408	1.644	4.400	8.100
Se	1	0.020	.	0.020	0.020

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	262	436.977	134.590	293.000	632.000
Aska	262	70.534	14.694	58.000	79.000
OS smbh	262	76.779	4.681	71.400	81.200
Råprot	262	133.084	27.624	96.000	167.000
sRåprot	262	618.134	95.749	493.000	727.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	261	72.215	27.679	39.000	103.000
NDF	262	425.912	56.537	365.000	496.000
iNDF	262	149.198	46.986	105.104	199.420
nhNDF	262	4.551	0.695	3.676	5.363
TAF	262	63.118	34.357	19.400	110.100
Mjölksyra	261	46.820	29.522	11.000	88.000
Ättiksyra	262	13.603	6.513	5.000	22.000
Socker	262	96.237	52.726	33.000	173.000
PRF	44	3.523	2.063	1.000	6.000
BUF	262	1.225	3.211	0.000	2.500
AATp20	262	83.735	5.204	78.897	91.203
PBVp20	262	4.506	23.513	-27.814	31.892
NELp20	262	6.197	0.454	5.653	6.648
OE*	262	11.239	0.763	10.350	12.000
AAT*	218	72.500	2.381	70.000	74.000
PBV*	218	6.257	25.634	-29.000	39.000
Ca	252	5.018	1.491	3.600	7.000
P	252	2.369	0.406	1.900	2.900
Mg	252	1.713	0.315	1.400	2.100
K	252	22.627	4.160	17.000	27.700
Na	252	0.749	0.621	0.200	1.500
Cl	262	5.019	2.635	2.000	8.600
S	252	1.796	0.455	1.200	2.400
CAB	252	356.267	101.449	229.282	475.245

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	230	191.100	233.630	76.000	347.000
Mn	230	66.174	26.984	40.000	94.000
Zn	230	27.526	24.831	19.000	32.500
Cu	230	5.478	1.139	4.200	7.000
Se	56	0.020	0.017	0.007	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	205	467.898	146.454	291.000	693.000
Aska	205	80.078	10.408	67.000	93.000
OS smbh	205	74.520	3.115	70.100	78.400
Råprot	205	143.117	24.527	112.000	178.000
sRåprot	205	525.551	105.429	377.000	647.000
NH3-N	202	68.579	25.606	33.000	101.000
NDF	205	444.698	38.844	396.000	496.000
iNDF	205	171.687	40.907	123.860	225.861
nhNDF	205	4.208	0.698	3.251	4.979
TAF	205	57.446	29.589	17.700	96.100
Mjölksyra	205	42.751	24.406	11.000	74.000
Ättiksyra	205	12.341	6.536	4.000	20.000
Socker	205	75.473	40.539	21.000	133.000
PRF	30	3.800	2.441	0.000	7.000
BUF	205	0.944	1.104	0.000	2.500
AATp20	205	83.932	4.348	79.328	89.977

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	205	13.693	22.525	-15.377	42.863
NELp20	205	6.015	0.356	5.550	6.477
OE*	205	10.756	0.521	10.000	11.400
AAT*	175	70.834	1.509	69.000	73.000
PBV*	175	19.298	23.902	-9.000	52.000
Ca	198	6.544	2.023	4.300	9.700
P	198	2.676	0.395	2.100	3.100
Mg	198	2.281	0.446	1.800	3.000
K	198	24.251	3.979	19.700	29.200
Na	198	0.994	0.638	0.300	1.700
Cl	205	6.972	3.407	2.800	11.400
S	198	2.163	0.469	1.600	2.700
CAB	198	331.104	105.871	198.644	467.833
Fe	182	167.236	153.308	76.000	300.000
Mn	182	77.830	34.929	48.000	112.000
Zn	182	25.527	5.052	20.000	32.000
Cu	182	7.048	1.287	5.400	8.700
Se	27	0.026	0.022	0.010	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	162	445.154	138.90	296.000	661.000
Aska	162	88.105	14.69	74.000	98.000
OS smbh	162	73.719	2.97	69.900	77.000
Råprot	162	149.568	21.79	122.000	178.000
sRåprot	162	505.735	89.23	374.000	599.000
NH3-N	160	77.800	31.95	36.000	120.500
NDF	162	435.475	42.11	377.000	486.000
iNDF	162	185.884	46.29	139.000	241.000
nhNDF	162	4.004	0.72	3.047	4.874
TAF	162	60.082	30.21	21.000	98.000
Mjölksyra	162	43.889	24.72	12.000	74.000
Ättiksyra	162	13.136	6.72	5.000	22.000
Socker	162	62.019	33.84	20.000	109.000
PRF	25	3.200	2.36	0.000	7.000
BUF	162	1.718	3.01	0.100	3.400
AATp20	162	83.088	5.59	76.665	90.591
PBVp20	162	21.107	20.41	-3.059	48.389
NELp20	162	5.925	0.33	5.496	6.282
OE*	162	10.533	0.52	9.900	11.100
AAT*	137	70.146	1.53	68.000	72.000
PBV*	137	28.307	21.74	-1.000	57.000
Ca	152	7.785	2.36	5.300	11.000
P	152	2.799	0.40	2.400	3.300
Mg	152	2.748	0.49	2.200	3.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	152	24.414	4.34	19.000	30.000
Na	152	1.048	0.97	0.300	1.800
Cl	161	7.316	3.85	2.600	12.200
S	152	2.395	0.48	1.800	3.000
CAB	152	310.892	110.59	175.953	438.743
Fe	141	345.667	1379.88	80.000	372.000
Mn	141	84.241	34.80	48.000	122.000
Zn	141	35.284	95.41	21.000	33.000
Cu	141	7.849	2.26	6.000	10.000
Se	23	0.037	0.03	0.013	0.072

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	69	392.449	114.934	257.000	547.000
Aska	68	93.853	9.820	81.000	105.000
OS smbh	69	74.949	3.031	71.000	78.900
Råprot	68	163.647	23.488	134.000	199.000
sRåprot	68	519.912	79.970	432.000	620.000
NH3-N	68	72.206	24.328	39.000	103.000
NDF	68	406.574	44.625	352.000	463.000
iNDF	69	181.630	38.366	128.779	231.000
nhNDF	69	4.106	0.721	3.153	5.078
TAF	69	76.699	36.585	23.400	128.100
Mjölksyra	67	60.403	33.297	12.000	105.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	68	14.103	5.023	7.000	21.000
Socker	68	55.765	36.591	16.000	117.000
PRF	13	2.077	1.553	0.000	4.000
BUF	68	0.974	1.362	0.000	3.100
AATp20	69	82.781	5.529	76.485	92.087
PBVp20	69	34.445	21.320	7.680	64.529
NELp20	69	6.072	0.305	5.701	6.437
OE*	68	10.669	0.502	10.100	11.300
AAT*	55	70.400	1.523	69.000	72.000
PBV*	55	40.782	23.203	14.000	74.000
Ca	66	8.403	1.891	6.200	10.900
P	66	3.055	0.427	2.500	3.600
Mg	66	2.779	0.406	2.400	3.400
K	66	25.274	3.944	20.100	29.700
Na	66	1.065	0.670	0.400	1.800
Cl	68	8.744	3.813	4.300	13.000
S	66	2.498	0.441	2.000	3.100
CAB	66	289.565	112.107	155.722	409.015
Fe	62	275.468	263.449	123.000	498.000
Mn	62	86.613	27.162	54.000	120.000
Zn	62	26.935	5.766	22.000	34.000
Cu	62	8.000	1.359	6.400	9.900
Se	9	0.070	0.066	0.025	0.227

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	309.400	44.100	264.000	382.000
Aska	5	90.600	25.354	52.000	116.000
OS smbh	5	75.960	4.507	68.000	79.100
Råprot	5	151.400	25.813	113.000	180.000
sRåprot	5	555.200	96.789	441.000	673.000
NH3-N	5	77.600	38.266	48.000	141.000
NDF	5	405.600	36.060	374.000	466.000
iNDF	5	166.531	60.089	137.938	274.000
nhNDF	5	4.303	0.692	3.100	4.852
TAF	5	79.840	19.767	47.000	97.100
Mjölksyra	5	61.600	19.995	29.000	80.000
Ättiksyra	5	15.800	1.643	13.000	17.000
Socker	5	46.600	25.793	11.000	74.000
PRF	2	1.000	1.414	0.000	2.000
BUF	5	1.440	2.581	0.000	6.000
AATp20	5	81.907	1.748	79.624	83.838
PBVp20	5	24.493	21.305	-6.899	47.824
NELp20	5	6.161	0.381	5.486	6.411
OE*	5	10.850	0.549	9.990	11.360
AAT*	3	71.667	1.155	71.000	73.000
PBV*	3	38.000	21.284	15.000	57.000
Ca	5	5.860	1.085	4.000	6.600
P	5	3.280	0.471	2.900	4.100
Mg	5	2.260	0.261	2.000	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	5	24.000	6.789	13.500	30.600
Na	5	1.340	0.802	0.600	2.500
Cl	5	8.320	5.450	3.200	14.700
S	5	2.380	0.722	1.800	3.600
CAB	5	288.955	98.715	183.710	438.031
Fe	4	398.750	253.566	117.000	622.000
Mn	4	94.750	24.185	70.000	126.000
Zn	4	22.000	2.828	18.000	24.000
Cu	4	7.025	0.624	6.200	7.700

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	18	428.389	47.945	351.000	481.00
Aska	18	60.556	17.467	38.000	85.00
OS smbh	18	68.728	2.889	64.000	73.20
Råprot	18	97.500	19.227	75.000	125.00
sRåprot	18	608.889	115.810	478.000	725.00
NH3-N	18	83.611	25.315	39.000	114.00
NDF	18	405.222	59.101	334.000	518.00
iNDF	18	272.797	35.111	223.000	308.44
nhNDF	18	2.410	0.631	1.567	3.33
Stä	18	183.889	102.360	22.000	300.00
TAF	18	60.950	22.091	29.700	93.00
Mjölksyra	18	44.500	16.829	22.000	66.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	18	13.556	5.731	6.000	19.00
Socker	18	43.611	25.041	18.000	76.00
PRF	5	5.000	3.937	2.000	11.00
BUF	5	1.000	0.707	0.000	2.00
AATp20	18	70.388	3.243	65.456	74.19
PBVp20	18	-15.500	17.993	-40.478	10.09
NELp20	18	5.568	0.297	5.149	5.96
OE*	7	10.161	0.384	9.600	10.64
AAT*	2	59.000	0.000	59.000	59.00
PBV*	2	4.500	0.707	4.000	5.00
Ca	16	3.969	1.716	1.900	6.80
P	16	2.644	0.453	2.200	3.20
Mg	16	1.725	0.330	1.300	2.10
K	16	15.744	4.334	10.600	21.70
Na	16	0.969	0.522	0.200	1.50
Cl	17	3.424	2.224	1.200	6.90
S	16	1.738	0.496	1.300	2.60
CAB	16	236.707	124.166	113.250	403.61
Fe	13	381.615	486.336	94.000	1277.00
Mn	13	69.846	28.876	34.000	99.00
Zn	13	29.231	7.748	22.000	37.00
Cu	13	5.354	1.082	4.300	7.40
Se	1	0.049	.	0.049	0.05

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	395.900	88.620	313.500	546.000
Aska	10	69.900	12.324	54.000	84.500
OS smbh	10	67.080	4.437	60.300	72.050
Råprot	10	104.600	11.266	89.500	119.000
sRåprot	10	649.500	68.657	549.000	726.500
NH3-N	10	79.400	18.313	52.000	102.000
NDF	10	454.100	63.799	379.500	544.000
iNDF	10	262.249	36.097	216.713	303.785
nhNDF	10	2.728	0.492	2.092	3.447
Stä	10	109.300	75.326	28.000	225.500
TAF	10	74.300	19.247	46.000	98.000
Mjölksyra	10	56.600	18.584	27.000	79.500
Ättiksyra	10	15.700	4.138	10.500	22.000
Socker	10	30.000	18.655	12.000	61.000
AATp20	10	68.337	4.676	62.304	74.350
PBVp20	10	-1.727	12.466	-19.826	14.615
NELp20	10	5.481	0.367	4.964	5.943
OE*	1	9.900	.	9.900	9.900
AAT*	2	35.500	37.477	9.000	62.000
PBV*	2	20.000	53.740	-18.000	58.000
Ca	9	4.789	0.932	2.900	6.200
P	9	2.633	0.477	1.900	3.400
Mg	9	1.722	0.323	1.200	2.400
K	9	17.644	4.293	13.600	25.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	9	1.078	0.905	0.400	3.400
Cl	10	3.540	2.069	1.200	6.750
S	9	1.311	0.176	0.900	1.500
CAB	9	311.955	47.923	255.773	385.880
Fe	9	317.222	229.289	100.000	758.000
Mn	9	66.222	29.773	15.000	103.000
Zn	9	28.778	8.423	22.000	50.000
Cu	9	4.900	0.650	3.900	5.800
Se	1	0.010	.	0.010	0.010

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	321.500	55.861	282.000	361.000
Aska	2	73.500	6.364	69.000	78.000
OS smbh	2	66.000	1.838	64.700	67.300
Råprot	2	145.500	0.707	145.000	146.000
sRåprot	2	563.000	38.184	536.000	590.000
NH3-N	2	113.000	35.355	88.000	138.000
NDF	2	463.000	11.314	455.000	471.000
iNDF	2	345.500	34.648	321.000	370.000
nhNDF	2	3.604	0.059	3.562	3.646
Stä	2	68.000	18.385	55.000	81.000
TAF	2	115.500	27.577	96.000	135.000
Mjölksyra	2	72.000	21.213	57.000	87.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	2	39.500	4.950	36.000	43.000
Socker	2	54.000	14.142	44.000	64.000
PRF	2	3.500	0.707	3.000	4.000
BUF	2	0.500	0.707	0.000	1.000
AATp20	2	65.763	4.419	62.638	68.887
PBVp20	2	38.539	6.739	33.774	43.304
NELp20	2	5.542	0.046	5.509	5.574
OE*	2	9.430	0.240	9.260	9.600
Ca	2	4.750	1.344	3.800	5.700
P	2	2.800	0.141	2.700	2.900
Mg	2	2.000	0.566	1.600	2.400
K	2	18.250	2.333	16.600	19.900
Na	2	1.450	0.919	0.800	2.100
Cl	2	7.200	2.970	5.100	9.300
S	2	2.150	0.778	1.600	2.700
CAB	2	192.603	112.559	113.012	272.195
Fe	1	125.000	.	125.000	125.000
Mn	1	33.000	.	33.000	33.000
Zn	1	28.000	.	28.000	28.000
Cu	1	6.000	.	6.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	327.000	58.589	268.000	425.000
Aska	7	63.857	8.194	56.000	77.000
OS smbh	7	66.643	3.779	61.100	70.300
Råprot	7	116.000	13.736	88.000	131.000
sRåprot	7	609.714	115.291	453.000	737.000
NH3-N	7	105.429	42.461	43.000	158.000
NDF	7	448.000	58.569	371.000	519.000
iNDF	7	404.004	75.564	313.000	496.534
nhNDF	7	5.891	2.588	2.152	8.725
Stä	7	94.714	75.166	32.000	239.000
TAF	7	75.071	21.265	36.500	101.500
Mjölksyra	7	58.143	23.441	23.000	93.000
Ättiksyra	7	14.857	3.934	8.000	19.000
Socker	7	27.714	18.364	11.000	63.000
PRF	2	4.500	2.121	3.000	6.000
BUF	2	1.500	2.121	0.000	3.000
AATp20	7	69.321	5.718	63.054	79.371
PBVp20	7	6.604	12.037	-16.577	18.858
NELp20	7	5.501	0.309	5.050	5.740
OE*	5	9.770	0.386	9.300	10.200
AAT*	3	61.000	2.646	59.000	64.000
PBV*	3	4.667	4.933	-1.000	8.000
Ca	4	5.200	1.637	2.900	6.700
P	4	2.800	0.408	2.400	3.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	4	2.000	0.476	1.300	2.300
K	4	17.525	5.962	12.100	26.000
Na	4	1.250	0.947	0.400	2.300
Cl	7	4.271	3.329	0.700	9.300
S	4	1.575	0.222	1.400	1.900
CAB	4	302.712	185.447	138.457	568.885
Fe	3	164.667	47.120	135.000	219.000
Mn	3	62.000	24.515	37.000	86.000
Zn	3	42.000	30.315	24.000	77.000
Cu	3	5.333	0.306	5.000	5.600
Se	1	0.050	.	0.050	0.050

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	591.000	.	591.000	591.000
Aska	1	14.000	.	14.000	14.000
OS smbh	1	85.700	.	85.700	85.700
Råprot	1	76.000	.	76.000	76.000
sRåprot	1	417.000	.	417.000	417.000
NDF	1	180.000	.	180.000	180.000
iNDF	1	132.522	.	132.522	132.522
nhNDF	1	3.514	.	3.514	3.514
Stä	1	563.000	.	563.000	563.000
TAF	1	38.100	.	38.100	38.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	1	15.000	.	15.000	15.000
AATp20	1	98.735	.	98.735	98.735
PBVp20	1	-80.442	.	-80.442	-80.442
NELp20	1	7.510	.	7.510	7.510
Ca	1	0.200	.	0.200	0.200
P	1	2.000	.	2.000	2.000
Mg	1	1.100	.	1.100	1.100
K	1	4.400	.	4.400	4.400
Na	1	0.100	.	0.100	0.100
Cl	1	0.800	.	0.800	0.800
S	1	1.000	.	1.000	1.000
CAB	1	31.845	.	31.845	31.845
Fe	1	52.000	.	52.000	52.000
Mn	1	11.000	.	11.000	11.000
Zn	1	28.000	.	28.000	28.000
Cu	1	2.600	.	2.600	2.600

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	20	379.050	56.478	313.500	448.500
Aska	20	78.800	60.701	54.000	80.000
OS smbh	20	66.230	4.398	61.450	72.350
Råprot	20	92.100	22.815	68.500	121.500
sRåprot	20	584.900	100.429	463.000	720.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	20	85.650	29.090	47.500	117.500
NDF	20	447.400	50.440	380.000	513.000
iNDF	20	288.638	46.149	242.116	339.000
nhNDF	20	2.697	0.854	1.831	4.173
Stä	20	113.500	77.040	30.500	216.500
TAF	20	65.900	24.033	31.500	92.000
Mjölksyra	20	48.800	19.463	22.500	72.500
Ättiksyra	20	14.400	7.776	6.500	25.500
Socker	20	44.200	31.235	13.000	94.500
PRF	8	4.625	3.114	0.000	8.000
BUF	8	2.125	1.246	0.000	4.000
AATp20	20	71.914	5.762	65.572	78.745
PBVp20	20	-19.934	17.078	-39.987	-0.120
NELp20	20	5.132	1.274	4.680	5.926
OE*	10	9.683	1.009	8.150	10.690
AAT*	2	62.500	0.707	62.000	63.000
PBV*	2	-32.500	0.707	-33.000	-32.000
Ca	16	4.288	1.958	2.500	8.200
P	16	2.463	0.377	2.000	3.000
Mg	16	1.594	0.396	1.200	2.200
K	16	17.638	4.029	14.300	21.700
Na	16	7.694	26.597	0.600	2.900
Cl	19	14.616	44.138	2.300	8.100
S	16	1.650	0.455	1.000	2.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	16	212.174	294.042	158.179	400.417
Fe	13	186.538	138.988	98.000	255.000
Mn	13	59.846	19.386	36.000	85.000
Zn	13	28.923	11.310	21.000	50.000
Cu	13	5.085	1.122	4.000	6.000
Se	3	0.013	0.006	0.008	0.020

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	362.400	56.6772	312.000	449.000
Aska	5	66.600	4.6690	62.000	74.000
OS smbh	5	67.080	4.6596	59.200	71.300
Råprot	5	109.200	11.5629	98.000	123.000
sRåprot	5	590.400	96.8597	513.000	759.000
NH3-N	5	81.800	27.1698	64.000	130.000
NDF	5	446.000	40.2368	381.000	479.000
iNDF	5	269.062	55.6462	218.788	354.525
nhNDF	5	2.649	0.6979	1.671	3.282
Stä	5	80.600	80.1330	17.000	192.000
TAF	5	79.600	39.0679	50.000	148.000
Mjölksyra	5	62.000	38.5940	32.000	129.000
Ättiksyra	5	17.600	2.0736	15.000	20.000
Socker	5	55.000	42.6204	11.000	107.000
AATp20	5	67.412	5.2289	60.895	72.719

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	5	2.852	11.9040	-11.902	19.891
NELp20	5	5.429	0.4084	4.795	5.882
Ca	4	5.625	1.4104	3.900	7.200
P	4	2.625	0.4573	2.300	3.300
Mg	4	1.950	0.1732	1.700	2.100
K	4	15.325	1.6500	13.900	17.400
Na	4	1.000	1.0231	0.200	2.500
Cl	5	2.920	1.8966	0.600	5.100
S	4	1.450	0.3000	1.300	1.900
CAB	4	253.248	26.6309	218.684	276.961
Fe	4	148.250	73.6812	99.000	257.000
Mn	4	99.250	23.3435	66.000	116.000
Zn	4	32.750	8.0156	27.000	44.000
Cu	4	5.725	0.8382	4.600	6.600

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	472.000	137.546	332.000	665.000
Aska	5	68.600	5.550	61.000	75.000
OS smbh	5	68.260	4.677	62.500	74.800
Råprot	5	111.800	45.488	60.000	185.000
sRåprot	5	645.200	97.641	572.000	810.000
NH3-N	5	76.400	24.172	55.000	112.000
NDF	5	491.600	73.663	388.000	571.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	5	230.651	48.790	166.233	296.495
nhNDF	5	3.282	0.784	2.350	4.276
Stä	5	40.000	38.987	18.000	108.000
TAF	5	47.300	21.183	21.500	72.500
Mjölksyra	5	30.800	15.205	11.000	45.000
Ättiksyra	5	14.000	7.176	8.000	25.000
Socker	5	93.600	31.973	44.000	126.000
AATp20	5	71.375	6.134	63.798	80.622
PBVp20	5	-5.690	31.653	-45.084	40.045
NELp20	5	5.407	0.438	4.900	6.082
OE*	2	9.500	0.000	9.500	9.500
AAT*	2	61.000	0.000	61.000	61.000
PBV*	2	-17.000	1.414	-18.000	-16.000
Ca	5	3.280	1.365	1.900	5.100
P	5	2.320	0.363	1.700	2.600
Mg	5	1.560	0.483	1.000	2.200
K	5	18.540	5.115	9.800	23.300
Na	5	1.140	1.226	0.300	3.100
Cl	5	4.260	0.910	3.000	5.400
S	5	1.740	0.594	1.000	2.400
CAB	5	294.984	99.675	121.024	353.669
Fe	5	238.600	135.177	142.000	471.000
Mn	5	64.400	24.131	28.000	92.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	5	25.000	4.690	20.000	32.000
Cu	5	5.120	1.128	3.300	6.300

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	388.875	74.7366	276.000	469.000
Aska	8	62.125	8.6096	50.000	73.000
OS smbh	8	70.263	2.1220	66.900	72.800
Råprot	8	112.500	11.5511	98.000	125.000
sRåprot	8	614.250	90.3940	498.000	774.000
NH3-N	8	80.500	25.6626	32.000	111.000
NDF	8	414.250	35.9514	369.000	467.000
iNDF	8	258.488	25.5947	211.499	294.795
nhNDF	8	2.953	0.6794	2.220	4.283
Stä	8	152.750	78.7795	47.000	246.000
TAF	8	71.250	16.2547	53.000	95.000
Mjölksyra	8	53.375	18.7231	33.000	87.000
Ättiksyra	8	17.875	6.9372	8.000	26.000
Socker	8	35.000	14.5994	21.000	66.000
PRF	2	0.000	0.0000	0.000	0.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	8	73.364	2.8327	70.430	78.084
PBVp20	8	-3.814	13.5692	-21.698	12.891
NELp20	8	5.810	0.1911	5.489	6.003

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	6	9.893	0.4120	9.300	10.290
AAT*	4	61.000	1.1547	60.000	62.000
PBV*	4	-6.250	11.1168	-15.000	9.000
Ca	6	5.633	1.0347	4.700	7.400
P	6	2.833	0.2944	2.400	3.200
Mg	6	2.033	0.3777	1.600	2.600
K	6	17.250	2.6266	13.700	20.500
Na	6	0.967	0.3983	0.300	1.300
Cl	8	2.788	1.4662	1.100	5.300
S	6	1.683	0.3764	1.200	2.100
CAB	6	285.509	83.0110	195.413	387.914
Fe	4	121.250	49.4124	75.000	189.000
Mn	4	82.750	62.8563	27.000	169.000
Zn	4	44.000	27.7729	21.000	84.000
Cu	4	5.775	1.1177	4.700	7.200
Se	2	0.020	0.0085	0.014	0.026

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	30	339.200	55.314	278.500	407.000
Aska	30	31.333	5.797	24.000	37.500
OS smbh	30	75.860	2.389	72.800	78.350
Råprot	30	75.233	7.089	67.000	86.000
sRåprot	30	520.767	75.823	419.500	605.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	29	52.621	21.236	27.000	90.000
NDF	30	379.500	49.213	339.500	429.000
iNDF	30	204.075	25.800	178.243	232.000
nhNDF	30	3.466	0.426	2.857	3.977
Stä	30	296.733	65.975	207.500	367.500
TAF	30	61.133	17.362	33.500	80.500
Mjölksyra	30	43.467	14.007	24.000	58.000
Ättiksyra	30	14.467	5.929	7.500	22.000
Socker	30	15.600	11.205	5.000	30.000
PRF	12	3.500	1.446	2.000	5.000
BUF	12	0.000	0.000	0.000	0.000
AATp20	30	83.317	3.460	78.637	87.909
PBVp20	30	-55.715	9.442	-66.831	-45.338
NELp20	30	6.430	0.250	6.142	6.694
OE*	18	11.507	0.345	11.080	11.980
AAT*	6	79.500	0.548	79.000	80.000
PBV*	6	-67.333	2.338	-71.000	-64.000
Ca	30	1.620	0.458	1.100	2.350
P	30	1.853	0.305	1.500	2.200
Mg	30	1.113	0.273	0.800	1.450
K	30	9.043	1.321	7.750	10.100
Na	28	0.293	0.188	0.100	0.500
Cl	24	2.550	2.864	1.300	2.700
S	30	0.917	0.129	0.800	1.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	30	121.124	82.361	77.956	164.940
Fe	24	124.083	154.984	56.000	238.000
Mn	24	29.167	13.308	14.000	43.000
Zn	24	25.083	8.118	18.000	30.000
Cu	24	4.246	0.852	3.000	5.100
Se	5	0.015	0.020	0.005	0.050

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	462.000	.	462.000	462.000
Aska	1	52.000	.	52.000	52.000
OS smbh	1	77.600	.	77.600	77.600
Råprot	1	145.000	.	145.000	145.000
sRåprot	1	697.000	.	697.000	697.000
NH3-N	1	153.000	.	153.000	153.000
NDF	1	345.000	.	345.000	345.000
iNDF	1	183.107	.	183.107	183.107
nhNDF	1	3.552	.	3.552	3.552
Stä	1	250.000	.	250.000	250.000
TAF	1	92.000	.	92.000	92.000
Mjölksyra	1	55.000	.	55.000	55.000
Ättiksyra	1	37.000	.	37.000	37.000
Socker	1	13.000	.	13.000	13.000
AATp20	1	77.055	.	77.055	77.055

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	22.034	.	22.034	22.034
NELp20	1	6.602	.	6.602	6.602
Ca	1	8.300	.	8.300	8.300
P	1	2.500	.	2.500	2.500
Mg	1	2.700	.	2.700	2.700
K	1	13.900	.	13.900	13.900
Na	1	0.300	.	0.300	0.300
Cl	1	3.500	.	3.500	3.500
S	1	1.300	.	1.300	1.300
CAB	1	188.701	.	188.701	188.701
Fe	1	76.000	.	76.000	76.000
Mn	1	28.000	.	28.000	28.000
Zn	1	33.000	.	33.000	33.000
Cu	1	8.000	.	8.000	8.000
Se	1	0.008	.	0.008	0.008

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	734.500	26.1630	716.000	753.000
Aska	2	49.000	5.6569	45.000	53.000
OS smbh	2	69.850	3.4648	67.400	72.300
Råprot	2	107.000	5.6569	103.000	111.000
NDF	2	525.500	36.0624	500.000	551.000
iNDF	2	202.979	21.2820	187.930	218.027

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	3.724	0.3098	3.505	3.943
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	152.000	36.7696	126.000	178.000
AATp20	2	89.743	4.0977	86.846	92.641
PBVp20	2	-29.401	1.5273	-30.481	-28.321
NELp20	2	5.494	0.2784	5.298	5.691
OE*	2	10.350	0.6364	9.900	10.800
AAT*	2	72.500	3.5355	70.000	75.000
PBV*	2	-17.500	0.7071	-18.000	-17.000
Ca	1	5.100	.	5.100	5.100
P	1	2.000	.	2.000	2.000
Mg	1	2.100	.	2.100	2.100
K	1	11.500	.	11.500	11.500
Na	1	0.400	.	0.400	0.400
S	1	1.600	.	1.600	1.600
CAB	1	70.664	.	70.664	70.664
Fe	1	66.000	.	66.000	66.000
Mn	1	111.000	.	111.000	111.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	823.750	72.397	719.000	909.000
Aska	8	63.875	8.576	54.000	77.000
OS smbh	8	66.525	2.896	63.200	70.600
Råprot	8	71.375	18.181	55.000	114.000
NDF	8	557.000	52.628	442.000	625.000
iNDF	8	222.136	26.562	182.735	251.103
nhNDF	8	3.498	0.478	2.907	4.185
TAF	8	0.000	0.000	0.000	0.000
Socker	8	147.250	27.411	117.000	196.000
AATp20	8	82.273	3.474	77.975	86.250
PBVp20	8	-50.584	15.416	-67.105	-17.293
NELp20	8	5.030	0.249	4.732	5.337
OE*	8	9.613	0.528	9.000	10.400
AAT*	8	68.500	3.338	65.000	73.000
PBV*	8	-45.375	18.094	-64.000	-6.000
Ca	5	2.920	1.588	1.300	4.700
P	5	1.560	0.270	1.300	2.000
Mg	5	1.380	0.239	1.100	1.700
K	5	16.000	2.758	11.800	19.200
Na	5	0.480	0.743	0.100	1.800
S	5	1.220	0.396	0.900	1.900
CAB	5	212.982	68.195	120.456	306.997
Fe	5	140.400	157.376	49.000	420.000
Mn	5	126.000	50.234	66.000	190.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	5	18.600	6.107	13.000	29.000
Cu	5	3.960	1.071	3.200	5.800

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	520.000	.	520.000	520.000
Aska	1	87.000	.	87.000	87.000
OS smbh	1	54.500	.	54.500	54.500
Råprot	1	104.000	.	104.000	104.000
NDF	1	517.000	.	517.000	517.000
iNDF	1	613.774	.	613.774	613.774
nhNDF	1	9.866	.	9.866	9.866
TAF	1	72.000	.	72.000	72.000
Socker	1	58.000	.	58.000	58.000
AATp20	1	62.679	.	62.679	62.679
PBVp20	1	14.945	.	14.945	14.945
NELp20	1	4.197	.	4.197	4.197
OE*	1	7.400	.	7.400	7.400
AAT*	1	56.000	.	56.000	56.000
PBV*	1	8.000	.	8.000	8.000
Ca	1	10.800	.	10.800	10.800
P	1	1.900	.	1.900	1.900
Mg	1	2.700	.	2.700	2.700
K	1	17.200	.	17.200	17.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.200	.	0.200	0.200
S	1	1.100	.	1.100	1.100
CAB	1	250.266	.	250.266	250.266
Fe	1	66.000	.	66.000	66.000
Mn	1	29.000	.	29.000	29.000
Zn	1	19.000	.	19.000	19.000
Cu	1	8.100	.	8.100	8.100

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	372.333	32.021	341.000	405.000
Aska	3	98.000	10.149	89.000	109.000
OS smbh	3	66.533	2.610	63.600	68.600
Råprot	3	151.333	19.140	131.000	169.000
NDF	3	411.000	37.987	377.000	452.000
iNDF	3	445.631	36.701	415.085	486.343
nhNDF	3	5.414	0.944	4.572	6.434
TAF	3	72.000	0.000	72.000	72.000
Socker	3	79.333	6.807	74.000	87.000
AATp20	3	73.687	2.220	71.151	75.283
PBVp20	3	42.094	14.832	26.775	56.386
NELp20	3	5.226	0.207	4.989	5.373
OE*	3	9.267	0.321	8.900	9.500
AAT*	3	67.000	1.732	65.000	68.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	3	36.000	15.524	20.000	51.000
Ca	3	10.967	1.893	8.800	12.300
P	3	2.300	0.361	2.000	2.700
Mg	3	3.000	0.500	2.500	3.500
K	3	21.667	2.501	18.800	23.400
Na	3	0.533	0.351	0.200	0.900
S	3	1.600	0.346	1.200	1.800
CAB	3	347.746	60.684	277.871	387.238
Fe	3	167.667	102.496	87.000	283.000
Mn	3	34.667	14.572	23.000	51.000
Zn	3	25.667	4.163	21.000	29.000
Cu	3	10.067	1.274	8.600	10.900
Se	2	0.049	0.002	0.047	0.050

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	312.000	.	312.000	312.000
Aska	1	102.000	.	102.000	102.000
OS smbh	1	70.400	.	70.400	70.400
Råprot	1	170.000	.	170.000	170.000
NDF	1	377.000	.	377.000	377.000
iNDF	1	374.074	.	374.074	374.074
nhNDF	1	4.688	.	4.688	4.688
TAF	1	72.000	.	72.000	72.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	82.000	.	82.000	82.000
AATp20	1	76.774	.	76.774	76.774
PBVp20	1	54.906	.	54.906	54.906
NELp20	1	5.584	.	5.584	5.584
OE*	1	9.800	.	9.800	9.800
AAT*	1	70.000	.	70.000	70.000
PBV*	1	49.000	.	49.000	49.000
Ca	1	9.800	.	9.800	9.800
P	1	2.300	.	2.300	2.300
Mg	1	3.100	.	3.100	3.100
K	1	25.900	.	25.900	25.900
Na	1	0.800	.	0.800	0.800
S	1	1.800	.	1.800	1.800
CAB	1	446.659	.	446.659	446.659
Fe	1	134.000	.	134.000	134.000
Mn	1	38.000	.	38.000	38.000
Zn	1	24.000	.	24.000	24.000
Cu	1	9.800	.	9.800	9.800
Se	1	0.023	.	0.023	0.023

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	372.750	112.126	209.000	462.000
Aska	4	58.750	12.553	41.000	69.000
OS smbh	4	71.600	4.408	67.700	75.900
Råprot	4	134.750	27.681	110.000	168.000
sRåprot	4	550.250	55.758	485.000	612.000
NH3-N	4	118.500	86.420	62.000	245.000
NDF	4	405.000	70.029	341.000	495.000
iNDF	4	275.750	94.894	197.000	410.000
nhNDF	4	3.524	0.508	2.924	4.156
Stä	3	109.000	71.141	33.000	174.000
TAF	4	61.750	38.030	21.000	102.000
Mjölksyra	4	24.500	25.106	0.000	58.000
Ättiksyra	4	23.250	22.232	6.000	55.000
Socker	4	49.000	20.331	27.000	75.000
PRF	4	4.750	3.862	1.000	10.000
BUF	4	9.250	18.500	0.000	37.000
AATp20	4	81.770	9.443	73.109	91.711
PBVp20	4	13.166	12.000	3.298	29.463
NELp20	4	6.023	0.376	5.631	6.356
OE*	4	10.513	0.630	9.860	11.120
Ca	4	5.125	2.834	1.100	7.300
P	4	3.775	0.900	2.700	4.900
Mg	4	2.475	0.675	1.600	3.100
K	4	15.275	4.676	9.600	20.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	2.550	1.066	1.500	4.000
Cl	4	9.025	8.900	1.800	21.800
S	4	2.525	0.350	2.100	2.900
CAB	4	89.497	302.276	-344.647	337.262
Fe	1	262.000	.	262.000	262.000
Mn	1	92.000	.	92.000	92.000
Zn	1	58.000	.	58.000	58.000
Cu	1	15.000	.	15.000	15.000
Se	1	0.270	.	0.270	0.270

Fodermedel=Övrigt foder ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	861.0	.	861.0	861.0
Aska	1	19.0	.	19.0	19.0
OS smbh	1	0.0	.	0.0	0.0
Råprot	1	125.0	.	125.0	125.0
NH3-N	1	6.0	.	6.0	6.0
Stä	1	565.0	.	565.0	565.0
NELp20	1	0.0	.	0.0	0.0
Ca	1	0.4	.	0.4	0.4
P	1	3.1	.	3.1	3.1
Mg	1	1.2	.	1.2	1.2
K	1	5.7	.	5.7	5.7
Na	1	0.1	.	0.1	0.1

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Övrigt foder ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	1	1.2	.	1.2	1.2
Fe	1	47.0	.	47.0	47.0
Mn	1	18.0	.	18.0	18.0
Zn	1	31.0	.	31.0	31.0
Cu	1	5.8	.	5.8	5.8

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	378.000	.	378.000	378.000
Aska	1	100.000	.	100.000	100.000
OS smbh	1	66.800	.	66.800	66.800
Råprot	1	168.000	.	168.000	168.000
sRåprot	1	373.000	.	373.000	373.000
NH3-N	1	74.000	.	74.000	74.000
NDF	1	404.000	.	404.000	404.000
iNDF	1	287.178	.	287.178	287.178
nhNDF	1	2.373	.	2.373	2.373
Stä	1	96.000	.	96.000	96.000
Socker	1	32.000	.	32.000	32.000
NELp20	1	0.000	.	0.000	0.000
CI	1	11.100	.	11.100	11.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	0	.	0	0
TAF	1	0	.	0	0
NELp20	1	0	.	0	0

*= Parametrar från det gamla svenska fodervärderingssystemet