

| Fodermedel                                    | Sk.<br>nr. | Ant. | TS  | Aska | OS<br>smbh | Rå-<br>prot | sRå-<br>prot | NH3-N | NDF | iNDF | nhNDF | Stä | TAF    | Mjolk-<br>syra | Ättik-<br>syra | Socker |
|-----------------------------------------------|------------|------|-----|------|------------|-------------|--------------|-------|-----|------|-------|-----|--------|----------------|----------------|--------|
| Korn, kärna (001)                             | 1          | 8    | 853 | 26   | 62.7       | 106         | 426          | 8.0   | 205 | 138  | 3.15  | 557 | 0.000  |                |                | 18     |
| Havre, kärna, hög NDF (002)                   | 1          | 5    | 850 | 26   | 75.0       | 109         |              |       | 342 | 392  | 2.00  | 561 | 0.000  |                |                |        |
| Vete, kärna (005)                             | 1          | 17   | 856 | 17   | 72.5       | 113         | 331          | 6.5   | 120 | 158  | 3.50  | 646 | 0.000  |                |                | 12     |
| Blandsäd, kärna, 50%havre/50%korn (096)       | 1          | 2    | 839 | 25   | 80.5       | 106         |              |       |     | 304  | 2.50  | 586 | 0.000  |                |                |        |
| Blandsäd, kärna, 50%korn/50%vete (114)        | 1          | 11   | 849 | 19   | 87.0       | 115         |              | 6.3   | 192 | 173  | 3.30  | 644 | 0.000  |                |                |        |
| Blandsäd, kärna, 50%havre/50%vete (115)       | 1          | 4    | 849 | 22   | 81.6       | 110         |              | 6.3   | 204 | 324  | 2.50  | 590 | 0.000  |                |                |        |
| Åkerböna, kärna (007)                         | 1          | 2    | 858 | 33   | 89.0       | 299         |              | 2.0   |     | 32   | 4.70  | 402 | 0.000  |                |                |        |
| Majs hela plantan, grönmassa (030)            | 1          | 21   | 325 | 29   | 75.9       | 77          | 375          |       | 374 | 198  | 3.32  | 292 | 57.000 |                |                | 37     |
| Prognos, blandvall (1-50% baljv) (042)        | 1          | 2    | 196 |      | 73.2       |             |              |       |     | 170  | 4.32  |     | 0.000  |                |                |        |
| Råg, helsäd, grönmassa (138)                  | 1          | 1    | 373 | 47   | 65.0       | 86          | 791          | 88.0  | 458 | 294  | 2.27  | 95  | 90.000 | 74.0           | 16.0           | 81     |
| Grönmassa, gräs (0% baljv.) (161)             | 1          | 3    | 531 | 77   | 83.7       | 157         |              |       | 428 | 59   | 7.22  |     | 61.000 |                |                | 177    |
| Grönmassa, gräs (0% baljv.) (161)             | 2          | 2    | 580 | 84   | 76.6       | 135         | 402          |       | 457 | 130  | 4.65  |     | 61.000 |                |                | 103    |
| Ensilage, gräs (0% klöver) (162)              | 0          | 1    | 387 | 78   | 75.8       | 127         | 544          | 74.0  | 466 | 148  | 4.68  |     | 81.100 | 63.0           | 17.0           | 45     |
| Ensilage, gräs (0% klöver) (162)              | 1          | 24   | 434 | 68   | 76.1       | 133         | 633          | 75.3  | 447 | 148  | 4.54  |     | 66.388 | 49.3           | 14.4           | 89     |
| Ensilage, gräs (0% klöver) (162)              | 2          | 17   | 451 | 76   | 73.2       | 137         | 539          | 72.8  | 461 | 180  | 4.01  |     | 56.347 | 41.8           | 12.0           | 68     |
| Ensilage, gräs (0% klöver) (162)              | 3          | 11   | 407 | 86   | 75.6       | 159         | 544          | 73.5  | 445 | 157  | 4.60  |     | 67.664 | 51.5           | 14.1           | 47     |
| Ensilage, gräs (0% klöver) (162)              | 4          | 4    | 321 | 88   | 71.5       | 157         | 546          | 112   | 433 | 229  | 3.80  |     | 90.450 | 60.8           | 24.3           | 38     |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 0          | 2    | 527 | 106  | 67.7       | 175         |              |       | 429 | 258  | 2.85  |     | 84.000 |                |                | 40     |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 1          | 78   | 425 | 71   | 78.6       | 138         | 443          |       | 443 | 114  | 5.34  |     | 68.577 | 0.0            | 0.0            | 147    |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 2          | 48   | 469 | 84   | 74.8       | 140         | 411          |       | 461 | 152  | 4.39  |     | 72.354 | 0.0            | 0.0            | 105    |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 3          | 29   | 472 | 89   | 72.5       | 143         | 386          |       | 487 | 173  | 4.19  |     | 84.000 |                |                | 84     |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 4          | 19   | 418 | 93   | 75.0       | 170         | 383          |       | 439 | 157  | 4.27  |     | 84.000 |                |                | 79     |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 5          | 6    | 500 | 89   | 81.1       | 180         | 411          |       | 416 | 87   | 5.71  |     | 84.000 |                |                | 132    |
| Ensilage, blandvall (1-50% klöver) (165)      | 0          | 28   | 482 | 74   | 73.1       | 125         | 532          | 71.9  | 459 | 182  | 3.99  |     | 57.311 | 43.3           | 11.8           | 81     |
| Ensilage, blandvall (1-50% klöver) (165)      | 1          | 265  | 436 | 71   | 76.8       | 133         | 618          | 72.0  | 426 | 149  | 4.55  |     | 63.358 | 47.0           | 13.6           | 96     |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                                         | Sk.<br>nr. | Ant. | TS  | Aska | OS<br>smbh | Rå-<br>prot | sRå-<br>prot | NH3-N | NDF | iNDF | nhNDF | Stä | TAF     | Mjolk-<br>syra | Ättik-<br>syra | Socket |
|----------------------------------------------------|------------|------|-----|------|------------|-------------|--------------|-------|-----|------|-------|-----|---------|----------------|----------------|--------|
| Ensilage, blandvall (1-50% klöver) (165)           | 2          | 209  | 467 | 80   | 74.5       | 143         | 527          | 68.9  | 445 | 172  | 4.21  |     | 57.691  | 42.9           | 12.4           | 75     |
| Ensilage, blandvall (1-50% klöver) (165)           | 3          | 165  | 444 | 88   | 73.7       | 150         | 507          | 78.2  | 435 | 186  | 4.00  |     | 60.765  | 44.4           | 13.3           | 61     |
| Ensilage, blandvall (1-50% klöver) (165)           | 4          | 72   | 394 | 94   | 75.0       | 163         | 523          | 73.0  | 407 | 181  | 4.11  |     | 75.972  | 59.7           | 14.0           | 56     |
| Ensilage, blandvall (1-50% klöver) (165)           | 5          | 5    | 309 | 91   | 76.0       | 151         | 555          | 77.6  | 406 | 167  | 4.30  |     | 79.840  | 61.6           | 15.8           | 47     |
| Korn, helsädesensilage (250)                       | 1          | 18   | 428 | 61   | 68.7       | 98          | 609          | 83.6  | 405 | 273  | 2.41  | 184 | 60.950  | 44.5           | 13.6           | 44     |
| Havre-ärt, helsädesensilage, 50% ärter (251)       | 1          | 10   | 396 | 70   | 67.1       | 105         | 650          | 79.4  | 454 | 262  | 2.73  | 109 | 74.300  | 56.6           | 15.7           | 30     |
| Åkerböna-vete, helsädesensilage, 50% vete (252)    | 1          | 3    | 317 | 80   | 67.7       | 158         | 548          | 94.3  | 427 | 338  | 3.45  | 72  | 120.667 | 76.3           | 40.7           | 55     |
| Ärter/Vicker/Havre, hela plantan, axgång till blom | 1          | 7    | 327 | 64   | 66.6       | 116         | 610          | 105   | 448 | 404  | 5.89  | 95  | 75.071  | 58.1           | 14.9           | 28     |
| Majskolv, ensilerad (257)                          | 1          | 1    | 591 | 14   | 85.7       | 76          | 417          |       | 180 | 133  | 3.51  | 563 | 38.100  |                |                | 15     |
| Havre helsädesensilage degmognad (296)             | 1          | 21   | 377 | 78   | 66.5       | 94          | 585          | 84.3  | 446 | 288  | 2.74  | 112 | 67.143  | 49.8           | 14.5           | 45     |
| Vete-ärt, helsädesensilage, degmognad, 50% ärter ( | 1          | 5    | 362 | 67   | 67.1       | 109         | 590          | 81.8  | 446 | 269  | 2.65  | 81  | 79.600  | 62.0           | 17.6           | 55     |
| Vete, helsäd ensilage (299)                        | 1          | 6    | 463 | 66   | 68.1       | 111         | 674          | 82.8  | 496 | 231  | 3.27  | 36  | 50.500  | 33.0           | 15.0           | 92     |
| Korn-ärt helsädesensilage degmognad, 40% ärter (30 | 1          | 9    | 372 | 63   | 70.5       | 116         | 619          | 77.6  | 414 | 259  | 3.07  | 141 | 73.333  | 55.0           | 18.2           | 37     |
| Majs, helsädesensilage (305)                       | 1          | 34   | 341 | 31   | 75.7       | 74          | 539          | 56.3  | 382 | 207  | 3.45  | 295 | 63.353  | 45.2           | 14.9           | 15     |
| Ärter, helsädesensilage, sen skörd (315)           | 1          | 1    | 462 | 52   | 77.6       | 145         | 697          | 153   | 345 | 183  | 3.55  | 250 | 92.000  | 55.0           | 37.0           | 13     |
| Hö, blandvall, 0-50% baljväxter (383)              | 0          | 2    | 735 | 49   | 69.9       | 107         |              |       | 526 | 203  | 3.72  |     | 0.000   |                |                | 152    |
| Hö, blandvall, 0-50% baljväxter (383)              | 1          | 10   | 835 | 60   | 64.8       | 72          |              |       | 571 | 234  | 3.35  |     | 0.000   |                |                | 138    |
| Grönmassa, blandvall (51-100% baljväxter) (437)    | 2          | 1    | 520 | 87   | 54.5       | 104         |              |       | 517 | 614  | 9.87  |     | 72.000  |                |                | 58     |
| Grönmassa, blandvall (51-100% baljväxter) (437)    | 3          | 3    | 372 | 98   | 66.5       | 151         |              |       | 411 | 446  | 5.41  |     | 72.000  |                |                | 79     |
| Ensilage, blandvall (51-100% klöver) (438)         | 0          | 1    | 305 | 73   | 73.9       | 160         | 472          | 85.0  | 371 | 321  | 5.09  |     | 109.100 | 90.0           | 18.0           | 27     |
| Ensilage, blandvall (51-100% klöver) (438)         | 3          | 1    | 312 | 102  | 70.4       | 170         |              |       | 377 | 374  | 4.69  |     | 72.000  |                |                | 82     |
| Ensilage, blandvall (1-50% klöver) (326)           | 1          | 4    | 373 | 59   | 71.6       | 135         | 550          | 119   | 405 | 276  | 3.52  | 109 | 61.750  | 24.5           | 23.3           | 49     |
| Övrigt foder ej kompletta data (1E3)               | 1          | 1    | 861 | 19   | 0.0        | 125         |              | 6.0   |     |      |       | 565 |         |                |                |        |
| Fullfoder (TMR) ej kompletta data (1E3)            | 1          | 1    | 378 | 100  | 66.8       | 168         | 373          | 74.0  | 404 | 287  | 2.37  | 96  |         |                |                | 32     |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                                    | Sk.<br>nr. | Ant. | PRF     | BUF     | FOF | AAT-<br>p20 | PBV-<br>p20 | NEL-<br>p20 | OE*  | AAT* | PBV* |
|-----------------------------------------------|------------|------|---------|---------|-----|-------------|-------------|-------------|------|------|------|
| Korn, kärna (001)                             | 1          | 8    |         |         |     | 94.0        | -35         | 7.23        | 12.9 | 93.0 | -47  |
| Havre, kärna, hög NDF (002)                   | 1          | 5    |         |         |     | 83.2        | -9.1        | 6.37        | 11.4 | 71.5 | 6.5  |
| Vete, kärna (005)                             | 1          | 17   |         |         |     | 113         | -53         | 7.93        | 14.0 | 93.8 | -37  |
| Blandsäd, kärna, 50%havre/50%korn (096)       | 1          | 2    |         |         |     | 90.1        | -26         | 7.03        |      |      |      |
| Blandsäd, kärna, 50%korn/50%vete (114)        | 1          | 11   |         |         |     | 104         | -39         | 7.55        | 13.5 | 93.8 | -34  |
| Blandsäd, kärna, 50%havre/50%vete (115)       | 1          | 4    |         |         |     | 101         | -36         | 7.22        |      |      |      |
| Åkerböna, kärna (007)                         | 1          | 2    |         |         |     | 102         | 146         | 7.85        |      |      |      |
| Majs hela plantan, grönmassa (030)            | 1          | 21   |         |         |     | 87.7        | -61         | 6.35        | 11.4 | 80.0 | -68  |
| Prognos, blandvall (1-50% baljv) (042)        | 1          | 2    |         |         |     | 96.4        | -4.4        | 5.94        | 13.0 |      |      |
| Råg, helsäd, grönmassa (138)                  | 1          | 1    |         |         |     | 53.6        | 4.2         | 5.10        | 10.0 | 64.0 | -35  |
| Grönmassa, gräs (0% baljv.) (161)             | 1          | 3    |         |         |     | 94.8        | 6.0         | 6.80        | 12.3 | 82.7 | 14.7 |
| Grönmassa, gräs (0% baljv.) (161)             | 2          | 2    |         |         |     | 86.4        | -0.6        | 6.10        | 11.1 | 74.0 | 37.0 |
| Ensilage, gräs (0% klöver) (162)              | 0          | 1    |         | 0.10000 |     | 81.6        | -0.2        | 6.19        | 11.0 | 72.0 | 4.0  |
| Ensilage, gräs (0% klöver) (162)              | 1          | 24   | 3.7500  | 1.26250 |     | 81.9        | 5.1         | 6.15        | 11.2 | 71.9 | 1.9  |
| Ensilage, gräs (0% klöver) (162)              | 2          | 17   | 3.0000  | 1.05294 |     | 81.5        | 10.0        | 5.88        | 10.6 | 69.8 | 7.9  |
| Ensilage, gräs (0% klöver) (162)              | 3          | 11   | 2.2500  | 0.66364 |     | 83.4        | 26.1        | 6.17        | 10.9 | 71.0 | 25.3 |
| Ensilage, gräs (0% klöver) (162)              | 4          | 4    | 10.0000 | 2.20000 |     | 77.1        | 34.9        | 5.79        | 10.2 | 69.7 | 36.7 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 0          | 2    |         |         |     | 75.5        | 57.6        | 5.41        | 9.4  | 67.5 | 58.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 1          | 78   | 4.6667  | 3.40000 |     | 88.7        | 1.2         | 6.37        | 11.6 | 79.1 | -3.4 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 2          | 48   | 2.5714  | 1.57143 |     | 84.0        | 11.3        | 6.03        | 10.8 | 73.8 | 9.8  |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 3          | 29   |         |         |     | 81.1        | 17.9        | 5.89        | 10.3 | 71.9 | 21.5 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 4          | 19   |         |         |     | 84.2        | 38.3        | 6.11        | 10.7 | 72.9 | 50.1 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 5          | 6    |         |         |     | 92.5        | 33.8        | 6.69        | 11.7 | 79.5 | 30.5 |
| Ensilage, blandvall (1-50% klöver) (165)      | 0          | 28   |         | 1.23929 |     | 81.7        | 0.6         | 5.85        | 10.6 | 70.5 | 4.0  |
| Ensilage, blandvall (1-50% klöver) (165)      | 1          | 265  | 3.5000  | 1.22604 |     | 83.7        | 4.7         | 6.20        | 11.2 | 72.5 | 6.3  |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                                         | Sk.<br>nr. | Ant. | PRF    | BUF     | FOF | AAT-<br>p20 | PBV-<br>p20 | NEL-<br>p20 | OE*  | AAT* | PBV* |
|----------------------------------------------------|------------|------|--------|---------|-----|-------------|-------------|-------------|------|------|------|
| Ensilage, blandvall (1-50% klöver) (165)           | 2          | 209  | 3.8125 | 0.95407 |     | 83.9        | 13.7        | 6.02        | 10.8 | 70.9 | 19.0 |
| Ensilage, blandvall (1-50% klöver) (165)           | 3          | 165  | 3.2000 | 1.71697 |     | 83.0        | 21.3        | 5.93        | 10.5 | 70.1 | 28.4 |
| Ensilage, blandvall (1-50% klöver) (165)           | 4          | 72   | 2.0769 | 0.98592 |     | 82.8        | 34.1        | 6.07        | 10.7 | 70.4 | 40.4 |
| Ensilage, blandvall (1-50% klöver) (165)           | 5          | 5    | 1.0000 | 1.44000 |     | 81.9        | 24.5        | 6.16        | 10.9 | 71.7 | 38.0 |
| Korn, helsädesensilage (250)                       | 1          | 18   | 5.0000 | 1.00000 |     | 70.4        | -16         | 5.57        | 10.2 | 59.0 | 4.5  |
| Havre-ärt, helsädesensilage, 50% ärter (251)       | 1          | 10   |        |         |     | 68.3        | -1.7        | 5.48        | 9.9  | 35.5 | 20.0 |
| Åkerböna-vete, helsädesensilage, 50% vete (252)    | 1          | 3    | 3.3333 | 0.33333 |     | 66.8        | 48.1        | 5.70        | 9.6  |      |      |
| Ärter/Vicker/Havre, hela plantan, axgång till blom | 1          | 7    | 4.5000 | 1.50000 |     | 69.3        | 6.6         | 5.50        | 9.8  | 61.0 | 4.7  |
| Majskolv, ensilerad (257)                          | 1          | 1    |        |         |     | 98.7        | -80         | 7.51        |      |      |      |
| Havre helsädesensilage degmognad (296)             | 1          | 21   | 4.7778 | 1.88889 |     | 72.2        | -19         | 5.17        | 9.8  | 62.5 | -33  |
| Vete-ärt, helsädesensilage, degmognad, 50% ärter ( | 1          | 5    |        |         |     | 67.4        | 2.9         | 5.43        |      |      |      |
| Vete, helsäd ensilage (299)                        | 1          | 6    |        |         |     | 70.6        | -5.0        | 5.41        | 9.5  | 61.0 | -17  |
| Korn-ärt helsädesensilage degmognad, 40% ärter (30 | 1          | 9    | 0.3333 | 0.00000 |     | 73.3        | -0.5        | 5.83        | 10.0 | 61.0 | -6.3 |
| Majs, helsädesensilage (305)                       | 1          | 34   | 3.5385 | 0.00000 |     | 82.6        | -55         | 6.41        | 11.5 | 79.6 | -67  |
| Ärter, helsädesensilage, sen skörd (315)           | 1          | 1    |        |         |     | 77.1        | 22.0        | 6.60        |      |      |      |
| Hö, blandvall, 0-50% baljväxter (383)              | 0          | 2    |        |         |     | 89.7        | -29         | 5.49        | 10.4 | 72.5 | -18  |
| Hö, blandvall, 0-50% baljväxter (383)              | 1          | 10   |        |         |     | 81.0        | -48         | 4.92        | 9.4  | 66.9 | -42  |
| Grönmassa, blandvall (51-100% baljväxter) (437)    | 2          | 1    |        |         |     | 62.7        | 14.9        | 4.20        | 7.4  | 56.0 | 8.0  |
| Grönmassa, blandvall (51-100% baljväxter) (437)    | 3          | 3    |        |         |     | 73.7        | 42.1        | 5.23        | 9.3  | 67.0 | 36.0 |
| Ensilage, blandvall (51-100% klöver) (438)         | 0          | 1    |        | 0.10000 |     | 78.7        | 42.0        | 6.10        | 10.7 | 71.0 | 38.0 |
| Ensilage, blandvall (51-100% klöver) (438)         | 3          | 1    |        |         |     | 76.8        | 54.9        | 5.58        | 9.8  | 70.0 | 49.0 |
| Ensilage, blandvall (1-50% klöver) (326)           | 1          | 4    | 4.7500 | 9.25000 |     | 81.8        | 13.2        | 6.02        | 10.5 |      |      |
| Övrigt foder ej kompletta data (1E3)               | 1          | 1    |        |         |     |             |             | 0.00        |      |      |      |
| Fullfoder (TMR) ej kompletta data (1E3)            | 1          | 1    |        |         |     |             |             | 0.00        |      |      |      |
| Råvarublandning - ej kompletta data (1E3)          | 1          | 0    |        |         |     |             |             | 0.00        |      |      |      |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                                    | Sk.<br>nr. | Ant.<br>Ca | Ca   | P   | Mg  | K    | Na  | Cl   | S   | CAB | Ant.<br>Fe | Fe    | Mn   | Zn   | Cu   | Se  |
|-----------------------------------------------|------------|------------|------|-----|-----|------|-----|------|-----|-----|------------|-------|------|------|------|-----|
| Korn, kärna (001)                             | 1          | 5          | 0.8  | 3.4 | 1.4 | 6.7  | 0.4 |      | 1.3 | 73  | 4          | 54.3  | 19.3 | 33.8 | 5.4  |     |
| Havre, kärna, hög NDF (002)                   | 1          | 4          | 0.6  | 2.6 | 1.0 | 4.0  | 0.1 |      | 1.0 | 25  | 4          | 92.5  | 49.3 | 32.8 | 4.2  |     |
| Vete, kärna (005)                             | 1          | 13         | 0.3  | 3.1 | 1.1 | 4.5  | 0.1 | 1.0  | 1.2 | 16  | 13         | 48.7  | 37.6 | 30.2 | 4.6  | 0.0 |
| Blandsäd, kärna, 50%korn/50%vete (114)        | 1          | 9          | 0.5  | 3.1 | 1.2 | 5.0  | 0.1 |      | 1.3 | 26  | 9          | 53.9  | 29.9 | 31.3 | 4.7  | 0.0 |
| Blandsäd, kärna, 50%havre/50%vete (115)       | 1          | 5          | 0.5  | 3.3 | 1.3 | 5.1  | 0.1 |      | 1.3 | 35  | 5          | 60.6  | 37.6 | 33.2 | 5.0  | 0.0 |
| Åkerböna, kärna (007)                         | 1          | 2          | 1.0  | 4.5 | 1.4 | 12.8 | 0.2 |      | 1.7 | 203 | 2          | 60.0  | 16.0 | 52.5 | 17.2 | 0.0 |
| Majs hela plantan, grönmassa (030)            | 1          | 19         | 1.6  | 1.8 | 1.1 | 9.4  | 0.3 | 1.8  | 0.9 | 150 | 15         | 70.5  | 32.3 | 25.3 | 3.6  | 0.0 |
| Råg, helsäd, grönmassa (138)                  | 1          | 1          | 2.6  | 2.0 | 1.3 | 12.0 | 0.6 | 1.9  | 1.5 | 186 | 1          | 77.0  | 44.0 | 27.0 | 5.2  |     |
| Grönmassa, gräs (0% baljv.) (161)             | 1          | 3          | 4.4  | 2.7 | 1.7 | 29.5 | 0.6 |      | 2.1 | 511 | 3          | 117.7 | 55.3 | 29.7 | 5.9  |     |
| Grönmassa, gräs (0% baljv.) (161)             | 2          | 2          | 5.8  | 2.6 | 2.1 | 22.2 | 0.8 | 4.2  | 2.5 | 315 | 2          | 82.5  | 57.0 | 25.0 | 6.7  |     |
| Ensilage, gräs (0% klöver) (162)              | 0          | 1          | 5.9  | 2.4 | 2.5 | 22.4 | 1.0 | 3.9  | 2.5 | 350 | 1          | 250.0 | 67.0 | 25.0 | 8.0  |     |
| Ensilage, gräs (0% klöver) (162)              | 1          | 24         | 4.8  | 2.3 | 1.7 | 22.1 | 0.7 | 5.0  | 1.9 | 336 | 24         | 156.6 | 72.3 | 25.1 | 5.6  | 0.0 |
| Ensilage, gräs (0% klöver) (162)              | 2          | 16         | 5.8  | 2.6 | 2.2 | 24.3 | 0.6 | 6.0  | 2.1 | 346 | 16         | 114.1 | 88.4 | 26.4 | 6.6  | 0.0 |
| Ensilage, gräs (0% klöver) (162)              | 3          | 11         | 6.6  | 3.0 | 2.5 | 24.9 | 1.0 | 7.7  | 2.6 | 301 | 10         | 148.8 | 74.3 | 25.7 | 7.6  | 0.0 |
| Ensilage, gräs (0% klöver) (162)              | 4          | 4          | 7.6  | 2.9 | 3.0 | 21.9 | 1.1 | 7.0  | 2.8 | 232 | 4          | 266.8 | 93.0 | 26.5 | 7.5  | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 0          | 2          | 12.9 | 3.3 | 2.3 | 25.5 | 0.7 |      | 2.3 | 406 | 2          | 307.0 | 83.0 | 36.5 | 9.8  | 0.1 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 1          | 68         | 5.0  | 2.6 | 1.7 | 24.3 | 0.6 | 6.8  | 1.9 | 379 | 63         | 135.3 | 58.7 | 25.7 | 5.5  | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 2          | 42         | 7.1  | 2.7 | 2.3 | 24.5 | 0.8 | 9.8  | 2.2 | 354 | 42         | 173.9 | 67.9 | 26.6 | 7.0  | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 3          | 29         | 7.2  | 2.9 | 2.5 | 25.5 | 0.9 | 17.8 | 2.6 | 285 | 29         | 350.9 | 81.8 | 25.9 | 7.6  | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 4          | 18         | 8.2  | 3.1 | 2.7 | 28.6 | 0.7 | 15.5 | 2.8 | 371 | 18         | 184.2 | 75.4 | 24.4 | 7.7  | 0.1 |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 5          | 6          | 5.2  | 3.3 | 2.2 | 27.9 | 1.0 | 9.9  | 3.4 | 315 | 6          | 116.5 | 67.0 | 23.3 | 7.2  |     |
| Ensilage, blandvall (1-50% klöver) (165)      | 0          | 25         | 5.9  | 2.4 | 2.0 | 21.7 | 0.7 | 5.7  | 1.9 | 312 | 25         | 163.2 | 86.0 | 25.4 | 6.4  | 0.0 |
| Ensilage, blandvall (1-50% klöver) (165)      | 1          | 255        | 5.0  | 2.4 | 1.7 | 22.6 | 0.8 | 5.0  | 1.8 | 356 | 231        | 190.7 | 66.2 | 27.5 | 5.5  | 0.0 |
| Ensilage, blandvall (1-50% klöver) (165)      | 2          | 202        | 6.5  | 2.7 | 2.3 | 24.2 | 1.0 | 7.0  | 2.2 | 328 | 184        | 166.2 | 77.6 | 25.5 | 7.0  | 0.0 |
| Ensilage, blandvall (1-50% klöver) (165)      | 3          | 155        | 7.8  | 2.8 | 2.7 | 24.4 | 1.0 | 7.3  | 2.4 | 311 | 144        | 340.2 | 83.6 | 35.1 | 7.9  | 0.0 |

**\*= Parametrar från det gamla svenska fodervärderingssystemet**

| Fodermedel                                         | Sk.<br>nr. | Ant.<br>Ca | Ca   | P   | Mg  | K    | Na  | Cl   | S   | CAB | Ant.<br>Fe | Fe    | Mn    | Zn   | Cu   | Se  |
|----------------------------------------------------|------------|------------|------|-----|-----|------|-----|------|-----|-----|------------|-------|-------|------|------|-----|
| Ensilage, blandvall (1-50% klöver) (165)           | 4          | 69         | 8.4  | 3.1 | 2.8 | 25.3 | 1.0 | 8.7  | 2.5 | 291 | 65         | 268.8 | 87.0  | 26.8 | 8.0  | 0.1 |
| Ensilage, blandvall (1-50% klöver) (165)           | 5          | 5          | 5.9  | 3.3 | 2.3 | 24.0 | 1.3 | 8.3  | 2.4 | 289 | 4          | 398.8 | 94.8  | 22.0 | 7.0  |     |
| Korn, helsädesensilage (250)                       | 1          | 16         | 4.0  | 2.6 | 1.7 | 15.7 | 1.0 | 3.4  | 1.7 | 237 | 13         | 381.6 | 69.8  | 29.2 | 5.4  | 0.0 |
| Havre-ärt, helsädesensilage, 50% ärter (251)       | 1          | 9          | 4.8  | 2.6 | 1.7 | 17.6 | 1.1 | 3.5  | 1.3 | 312 | 9          | 317.2 | 66.2  | 28.8 | 4.9  | 0.0 |
| Åkerböna-vete, helsädesensilage, 50% vete (252)    | 1          | 3          | 5.6  | 2.9 | 2.2 | 20.1 | 1.4 | 7.0  | 2.5 | 220 | 1          | 125.0 | 33.0  | 28.0 | 6.0  |     |
| Ärter/Vicker/Havre, hela plantan, axgång till blom | 1          | 4          | 5.2  | 2.8 | 2.0 | 17.5 | 1.3 | 4.3  | 1.6 | 303 | 3          | 164.7 | 62.0  | 42.0 | 5.3  | 0.1 |
| Majskolv, ensilerad (257)                          | 1          | 1          | 0.2  | 2.0 | 1.1 | 4.4  | 0.1 | 0.8  | 1.0 | 32  | 1          | 52.0  | 11.0  | 28.0 | 2.6  |     |
| Havre helsädesensilage degmognad (296)             | 1          | 17         | 4.3  | 2.5 | 1.6 | 17.5 | 7.3 | 14.1 | 1.7 | 212 | 13         | 186.5 | 59.8  | 28.9 | 5.1  | 0.0 |
| Vete-ärt, helsädesensilage, degmognad, 50% ärter ( | 1          | 4          | 5.6  | 2.6 | 2.0 | 15.3 | 1.0 | 2.9  | 1.5 | 253 | 4          | 148.3 | 99.3  | 32.8 | 5.7  |     |
| Vete, helsäd ensilage (299)                        | 1          | 6          | 3.2  | 2.3 | 1.5 | 18.3 | 1.0 | 4.4  | 1.7 | 281 | 6          | 216.7 | 62.3  | 24.3 | 5.0  | 0.2 |
| Korn-ärt helsädesensilage degmognad, 40% ärter (30 | 1          | 7          | 5.9  | 2.9 | 2.1 | 17.9 | 1.0 | 3.4  | 1.8 | 278 | 4          | 121.3 | 82.8  | 44.0 | 5.8  | 0.0 |
| Majs, helsädesensilage (305)                       | 1          | 34         | 1.6  | 1.8 | 1.1 | 8.9  | 0.3 | 2.5  | 0.9 | 119 | 27         | 126.7 | 29.2  | 24.6 | 4.2  | 0.0 |
| Ärter, helsädesensilage, sen skörd (315)           | 1          | 1          | 8.3  | 2.5 | 2.7 | 13.9 | 0.3 | 3.5  | 1.3 | 189 | 1          | 76.0  | 28.0  | 33.0 | 8.0  | 0.0 |
| Hö, blandvall, 0-50% baljväxter (383)              | 0          | 1          | 5.1  | 2.0 | 2.1 | 11.5 | 0.4 |      | 1.6 | 71  | 1          | 66.0  | 111.0 | 25.0 | 6.0  |     |
| Hö, blandvall, 0-50% baljväxter (383)              | 1          | 7          | 3.0  | 1.5 | 1.3 | 14.0 | 0.4 |      | 1.2 | 161 | 7          | 129.7 | 105.3 | 18.4 | 3.8  | 0.0 |
| Grönmassa, blandvall (51-100% baljväxter) (437)    | 2          | 1          | 10.8 | 1.9 | 2.7 | 17.2 | 0.2 |      | 1.1 | 250 | 1          | 66.0  | 29.0  | 19.0 | 8.1  |     |
| Grönmassa, blandvall (51-100% baljväxter) (437)    | 3          | 3          | 11.0 | 2.3 | 3.0 | 21.7 | 0.5 |      | 1.6 | 348 | 3          | 167.7 | 34.7  | 25.7 | 10.1 | 0.0 |
| Ensilage, blandvall (51-100% klöver) (438)         | 0          | 1          | 9.4  | 2.6 | 3.1 | 22.3 | 0.8 | 3.9  | 2.0 | 370 | 1          | 100.0 | 48.0  | 25.0 | 10.2 |     |
| Ensilage, blandvall (51-100% klöver) (438)         | 3          | 1          | 9.8  | 2.3 | 3.1 | 25.9 | 0.8 |      | 1.8 | 447 | 1          | 134.0 | 38.0  | 24.0 | 9.8  | 0.0 |
| Ensilage, blandvall (1-50% klöver) (326)           | 1          | 4          | 5.1  | 3.8 | 2.5 | 15.3 | 2.6 | 9.0  | 2.5 | 89  | 1          | 262.0 | 92.0  | 58.0 | 15.0 | 0.3 |
| Övrigt foder ej kompletta data (1E3)               | 1          | 1          | 0.4  | 3.1 | 1.2 | 5.7  | 0.1 |      | 1.2 |     | 1          | 47.0  | 18.0  | 31.0 | 5.8  |     |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 8     | 852.875    | 32.761  | 780.000       | 888.000       |
| Aska      | 8     | 25.500     | 6.619   | 20.000        | 40.000        |
| OS smbh   | 8     | 62.700     | 39.017  | 0.000         | 86.000        |
| Råprot    | 8     | 106.175    | 15.044  | 91.600        | 141.000       |
| sRåprot   | 3     | 426.000    | 176.847 | 276.000       | 621.000       |
| NH3-N     | 1     | 8.000      | .       | 8.000         | 8.000         |
| NDF       | 4     | 205.250    | 102.510 | 123.000       | 341.000       |
| iNDF      | 8     | 138.250    | 75.670  | 25.000        | 246.000       |
| nhNDF     | 8     | 3.150      | 0.000   | 3.150         | 3.150         |
| Stä       | 8     | 556.950    | 125.290 | 264.000       | 643.200       |
| TAF       | 8     | 0.000      | 0.000   | 0.000         | 0.000         |
| Socker    | 3     | 18.333     | 23.094  | 5.000         | 45.000        |
| AATp20    | 8     | 93.971     | 5.175   | 82.872        | 99.838        |
| PBVp20    | 8     | -34.617    | 14.531  | -51.800       | -9.816        |
| NELp20    | 8     | 7.233      | 0.400   | 6.378         | 7.731         |
| OE*       | 5     | 12.866     | 1.269   | 10.730        | 14.000        |
| AAT*      | 2     | 93.000     | 1.414   | 92.000        | 94.000        |
| PBV*      | 2     | -46.500    | 10.607  | -54.000       | -39.000       |
| Ca        | 5     | 0.820      | 0.884   | 0.400         | 2.400         |
| P         | 5     | 3.440      | 0.241   | 3.100         | 3.700         |
| Mg        | 5     | 1.360      | 0.207   | 1.200         | 1.700         |
| K         | 5     | 6.660      | 2.388   | 5.400         | 10.900        |
| Na        | 5     | 0.380      | 0.626   | 0.100         | 1.500         |
| S         | 5     | 1.280      | 0.295   | 1.100         | 1.800         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| CAB       | 5     | 73.051     | 69.970  | 33.652        | 197.687       |
| Fe        | 4     | 54.250     | 4.349   | 50.000        | 58.000        |
| Mn        | 4     | 19.250     | 5.439   | 15.000        | 27.000        |
| Zn        | 4     | 33.750     | 2.500   | 30.000        | 35.000        |
| Cu        | 4     | 5.400      | 0.638   | 4.500         | 5.900         |

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 5     | 849.800    | 43.0256 | 776.000       | 884.000       |
| Aska      | 5     | 25.960     | 7.4332  | 16.000        | 35.100        |
| OS smbh   | 5     | 75.000     | 0.0000  | 75.000        | 75.000        |
| Råprot    | 5     | 109.460    | 16.5201 | 96.100        | 137.000       |
| NDF       | 2     | 342.000    | 4.2426  | 339.000       | 345.000       |
| iNDF      | 5     | 392.000    | 0.0000  | 392.000       | 392.000       |
| nhNDF     | 5     | 2.000      | 0.0000  | 2.000         | 2.000         |
| Stä       | 5     | 561.080    | 89.4062 | 478.000       | 676.900       |
| TAF       | 5     | 0.000      | 0.0000  | 0.000         | 0.000         |
| AATp20    | 5     | 83.187     | 3.4995  | 79.447        | 88.299        |
| PBVp20    | 5     | -9.125     | 11.8116 | -19.805       | 9.980         |
| NELp20    | 5     | 6.365      | 0.0801  | 6.304         | 6.504         |
| OE*       | 2     | 11.400     | 0.2828  | 11.200        | 11.600        |
| AAT*      | 2     | 71.500     | 3.5355  | 69.000        | 74.000        |
| PBV*      | 2     | 6.500      | 13.4350 | -3.000        | 16.000        |
| Ca        | 4     | 0.550      | 0.3786  | 0.000         | 0.800         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| P         | 4     | 2.600      | 1.7664  | 0.000         | 3.800         |
| Mg        | 4     | 0.975      | 0.6551  | 0.000         | 1.400         |
| K         | 4     | 3.950      | 2.6602  | 0.000         | 5.800         |
| Na        | 4     | 0.075      | 0.0500  | 0.000         | 0.100         |
| S         | 4     | 0.950      | 0.6403  | 0.000         | 1.400         |
| CAB       | 4     | 25.191     | 32.8777 | -19.718       | 57.967        |
| Fe        | 4     | 92.500     | 8.0623  | 83.000        | 101.000       |
| Mn        | 4     | 49.250     | 6.5000  | 40.000        | 55.000        |
| Zn        | 4     | 32.750     | 4.6458  | 28.000        | 39.000        |
| Cu        | 4     | 4.175      | 0.4787  | 3.600         | 4.700         |

Fodermedel=Vete, kärna (005) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 17    | 856.176    | 30.3876 | 824.000       | 903.000       |
| Aska      | 17    | 17.100     | 2.1823  | 14.500        | 20.000        |
| OS smbh   | 17    | 72.471     | 34.5798 | 0.000         | 88.000        |
| Råprot    | 17    | 112.618    | 9.6267  | 101.000       | 124.300       |
| sRåprot   | 3     | 330.667    | 54.3722 | 293.000       | 393.000       |
| NH3-N     | 2     | 6.500      | 0.7071  | 6.000         | 7.000         |
| NDF       | 7     | 120.286    | 30.9231 | 74.000        | 174.000       |
| iNDF      | 17    | 158.412    | 63.6583 | 25.000        | 187.000       |
| nhNDF     | 17    | 3.500      | 0.0000  | 3.500         | 3.500         |
| Stä       | 17    | 645.806    | 44.8967 | 556.000       | 688.500       |
| TAF       | 17    | 0.000      | 0.0000  | 0.000         | 0.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Socker    | 4     | 11.750     | 13.5000 | 5.000         | 32.000        |
| AATp20    | 17    | 112.897    | 1.4389  | 110.940       | 115.226       |
| PBVp20    | 17    | -52.733    | 8.1359  | -61.755       | -43.173       |
| NELp20    | 17    | 7.929      | 0.0966  | 7.802         | 8.087         |
| OE*       | 7     | 13.957     | 0.3823  | 13.100        | 14.200        |
| AAT*      | 4     | 93.750     | 0.5000  | 93.000        | 94.000        |
| PBV*      | 4     | -37.000    | 5.2915  | -42.000       | -30.000       |
| Ca        | 13    | 0.346      | 0.0660  | 0.300         | 0.400         |
| P         | 13    | 3.115      | 0.3158  | 2.800         | 3.500         |
| Mg        | 13    | 1.146      | 0.1898  | 1.000         | 1.400         |
| K         | 13    | 4.462      | 0.4538  | 3.900         | 4.900         |
| Na        | 12    | 0.100      | 0.0000  | 0.100         | 0.100         |
| Cl        | 2     | 1.000      | 0.2828  | 0.800         | 1.200         |
| S         | 13    | 1.223      | 0.1013  | 1.100         | 1.400         |
| CAB       | 13    | 16.226     | 10.4220 | 4.028         | 28.180        |
| Fe        | 13    | 48.692     | 11.1384 | 38.000        | 59.000        |
| Mn        | 13    | 37.615     | 9.9711  | 25.000        | 51.000        |
| Zn        | 13    | 30.231     | 6.3921  | 25.000        | 42.000        |
| Cu        | 13    | 4.615      | 0.5814  | 4.000         | 5.300         |
| Se        | 3     | 0.049      | 0.0410  | 0.008         | 0.090         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 839.000    | 7.0711  | 834.000       | 844.000       |
| Aska      | 2     | 25.050     | 3.6062  | 22.500        | 27.600        |
| OS smbh   | 2     | 80.500     | 0.0000  | 80.500        | 80.500        |
| Råprot    | 2     | 105.550    | 15.2028 | 94.800        | 116.300       |
| iNDF      | 2     | 304.000    | 0.0000  | 304.000       | 304.000       |
| nhNDF     | 2     | 2.500      | 0.0000  | 2.500         | 2.500         |
| Stä       | 2     | 586.350    | 13.6472 | 576.700       | 596.000       |
| TAF       | 2     | 0.000      | 0.0000  | 0.000         | 0.000         |
| AATp20    | 2     | 90.114     | 0.1143  | 90.033        | 90.195        |
| PBVp20    | 2     | -26.416    | 14.7682 | -36.859       | -15.974       |
| NELp20    | 2     | 7.032      | 0.0432  | 7.002         | 7.063         |

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 11    | 849.000    | 16.1183 | 824.000       | 858.000       |
| Aska      | 10    | 18.800     | 2.1266  | 16.000        | 22.000        |
| OS smbh   | 11    | 87.000     | 0.0000  | 87.000        | 87.000        |
| Råprot    | 10    | 114.670    | 11.7204 | 98.300        | 127.500       |
| NH3-N     | 4     | 6.250      | 0.5000  | 6.000         | 7.000         |
| NDF       | 6     | 191.667    | 26.4399 | 147.000       | 224.000       |
| iNDF      | 11    | 173.000    | 0.0000  | 173.000       | 173.000       |
| nhNDF     | 11    | 3.300      | 0.0000  | 3.300         | 3.300         |
| Stä       | 10    | 643.860    | 35.5107 | 596.500       | 684.200       |
| TAF       | 11    | 0.000      | 0.0000  | 0.000         | 0.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| AATp20    | 11    | 104.339    | 1.5179  | 102.973       | 106.347       |
| PBVp20    | 11    | -38.751    | 10.2572 | -44.364       | -29.561       |
| NELp20    | 11    | 7.549      | 0.1864  | 7.310         | 7.765         |
| OE*       | 5     | 13.480     | 0.2950  | 13.300        | 14.000        |
| AAT*      | 5     | 93.800     | 0.8367  | 93.000        | 95.000        |
| PBV*      | 5     | -34.200    | 7.5961  | -42.000       | -23.000       |
| Ca        | 9     | 0.456      | 0.0726  | 0.400         | 0.600         |
| P         | 9     | 3.133      | 0.2598  | 2.800         | 3.600         |
| Mg        | 9     | 1.156      | 0.1130  | 1.000         | 1.400         |
| K         | 9     | 5.044      | 0.5769  | 4.100         | 6.000         |
| Na        | 9     | 0.100      | 0.0000  | 0.100         | 0.100         |
| S         | 9     | 1.267      | 0.1225  | 1.100         | 1.500         |
| CAB       | 9     | 26.026     | 16.8204 | -0.212        | 54.631        |
| Fe        | 9     | 53.889     | 13.0809 | 39.000        | 78.000        |
| Mn        | 9     | 29.889     | 7.8969  | 20.000        | 47.000        |
| Zn        | 9     | 31.333     | 4.9497  | 25.000        | 40.000        |
| Cu        | 9     | 4.656      | 0.8847  | 3.000         | 6.200         |
| Se        | 1     | 0.024      | .       | 0.024         | 0.024         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 4     | 849.250    | 5.1235  | 844.000       | 855.000       |
| Aska      | 5     | 22.000     | 6.2052  | 18.000        | 33.000        |
| OS smbh   | 5     | 81.600     | 0.0000  | 81.600        | 81.600        |
| Råprot    | 5     | 110.180    | 7.9449  | 97.000        | 116.100       |
| NH3-N     | 3     | 6.333      | 0.5774  | 6.000         | 7.000         |
| NDF       | 3     | 204.000    | 85.0823 | 142.000       | 301.000       |
| iNDF      | 5     | 324.000    | 0.0000  | 324.000       | 324.000       |
| nhNDF     | 5     | 2.500      | 0.0000  | 2.500         | 2.500         |
| Stä       | 5     | 590.120    | 63.9244 | 479.000       | 644.000       |
| TAF       | 5     | 0.000      | 0.0000  | 0.000         | 0.000         |
| AATp20    | 5     | 100.855    | 5.3895  | 91.982        | 105.998       |
| PBVp20    | 5     | -36.318    | 3.9893  | -42.111       | -31.177       |
| NELp20    | 5     | 7.224      | 0.4884  | 6.360         | 7.568         |
| Ca        | 5     | 0.500      | 0.1225  | 0.400         | 0.700         |
| P         | 5     | 3.300      | 0.2000  | 3.100         | 3.600         |
| Mg        | 5     | 1.260      | 0.0894  | 1.200         | 1.400         |
| K         | 5     | 5.140      | 0.6107  | 4.500         | 6.000         |
| Na        | 5     | 0.100      | 0.0000  | 0.100         | 0.100         |
| S         | 5     | 1.260      | 0.1140  | 1.100         | 1.400         |
| CAB       | 5     | 34.520     | 22.6308 | 9.402         | 66.515        |
| Fe        | 5     | 60.600     | 14.7580 | 42.000        | 78.000        |
| Mn        | 5     | 37.600     | 8.0187  | 29.000        | 49.000        |
| Zn        | 5     | 33.200     | 2.6833  | 29.000        | 35.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Cu        | 5     | 5.000      | 0.3464  | 4.700         | 5.600         |
| Se        | 1     | 0.006      | .       | 0.006         | 0.006         |

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 857.500    | 36.0624 | 832.000       | 883.000       |
| Aska      | 2     | 32.500     | 0.7071  | 32.000        | 33.000        |
| OS smbh   | 2     | 88.959     | 0.0000  | 88.959        | 88.959        |
| Råprot    | 2     | 299.000    | 8.4853  | 293.000       | 305.000       |
| NH3-N     | 2     | 2.000      | 0.0000  | 2.000         | 2.000         |
| iNDF      | 2     | 32.000     | 0.0000  | 32.000        | 32.000        |
| nhNDF     | 2     | 4.700      | 0.0000  | 4.700         | 4.700         |
| Stä       | 2     | 402.000    | 18.3848 | 389.000       | 415.000       |
| TAF       | 2     | 0.000      | 0.0000  | 0.000         | 0.000         |
| AATp20    | 2     | 102.378    | 0.4994  | 102.024       | 102.731       |
| PBVp20    | 2     | 146.147    | 7.5915  | 140.779       | 151.515       |
| NELp20    | 2     | 7.852      | 0.0082  | 7.846         | 7.857         |
| Ca        | 2     | 1.000      | 0.0000  | 1.000         | 1.000         |
| P         | 2     | 4.500      | 1.4142  | 3.500         | 5.500         |
| Mg        | 2     | 1.400      | 0.1414  | 1.300         | 1.500         |
| K         | 2     | 12.800     | 1.4142  | 11.800        | 13.800        |
| Na        | 2     | 0.150      | 0.0707  | 0.100         | 0.200         |
| S         | 2     | 1.650      | 0.2121  | 1.500         | 1.800         |
| CAB       | 2     | 202.593    | 46.3530 | 169.817       | 235.370       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Fe        | 2     | 60.000     | 0.0000  | 60.000        | 60.000        |
| Mn        | 2     | 16.000     | 0.0000  | 16.000        | 16.000        |
| Zn        | 2     | 52.500     | 7.7782  | 47.000        | 58.000        |
| Cu        | 2     | 17.150     | 4.7376  | 13.800        | 20.500        |
| Se        | 1     | 0.020      | .       | 0.020         | 0.020         |

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 21    | 324.762    | 39.5094 | 288.000       | 375.000       |
| Aska      | 19    | 29.211     | 4.5041  | 22.000        | 35.000        |
| OS smbh   | 21    | 75.924     | 1.8724  | 73.400        | 78.300        |
| Råprot    | 19    | 76.895     | 6.1904  | 70.000        | 85.000        |
| sRåprot   | 19    | 375.316    | 33.0253 | 334.000       | 412.000       |
| NDF       | 19    | 374.053    | 24.5164 | 344.000       | 403.000       |
| iNDF      | 21    | 197.850    | 23.1463 | 170.221       | 221.000       |
| nhNDF     | 21    | 3.321      | 0.5215  | 2.592         | 3.948         |
| Stä       | 19    | 292.105    | 43.6194 | 232.000       | 370.000       |
| TAF       | 21    | 57.000     | 0.0000  | 57.000        | 57.000        |
| Socker    | 19    | 37.263     | 38.3201 | 10.000        | 113.000       |
| AATp20    | 21    | 87.692     | 1.5491  | 85.313        | 89.382        |
| PBVp20    | 21    | -61.235    | 5.5477  | -68.610       | -53.710       |
| NELp20    | 21    | 6.354      | 0.1645  | 6.151         | 6.456         |
| OE*       | 13    | 11.375     | 0.1747  | 11.160        | 11.570        |
| AAT*      | 4     | 80.000     | 0.0000  | 80.000        | 80.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| PBV*      | 4     | -68.250    | 3.8622  | -72.000       | -63.000       |
| Ca        | 19    | 1.647      | 0.3533  | 1.100         | 2.100         |
| P         | 19    | 1.795      | 0.2758  | 1.400         | 2.200         |
| Mg        | 19    | 1.100      | 0.2000  | 0.800         | 1.400         |
| K         | 19    | 9.411      | 1.1308  | 8.400         | 11.100        |
| Na        | 16    | 0.275      | 0.1571  | 0.100         | 0.500         |
| Cl        | 15    | 1.800      | 0.3485  | 1.300         | 2.200         |
| S         | 19    | 0.879      | 0.1032  | 0.700         | 1.000         |
| CAB       | 19    | 149.540    | 29.8032 | 118.891       | 194.325       |
| Fe        | 15    | 70.467     | 36.5530 | 35.000        | 104.000       |
| Mn        | 15    | 32.267     | 12.3141 | 17.000        | 52.000        |
| Zn        | 15    | 25.333     | 11.0303 | 13.000        | 38.000        |
| Cu        | 15    | 3.633      | 0.7798  | 2.000         | 4.300         |
| Se        | 5     | 0.006      | 0.0008  | 0.005         | 0.007         |

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 196.000    | 9.89949 | 189.000       | 203.000       |
| OS smbh   | 2     | 73.150     | 0.00000 | 73.150        | 73.150        |
| iNDF      | 2     | 170.460    | 0.00000 | 170.460       | 170.460       |
| nhNDF     | 2     | 4.315      | 0.00000 | 4.315         | 4.315         |
| TAF       | 2     | 0.000      | 0.00000 | 0.000         | 0.000         |
| AATp20    | 2     | 96.439     | 0.00000 | 96.439        | 96.439        |
| PBVp20    | 2     | -4.418     | 0.00000 | -4.418        | -4.418        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NELp20    | 2     | 5.943      | 0.00000 | 5.943         | 5.943         |
| OE*       | 2     | 12.950     | 0.35355 | 12.700        | 13.200        |

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 373.000    | .       | 373.000       | 373.000       |
| Aska      | 1     | 47.000     | .       | 47.000        | 47.000        |
| OS smbh   | 1     | 65.000     | .       | 65.000        | 65.000        |
| Råprot    | 1     | 86.000     | .       | 86.000        | 86.000        |
| sRåprot   | 1     | 791.000    | .       | 791.000       | 791.000       |
| NH3-N     | 1     | 88.000     | .       | 88.000        | 88.000        |
| NDF       | 1     | 458.000    | .       | 458.000       | 458.000       |
| iNDF      | 1     | 293.727    | .       | 293.727       | 293.727       |
| nhNDF     | 1     | 2.271      | .       | 2.271         | 2.271         |
| Stä       | 1     | 95.000     | .       | 95.000        | 95.000        |
| TAF       | 1     | 90.000     | .       | 90.000        | 90.000        |
| Mjölksyra | 1     | 74.000     | .       | 74.000        | 74.000        |
| Ättiksyra | 1     | 16.000     | .       | 16.000        | 16.000        |
| Socket    | 1     | 81.000     | .       | 81.000        | 81.000        |
| AATp20    | 1     | 53.556     | .       | 53.556        | 53.556        |
| PBVp20    | 1     | 4.177      | .       | 4.177         | 4.177         |
| NELp20    | 1     | 5.104      | .       | 5.104         | 5.104         |
| OE*       | 1     | 10.000     | .       | 10.000        | 10.000        |
| AAT*      | 1     | 64.000     | .       | 64.000        | 64.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| PBV*      | 1     | -35.000    | .       | -35.000       | -35.000       |
| Ca        | 1     | 2.600      | .       | 2.600         | 2.600         |
| P         | 1     | 2.000      | .       | 2.000         | 2.000         |
| Mg        | 1     | 1.300      | .       | 1.300         | 1.300         |
| K         | 1     | 12.000     | .       | 12.000        | 12.000        |
| Na        | 1     | 0.600      | .       | 0.600         | 0.600         |
| Cl        | 1     | 1.900      | .       | 1.900         | 1.900         |
| S         | 1     | 1.500      | .       | 1.500         | 1.500         |
| CAB       | 1     | 185.721    | .       | 185.721       | 185.721       |
| Fe        | 1     | 77.000     | .       | 77.000        | 77.000        |
| Mn        | 1     | 44.000     | .       | 44.000        | 44.000        |
| Zn        | 1     | 27.000     | .       | 27.000        | 27.000        |
| Cu        | 1     | 5.200      | .       | 5.200         | 5.200         |

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 3     | 531.333    | 58.6544 | 495.000       | 599.000       |
| Aska      | 3     | 76.667     | 2.5166  | 74.000        | 79.000        |
| OS smbh   | 3     | 83.733     | 0.9713  | 82.900        | 84.800        |
| Råprot    | 3     | 157.333    | 10.6927 | 148.000       | 169.000       |
| NDF       | 3     | 428.000    | 13.8924 | 419.000       | 444.000       |
| iNDF      | 3     | 58.887     | 10.1422 | 47.733        | 67.554        |
| nhNDF     | 3     | 7.221      | 0.4849  | 6.939         | 7.781         |
| TAF       | 3     | 61.000     | 0.0000  | 61.000        | 61.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Socker    | 3     | 176.667    | 15.6312 | 160.000       | 191.000       |
| AATp20    | 3     | 94.824     | 1.5282  | 93.657        | 96.554        |
| PBVp20    | 3     | 6.023      | 7.3911  | -0.712        | 13.930        |
| NELp20    | 3     | 6.802      | 0.1161  | 6.713         | 6.934         |
| OE*       | 3     | 12.300     | 0.1732  | 12.200        | 12.500        |
| AAT*      | 3     | 82.667     | 0.5774  | 82.000        | 83.000        |
| PBV*      | 3     | 14.667     | 9.6090  | 6.000         | 25.000        |
| Ca        | 3     | 4.367      | 0.3055  | 4.100         | 4.700         |
| P         | 3     | 2.733      | 0.2517  | 2.500         | 3.000         |
| Mg        | 3     | 1.667      | 0.1155  | 1.600         | 1.800         |
| K         | 3     | 29.500     | 0.8185  | 28.800        | 30.400        |
| Na        | 3     | 0.600      | 0.1732  | 0.500         | 0.800         |
| S         | 3     | 2.067      | 0.2309  | 1.800         | 2.200         |
| CAB       | 3     | 510.551    | 21.1485 | 492.755       | 533.931       |
| Fe        | 3     | 117.667    | 27.7909 | 96.000        | 149.000       |
| Mn        | 3     | 55.333     | 2.8868  | 52.000        | 57.000        |
| Zn        | 3     | 29.667     | 5.7735  | 23.000        | 33.000        |
| Cu        | 3     | 5.867      | 0.6658  | 5.100         | 6.300         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 580.000    | 272.943 | 387.000       | 773.000       |
| Aska      | 2     | 83.500     | 0.707   | 83.000        | 84.000        |
| OS smbh   | 2     | 76.550     | 4.031   | 73.700        | 79.400        |
| Råprot    | 2     | 135.000    | 41.012  | 106.000       | 164.000       |
| sRåprot   | 1     | 402.000    | .       | 402.000       | 402.000       |
| NDF       | 2     | 456.500    | 64.347  | 411.000       | 502.000       |
| iNDF      | 2     | 129.764    | 42.093  | 100.000       | 159.528       |
| nhNDF     | 2     | 4.652      | 0.127   | 4.562         | 4.742         |
| TAF       | 2     | 61.000     | 0.000   | 61.000        | 61.000        |
| Socker    | 2     | 103.000    | 38.184  | 76.000        | 130.000       |
| AATp20    | 2     | 86.447     | 1.502   | 85.385        | 87.509        |
| PBVp20    | 2     | -0.573     | 40.613  | -29.291       | 28.144        |
| NELp20    | 2     | 6.103      | 0.151   | 5.996         | 6.209         |
| OE*       | 2     | 11.055     | 0.643   | 10.600        | 11.510        |
| AAT*      | 1     | 74.000     | .       | 74.000        | 74.000        |
| PBV*      | 1     | 37.000     | .       | 37.000        | 37.000        |
| Ca        | 2     | 5.750      | 0.636   | 5.300         | 6.200         |
| P         | 2     | 2.550      | 0.212   | 2.400         | 2.700         |
| Mg        | 2     | 2.050      | 0.212   | 1.900         | 2.200         |
| K         | 2     | 22.200     | 7.920   | 16.600        | 27.800        |
| Na        | 2     | 0.750      | 0.778   | 0.200         | 1.300         |
| Cl        | 1     | 4.200      | .       | 4.200         | 4.200         |
| S         | 2     | 2.500      | 0.424   | 2.200         | 2.800         |
| CAB       | 2     | 314.556    | 193.914 | 177.438       | 451.674       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Fe        | 2     | 82.500     | 27.577  | 63.000        | 102.000       |
| Mn        | 2     | 57.000     | 2.828   | 55.000        | 59.000        |
| Zn        | 2     | 25.000     | 15.556  | 14.000        | 36.000        |
| Cu        | 2     | 6.650      | 2.333   | 5.000         | 8.300         |

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 387.000    | .       | 387.000       | 387.000       |
| Aska      | 1     | 78.000     | .       | 78.000        | 78.000        |
| OS smbh   | 1     | 75.800     | .       | 75.800        | 75.800        |
| Råprot    | 1     | 127.000    | .       | 127.000       | 127.000       |
| sRåprot   | 1     | 544.000    | .       | 544.000       | 544.000       |
| NH3-N     | 1     | 74.000     | .       | 74.000        | 74.000        |
| NDF       | 1     | 466.000    | .       | 466.000       | 466.000       |
| iNDF      | 1     | 148.322    | .       | 148.322       | 148.322       |
| nhNDF     | 1     | 4.677      | .       | 4.677         | 4.677         |
| TAF       | 1     | 81.100     | .       | 81.100        | 81.100        |
| Mjölksyra | 1     | 63.000     | .       | 63.000        | 63.000        |
| Ättiksyra | 1     | 17.000     | .       | 17.000        | 17.000        |
| Socker    | 1     | 45.000     | .       | 45.000        | 45.000        |
| BUF       | 1     | 0.100      | .       | 0.100         | 0.100         |
| AATp20    | 1     | 81.632     | .       | 81.632        | 81.632        |
| PBVp20    | 1     | -0.222     | .       | -0.222        | -0.222        |
| NELp20    | 1     | 6.192      | .       | 6.192         | 6.192         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 1     | 11.000     | .       | 11.000        | 11.000        |
| AAT*      | 1     | 72.000     | .       | 72.000        | 72.000        |
| PBV*      | 1     | 4.000      | .       | 4.000         | 4.000         |
| Ca        | 1     | 5.900      | .       | 5.900         | 5.900         |
| P         | 1     | 2.400      | .       | 2.400         | 2.400         |
| Mg        | 1     | 2.500      | .       | 2.500         | 2.500         |
| K         | 1     | 22.400     | .       | 22.400        | 22.400        |
| Na        | 1     | 1.000      | .       | 1.000         | 1.000         |
| Cl        | 1     | 3.900      | .       | 3.900         | 3.900         |
| S         | 1     | 2.500      | .       | 2.500         | 2.500         |
| CAB       | 1     | 350.259    | .       | 350.259       | 350.259       |
| Fe        | 1     | 250.000    | .       | 250.000       | 250.000       |
| Mn        | 1     | 67.000     | .       | 67.000        | 67.000        |
| Zn        | 1     | 25.000     | .       | 25.000        | 25.000        |
| Cu        | 1     | 8.000      | .       | 8.000         | 8.000         |

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 24    | 433.542    | 166.965 | 266.000       | 689.000       |
| Aska      | 24    | 67.583     | 9.334   | 60.000        | 78.000        |
| OS smbh   | 24    | 76.063     | 4.929   | 67.900        | 80.800        |
| Råprot    | 24    | 133.042    | 37.018  | 81.000        | 179.000       |
| sRåprot   | 24    | 632.542    | 103.721 | 464.000       | 725.000       |
| NH3-N     | 24    | 75.292     | 28.026  | 41.000        | 109.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NDF       | 24    | 446.958    | 58.824  | 389.000       | 549.000       |
| iNDF      | 24    | 148.273    | 41.756  | 109.921       | 201.663       |
| nhNDF     | 24    | 4.535      | 0.757   | 3.868         | 5.479         |
| TAF       | 24    | 66.388     | 41.288  | 19.500        | 122.900       |
| Mjölksyra | 24    | 49.292     | 34.290  | 11.000        | 98.000        |
| Ättiksyra | 24    | 14.375     | 8.303   | 5.000         | 28.000        |
| Socker    | 24    | 89.375     | 53.725  | 24.000        | 147.000       |
| PRF       | 4     | 3.750      | 1.258   | 2.000         | 5.000         |
| BUF       | 24    | 1.263      | 1.311   | 0.100         | 2.600         |
| AATp20    | 24    | 81.909     | 4.269   | 76.843        | 85.258        |
| PBVp20    | 24    | 5.147      | 32.391  | -39.847       | 55.082        |
| NELp20    | 24    | 6.151      | 0.563   | 5.259         | 6.709         |
| OE*       | 24    | 11.157     | 0.816   | 9.800         | 12.000        |
| AAT*      | 20    | 71.850     | 2.540   | 68.000        | 74.500        |
| PBV*      | 20    | 1.850      | 29.962  | -42.000       | 35.500        |
| Ca        | 24    | 4.829      | 1.397   | 3.700         | 6.200         |
| P         | 24    | 2.342      | 0.519   | 1.500         | 3.000         |
| Mg        | 24    | 1.704      | 0.279   | 1.400         | 2.000         |
| K         | 24    | 22.092     | 5.362   | 17.300        | 30.400        |
| Na        | 24    | 0.654      | 0.532   | 0.200         | 1.300         |
| Cl        | 24    | 5.013      | 2.882   | 1.900         | 10.100        |
| S         | 24    | 1.854      | 0.470   | 1.200         | 2.400         |
| CAB       | 24    | 336.364    | 112.101 | 197.904       | 514.478       |
| Fe        | 24    | 156.625    | 101.261 | 59.000        | 257.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Mn        | 24    | 72.250     | 39.467  | 40.000        | 112.000       |
| Zn        | 24    | 25.125     | 7.225   | 15.000        | 35.000        |
| Cu        | 24    | 5.596      | 1.602   | 3.400         | 7.800         |
| Se        | 4     | 0.014      | 0.006   | 0.010         | 0.023         |

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 17    | 450.588    | 126.296 | 370.000       | 736.000       |
| Aska      | 17    | 76.294     | 5.265   | 68.000        | 83.000        |
| OS smbh   | 17    | 73.188     | 3.697   | 67.600        | 77.900        |
| Råprot    | 17    | 137.412    | 31.735  | 99.000        | 181.000       |
| sRåprot   | 17    | 539.471    | 142.370 | 320.000       | 688.000       |
| NH3-N     | 17    | 72.765     | 20.238  | 45.000        | 101.000       |
| NDF       | 17    | 461.412    | 34.690  | 426.000       | 512.000       |
| iNDF      | 17    | 179.961    | 45.266  | 129.318       | 242.342       |
| nhNDF     | 17    | 4.009      | 0.688   | 2.956         | 4.720         |
| TAF       | 17    | 56.347     | 28.280  | 27.400        | 101.100       |
| Mjölksyra | 16    | 41.750     | 22.823  | 14.000        | 76.000        |
| Ättiksyra | 17    | 12.000     | 7.467   | 1.000         | 24.000        |
| Socker    | 17    | 68.353     | 29.443  | 31.000        | 93.000        |
| PRF       | 3     | 3.000      | 0.000   | 3.000         | 3.000         |
| BUF       | 17    | 1.053      | 1.151   | 0.000         | 2.800         |
| AATp20    | 17    | 81.494     | 2.751   | 78.534        | 84.432        |
| PBVp20    | 17    | 10.027     | 27.302  | -20.885       | 49.892        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NELp20    | 17    | 5.880      | 0.488   | 5.117         | 6.453         |
| OE*       | 17    | 10.589     | 0.612   | 9.600         | 11.330        |
| AAT*      | 14    | 69.786     | 1.718   | 67.000        | 72.000        |
| PBV*      | 14    | 7.857      | 24.359  | -20.000       | 43.000        |
| Ca        | 16    | 5.825      | 1.930   | 3.600         | 9.100         |
| P         | 16    | 2.606      | 0.368   | 2.100         | 2.900         |
| Mg        | 16    | 2.206      | 0.411   | 1.800         | 2.800         |
| K         | 16    | 24.256     | 5.176   | 18.300        | 31.300        |
| Na        | 16    | 0.631      | 0.411   | 0.200         | 1.400         |
| Cl        | 17    | 6.006      | 2.743   | 3.200         | 9.700         |
| S         | 16    | 2.119      | 0.608   | 1.200         | 3.000         |
| CAB       | 16    | 345.846    | 112.665 | 186.635       | 478.655       |
| Fe        | 16    | 114.125    | 53.847  | 60.000        | 216.000       |
| Mn        | 16    | 88.438     | 64.129  | 45.000        | 157.000       |
| Zn        | 16    | 26.438     | 5.865   | 19.000        | 36.000        |
| Cu        | 16    | 6.600      | 1.266   | 5.000         | 8.000         |
| Se        | 1     | 0.008      | .       | 0.008         | 0.008         |

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 11    | 407.455    | 115.362 | 280.000       | 549.000       |
| Aska      | 11    | 85.909     | 8.746   | 80.000        | 95.000        |
| OS smbh   | 11    | 75.627     | 2.686   | 73.300        | 77.300        |
| Råprot    | 11    | 158.545    | 25.061  | 138.000       | 191.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| sRåprot   | 11    | 544.364    | 73.251  | 427.000       | 640.000       |
| NH3-N     | 11    | 73.545     | 25.252  | 46.000        | 89.000        |
| NDF       | 11    | 445.364    | 44.755  | 409.000       | 495.000       |
| iNDF      | 11    | 157.058    | 25.297  | 131.852       | 180.944       |
| nhNDF     | 11    | 4.605      | 0.753   | 3.840         | 4.920         |
| TAF       | 11    | 67.664     | 20.889  | 40.700        | 98.000        |
| Mjölksyra | 11    | 51.455     | 20.245  | 30.000        | 79.000        |
| Ättiksyra | 11    | 14.091     | 6.316   | 8.000         | 21.000        |
| Socker    | 11    | 47.364     | 16.237  | 36.000        | 69.000        |
| PRF       | 4     | 2.250      | 0.500   | 2.000         | 3.000         |
| BUF       | 11    | 0.664      | 0.765   | 0.000         | 1.700         |
| AATp20    | 11    | 83.428     | 2.703   | 80.023        | 86.477        |
| PBVp20    | 11    | 26.103     | 22.479  | 7.752         | 59.966        |
| NELp20    | 11    | 6.172      | 0.295   | 5.920         | 6.463         |
| OE*       | 11    | 10.867     | 0.412   | 10.570        | 11.120        |
| AAT*      | 7     | 71.000     | 1.155   | 69.000        | 72.000        |
| PBV*      | 7     | 25.286     | 16.760  | -2.000        | 51.000        |
| Ca        | 11    | 6.573      | 1.100   | 5.800         | 7.800         |
| P         | 11    | 3.027      | 0.456   | 2.500         | 3.500         |
| Mg        | 11    | 2.527      | 0.224   | 2.300         | 2.800         |
| K         | 11    | 24.855     | 2.855   | 22.400        | 28.200        |
| Na        | 11    | 0.982      | 0.379   | 0.800         | 1.400         |
| Cl        | 11    | 7.700      | 3.822   | 3.800         | 13.200        |
| S         | 11    | 2.573      | 0.429   | 2.000         | 3.100         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| CAB       | 11    | 300.657    | 86.066  | 177.741       | 365.046       |
| Fe        | 10    | 148.800    | 80.372  | 72.500        | 283.000       |
| Mn        | 10    | 74.300     | 14.446  | 62.500        | 94.500        |
| Zn        | 10    | 25.700     | 5.774   | 18.500        | 34.000        |
| Cu        | 10    | 7.550      | 1.381   | 5.600         | 9.050         |
| Se        | 1     | 0.014      | .       | 0.014         | 0.014         |

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 4     | 321.000    | 69.909  | 250.000       | 407.000       |
| Aska      | 4     | 87.500     | 7.895   | 78.000        | 94.000        |
| OS smbh   | 4     | 71.500     | 4.753   | 66.800        | 77.700        |
| Råprot    | 4     | 156.750    | 18.301  | 142.000       | 183.000       |
| sRåprot   | 4     | 546.250    | 44.657  | 480.000       | 573.000       |
| NH3-N     | 4     | 111.500    | 34.694  | 89.000        | 163.000       |
| NDF       | 4     | 433.250    | 48.362  | 402.000       | 505.000       |
| iNDF      | 4     | 228.678    | 74.983  | 137.430       | 310.000       |
| nhNDF     | 4     | 3.797      | 0.940   | 2.598         | 4.631         |
| TAF       | 4     | 90.450     | 18.910  | 64.600        | 108.100       |
| Mjölksyra | 4     | 60.750     | 22.470  | 36.000        | 89.000        |
| Ättiksyra | 4     | 24.250     | 15.735  | 11.000        | 47.000        |
| Socker    | 4     | 37.750     | 25.171  | 20.000        | 75.000        |
| PRF       | 1     | 10.000     | .       | 10.000        | 10.000        |
| BUF       | 4     | 2.200      | 3.226   | 0.100         | 7.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| AATp20    | 4     | 77.106     | 3.027   | 72.736        | 79.667        |
| PBVp20    | 4     | 34.862     | 18.459  | 19.295        | 58.445        |
| NELp20    | 4     | 5.789      | 0.366   | 5.502         | 6.322         |
| OE*       | 4     | 10.180     | 0.693   | 9.520         | 11.100        |
| AAT*      | 3     | 69.667     | 2.082   | 68.000        | 72.000        |
| PBV*      | 3     | 36.667     | 24.542  | 22.000        | 65.000        |
| Ca        | 4     | 7.575      | 0.602   | 7.000         | 8.400         |
| P         | 4     | 2.850      | 0.700   | 2.500         | 3.900         |
| Mg        | 4     | 2.975      | 0.263   | 2.700         | 3.200         |
| K         | 4     | 21.850     | 1.507   | 20.500        | 23.300        |
| Na        | 4     | 1.125      | 0.377   | 0.700         | 1.600         |
| Cl        | 4     | 7.000      | 1.794   | 4.500         | 8.400         |
| S         | 4     | 2.850      | 0.404   | 2.300         | 3.200         |
| CAB       | 4     | 232.428    | 30.414  | 187.876       | 253.716       |
| Fe        | 4     | 266.750    | 162.247 | 148.000       | 505.000       |
| Mn        | 4     | 93.000     | 13.241  | 76.000        | 104.000       |
| Zn        | 4     | 26.500     | 7.141   | 19.000        | 34.000        |
| Cu        | 4     | 7.450      | 2.053   | 5.300         | 9.400         |
| Se        | 1     | 0.026      | .       | 0.026         | 0.026         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 526.500    | 219.910 | 371.000       | 682.000       |
| Aska      | 2     | 106.000    | 4.243   | 103.000       | 109.000       |
| OS smbh   | 2     | 67.700     | 4.101   | 64.800        | 70.600        |
| Råprot    | 2     | 175.000    | 22.627  | 159.000       | 191.000       |
| NDF       | 2     | 429.000    | 18.385  | 416.000       | 442.000       |
| iNDF      | 2     | 257.889    | 66.160  | 211.106       | 304.671       |
| nhNDF     | 2     | 2.851      | 0.897   | 2.217         | 3.485         |
| TAF       | 2     | 84.000     | 0.000   | 84.000        | 84.000        |
| Socker    | 2     | 39.500     | 41.719  | 10.000        | 69.000        |
| AATp20    | 2     | 75.549     | 5.227   | 71.853        | 79.245        |
| PBVp20    | 2     | 57.639     | 12.522  | 48.784        | 66.493        |
| NELp20    | 2     | 5.414      | 0.500   | 5.060         | 5.767         |
| OE*       | 2     | 9.350      | 0.636   | 8.900         | 9.800         |
| AAT*      | 2     | 67.500     | 3.536   | 65.000        | 70.000        |
| PBV*      | 2     | 58.000     | 16.971  | 46.000        | 70.000        |
| Ca        | 2     | 12.900     | 0.141   | 12.800        | 13.000        |
| P         | 2     | 3.300      | 0.566   | 2.900         | 3.700         |
| Mg        | 2     | 2.250      | 0.212   | 2.100         | 2.400         |
| K         | 2     | 25.450     | 5.586   | 21.500        | 29.400        |
| Na        | 2     | 0.650      | 0.495   | 0.300         | 1.000         |
| S         | 2     | 2.250      | 0.354   | 2.000         | 2.500         |
| CAB       | 2     | 406.137    | 142.292 | 305.521       | 506.752       |
| Fe        | 2     | 307.000    | 176.777 | 182.000       | 432.000       |
| Mn        | 2     | 83.000     | 32.527  | 60.000        | 106.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 2     | 36.500     | 7.778   | 31.000        | 42.000        |
| Cu        | 2     | 9.750      | 1.202   | 8.900         | 10.600        |
| Se        | 1     | 0.063      | .       | 0.063         | 0.063         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 78    | 424.577    | 135.815 | 258.000       | 628.000       |
| Aska      | 77    | 70.506     | 9.426   | 58.000        | 83.000        |
| OS smbh   | 78    | 78.599     | 4.968   | 69.000        | 84.200        |
| Råprot    | 77    | 138.169    | 27.540  | 98.000        | 168.000       |
| sRåprot   | 21    | 442.952    | 43.980  | 393.000       | 503.000       |
| NDF       | 77    | 443.130    | 54.416  | 376.000       | 522.000       |
| iNDF      | 78    | 113.937    | 52.141  | 56.000        | 187.447       |
| nhNDF     | 78    | 5.342      | 1.402   | 4.029         | 6.901         |
| TAF       | 78    | 68.577     | 30.699  | 6.000         | 84.000        |
| Mjölksyra | 16    | 0.000      | 0.000   | 0.000         | 0.000         |
| Ättiksyra | 15    | 0.000      | 0.000   | 0.000         | 0.000         |
| Socker    | 77    | 147.065    | 42.808  | 92.000        | 208.000       |
| PRF       | 15    | 4.667      | 4.923   | 0.000         | 12.000        |
| BUF       | 15    | 3.400      | 1.682   | 2.000         | 6.000         |
| AATp20    | 78    | 88.720     | 7.123   | 77.584        | 97.973        |
| PBVp20    | 78    | 1.228      | 19.168  | -28.599       | 24.607        |
| NELp20    | 78    | 6.369      | 0.447   | 5.588         | 6.860         |
| OE*       | 77    | 11.553     | 0.832   | 10.100        | 12.400        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| AAT*      | 56    | 79.125     | 4.921   | 71.000        | 84.000        |
| PBV*      | 56    | -3.427     | 22.395  | -38.000       | 24.000        |
| Ca        | 68    | 5.049      | 1.795   | 3.100         | 7.500         |
| P         | 68    | 2.553      | 0.463   | 2.100         | 3.200         |
| Mg        | 68    | 1.663      | 0.371   | 1.200         | 2.200         |
| K         | 68    | 24.307     | 4.368   | 17.700        | 29.900        |
| Na        | 68    | 0.624      | 0.476   | 0.200         | 1.200         |
| Cl        | 19    | 6.758      | 3.536   | 0.300         | 12.200        |
| S         | 68    | 1.935      | 0.404   | 1.400         | 2.500         |
| CAB       | 68    | 379.234    | 116.479 | 226.739       | 545.835       |
| Fe        | 63    | 135.286    | 73.392  | 74.000        | 214.000       |
| Mn        | 63    | 58.683     | 22.986  | 37.000        | 84.000        |
| Zn        | 63    | 25.667     | 4.537   | 20.000        | 32.000        |
| Cu        | 63    | 5.522      | 1.199   | 4.000         | 7.400         |
| Se        | 17    | 0.016      | 0.014   | 0.006         | 0.049         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 48    | 468.896    | 131.480 | 332.000       | 667.000       |
| Aska      | 47    | 83.787     | 9.802   | 70.000        | 98.000        |
| OS smbh   | 48    | 74.819     | 4.545   | 67.200        | 79.900        |
| Råprot    | 47    | 140.489    | 23.340  | 119.000       | 168.000       |
| sRåprot   | 10    | 410.800    | 37.312  | 372.000       | 465.500       |
| NDF       | 47    | 460.574    | 38.135  | 410.000       | 513.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| iNDF      | 48    | 152.392    | 58.111  | 70.000        | 231.415       |
| nhNDF     | 48    | 4.387      | 0.890   | 3.221         | 5.475         |
| TAF       | 48    | 72.354     | 28.494  | 5.000         | 84.000        |
| Mjölksyra | 7     | 0.000      | 0.000   | 0.000         | 0.000         |
| Ättiksyra | 7     | 0.000      | 0.000   | 0.000         | 0.000         |
| Socker    | 47    | 105.255    | 39.272  | 53.000        | 146.000       |
| PRF       | 7     | 2.571      | 1.272   | 1.000         | 4.000         |
| BUF       | 7     | 1.571      | 0.976   | 0.000         | 3.000         |
| AATp20    | 48    | 83.955     | 7.837   | 73.855        | 99.137        |
| PBVp20    | 48    | 11.281     | 18.475  | -8.896        | 36.838        |
| NELp20    | 48    | 6.026      | 0.417   | 5.366         | 6.522         |
| OE*       | 47    | 10.772     | 0.797   | 9.600         | 11.710        |
| AAT*      | 37    | 73.784     | 4.151   | 67.000        | 79.000        |
| PBV*      | 37    | 9.759      | 23.141  | -11.000       | 39.000        |
| Ca        | 42    | 7.105      | 2.744   | 3.800         | 10.700        |
| P         | 42    | 2.702      | 0.395   | 2.300         | 3.100         |
| Mg        | 42    | 2.307      | 0.583   | 1.700         | 3.000         |
| K         | 42    | 24.467     | 3.525   | 20.600        | 28.600        |
| Na        | 42    | 0.781      | 0.446   | 0.300         | 1.300         |
| Cl        | 10    | 9.770      | 5.464   | 5.400         | 17.900        |
| S         | 42    | 2.221      | 0.539   | 1.700         | 3.000         |
| CAB       | 42    | 354.463    | 117.073 | 233.095       | 467.333       |
| Fe        | 42    | 173.905    | 201.649 | 72.000        | 282.000       |
| Mn        | 42    | 67.905     | 26.351  | 38.000        | 109.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 42    | 26.643     | 7.008   | 21.000        | 33.000        |
| Cu        | 42    | 7.017      | 1.681   | 5.000         | 8.900         |
| Se        | 12    | 0.021      | 0.010   | 0.010         | 0.034         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 29    | 472.138    | 139.873 | 291.000       | 733.000       |
| Aska      | 29    | 89.103     | 15.603  | 69.000        | 111.000       |
| OS smbh   | 29    | 72.472     | 4.343   | 64.400        | 77.800        |
| Råprot    | 29    | 142.690    | 23.689  | 116.000       | 184.000       |
| sRåprot   | 9     | 385.556    | 44.590  | 313.000       | 452.000       |
| NDF       | 29    | 486.621    | 42.013  | 438.000       | 537.000       |
| iNDF      | 29    | 172.969    | 47.436  | 112.300       | 253.115       |
| nhNDF     | 29    | 4.192      | 0.822   | 3.026         | 5.578         |
| TAF       | 29    | 84.000     | 0.000   | 84.000        | 84.000        |
| Socker    | 29    | 83.931     | 39.872  | 22.000        | 121.000       |
| AATp20    | 29    | 81.119     | 5.484   | 71.438        | 87.308        |
| PBVp20    | 29    | 17.852     | 22.983  | -8.484        | 53.536        |
| NELp20    | 29    | 5.886      | 0.401   | 5.138         | 6.435         |
| OE*       | 29    | 10.327     | 0.778   | 8.800         | 11.100        |
| AAT*      | 20    | 71.900     | 4.833   | 64.000        | 77.000        |
| PBV*      | 20    | 21.450     | 26.486  | -7.500        | 56.000        |
| Ca        | 29    | 7.155      | 2.444   | 4.300         | 11.100        |
| P         | 29    | 2.928      | 0.411   | 2.500         | 3.500         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Mg        | 29    | 2.514      | 0.583   | 1.600         | 3.400         |
| K         | 29    | 25.534     | 4.725   | 19.000        | 30.600        |
| Na        | 29    | 0.934      | 0.468   | 0.400         | 1.500         |
| Cl        | 9     | 17.844     | 7.790   | 8.800         | 31.700        |
| S         | 29    | 2.590      | 0.679   | 1.800         | 3.200         |
| CAB       | 29    | 284.528    | 222.499 | -74.653       | 510.333       |
| Fe        | 29    | 350.931    | 938.652 | 84.000        | 597.000       |
| Mn        | 29    | 81.759     | 47.176  | 45.000        | 124.000       |
| Zn        | 29    | 25.862     | 5.699   | 19.000        | 32.000        |
| Cu        | 29    | 7.586      | 2.304   | 5.300         | 10.200        |
| Se        | 5     | 0.026      | 0.027   | 0.008         | 0.074         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 19    | 417.947    | 134.719 | 259.000       | 602.000       |
| Aska      | 19    | 93.368     | 12.535  | 75.000        | 111.000       |
| OS smbh   | 19    | 74.953     | 4.842   | 69.300        | 79.700        |
| Råprot    | 19    | 169.895    | 28.641  | 143.000       | 213.000       |
| sRåprot   | 5     | 383.200    | 23.015  | 358.000       | 409.000       |
| NDF       | 19    | 438.947    | 44.541  | 372.000       | 493.000       |
| iNDF      | 19    | 156.575    | 63.822  | 85.000        | 248.599       |
| nhNDF     | 19    | 4.272      | 0.986   | 2.702         | 5.415         |
| TAF       | 19    | 84.000     | 0.000   | 84.000        | 84.000        |
| Socket    | 19    | 79.211     | 31.886  | 32.000        | 120.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| AATp20    | 19    | 84.214     | 5.921   | 76.297        | 91.888        |
| PBVp20    | 19    | 38.332     | 26.115  | 7.865         | 72.741        |
| NELp20    | 19    | 6.115      | 0.457   | 5.565         | 6.579         |
| OE*       | 19    | 10.669     | 0.789   | 9.600         | 11.560        |
| AAT*      | 14    | 72.929     | 3.792   | 69.000        | 77.000        |
| PBV*      | 14    | 50.143     | 28.579  | 28.000        | 83.000        |
| Ca        | 18    | 8.167      | 2.776   | 5.500         | 12.800        |
| P         | 18    | 3.094      | 0.581   | 2.600         | 4.000         |
| Mg        | 18    | 2.672      | 0.478   | 2.000         | 3.600         |
| K         | 18    | 28.600     | 5.702   | 22.100        | 36.800        |
| Na        | 18    | 0.717      | 0.350   | 0.300         | 1.200         |
| Cl        | 5     | 15.500     | 6.288   | 6.500         | 21.200        |
| S         | 18    | 2.800      | 0.671   | 2.000         | 4.100         |
| CAB       | 18    | 370.716    | 200.855 | 44.671        | 681.608       |
| Fe        | 18    | 184.222    | 151.936 | 82.000        | 504.000       |
| Mn        | 18    | 75.444     | 23.520  | 39.000        | 103.000       |
| Zn        | 18    | 24.389     | 4.060   | 18.000        | 28.000        |
| Cu        | 18    | 7.678      | 1.759   | 5.000         | 10.300        |
| Se        | 4     | 0.073      | 0.082   | 0.021         | 0.193         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 6     | 499.500    | 129.775 | 385.000       | 756.000       |
| Aska      | 6     | 88.833     | 13.732  | 71.000        | 108.000       |
| OS smbh   | 6     | 81.083     | 1.038   | 79.200        | 82.400        |
| Råprot    | 6     | 179.833    | 15.316  | 161.000       | 201.000       |
| sRåprot   | 4     | 411.000    | 17.569  | 387.000       | 429.000       |
| NDF       | 6     | 415.667    | 17.466  | 389.000       | 433.000       |
| iNDF      | 6     | 86.646     | 16.525  | 69.636        | 117.000       |
| nhNDF     | 6     | 5.714      | 0.331   | 5.401         | 6.330         |
| TAF       | 6     | 84.000     | 0.000   | 84.000        | 84.000        |
| Socker    | 6     | 131.833    | 11.089  | 121.000       | 151.000       |
| AATp20    | 6     | 92.544     | 3.632   | 87.395        | 96.895        |
| PBVp20    | 6     | 33.763     | 9.108   | 24.227        | 48.310        |
| NELp20    | 6     | 6.694      | 0.147   | 6.479         | 6.847         |
| OE*       | 6     | 11.723     | 0.186   | 11.500        | 11.980        |
| AAT*      | 2     | 79.500     | 0.707   | 79.000        | 80.000        |
| PBV*      | 2     | 30.500     | 6.364   | 26.000        | 35.000        |
| Ca        | 6     | 5.200      | 0.970   | 3.900         | 6.800         |
| P         | 6     | 3.283      | 0.508   | 2.700         | 4.200         |
| Mg        | 6     | 2.150      | 0.295   | 1.800         | 2.600         |
| K         | 6     | 27.867     | 4.190   | 20.000        | 31.700        |
| Na        | 6     | 1.033      | 0.441   | 0.500         | 1.600         |
| Cl        | 4     | 9.900      | 2.246   | 7.900         | 13.100        |
| S         | 6     | 3.400      | 0.636   | 2.600         | 4.500         |
| CAB       | 6     | 315.083    | 111.183 | 158.539       | 447.305       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=5

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Fe        | 6     | 116.500    | 39.104  | 81.000        | 192.000       |
| Mn        | 6     | 67.000     | 35.276  | 39.000        | 135.000       |
| Zn        | 6     | 23.333     | 2.422   | 21.000        | 27.000        |
| Cu        | 6     | 7.233      | 0.463   | 6.800         | 8.000         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 28    | 481.893    | 173.912 | 314.000       | 776.000       |
| Aska      | 28    | 74.214     | 14.808  | 48.000        | 93.000        |
| OS smbh   | 28    | 73.071     | 5.024   | 67.000        | 78.500        |
| Råprot    | 28    | 125.179    | 29.763  | 85.000        | 157.000       |
| sRåprot   | 28    | 531.679    | 94.688  | 383.000       | 644.000       |
| NH3-N     | 28    | 71.893     | 28.757  | 28.000        | 100.000       |
| NDF       | 28    | 459.036    | 61.189  | 391.000       | 539.000       |
| iNDF      | 28    | 181.628    | 39.659  | 135.694       | 238.828       |
| nhNDF     | 28    | 3.995      | 0.639   | 3.104         | 4.748         |
| TAF       | 28    | 57.311     | 33.405  | 14.500        | 101.100       |
| Mjölksyra | 28    | 43.286     | 28.505  | 6.000         | 83.000        |
| Ättiksyra | 28    | 11.786     | 5.871   | 5.000         | 22.000        |
| Socker    | 28    | 81.393     | 45.565  | 29.000        | 157.000       |
| BUF       | 28    | 1.239      | 1.218   | 0.100         | 3.800         |
| AATp20    | 28    | 81.708     | 3.867   | 77.077        | 85.594        |
| PBVp20    | 28    | 0.558      | 24.889  | -33.924       | 26.929        |
| NELp20    | 28    | 5.846      | 0.509   | 5.145         | 6.476         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 28    | 10.575     | 0.779   | 9.600         | 11.600        |
| AAT*      | 28    | 70.500     | 2.365   | 67.000        | 74.000        |
| PBV*      | 28    | 4.036      | 27.268  | -35.000       | 33.000        |
| Ca        | 25    | 5.924      | 1.670   | 4.000         | 8.200         |
| P         | 25    | 2.440      | 0.623   | 1.600         | 3.200         |
| Mg        | 25    | 2.012      | 0.543   | 1.400         | 2.700         |
| K         | 25    | 21.740     | 5.137   | 13.000        | 27.800        |
| Na        | 25    | 0.684      | 0.532   | 0.100         | 1.300         |
| Cl        | 28    | 5.725      | 3.699   | 0.600         | 11.000        |
| S         | 25    | 1.896      | 0.674   | 1.100         | 2.700         |
| CAB       | 25    | 312.094    | 87.726  | 182.509       | 414.037       |
| Fe        | 25    | 163.160    | 99.537  | 86.000        | 255.000       |
| Mn        | 25    | 86.000     | 42.394  | 42.000        | 138.000       |
| Zn        | 25    | 25.440     | 9.448   | 18.000        | 33.000        |
| Cu        | 25    | 6.448      | 1.622   | 4.400         | 8.100         |
| Se        | 1     | 0.020      | .       | 0.020         | 0.020         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 265   | 436.143    | 134.118 | 293.000       | 632.000       |
| Aska      | 265   | 70.592     | 14.711  | 58.000        | 81.000        |
| OS smbh   | 265   | 76.785     | 4.663   | 71.400        | 81.200        |
| Råprot    | 265   | 133.268    | 27.547  | 96.000        | 167.000       |
| sRåprot   | 265   | 618.060    | 95.565  | 493.000       | 727.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NH3-N     | 264   | 71.962     | 27.950  | 38.000        | 103.000       |
| NDF       | 265   | 425.811    | 56.355  | 365.000       | 496.000       |
| iNDF      | 265   | 149.116    | 46.825  | 105.104       | 199.420       |
| nhNDF     | 265   | 4.551      | 0.694   | 3.676         | 5.363         |
| TAF       | 265   | 63.358     | 34.536  | 19.400        | 112.100       |
| Mjölksyra | 264   | 47.004     | 29.661  | 11.000        | 88.000        |
| Ättiksyra | 265   | 13.649     | 6.552   | 5.000         | 22.000        |
| Socker    | 265   | 95.868     | 52.586  | 33.000        | 173.000       |
| PRF       | 46    | 3.500      | 2.063   | 1.000         | 6.000         |
| BUF       | 265   | 1.226      | 3.196   | 0.000         | 2.500         |
| AATp20    | 265   | 83.729     | 5.176   | 78.897        | 91.203        |
| PBVp20    | 265   | 4.687      | 23.461  | -27.814       | 32.643        |
| NELp20    | 265   | 6.199      | 0.453   | 5.653         | 6.652         |
| OE*       | 265   | 11.239     | 0.761   | 10.350        | 12.000        |
| AAT*      | 219   | 72.511     | 2.382   | 70.000        | 75.000        |
| PBV*      | 219   | 6.302      | 25.584  | -29.000       | 39.000        |
| Ca        | 255   | 5.021      | 1.504   | 3.600         | 7.000         |
| P         | 255   | 2.375      | 0.410   | 1.900         | 2.900         |
| Mg        | 255   | 1.717      | 0.322   | 1.400         | 2.100         |
| K         | 255   | 22.608     | 4.143   | 17.000        | 27.700        |
| Na        | 255   | 0.752      | 0.620   | 0.200         | 1.500         |
| Cl        | 265   | 5.020      | 2.627   | 2.000         | 8.600         |
| S         | 255   | 1.800      | 0.454   | 1.200         | 2.400         |
| CAB       | 255   | 355.654    | 101.091 | 229.282       | 475.245       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Fe        | 231   | 190.701    | 233.200 | 76.000        | 345.000       |
| Mn        | 231   | 66.160     | 26.926  | 40.000        | 93.000        |
| Zn        | 231   | 27.524     | 24.777  | 19.000        | 32.000        |
| Cu        | 231   | 5.478      | 1.136   | 4.200         | 7.000         |
| Se        | 57    | 0.019      | 0.017   | 0.007         | 0.050         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 209   | 466.876    | 145.246 | 291.000       | 693.000       |
| Aska      | 209   | 80.067     | 10.353  | 67.000        | 93.000        |
| OS smbh   | 209   | 74.537     | 3.102   | 70.100        | 78.400        |
| Råprot    | 209   | 143.024    | 24.530  | 112.000       | 178.000       |
| sRåprot   | 209   | 527.306    | 105.225 | 377.000       | 647.000       |
| NH3-N     | 206   | 68.883     | 25.554  | 33.000        | 101.000       |
| NDF       | 209   | 444.660    | 38.610  | 396.000       | 496.000       |
| iNDF      | 209   | 171.529    | 40.694  | 123.860       | 225.861       |
| nhNDF     | 209   | 4.212      | 0.693   | 3.251         | 4.979         |
| TAF       | 209   | 57.691     | 29.537  | 17.700        | 98.100        |
| Mjölksyra | 209   | 42.885     | 24.384  | 11.000        | 76.000        |
| Ättiksyra | 209   | 12.421     | 6.520   | 4.000         | 20.000        |
| Socker    | 209   | 75.421     | 40.168  | 21.000        | 133.000       |
| PRF       | 32    | 3.813      | 2.361   | 0.000         | 7.000         |
| BUF       | 209   | 0.954      | 1.115   | 0.000         | 2.500         |
| AATp20    | 209   | 83.886     | 4.320   | 79.328        | 89.977        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| PBVp20    | 209   | 13.678     | 22.526  | -15.377       | 43.159        |
| NELp20    | 209   | 6.016      | 0.354   | 5.550         | 6.477         |
| OE*       | 209   | 10.759     | 0.518   | 10.000        | 11.400        |
| AAT*      | 177   | 70.853     | 1.512   | 69.000        | 73.000        |
| PBV*      | 177   | 19.006     | 23.929  | -10.000       | 52.000        |
| Ca        | 202   | 6.522      | 2.009   | 4.300         | 9.700         |
| P         | 202   | 2.680      | 0.392   | 2.200         | 3.100         |
| Mg        | 202   | 2.276      | 0.444   | 1.800         | 2.900         |
| K         | 202   | 24.215     | 3.954   | 19.900        | 29.200        |
| Na        | 202   | 0.998      | 0.634   | 0.300         | 1.700         |
| Cl        | 209   | 7.033      | 3.422   | 2.800         | 11.500        |
| S         | 202   | 2.166      | 0.465   | 1.600         | 2.700         |
| CAB       | 202   | 328.385    | 107.195 | 198.644       | 462.597       |
| Fe        | 184   | 166.212    | 152.783 | 74.000        | 300.000       |
| Mn        | 184   | 77.609     | 34.805  | 48.000        | 112.000       |
| Zn        | 184   | 25.462     | 5.066   | 20.000        | 32.000        |
| Cu        | 184   | 7.027      | 1.296   | 5.300         | 8.700         |
| Se        | 29    | 0.026      | 0.021   | 0.010         | 0.050         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 165   | 443.679    | 138.73  | 293.000       | 661.000       |
| Aska      | 165   | 88.000     | 14.61   | 74.000        | 98.000        |
| OS smbh   | 165   | 73.712     | 2.96    | 69.900        | 77.000        |
| Råprot    | 165   | 149.618    | 21.74   | 122.000       | 178.000       |
| sRåprot   | 165   | 506.685    | 88.87   | 374.000       | 613.000       |
| NH3-N     | 163   | 78.153     | 31.96   | 36.000        | 122.000       |
| NDF       | 165   | 435.430    | 41.86   | 377.000       | 486.000       |
| iNDF      | 165   | 185.994    | 46.14   | 139.000       | 244.230       |
| nhNDF     | 165   | 4.000      | 0.72    | 2.875         | 4.874         |
| TAF       | 165   | 60.765     | 30.41   | 21.000        | 98.100        |
| Mjölksyra | 165   | 44.370     | 24.84   | 12.000        | 74.000        |
| Ättiksyra | 165   | 13.345     | 6.85    | 5.000         | 23.000        |
| Socker    | 165   | 61.309     | 33.97   | 20.000        | 109.000       |
| PRF       | 25    | 3.200      | 2.36    | 0.000         | 7.000         |
| BUF       | 165   | 1.717      | 2.99    | 0.100         | 3.900         |
| AATp20    | 165   | 83.013     | 5.57    | 76.665        | 90.591        |
| PBVp20    | 165   | 21.275     | 20.42   | -3.059        | 48.749        |
| NELp20    | 165   | 5.927      | 0.33    | 5.496         | 6.288         |
| OE*       | 165   | 10.533     | 0.52    | 9.900         | 11.100        |
| AAT*      | 140   | 70.143     | 1.52    | 68.000        | 72.000        |
| PBV*      | 140   | 28.364     | 21.71   | 0.500         | 57.000        |
| Ca        | 155   | 7.786      | 2.36    | 5.300         | 11.200        |
| P         | 155   | 2.792      | 0.40    | 2.400         | 3.300         |
| Mg        | 155   | 2.750      | 0.48    | 2.200         | 3.400         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| K         | 155   | 24.396     | 4.31    | 19.000        | 30.000        |
| Na        | 155   | 1.043      | 0.96    | 0.300         | 1.800         |
| Cl        | 164   | 7.296      | 3.82    | 2.600         | 12.200        |
| S         | 155   | 2.399      | 0.48    | 1.800         | 3.000         |
| CAB       | 155   | 310.602    | 109.54  | 175.953       | 438.743       |
| Fe        | 144   | 340.222    | 1365.84 | 80.000        | 372.000       |
| Mn        | 144   | 83.646     | 34.70   | 47.000        | 122.000       |
| Zn        | 144   | 35.097     | 94.41   | 21.000        | 33.000        |
| Cu        | 144   | 7.858      | 2.26    | 6.000         | 10.000        |
| Se        | 24    | 0.036      | 0.03    | 0.013         | 0.072         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 72    | 393.861    | 114.785 | 258.000       | 540.000       |
| Aska      | 71    | 93.817     | 9.826   | 81.000        | 105.000       |
| OS smbh   | 72    | 74.974     | 2.972   | 71.700        | 78.600        |
| Råprot    | 71    | 163.310    | 23.063  | 136.000       | 196.000       |
| sRåprot   | 71    | 522.535    | 79.386  | 456.000       | 617.000       |
| NH3-N     | 71    | 72.986     | 24.118  | 41.000        | 98.000        |
| NDF       | 71    | 406.944    | 43.844  | 357.000       | 460.000       |
| iNDF      | 72    | 180.924    | 37.836  | 131.000       | 229.292       |
| nhNDF     | 72    | 4.107      | 0.710   | 3.253         | 5.070         |
| TAF       | 72    | 75.972     | 36.401  | 23.500        | 118.000       |
| Mjölksyra | 70    | 59.729     | 33.161  | 13.000        | 101.500       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Ättiksyra | 71    | 14.028     | 4.968   | 8.000         | 20.000        |
| Socker    | 71    | 56.394     | 36.649  | 20.000        | 111.000       |
| PRF       | 13    | 2.077      | 1.553   | 0.000         | 4.000         |
| BUF       | 71    | 0.986      | 1.347   | 0.000         | 2.600         |
| AATp20    | 72    | 82.788     | 5.426   | 76.574        | 90.479        |
| PBVp20    | 72    | 34.133     | 20.945  | 7.893         | 64.225        |
| NELp20    | 72    | 6.071      | 0.301   | 5.723         | 6.417         |
| OE*       | 71    | 10.673     | 0.491   | 10.200        | 11.300        |
| AAT*      | 58    | 70.431     | 1.488   | 69.000        | 72.000        |
| PBV*      | 58    | 40.414     | 22.674  | 14.000        | 74.000        |
| Ca        | 69    | 8.365      | 1.881   | 6.100         | 10.900        |
| P         | 69    | 3.061      | 0.422   | 2.500         | 3.600         |
| Mg        | 69    | 2.786      | 0.401   | 2.400         | 3.400         |
| K         | 69    | 25.309     | 3.871   | 20.100        | 29.700        |
| Na        | 69    | 1.048      | 0.662   | 0.400         | 1.800         |
| Cl        | 71    | 8.683      | 3.746   | 4.400         | 12.800        |
| S         | 69    | 2.510      | 0.441   | 2.000         | 3.100         |
| CAB       | 69    | 290.762    | 111.269 | 155.722       | 411.561       |
| Fe        | 65    | 268.815    | 259.179 | 115.000       | 498.000       |
| Mn        | 65    | 87.015     | 26.767  | 54.000        | 120.000       |
| Zn        | 65    | 26.754     | 5.701   | 22.000        | 34.000        |
| Cu        | 65    | 7.951      | 1.356   | 6.400         | 9.900         |
| Se        | 9     | 0.070      | 0.066   | 0.025         | 0.227         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 5     | 309.400    | 44.100  | 264.000       | 382.000       |
| Aska      | 5     | 90.600     | 25.354  | 52.000        | 116.000       |
| OS smbh   | 5     | 75.960     | 4.507   | 68.000        | 79.100        |
| Råprot    | 5     | 151.400    | 25.813  | 113.000       | 180.000       |
| sRåprot   | 5     | 555.200    | 96.789  | 441.000       | 673.000       |
| NH3-N     | 5     | 77.600     | 38.266  | 48.000        | 141.000       |
| NDF       | 5     | 405.600    | 36.060  | 374.000       | 466.000       |
| iNDF      | 5     | 166.531    | 60.089  | 137.938       | 274.000       |
| nhNDF     | 5     | 4.303      | 0.692   | 3.100         | 4.852         |
| TAF       | 5     | 79.840     | 19.767  | 47.000        | 97.100        |
| Mjölksyra | 5     | 61.600     | 19.995  | 29.000        | 80.000        |
| Ättiksyra | 5     | 15.800     | 1.643   | 13.000        | 17.000        |
| Socker    | 5     | 46.600     | 25.793  | 11.000        | 74.000        |
| PRF       | 2     | 1.000      | 1.414   | 0.000         | 2.000         |
| BUF       | 5     | 1.440      | 2.581   | 0.000         | 6.000         |
| AATp20    | 5     | 81.907     | 1.748   | 79.624        | 83.838        |
| PBVp20    | 5     | 24.493     | 21.305  | -6.899        | 47.824        |
| NELp20    | 5     | 6.161      | 0.381   | 5.486         | 6.411         |
| OE*       | 5     | 10.850     | 0.549   | 9.990         | 11.360        |
| AAT*      | 3     | 71.667     | 1.155   | 71.000        | 73.000        |
| PBV*      | 3     | 38.000     | 21.284  | 15.000        | 57.000        |
| Ca        | 5     | 5.860      | 1.085   | 4.000         | 6.600         |
| P         | 5     | 3.280      | 0.471   | 2.900         | 4.100         |
| Mg        | 5     | 2.260      | 0.261   | 2.000         | 2.600         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| K         | 5     | 24.000     | 6.789   | 13.500        | 30.600        |
| Na        | 5     | 1.340      | 0.802   | 0.600         | 2.500         |
| Cl        | 5     | 8.320      | 5.450   | 3.200         | 14.700        |
| S         | 5     | 2.380      | 0.722   | 1.800         | 3.600         |
| CAB       | 5     | 288.955    | 98.715  | 183.710       | 438.031       |
| Fe        | 4     | 398.750    | 253.566 | 117.000       | 622.000       |
| Mn        | 4     | 94.750     | 24.185  | 70.000        | 126.000       |
| Zn        | 4     | 22.000     | 2.828   | 18.000        | 24.000        |
| Cu        | 4     | 7.025      | 0.624   | 6.200         | 7.700         |

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 18    | 428.389    | 47.945  | 351.000       | 481.00        |
| Aska      | 18    | 60.556     | 17.467  | 38.000        | 85.00         |
| OS smbh   | 18    | 68.728     | 2.889   | 64.000        | 73.20         |
| Råprot    | 18    | 97.500     | 19.227  | 75.000        | 125.00        |
| sRåprot   | 18    | 608.889    | 115.810 | 478.000       | 725.00        |
| NH3-N     | 18    | 83.611     | 25.315  | 39.000        | 114.00        |
| NDF       | 18    | 405.222    | 59.101  | 334.000       | 518.00        |
| iNDF      | 18    | 272.797    | 35.111  | 223.000       | 308.44        |
| nhNDF     | 18    | 2.410      | 0.631   | 1.567         | 3.33          |
| Stä       | 18    | 183.889    | 102.360 | 22.000        | 300.00        |
| TAF       | 18    | 60.950     | 22.091  | 29.700        | 93.00         |
| Mjölksyra | 18    | 44.500     | 16.829  | 22.000        | 66.00         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Ättiksyra | 18    | 13.556     | 5.731   | 6.000         | 19.00         |
| Socker    | 18    | 43.611     | 25.041  | 18.000        | 76.00         |
| PRF       | 5     | 5.000      | 3.937   | 2.000         | 11.00         |
| BUF       | 5     | 1.000      | 0.707   | 0.000         | 2.00          |
| AATp20    | 18    | 70.388     | 3.243   | 65.456        | 74.19         |
| PBVp20    | 18    | -15.500    | 17.993  | -40.478       | 10.09         |
| NELp20    | 18    | 5.568      | 0.297   | 5.149         | 5.96          |
| OE*       | 7     | 10.161     | 0.384   | 9.600         | 10.64         |
| AAT*      | 2     | 59.000     | 0.000   | 59.000        | 59.00         |
| PBV*      | 2     | 4.500      | 0.707   | 4.000         | 5.00          |
| Ca        | 16    | 3.969      | 1.716   | 1.900         | 6.80          |
| P         | 16    | 2.644      | 0.453   | 2.200         | 3.20          |
| Mg        | 16    | 1.725      | 0.330   | 1.300         | 2.10          |
| K         | 16    | 15.744     | 4.334   | 10.600        | 21.70         |
| Na        | 16    | 0.969      | 0.522   | 0.200         | 1.50          |
| Cl        | 17    | 3.424      | 2.224   | 1.200         | 6.90          |
| S         | 16    | 1.738      | 0.496   | 1.300         | 2.60          |
| CAB       | 16    | 236.707    | 124.166 | 113.250       | 403.61        |
| Fe        | 13    | 381.615    | 486.336 | 94.000        | 1277.00       |
| Mn        | 13    | 69.846     | 28.876  | 34.000        | 99.00         |
| Zn        | 13    | 29.231     | 7.748   | 22.000        | 37.00         |
| Cu        | 13    | 5.354      | 1.082   | 4.300         | 7.40          |
| Se        | 1     | 0.049      | .       | 0.049         | 0.05          |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 10    | 395.900    | 88.620  | 313.500       | 546.000       |
| Aska      | 10    | 69.900     | 12.324  | 54.000        | 84.500        |
| OS smbh   | 10    | 67.080     | 4.437   | 60.300        | 72.050        |
| Råprot    | 10    | 104.600    | 11.266  | 89.500        | 119.000       |
| sRåprot   | 10    | 649.500    | 68.657  | 549.000       | 726.500       |
| NH3-N     | 10    | 79.400     | 18.313  | 52.000        | 102.000       |
| NDF       | 10    | 454.100    | 63.799  | 379.500       | 544.000       |
| iNDF      | 10    | 262.249    | 36.097  | 216.713       | 303.785       |
| nhNDF     | 10    | 2.728      | 0.492   | 2.092         | 3.447         |
| Stä       | 10    | 109.300    | 75.326  | 28.000        | 225.500       |
| TAF       | 10    | 74.300     | 19.247  | 46.000        | 98.000        |
| Mjölksyra | 10    | 56.600     | 18.584  | 27.000        | 79.500        |
| Ättiksyra | 10    | 15.700     | 4.138   | 10.500        | 22.000        |
| Socker    | 10    | 30.000     | 18.655  | 12.000        | 61.000        |
| AATp20    | 10    | 68.337     | 4.676   | 62.304        | 74.350        |
| PBVp20    | 10    | -1.727     | 12.466  | -19.826       | 14.615        |
| NELp20    | 10    | 5.481      | 0.367   | 4.964         | 5.943         |
| OE*       | 1     | 9.900      | .       | 9.900         | 9.900         |
| AAT*      | 2     | 35.500     | 37.477  | 9.000         | 62.000        |
| PBV*      | 2     | 20.000     | 53.740  | -18.000       | 58.000        |
| Ca        | 9     | 4.789      | 0.932   | 2.900         | 6.200         |
| P         | 9     | 2.633      | 0.477   | 1.900         | 3.400         |
| Mg        | 9     | 1.722      | 0.323   | 1.200         | 2.400         |
| K         | 9     | 17.644     | 4.293   | 13.600        | 25.800        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 9     | 1.078      | 0.905   | 0.400         | 3.400         |
| Cl        | 10    | 3.540      | 2.069   | 1.200         | 6.750         |
| S         | 9     | 1.311      | 0.176   | 0.900         | 1.500         |
| CAB       | 9     | 311.955    | 47.923  | 255.773       | 385.880       |
| Fe        | 9     | 317.222    | 229.289 | 100.000       | 758.000       |
| Mn        | 9     | 66.222     | 29.773  | 15.000        | 103.000       |
| Zn        | 9     | 28.778     | 8.423   | 22.000        | 50.000        |
| Cu        | 9     | 4.900      | 0.650   | 3.900         | 5.800         |
| Se        | 1     | 0.010      | .       | 0.010         | 0.010         |

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 3     | 317.000    | 40.2616 | 282.000       | 361.000       |
| Aska      | 3     | 80.000     | 12.1244 | 69.000        | 93.000        |
| OS smbh   | 3     | 67.667     | 3.1660  | 64.700        | 71.000        |
| Råprot    | 3     | 158.333    | 22.2336 | 145.000       | 184.000       |
| sRåprot   | 3     | 548.000    | 37.4700 | 518.000       | 590.000       |
| NH3-N     | 3     | 94.333     | 40.8697 | 57.000        | 138.000       |
| NDF       | 3     | 427.333    | 62.2923 | 356.000       | 471.000       |
| iNDF      | 3     | 338.333    | 27.4651 | 321.000       | 370.000       |
| nhNDF     | 3     | 3.446      | 0.2763  | 3.131         | 3.646         |
| Stä       | 3     | 72.333     | 15.0111 | 55.000        | 81.000        |
| TAF       | 3     | 120.667    | 21.4554 | 96.000        | 135.000       |
| Mjölksyra | 3     | 76.333     | 16.7730 | 57.000        | 87.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Ättiksyra | 3     | 40.667     | 4.0415  | 36.000        | 43.000        |
| Socker    | 3     | 54.667     | 10.0664 | 44.000        | 64.000        |
| PRF       | 3     | 3.333      | 0.5774  | 3.000         | 4.000         |
| BUF       | 3     | 0.333      | 0.5774  | 0.000         | 1.000         |
| AATp20    | 3     | 66.752     | 3.5636  | 62.638        | 68.887        |
| PBVp20    | 3     | 48.099     | 17.2310 | 33.774        | 67.220        |
| NELp20    | 3     | 5.696      | 0.2686  | 5.509         | 6.004         |
| OE*       | 3     | 9.633      | 0.3911  | 9.260         | 10.040        |
| Ca        | 3     | 5.600      | 1.7521  | 3.800         | 7.300         |
| P         | 3     | 2.933      | 0.2517  | 2.700         | 3.200         |
| Mg        | 3     | 2.200      | 0.5292  | 1.600         | 2.600         |
| K         | 3     | 20.133     | 3.6556  | 16.600        | 23.900        |
| Na        | 3     | 1.367      | 0.6658  | 0.800         | 2.100         |
| Cl        | 3     | 7.033      | 2.1197  | 5.100         | 9.300         |
| S         | 3     | 2.500      | 0.8185  | 1.600         | 3.200         |
| CAB       | 3     | 219.967    | 92.6342 | 113.012       | 274.695       |
| Fe        | 1     | 125.000    | .       | 125.000       | 125.000       |
| Mn        | 1     | 33.000     | .       | 33.000        | 33.000        |
| Zn        | 1     | 28.000     | .       | 28.000        | 28.000        |
| Cu        | 1     | 6.000      | .       | 6.000         | 6.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 7     | 327.000    | 58.589  | 268.000       | 425.000       |
| Aska      | 7     | 63.857     | 8.194   | 56.000        | 77.000        |
| OS smbh   | 7     | 66.643     | 3.779   | 61.100        | 70.300        |
| Råprot    | 7     | 116.000    | 13.736  | 88.000        | 131.000       |
| sRåprot   | 7     | 609.714    | 115.291 | 453.000       | 737.000       |
| NH3-N     | 7     | 105.429    | 42.461  | 43.000        | 158.000       |
| NDF       | 7     | 448.000    | 58.569  | 371.000       | 519.000       |
| iNDF      | 7     | 404.004    | 75.564  | 313.000       | 496.534       |
| nhNDF     | 7     | 5.891      | 2.588   | 2.152         | 8.725         |
| Stä       | 7     | 94.714     | 75.166  | 32.000        | 239.000       |
| TAF       | 7     | 75.071     | 21.265  | 36.500        | 101.500       |
| Mjölksyra | 7     | 58.143     | 23.441  | 23.000        | 93.000        |
| Ättiksyra | 7     | 14.857     | 3.934   | 8.000         | 19.000        |
| Socker    | 7     | 27.714     | 18.364  | 11.000        | 63.000        |
| PRF       | 2     | 4.500      | 2.121   | 3.000         | 6.000         |
| BUF       | 2     | 1.500      | 2.121   | 0.000         | 3.000         |
| AATp20    | 7     | 69.321     | 5.718   | 63.054        | 79.371        |
| PBVp20    | 7     | 6.604      | 12.037  | -16.577       | 18.858        |
| NELp20    | 7     | 5.501      | 0.309   | 5.050         | 5.740         |
| OE*       | 5     | 9.770      | 0.386   | 9.300         | 10.200        |
| AAT*      | 3     | 61.000     | 2.646   | 59.000        | 64.000        |
| PBV*      | 3     | 4.667      | 4.933   | -1.000        | 8.000         |
| Ca        | 4     | 5.200      | 1.637   | 2.900         | 6.700         |
| P         | 4     | 2.800      | 0.408   | 2.400         | 3.200         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Mg        | 4     | 2.000      | 0.476   | 1.300         | 2.300         |
| K         | 4     | 17.525     | 5.962   | 12.100        | 26.000        |
| Na        | 4     | 1.250      | 0.947   | 0.400         | 2.300         |
| Cl        | 7     | 4.271      | 3.329   | 0.700         | 9.300         |
| S         | 4     | 1.575      | 0.222   | 1.400         | 1.900         |
| CAB       | 4     | 302.712    | 185.447 | 138.457       | 568.885       |
| Fe        | 3     | 164.667    | 47.120  | 135.000       | 219.000       |
| Mn        | 3     | 62.000     | 24.515  | 37.000        | 86.000        |
| Zn        | 3     | 42.000     | 30.315  | 24.000        | 77.000        |
| Cu        | 3     | 5.333      | 0.306   | 5.000         | 5.600         |
| Se        | 1     | 0.050      | .       | 0.050         | 0.050         |

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 591.000    | .       | 591.000       | 591.000       |
| Aska      | 1     | 14.000     | .       | 14.000        | 14.000        |
| OS smbh   | 1     | 85.700     | .       | 85.700        | 85.700        |
| Råprot    | 1     | 76.000     | .       | 76.000        | 76.000        |
| sRåprot   | 1     | 417.000    | .       | 417.000       | 417.000       |
| NDF       | 1     | 180.000    | .       | 180.000       | 180.000       |
| iNDF      | 1     | 132.522    | .       | 132.522       | 132.522       |
| nhNDF     | 1     | 3.514      | .       | 3.514         | 3.514         |
| Stä       | 1     | 563.000    | .       | 563.000       | 563.000       |
| TAF       | 1     | 38.100     | .       | 38.100        | 38.100        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Socket    | 1     | 15.000     | .       | 15.000        | 15.000        |
| AATp20    | 1     | 98.735     | .       | 98.735        | 98.735        |
| PBVp20    | 1     | -80.442    | .       | -80.442       | -80.442       |
| NELp20    | 1     | 7.510      | .       | 7.510         | 7.510         |
| Ca        | 1     | 0.200      | .       | 0.200         | 0.200         |
| P         | 1     | 2.000      | .       | 2.000         | 2.000         |
| Mg        | 1     | 1.100      | .       | 1.100         | 1.100         |
| K         | 1     | 4.400      | .       | 4.400         | 4.400         |
| Na        | 1     | 0.100      | .       | 0.100         | 0.100         |
| Cl        | 1     | 0.800      | .       | 0.800         | 0.800         |
| S         | 1     | 1.000      | .       | 1.000         | 1.000         |
| CAB       | 1     | 31.845     | .       | 31.845        | 31.845        |
| Fe        | 1     | 52.000     | .       | 52.000        | 52.000        |
| Mn        | 1     | 11.000     | .       | 11.000        | 11.000        |
| Zn        | 1     | 28.000     | .       | 28.000        | 28.000        |
| Cu        | 1     | 2.600      | .       | 2.600         | 2.600         |

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 21    | 377.143    | 55.737  | 339.000       | 442.000       |
| Aska      | 21    | 77.952     | 59.291  | 54.000        | 80.000        |
| OS smbh   | 21    | 66.486     | 4.444   | 62.300        | 71.600        |
| Råprot    | 21    | 93.762     | 23.505  | 72.000        | 122.000       |
| sRåprot   | 21    | 585.000    | 97.887  | 477.000       | 720.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NH3-N     | 21    | 84.333     | 28.989  | 50.000        | 107.000       |
| NDF       | 21    | 445.905    | 49.638  | 385.000       | 509.000       |
| iNDF      | 21    | 287.655    | 45.205  | 256.233       | 339.000       |
| nhNDF     | 21    | 2.739      | 0.854   | 1.939         | 4.087         |
| Stä       | 21    | 112.429    | 75.250  | 31.000        | 210.000       |
| TAF       | 21    | 67.143     | 24.107  | 32.000        | 92.000        |
| Mjölksyra | 21    | 49.762     | 19.475  | 29.000        | 69.000        |
| Ättiksyra | 21    | 14.524     | 7.600   | 7.000         | 22.000        |
| Socker    | 21    | 44.571     | 30.492  | 15.000        | 75.000        |
| PRF       | 9     | 4.778      | 2.949   | 0.000         | 8.000         |
| BUF       | 9     | 1.889      | 1.364   | 0.000         | 4.000         |
| AATp20    | 21    | 72.153     | 5.721   | 65.585        | 77.680        |
| PBVp20    | 21    | -18.960    | 17.233  | -39.508       | 0.516         |
| NELp20    | 21    | 5.174      | 1.256   | 4.767         | 5.982         |
| OE*       | 11    | 9.756      | 0.987   | 9.070         | 10.690        |
| AAT*      | 2     | 62.500     | 0.707   | 62.000        | 63.000        |
| PBV*      | 2     | -32.500    | 0.707   | -33.000       | -32.000       |
| Ca        | 17    | 4.312      | 1.898   | 2.500         | 8.200         |
| P         | 17    | 2.494      | 0.388   | 2.000         | 3.000         |
| Mg        | 17    | 1.629      | 0.410   | 1.200         | 2.200         |
| K         | 17    | 17.500     | 3.942   | 14.300        | 21.700        |
| Na        | 17    | 7.335      | 25.794  | 0.600         | 2.900         |
| Cl        | 20    | 14.110     | 43.020  | 2.700         | 8.000         |
| S         | 17    | 1.676      | 0.453   | 1.000         | 2.400         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| CAB       | 17    | 211.626    | 284.714 | 158.179       | 400.417       |
| Fe        | 13    | 186.538    | 138.988 | 98.000        | 255.000       |
| Mn        | 13    | 59.846     | 19.386  | 36.000        | 85.000        |
| Zn        | 13    | 28.923     | 11.310  | 21.000        | 50.000        |
| Cu        | 13    | 5.085      | 1.122   | 4.000         | 6.000         |
| Se        | 3     | 0.013      | 0.006   | 0.008         | 0.020         |

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter ( Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 5     | 362.400    | 56.6772 | 312.000       | 449.000       |
| Aska      | 5     | 66.600     | 4.6690  | 62.000        | 74.000        |
| OS smbh   | 5     | 67.080     | 4.6596  | 59.200        | 71.300        |
| Råprot    | 5     | 109.200    | 11.5629 | 98.000        | 123.000       |
| sRåprot   | 5     | 590.400    | 96.8597 | 513.000       | 759.000       |
| NH3-N     | 5     | 81.800     | 27.1698 | 64.000        | 130.000       |
| NDF       | 5     | 446.000    | 40.2368 | 381.000       | 479.000       |
| iNDF      | 5     | 269.062    | 55.6462 | 218.788       | 354.525       |
| nhNDF     | 5     | 2.649      | 0.6979  | 1.671         | 3.282         |
| Stä       | 5     | 80.600     | 80.1330 | 17.000        | 192.000       |
| TAF       | 5     | 79.600     | 39.0679 | 50.000        | 148.000       |
| Mjölksyra | 5     | 62.000     | 38.5940 | 32.000        | 129.000       |
| Ättiksyra | 5     | 17.600     | 2.0736  | 15.000        | 20.000        |
| Socker    | 5     | 55.000     | 42.6204 | 11.000        | 107.000       |
| AATp20    | 5     | 67.412     | 5.2289  | 60.895        | 72.719        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter ( Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| PBVp20    | 5     | 2.852      | 11.9040 | -11.902       | 19.891        |
| NELp20    | 5     | 5.429      | 0.4084  | 4.795         | 5.882         |
| Ca        | 4     | 5.625      | 1.4104  | 3.900         | 7.200         |
| P         | 4     | 2.625      | 0.4573  | 2.300         | 3.300         |
| Mg        | 4     | 1.950      | 0.1732  | 1.700         | 2.100         |
| K         | 4     | 15.325     | 1.6500  | 13.900        | 17.400        |
| Na        | 4     | 1.000      | 1.0231  | 0.200         | 2.500         |
| Cl        | 5     | 2.920      | 1.8966  | 0.600         | 5.100         |
| S         | 4     | 1.450      | 0.3000  | 1.300         | 1.900         |
| CAB       | 4     | 253.248    | 26.6309 | 218.684       | 276.961       |
| Fe        | 4     | 148.250    | 73.6812 | 99.000        | 257.000       |
| Mn        | 4     | 99.250     | 23.3435 | 66.000        | 116.000       |
| Zn        | 4     | 32.750     | 8.0156  | 27.000        | 44.000        |
| Cu        | 4     | 5.725      | 0.8382  | 4.600         | 6.600         |

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 6     | 462.833    | 125.057 | 332.000       | 665.000       |
| Aska      | 6     | 66.333     | 7.448   | 55.000        | 75.000        |
| OS smbh   | 6     | 68.067     | 4.210   | 62.500        | 74.800        |
| Råprot    | 6     | 110.667    | 40.781  | 60.000        | 185.000       |
| sRåprot   | 6     | 673.500    | 111.500 | 572.000       | 815.000       |
| NH3-N     | 6     | 82.833     | 26.754  | 55.000        | 115.000       |
| NDF       | 6     | 496.333    | 66.899  | 388.000       | 571.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| iNDF      | 6     | 231.150    | 43.656  | 166.233       | 296.495       |
| nhNDF     | 6     | 3.269      | 0.702   | 2.350         | 4.276         |
| Stä       | 6     | 36.333     | 36.009  | 18.000        | 108.000       |
| TAF       | 6     | 50.500     | 20.504  | 21.500        | 72.500        |
| Mjölksyra | 6     | 33.000     | 14.629  | 11.000        | 45.000        |
| Ättiksyra | 6     | 15.000     | 6.870   | 8.000         | 25.000        |
| Socker    | 6     | 91.833     | 28.923  | 44.000        | 126.000       |
| AATp20    | 6     | 70.558     | 5.840   | 63.798        | 80.622        |
| PBVp20    | 6     | -4.995     | 28.362  | -45.084       | 40.045        |
| NELp20    | 6     | 5.405      | 0.392   | 4.900         | 6.082         |
| OE*       | 2     | 9.500      | 0.000   | 9.500         | 9.500         |
| AAT*      | 2     | 61.000     | 0.000   | 61.000        | 61.000        |
| PBV*      | 2     | -17.000    | 1.414   | -18.000       | -16.000       |
| Ca        | 6     | 3.150      | 1.261   | 1.900         | 5.100         |
| P         | 6     | 2.333      | 0.327   | 1.700         | 2.600         |
| Mg        | 6     | 1.517      | 0.445   | 1.000         | 2.200         |
| K         | 6     | 18.283     | 4.618   | 9.800         | 23.300        |
| Na        | 6     | 1.017      | 1.137   | 0.300         | 3.100         |
| Cl        | 6     | 4.383      | 0.868   | 3.000         | 5.400         |
| S         | 6     | 1.717      | 0.534   | 1.000         | 2.400         |
| CAB       | 6     | 281.041    | 95.470  | 121.024       | 353.669       |
| Fe        | 6     | 216.667    | 132.305 | 107.000       | 471.000       |
| Mn        | 6     | 62.333     | 22.169  | 28.000        | 92.000        |
| Zn        | 6     | 24.333     | 4.502   | 20.000        | 32.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Cu        | 6     | 4.950      | 1.091   | 3.300         | 6.300         |
| Se        | 1     | 0.214      | .       | 0.214         | 0.214         |

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 9     | 372.222    | 85.9255 | 239.000       | 469.000       |
| Aska      | 9     | 63.444     | 8.9737  | 50.000        | 74.000        |
| OS smbh   | 9     | 70.500     | 2.1089  | 66.900        | 72.800        |
| Råprot    | 9     | 116.111    | 15.3007 | 98.000        | 145.000       |
| sRåprot   | 9     | 619.000    | 85.7482 | 498.000       | 774.000       |
| NH3-N     | 9     | 77.556     | 25.5789 | 32.000        | 111.000       |
| NDF       | 9     | 413.778    | 33.6592 | 369.000       | 467.000       |
| iNDF      | 9     | 259.433    | 24.1092 | 211.499       | 294.795       |
| nhNDF     | 9     | 3.071      | 0.7277  | 2.220         | 4.283         |
| Stä       | 9     | 140.778    | 81.9783 | 45.000        | 246.000       |
| TAF       | 9     | 73.333     | 16.4393 | 53.000        | 95.000        |
| Mjölksyra | 9     | 55.000     | 18.1797 | 33.000        | 87.000        |
| Ättiksyra | 9     | 18.222     | 6.5722  | 8.000         | 26.000        |
| Socker    | 9     | 36.889     | 14.7855 | 21.000        | 66.000        |
| PRF       | 3     | 0.333      | 0.5774  | 0.000         | 1.000         |
| BUF       | 3     | 0.000      | 0.0000  | 0.000         | 0.000         |
| AATp20    | 9     | 73.281     | 2.6613  | 70.430        | 78.084        |
| PBVp20    | 9     | -0.493     | 16.1363 | -21.698       | 26.077        |
| NELp20    | 9     | 5.833      | 0.1924  | 5.489         | 6.023         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 7     | 9.977      | 0.4366  | 9.300         | 10.480        |
| AAT*      | 4     | 61.000     | 1.1547  | 60.000        | 62.000        |
| PBV*      | 4     | -6.250     | 11.1168 | -15.000       | 9.000         |
| Ca        | 7     | 5.871      | 1.1354  | 4.700         | 7.400         |
| P         | 7     | 2.943      | 0.3952  | 2.400         | 3.600         |
| Mg        | 7     | 2.086      | 0.3716  | 1.600         | 2.600         |
| K         | 7     | 17.857     | 2.8861  | 13.700        | 21.500        |
| Na        | 7     | 1.029      | 0.3988  | 0.300         | 1.400         |
| Cl        | 9     | 3.400      | 2.2929  | 1.100         | 8.300         |
| S         | 7     | 1.771      | 0.4152  | 1.200         | 2.300         |
| CAB       | 7     | 278.035    | 78.3161 | 195.413       | 387.914       |
| Fe        | 4     | 121.250    | 49.4124 | 75.000        | 189.000       |
| Mn        | 4     | 82.750     | 62.8563 | 27.000        | 169.000       |
| Zn        | 4     | 44.000     | 27.7729 | 21.000        | 84.000        |
| Cu        | 4     | 5.775      | 1.1177  | 4.700         | 7.200         |
| Se        | 2     | 0.020      | 0.0085  | 0.014         | 0.026         |

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 34    | 340.853    | 53.575  | 282.000       | 405.000       |
| Aska      | 34    | 31.059     | 6.198   | 24.000        | 37.000        |
| OS smbh   | 34    | 75.659     | 2.389   | 72.600        | 78.200        |
| Råprot    | 34    | 74.265     | 7.513   | 66.000        | 85.000        |
| sRåprot   | 34    | 538.529    | 89.476  | 425.000       | 651.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NH3-N     | 33    | 56.273     | 23.382  | 30.000        | 90.000        |
| NDF       | 34    | 381.735    | 46.651  | 341.000       | 423.000       |
| iNDF      | 34    | 206.679    | 29.484  | 178.616       | 232.000       |
| nhNDF     | 34    | 3.450      | 0.417   | 2.897         | 3.949         |
| Stä       | 34    | 294.824    | 63.771  | 217.000       | 348.000       |
| TAF       | 34    | 63.353     | 18.064  | 39.000        | 83.000        |
| Mjölksyra | 34    | 45.206     | 14.392  | 25.000        | 59.000        |
| Ättiksyra | 34    | 14.941     | 5.929   | 9.000         | 22.000        |
| Socker    | 34    | 15.324     | 10.772  | 5.000         | 30.000        |
| PRF       | 13    | 3.538      | 1.391   | 2.000         | 5.000         |
| BUF       | 13    | 0.000      | 0.000   | 0.000         | 0.000         |
| AATp20    | 34    | 82.617     | 3.809   | 77.657        | 87.764        |
| PBVp20    | 34    | -55.394    | 9.221   | -65.029       | -45.119       |
| NELp20    | 34    | 6.414      | 0.242   | 6.152         | 6.678         |
| OE*       | 20    | 11.476     | 0.342   | 11.085        | 11.905        |
| AAT*      | 7     | 79.571     | 0.535   | 79.000        | 80.000        |
| PBV*      | 7     | -67.000    | 2.309   | -71.000       | -64.000       |
| Ca        | 34    | 1.626      | 0.441   | 1.100         | 2.300         |
| P         | 34    | 1.847      | 0.293   | 1.500         | 2.200         |
| Mg        | 34    | 1.106      | 0.257   | 0.800         | 1.300         |
| K         | 34    | 8.865      | 1.481   | 7.700         | 10.000        |
| Na        | 32    | 0.319      | 0.193   | 0.100         | 0.500         |
| Cl        | 27    | 2.496      | 2.698   | 1.300         | 2.700         |
| S         | 34    | 0.909      | 0.126   | 0.800         | 1.100         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| CAB       | 34    | 119.444    | 78.384  | 64.307        | 164.877       |
| Fe        | 27    | 126.741    | 147.334 | 56.000        | 238.000       |
| Mn        | 27    | 29.185     | 12.524  | 14.000        | 43.000        |
| Zn        | 27    | 24.556     | 7.871   | 17.000        | 30.000        |
| Cu        | 27    | 4.222      | 0.807   | 3.000         | 5.100         |
| Se        | 5     | 0.015      | 0.020   | 0.005         | 0.050         |

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 462.000    | .       | 462.000       | 462.000       |
| Aska      | 1     | 52.000     | .       | 52.000        | 52.000        |
| OS smbh   | 1     | 77.600     | .       | 77.600        | 77.600        |
| Råprot    | 1     | 145.000    | .       | 145.000       | 145.000       |
| sRåprot   | 1     | 697.000    | .       | 697.000       | 697.000       |
| NH3-N     | 1     | 153.000    | .       | 153.000       | 153.000       |
| NDF       | 1     | 345.000    | .       | 345.000       | 345.000       |
| iNDF      | 1     | 183.107    | .       | 183.107       | 183.107       |
| nhNDF     | 1     | 3.552      | .       | 3.552         | 3.552         |
| Stä       | 1     | 250.000    | .       | 250.000       | 250.000       |
| TAF       | 1     | 92.000     | .       | 92.000        | 92.000        |
| Mjölksyra | 1     | 55.000     | .       | 55.000        | 55.000        |
| Ättiksyra | 1     | 37.000     | .       | 37.000        | 37.000        |
| Socker    | 1     | 13.000     | .       | 13.000        | 13.000        |
| AATp20    | 1     | 77.055     | .       | 77.055        | 77.055        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| PBVp20    | 1     | 22.034     | .       | 22.034        | 22.034        |
| NELp20    | 1     | 6.602      | .       | 6.602         | 6.602         |
| Ca        | 1     | 8.300      | .       | 8.300         | 8.300         |
| P         | 1     | 2.500      | .       | 2.500         | 2.500         |
| Mg        | 1     | 2.700      | .       | 2.700         | 2.700         |
| K         | 1     | 13.900     | .       | 13.900        | 13.900        |
| Na        | 1     | 0.300      | .       | 0.300         | 0.300         |
| Cl        | 1     | 3.500      | .       | 3.500         | 3.500         |
| S         | 1     | 1.300      | .       | 1.300         | 1.300         |
| CAB       | 1     | 188.701    | .       | 188.701       | 188.701       |
| Fe        | 1     | 76.000     | .       | 76.000        | 76.000        |
| Mn        | 1     | 28.000     | .       | 28.000        | 28.000        |
| Zn        | 1     | 33.000     | .       | 33.000        | 33.000        |
| Cu        | 1     | 8.000      | .       | 8.000         | 8.000         |
| Se        | 1     | 0.008      | .       | 0.008         | 0.008         |

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 734.500    | 26.1630 | 716.000       | 753.000       |
| Aska      | 2     | 49.000     | 5.6569  | 45.000        | 53.000        |
| OS smbh   | 2     | 69.850     | 3.4648  | 67.400        | 72.300        |
| Råprot    | 2     | 107.000    | 5.6569  | 103.000       | 111.000       |
| NDF       | 2     | 525.500    | 36.0624 | 500.000       | 551.000       |
| iNDF      | 2     | 202.979    | 21.2820 | 187.930       | 218.027       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| nhNDF     | 2     | 3.724      | 0.3098  | 3.505         | 3.943         |
| TAF       | 2     | 0.000      | 0.0000  | 0.000         | 0.000         |
| Socker    | 2     | 152.000    | 36.7696 | 126.000       | 178.000       |
| AATp20    | 2     | 89.743     | 4.0977  | 86.846        | 92.641        |
| PBVp20    | 2     | -29.401    | 1.5273  | -30.481       | -28.321       |
| NELp20    | 2     | 5.494      | 0.2784  | 5.298         | 5.691         |
| OE*       | 2     | 10.350     | 0.6364  | 9.900         | 10.800        |
| AAT*      | 2     | 72.500     | 3.5355  | 70.000        | 75.000        |
| PBV*      | 2     | -17.500    | 0.7071  | -18.000       | -17.000       |
| Ca        | 1     | 5.100      | .       | 5.100         | 5.100         |
| P         | 1     | 2.000      | .       | 2.000         | 2.000         |
| Mg        | 1     | 2.100      | .       | 2.100         | 2.100         |
| K         | 1     | 11.500     | .       | 11.500        | 11.500        |
| Na        | 1     | 0.400      | .       | 0.400         | 0.400         |
| S         | 1     | 1.600      | .       | 1.600         | 1.600         |
| CAB       | 1     | 70.664     | .       | 70.664        | 70.664        |
| Fe        | 1     | 66.000     | .       | 66.000        | 66.000        |
| Mn        | 1     | 111.000    | .       | 111.000       | 111.000       |
| Zn        | 1     | 25.000     | .       | 25.000        | 25.000        |
| Cu        | 1     | 6.000      | .       | 6.000         | 6.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 10    | 835.300    | 68.354  | 728.500       | 901.000       |
| Aska      | 10    | 59.800     | 11.641  | 43.500        | 74.500        |
| OS smbh   | 10    | 64.780     | 5.706   | 56.750        | 69.800        |
| Råprot    | 10    | 72.100     | 17.785  | 57.000        | 102.500       |
| NDF       | 10    | 570.700    | 55.092  | 496.000       | 632.500       |
| iNDF      | 10    | 233.517    | 43.727  | 189.244       | 294.839       |
| nhNDF     | 10    | 3.345      | 0.650   | 2.422         | 4.084         |
| TAF       | 10    | 0.000      | 0.000   | 0.000         | 0.000         |
| Socker    | 10    | 137.600    | 32.715  | 99.000        | 185.000       |
| AATp20    | 10    | 81.002     | 6.032   | 72.224        | 85.992        |
| PBVp20    | 10    | -47.680    | 14.916  | -64.793       | -26.252       |
| NELp20    | 10    | 4.920      | 0.451   | 4.269         | 5.303         |
| OE*       | 10    | 9.360      | 0.951   | 8.000         | 10.250        |
| AAT*      | 10    | 66.900     | 6.008   | 58.500        | 72.500        |
| PBV*      | 10    | -42.000    | 17.487  | -61.500       | -16.500       |
| Ca        | 7     | 2.957      | 1.306   | 1.300         | 4.700         |
| P         | 7     | 1.529      | 0.229   | 1.300         | 2.000         |
| Mg        | 7     | 1.286      | 0.291   | 0.800         | 1.700         |
| K         | 7     | 14.043     | 4.067   | 8.200         | 19.200        |
| Na        | 7     | 0.400      | 0.624   | 0.100         | 1.800         |
| S         | 7     | 1.200      | 0.337   | 0.900         | 1.900         |
| CAB       | 7     | 160.699    | 105.816 | 10.721        | 306.997       |
| Fe        | 7     | 129.714    | 130.299 | 49.000        | 420.000       |
| Mn        | 7     | 105.286    | 54.172  | 52.000        | 190.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 7     | 18.429     | 5.028   | 13.000        | 29.000        |
| Cu        | 7     | 3.771      | 0.995   | 2.700         | 5.800         |
| Se        | 1     | 0.013      | .       | 0.013         | 0.013         |

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 520.000    | .       | 520.000       | 520.000       |
| Aska      | 1     | 87.000     | .       | 87.000        | 87.000        |
| OS smbh   | 1     | 54.500     | .       | 54.500        | 54.500        |
| Råprot    | 1     | 104.000    | .       | 104.000       | 104.000       |
| NDF       | 1     | 517.000    | .       | 517.000       | 517.000       |
| iNDF      | 1     | 613.774    | .       | 613.774       | 613.774       |
| nhNDF     | 1     | 9.866      | .       | 9.866         | 9.866         |
| TAF       | 1     | 72.000     | .       | 72.000        | 72.000        |
| Socker    | 1     | 58.000     | .       | 58.000        | 58.000        |
| AATp20    | 1     | 62.679     | .       | 62.679        | 62.679        |
| PBVp20    | 1     | 14.945     | .       | 14.945        | 14.945        |
| NELp20    | 1     | 4.197      | .       | 4.197         | 4.197         |
| OE*       | 1     | 7.400      | .       | 7.400         | 7.400         |
| AAT*      | 1     | 56.000     | .       | 56.000        | 56.000        |
| PBV*      | 1     | 8.000      | .       | 8.000         | 8.000         |
| Ca        | 1     | 10.800     | .       | 10.800        | 10.800        |
| P         | 1     | 1.900      | .       | 1.900         | 1.900         |
| Mg        | 1     | 2.700      | .       | 2.700         | 2.700         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| K         | 1     | 17.200     | .       | 17.200        | 17.200        |
| Na        | 1     | 0.200      | .       | 0.200         | 0.200         |
| S         | 1     | 1.100      | .       | 1.100         | 1.100         |
| CAB       | 1     | 250.266    | .       | 250.266       | 250.266       |
| Fe        | 1     | 66.000     | .       | 66.000        | 66.000        |
| Mn        | 1     | 29.000     | .       | 29.000        | 29.000        |
| Zn        | 1     | 19.000     | .       | 19.000        | 19.000        |
| Cu        | 1     | 8.100      | .       | 8.100         | 8.100         |

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 3     | 372.333    | 32.021  | 341.000       | 405.000       |
| Aska      | 3     | 98.000     | 10.149  | 89.000        | 109.000       |
| OS smbh   | 3     | 66.533     | 2.610   | 63.600        | 68.600        |
| Råprot    | 3     | 151.333    | 19.140  | 131.000       | 169.000       |
| NDF       | 3     | 411.000    | 37.987  | 377.000       | 452.000       |
| iNDF      | 3     | 445.631    | 36.701  | 415.085       | 486.343       |
| nhNDF     | 3     | 5.414      | 0.944   | 4.572         | 6.434         |
| TAF       | 3     | 72.000     | 0.000   | 72.000        | 72.000        |
| Socker    | 3     | 79.333     | 6.807   | 74.000        | 87.000        |
| AATp20    | 3     | 73.687     | 2.220   | 71.151        | 75.283        |
| PBVp20    | 3     | 42.094     | 14.832  | 26.775        | 56.386        |
| NELp20    | 3     | 5.226      | 0.207   | 4.989         | 5.373         |
| OE*       | 3     | 9.267      | 0.321   | 8.900         | 9.500         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| AAT*      | 3     | 67.000     | 1.732   | 65.000        | 68.000        |
| PBV*      | 3     | 36.000     | 15.524  | 20.000        | 51.000        |
| Ca        | 3     | 10.967     | 1.893   | 8.800         | 12.300        |
| P         | 3     | 2.300      | 0.361   | 2.000         | 2.700         |
| Mg        | 3     | 3.000      | 0.500   | 2.500         | 3.500         |
| K         | 3     | 21.667     | 2.501   | 18.800        | 23.400        |
| Na        | 3     | 0.533      | 0.351   | 0.200         | 0.900         |
| S         | 3     | 1.600      | 0.346   | 1.200         | 1.800         |
| CAB       | 3     | 347.746    | 60.684  | 277.871       | 387.238       |
| Fe        | 3     | 167.667    | 102.496 | 87.000        | 283.000       |
| Mn        | 3     | 34.667     | 14.572  | 23.000        | 51.000        |
| Zn        | 3     | 25.667     | 4.163   | 21.000        | 29.000        |
| Cu        | 3     | 10.067     | 1.274   | 8.600         | 10.900        |
| Se        | 2     | 0.049      | 0.002   | 0.047         | 0.050         |

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 305.000    | .       | 305.000       | 305.000       |
| Aska      | 1     | 73.000     | .       | 73.000        | 73.000        |
| OS smbh   | 1     | 73.900     | .       | 73.900        | 73.900        |
| Råprot    | 1     | 160.000    | .       | 160.000       | 160.000       |
| sRåprot   | 1     | 472.000    | .       | 472.000       | 472.000       |
| NH3-N     | 1     | 85.000     | .       | 85.000        | 85.000        |
| NDF       | 1     | 371.000    | .       | 371.000       | 371.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| iNDF      | 1     | 320.536    | .       | 320.536       | 320.536       |
| nhNDF     | 1     | 5.095      | .       | 5.095         | 5.095         |
| TAF       | 1     | 109.100    | .       | 109.100       | 109.100       |
| Mjölksyra | 1     | 90.000     | .       | 90.000        | 90.000        |
| Ättiksyra | 1     | 18.000     | .       | 18.000        | 18.000        |
| Socker    | 1     | 27.000     | .       | 27.000        | 27.000        |
| BUF       | 1     | 0.100      | .       | 0.100         | 0.100         |
| AATp20    | 1     | 78.664     | .       | 78.664        | 78.664        |
| PBVp20    | 1     | 41.952     | .       | 41.952        | 41.952        |
| NELp20    | 1     | 6.098      | .       | 6.098         | 6.098         |
| OE*       | 1     | 10.700     | .       | 10.700        | 10.700        |
| AAT*      | 1     | 71.000     | .       | 71.000        | 71.000        |
| PBV*      | 1     | 38.000     | .       | 38.000        | 38.000        |
| Ca        | 1     | 9.400      | .       | 9.400         | 9.400         |
| P         | 1     | 2.600      | .       | 2.600         | 2.600         |
| Mg        | 1     | 3.100      | .       | 3.100         | 3.100         |
| K         | 1     | 22.300     | .       | 22.300        | 22.300        |
| Na        | 1     | 0.800      | .       | 0.800         | 0.800         |
| Cl        | 1     | 3.900      | .       | 3.900         | 3.900         |
| S         | 1     | 2.000      | .       | 2.000         | 2.000         |
| CAB       | 1     | 370.256    | .       | 370.256       | 370.256       |
| Fe        | 1     | 100.000    | .       | 100.000       | 100.000       |
| Mn        | 1     | 48.000     | .       | 48.000        | 48.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 1     | 25.000     | .       | 25.000        | 25.000        |
| Cu        | 1     | 10.200     | .       | 10.200        | 10.200        |

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 312.000    | .       | 312.000       | 312.000       |
| Aska      | 1     | 102.000    | .       | 102.000       | 102.000       |
| OS smbh   | 1     | 70.400     | .       | 70.400        | 70.400        |
| Råprot    | 1     | 170.000    | .       | 170.000       | 170.000       |
| NDF       | 1     | 377.000    | .       | 377.000       | 377.000       |
| iNDF      | 1     | 374.074    | .       | 374.074       | 374.074       |
| nhNDF     | 1     | 4.688      | .       | 4.688         | 4.688         |
| TAF       | 1     | 72.000     | .       | 72.000        | 72.000        |
| Socker    | 1     | 82.000     | .       | 82.000        | 82.000        |
| AATp20    | 1     | 76.774     | .       | 76.774        | 76.774        |
| PBVp20    | 1     | 54.906     | .       | 54.906        | 54.906        |
| NELp20    | 1     | 5.584      | .       | 5.584         | 5.584         |
| OE*       | 1     | 9.800      | .       | 9.800         | 9.800         |
| AAT*      | 1     | 70.000     | .       | 70.000        | 70.000        |
| PBV*      | 1     | 49.000     | .       | 49.000        | 49.000        |
| Ca        | 1     | 9.800      | .       | 9.800         | 9.800         |
| P         | 1     | 2.300      | .       | 2.300         | 2.300         |
| Mg        | 1     | 3.100      | .       | 3.100         | 3.100         |
| K         | 1     | 25.900     | .       | 25.900        | 25.900        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 1     | 0.800      | .       | 0.800         | 0.800         |
| S         | 1     | 1.800      | .       | 1.800         | 1.800         |
| CAB       | 1     | 446.659    | .       | 446.659       | 446.659       |
| Fe        | 1     | 134.000    | .       | 134.000       | 134.000       |
| Mn        | 1     | 38.000     | .       | 38.000        | 38.000        |
| Zn        | 1     | 24.000     | .       | 24.000        | 24.000        |
| Cu        | 1     | 9.800      | .       | 9.800         | 9.800         |
| Se        | 1     | 0.023      | .       | 0.023         | 0.023         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 4     | 372.750    | 112.126 | 209.000       | 462.000       |
| Aska      | 4     | 58.750     | 12.553  | 41.000        | 69.000        |
| OS smbh   | 4     | 71.600     | 4.408   | 67.700        | 75.900        |
| Råprot    | 4     | 134.750    | 27.681  | 110.000       | 168.000       |
| sRåprot   | 4     | 550.250    | 55.758  | 485.000       | 612.000       |
| NH3-N     | 4     | 118.500    | 86.420  | 62.000        | 245.000       |
| NDF       | 4     | 405.000    | 70.029  | 341.000       | 495.000       |
| iNDF      | 4     | 275.750    | 94.894  | 197.000       | 410.000       |
| nhNDF     | 4     | 3.524      | 0.508   | 2.924         | 4.156         |
| Stä       | 3     | 109.000    | 71.141  | 33.000        | 174.000       |
| TAF       | 4     | 61.750     | 38.030  | 21.000        | 102.000       |
| Mjölksyra | 4     | 24.500     | 25.106  | 0.000         | 58.000        |
| Ättiksyra | 4     | 23.250     | 22.232  | 6.000         | 55.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Socket    | 4     | 49.000     | 20.331  | 27.000        | 75.000        |
| PRF       | 4     | 4.750      | 3.862   | 1.000         | 10.000        |
| BUF       | 4     | 9.250      | 18.500  | 0.000         | 37.000        |
| AATp20    | 4     | 81.770     | 9.443   | 73.109        | 91.711        |
| PBVp20    | 4     | 13.166     | 12.000  | 3.298         | 29.463        |
| NELp20    | 4     | 6.023      | 0.376   | 5.631         | 6.356         |
| OE*       | 4     | 10.513     | 0.630   | 9.860         | 11.120        |
| Ca        | 4     | 5.125      | 2.834   | 1.100         | 7.300         |
| P         | 4     | 3.775      | 0.900   | 2.700         | 4.900         |
| Mg        | 4     | 2.475      | 0.675   | 1.600         | 3.100         |
| K         | 4     | 15.275     | 4.676   | 9.600         | 20.700        |
| Na        | 4     | 2.550      | 1.066   | 1.500         | 4.000         |
| Cl        | 4     | 9.025      | 8.900   | 1.800         | 21.800        |
| S         | 4     | 2.525      | 0.350   | 2.100         | 2.900         |
| CAB       | 4     | 89.497     | 302.276 | -344.647      | 337.262       |
| Fe        | 1     | 262.000    | .       | 262.000       | 262.000       |
| Mn        | 1     | 92.000     | .       | 92.000        | 92.000        |
| Zn        | 1     | 58.000     | .       | 58.000        | 58.000        |
| Cu        | 1     | 15.000     | .       | 15.000        | 15.000        |
| Se        | 1     | 0.270      | .       | 0.270         | 0.270         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Övrigt foder ej kompletta data (1E3) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 861.0      | .       | 861.0         | 861.0         |
| Aska      | 1     | 19.0       | .       | 19.0          | 19.0          |
| OS smbh   | 1     | 0.0        | .       | 0.0           | 0.0           |
| Råprot    | 1     | 125.0      | .       | 125.0         | 125.0         |
| NH3-N     | 1     | 6.0        | .       | 6.0           | 6.0           |
| Stä       | 1     | 565.0      | .       | 565.0         | 565.0         |
| NELp20    | 1     | 0.0        | .       | 0.0           | 0.0           |
| Ca        | 1     | 0.4        | .       | 0.4           | 0.4           |
| P         | 1     | 3.1        | .       | 3.1           | 3.1           |
| Mg        | 1     | 1.2        | .       | 1.2           | 1.2           |
| K         | 1     | 5.7        | .       | 5.7           | 5.7           |
| Na        | 1     | 0.1        | .       | 0.1           | 0.1           |
| S         | 1     | 1.2        | .       | 1.2           | 1.2           |
| Fe        | 1     | 47.0       | .       | 47.0          | 47.0          |
| Mn        | 1     | 18.0       | .       | 18.0          | 18.0          |
| Zn        | 1     | 31.0       | .       | 31.0          | 31.0          |
| Cu        | 1     | 5.8        | .       | 5.8           | 5.8           |

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 378.000    | .       | 378.000       | 378.000       |
| Aska      | 1     | 100.000    | .       | 100.000       | 100.000       |
| OS smbh   | 1     | 66.800     | .       | 66.800        | 66.800        |
| Råprot    | 1     | 168.000    | .       | 168.000       | 168.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| sRåprot   | 1     | 373.000    | .       | 373.000       | 373.000       |
| NH3-N     | 1     | 74.000     | .       | 74.000        | 74.000        |
| NDF       | 1     | 404.000    | .       | 404.000       | 404.000       |
| iNDF      | 1     | 287.178    | .       | 287.178       | 287.178       |
| nhNDF     | 1     | 2.373      | .       | 2.373         | 2.373         |
| Stä       | 1     | 96.000     | .       | 96.000        | 96.000        |
| Socker    | 1     | 32.000     | .       | 32.000        | 32.000        |
| NELp20    | 1     | 0.000      | .       | 0.000         | 0.000         |
| CI        | 1     | 11.100     | .       | 11.100        | 11.100        |

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OS smbh   | 1     | 0          | .       | 0             | 0             |
| TAF       | 1     | 0          | .       | 0             | 0             |
| NELp20    | 1     | 0          | .       | 0             | 0             |

\*= Parametrar från det gamla svenska fodervärderingssystemet