

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök-syra	Ättik-syra	Socker
Grönmassa, gräs (0% baljv.) (161)	1	1	199	85	78.9	174	503		449	87	4.80		10.0000	0.0	0.0	102
Grönmassa blandvall (1-50 % baljväxter) (164)	1	16	226	74	79.9	165	449		409	96	4.86		14.0625	0.0	0.3	121
Ensilage, blandvall (1-50% klöver) (165)	1	3	297	71	72.3	148	621	110	463	210	4.13	114	91.3333	61.0	22.3	24
Ensilage, blandvall (1-50% klöver) (165)	2	1	345	77	76.0	147	575	80.0	434	177	4.80		82.0000	66.0	9.0	58
Ensilage, blandvall (1-50% klöver) (165)	3	2	286	92	72.9	180	551	103	430	235	4.49		85.0000	37.0	36.5	40
Ensilage, blandvall (1-50% klöver) (165)	4	1	290	87	74.5	161	676	120	459	147	4.04		96.0000	65.0	23.0	23
Majs, helsädesensilage (305)	1	1	411	20	76.4	75	520	49.0	353	216	3.19	361	61.0000	48.0	10.0	0
Ensilage, blandvall (1-50% klöver) (326)	1	1	401	61	70.1	118	458	53.0	381	302	2.67	159	39.0000	24.0	13.0	47
Fullfoder (TMR) ej kompletta data (1E3)	1	1	419	69	73.5	147	424	48.0	424	197	3.60	87				30

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Grönmassa, gräs (0% baljv.) (161)	1	1	6.00000	4.00000		94.5	22.7	6.34	11.4		
Grönmassa blandvall (1-50 % baljväxter) (164)	1	16	8.18750	5.56250		96.9	12.9	6.44	11.7		
Ensilage, blandvall (1-50% klöver) (165)	1	3	5.66667	2.33333		77.8	28.7	6.06	10.5		
Ensilage, blandvall (1-50% klöver) (165)	2	1	5.00000	2.00000		82.7	19.1	6.26	11.0		
Ensilage, blandvall (1-50% klöver) (165)	3	2	9.00000	2.50000		81.0	53.0	6.02	10.4		
Ensilage, blandvall (1-50% klöver) (165)	4	1	5.00000	3.00000		77.8	40.2	6.18	10.7		
Majs, helsädesensilage (305)	1	1	3.00000	0.00000		84.8	-58	6.59	11.8		
Ensilage, blandvall (1-50% klöver) (326)	1	1	2.00000	0.00000		82.8	-4.2	5.78	10.2		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	1	4.7	3.1	1.7	31.0	1.6	14.2	2.7	294	0					
Grönmassa blandvall (1-50 % baljväxter) (164)	1	16	4.7	2.9	1.5	26.8	1.0	6.7	2.3	395	0					
Ensilage, blandvall (1-50% klöver) (165)	1	3	6.2	3.3	2.3	24.7	1.5	4.8	2.4	411	1	305.0	86.0	37.0	8.0	
Ensilage, blandvall (1-50% klöver) (165)	2	1	6.6	2.7	1.9	25.7	0.8	6.8	1.9	382	1	209.0	60.0	26.0	5.0	
Ensilage, blandvall (1-50% klöver) (165)	3	2	7.6	2.9	2.8	21.1	2.0	3.1	2.8	362	0					
Ensilage, blandvall (1-50% klöver) (165)	4	1	6.2	3.5	2.5	24.2	1.7	8.7	2.7	279	0					
Majs, helsädesensilage (305)	1	1	1.8	1.9	1.1	7.2	0.4		0.9	103	0					
Ensilage, blandvall (1-50% klöver) (326)	1	1	6.2	3.1	2.5	13.2	2.1	3.9	2.1	188	0					
Fullfoder (TMR) ej kompletta data (1E3)	1	1	6.6	4.1	2.8	13.9	1.5	5.5	2.2	128	1	350.0	97.0	75.0	23.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	199.000	.	199.000	199.000
Aska	1	85.000	.	85.000	85.000
OS smbh	1	78.900	.	78.900	78.900
Råprot	1	174.000	.	174.000	174.000
sRåprot	1	503.000	.	503.000	503.000
NDF	1	449.000	.	449.000	449.000
iNDF	1	87.000	.	87.000	87.000
nhNDF	1	4.802	.	4.802	4.802
TAF	1	10.000	.	10.000	10.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	1	102.000	.	102.000	102.000
PRF	1	6.000	.	6.000	6.000
BUF	1	4.000	.	4.000	4.000
AATp20	1	94.485	.	94.485	94.485
PBVp20	1	22.672	.	22.672	22.672
NELp20	1	6.345	.	6.345	6.345
OE*	1	11.410	.	11.410	11.410
Ca	1	4.700	.	4.700	4.700
P	1	3.100	.	3.100	3.100
Mg	1	1.700	.	1.700	1.700
K	1	31.000	.	31.000	31.000
Na	1	1.600	.	1.600	1.600
Cl	1	14.200	.	14.200	14.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	1	2.700	.	2.700	2.700
CAB	1	293.654	.	293.654	293.654

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	226.125	43.4141	181.000	275.000
Aska	16	73.688	10.0844	60.000	87.000
OS smbh	16	79.938	1.9425	77.900	82.800
Råprot	16	164.500	21.5066	141.000	189.000
sRåprot	16	448.875	26.3258	422.000	473.000
NDF	16	409.375	24.2319	383.000	448.000
iNDF	16	95.563	30.5984	71.000	135.000
nhNDF	16	4.859	0.5876	4.107	5.510
TAF	16	14.063	4.6971	9.000	18.000
Mjölksyra	16	0.000	0.0000	0.000	0.000
Ättiksyra	16	0.313	1.2500	0.000	0.000
Socker	16	121.250	12.7724	100.000	134.000
PRF	16	8.188	2.2574	5.000	11.000
BUF	16	5.563	2.0320	3.000	7.000
AATp20	16	96.940	3.3950	92.810	101.313
PBVp20	16	12.925	15.5952	-6.325	30.425
NELp20	16	6.439	0.2037	6.235	6.657
OE*	16	11.723	0.2771	11.260	12.050
Ca	16	4.656	1.0119	3.400	5.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	16	2.856	0.4098	2.300	3.400
Mg	16	1.525	0.4612	0.900	2.000
K	16	26.819	3.0043	23.600	30.800
Na	16	1.038	0.4113	0.400	1.600
Cl	16	6.738	3.5661	2.700	10.600
S	16	2.344	0.4242	1.700	2.900
CAB	16	394.737	70.9287	312.674	503.435

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	297.000	37.242	254.000	319.000
Aska	3	70.667	14.468	54.000	80.000
OS smbh	3	72.300	6.075	65.300	76.200
Råprot	3	148.333	43.016	99.000	178.000
sRåprot	3	621.333	83.116	533.000	698.000
NH3-N	3	109.667	8.145	104.000	119.000
NDF	3	463.333	22.279	449.000	489.000
iNDF	3	210.333	94.448	148.000	319.000
nhNDF	3	4.129	0.889	3.184	4.948
Stä	1	114.000	.	114.000	114.000
TAF	3	91.333	14.640	78.000	107.000
Mjölksyra	3	61.000	13.528	48.000	75.000
Ättiksyra	3	22.333	3.055	19.000	25.000
Socker	3	24.333	12.342	14.000	38.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	3	5.667	2.309	3.000	7.000
BUF	3	2.333	1.528	1.000	4.000
AATp20	3	77.762	4.665	72.393	80.820
PBVp20	3	28.705	32.578	-8.386	52.684
NELp20	3	6.056	0.547	5.426	6.414
OE*	3	10.490	0.852	9.510	11.060
Ca	3	6.233	2.139	4.900	8.700
P	3	3.300	0.520	2.700	3.600
Mg	3	2.300	0.361	2.000	2.700
K	3	24.700	9.722	13.600	31.700
Na	3	1.467	0.321	1.100	1.700
Cl	3	4.767	1.739	2.800	6.100
S	3	2.400	0.361	2.000	2.700
CAB	3	411.209	174.553	213.518	544.074
Fe	1	305.000	.	305.000	305.000
Mn	1	86.000	.	86.000	86.000
Zn	1	37.000	.	37.000	37.000
Cu	1	8.000	.	8.000	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	345.000	.	345.000	345.000
Aska	1	77.000	.	77.000	77.000
OS smbh	1	76.000	.	76.000	76.000
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	575.000	.	575.000	575.000
NH3-N	1	80.000	.	80.000	80.000
NDF	1	434.000	.	434.000	434.000
iNDF	1	177.000	.	177.000	177.000
nhNDF	1	4.803	.	4.803	4.803
TAF	1	82.000	.	82.000	82.000
Mjölksyra	1	66.000	.	66.000	66.000
Ättiksyra	1	9.000	.	9.000	9.000
Socker	1	58.000	.	58.000	58.000
PRF	1	5.000	.	5.000	5.000
BUF	1	2.000	.	2.000	2.000
AATp20	1	82.733	.	82.733	82.733
PBVp20	1	19.085	.	19.085	19.085
NELp20	1	6.258	.	6.258	6.258
OE*	1	11.040	.	11.040	11.040
Ca	1	6.600	.	6.600	6.600
P	1	2.700	.	2.700	2.700
Mg	1	1.900	.	1.900	1.900
K	1	25.700	.	25.700	25.700
Na	1	0.800	.	0.800	0.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	6.800	.	6.800	6.800
S	1	1.900	.	1.900	1.900
CAB	1	381.772	.	381.772	381.772
Fe	1	209.000	.	209.000	209.000
Mn	1	60.000	.	60.000	60.000
Zn	1	26.000	.	26.000	26.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	286.000	159.806	173.000	399.000
Aska	2	91.500	31.820	69.000	114.000
OS smbh	2	72.900	4.808	69.500	76.300
Råprot	2	180.000	0.000	180.000	180.000
sRåprot	2	550.500	96.874	482.000	619.000
NH3-N	2	102.500	50.205	67.000	138.000
NDF	2	430.000	4.243	427.000	433.000
iNDF	2	234.500	89.803	171.000	298.000
nhNDF	2	4.495	0.097	4.426	4.564
TAF	2	85.000	2.828	83.000	87.000
Mjölksyra	2	37.000	48.083	3.000	71.000
Ättiksyra	2	36.500	30.406	15.000	58.000
Socker	2	39.500	13.435	30.000	49.000
PRF	2	9.000	11.314	1.000	17.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	2	2.500	3.536	0.000	5.000
AATp20	2	81.020	4.106	78.117	83.924
PBVp20	2	53.030	6.669	48.315	57.746
NELp20	2	6.017	0.600	5.592	6.441
OE*	2	10.375	1.138	9.570	11.180
Ca	2	7.550	0.919	6.900	8.200
P	2	2.900	0.424	2.600	3.200
Mg	2	2.750	0.071	2.700	2.800
K	2	21.100	0.566	20.700	21.500
Na	2	1.950	0.212	1.800	2.100
Cl	2	3.100	0.566	2.700	3.500
S	2	2.800	0.141	2.700	2.900
CAB	2	362.101	12.340	353.375	370.827

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	290.000	.	290.000	290.000
Aska	1	87.000	.	87.000	87.000
OS smbh	1	74.500	.	74.500	74.500
Råprot	1	161.000	.	161.000	161.000
sRåprot	1	676.000	.	676.000	676.000
NH3-N	1	120.000	.	120.000	120.000
NDF	1	459.000	.	459.000	459.000
iNDF	1	147.000	.	147.000	147.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	1	4.041	.	4.041	4.041
TAF	1	96.000	.	96.000	96.000
Mjölksyra	1	65.000	.	65.000	65.000
Ättiksyra	1	23.000	.	23.000	23.000
Socker	1	23.000	.	23.000	23.000
PRF	1	5.000	.	5.000	5.000
BUF	1	3.000	.	3.000	3.000
AATp20	1	77.846	.	77.846	77.846
PBVp20	1	40.207	.	40.207	40.207
NELp20	1	6.178	.	6.178	6.178
OE*	1	10.670	.	10.670	10.670
Ca	1	6.200	.	6.200	6.200
P	1	3.500	.	3.500	3.500
Mg	1	2.500	.	2.500	2.500
K	1	24.200	.	24.200	24.200
Na	1	1.700	.	1.700	1.700
Cl	1	8.700	.	8.700	8.700
S	1	2.700	.	2.700	2.700
CAB	1	279.018	.	279.018	279.018

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	411.000	.	411.000	411.000
Aska	1	20.000	.	20.000	20.000
OS smbh	1	76.400	.	76.400	76.400
Råprot	1	75.000	.	75.000	75.000
sRåprot	1	520.000	.	520.000	520.000
NH3-N	1	49.000	.	49.000	49.000
NDF	1	353.000	.	353.000	353.000
iNDF	1	216.000	.	216.000	216.000
nhNDF	1	3.191	.	3.191	3.191
Stä	1	361.000	.	361.000	361.000
TAF	1	61.000	.	61.000	61.000
Mjölksyra	1	48.000	.	48.000	48.000
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	0.000	.	0.000	0.000
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	84.775	.	84.775	84.775
PBVp20	1	-58.216	.	-58.216	-58.216
NELp20	1	6.591	.	6.591	6.591
OE*	1	11.790	.	11.790	11.790
Ca	1	1.800	.	1.800	1.800
P	1	1.900	.	1.900	1.900
Mg	1	1.100	.	1.100	1.100
K	1	7.200	.	7.200	7.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.400	.	0.400	0.400
S	1	0.900	.	0.900	0.900
CAB	1	103.031	.	103.031	103.031

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	401.000	.	401.000	401.000
Aska	1	61.000	.	61.000	61.000
OS smbh	1	70.100	.	70.100	70.100
Råprot	1	118.000	.	118.000	118.000
sRåprot	1	458.000	.	458.000	458.000
NH3-N	1	53.000	.	53.000	53.000
NDF	1	381.000	.	381.000	381.000
iNDF	1	302.000	.	302.000	302.000
nhNDF	1	2.668	.	2.668	2.668
Stä	1	159.000	.	159.000	159.000
TAF	1	39.000	.	39.000	39.000
Mjölksyra	1	24.000	.	24.000	24.000
Ättiksyra	1	13.000	.	13.000	13.000
Socket	1	47.000	.	47.000	47.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	82.791	.	82.791	82.791
PBVp20	1	-4.214	.	-4.214	-4.214

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	5.779	.	5.779	5.779
OE*	1	10.240	.	10.240	10.240
Ca	1	6.200	.	6.200	6.200
P	1	3.100	.	3.100	3.100
Mg	1	2.500	.	2.500	2.500
K	1	13.200	.	13.200	13.200
Na	1	2.100	.	2.100	2.100
Cl	1	3.900	.	3.900	3.900
S	1	2.100	.	2.100	2.100
CAB	1	187.791	.	187.791	187.791

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	419.000	.	419.000	419.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	424.000	.	424.000	424.000
NH3-N	1	48.000	.	48.000	48.000
NDF	1	424.000	.	424.000	424.000
iNDF	1	196.767	.	196.767	196.767
nhNDF	1	3.598	.	3.598	3.598
Stä	1	87.000	.	87.000	87.000
Socker	1	30.000	.	30.000	30.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	0.000	.	0.000	0.000
Ca	1	6.600	.	6.600	6.600
P	1	4.100	.	4.100	4.100
Mg	1	2.800	.	2.800	2.800
K	1	13.900	.	13.900	13.900
Na	1	1.500	.	1.500	1.500
Cl	1	5.500	.	5.500	5.500
S	1	2.200	.	2.200	2.200
CAB	1	128.287	.	128.287	128.287
Fe	1	350.000	.	350.000	350.000
Mn	1	97.000	.	97.000	97.000
Zn	1	75.000	.	75.000	75.000
Cu	1	23.800	.	23.800	23.800

*= Parametrar från det gamla svenska fodervärderingssystemet