

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Prognos, gräs (0% baljv.) (041)	1	1	201		72.7					171	4.34		0.0			
Prognos, blandvall (1-50% baljv) (042)	0	7	209		73.2					170	4.32		0.0			
Prognos, blandvall (1-50% baljv) (042)	1	9	207		73.2					170	4.32		0.0			
Grönmassa blandvall (1-50 % baljväxter) (164)	1	1	383	119	81.9	179			373	76	5.73		84.0			154
Ensilage, blandvall (1-50% klöver) (165)	1	1	353	75	74.0	137	666	139	526	151	4.82		84.0	57.0	21.0	22
Ensilage, blandvall (1-50% klöver) (165)	2	2	376	80	73.2	143	631	90.5	438	233	4.61		121.5	89.5	25.5	16
Ensilage, blandvall (1-50% klöver) (326)	1	1	470	63	73.6	141	556	82.0	365	243	3.06	167	69.0	39.0	23.0	34
Fullfoder (TMR) ej kompletta data (1E3)	1	1	437	48	78.9	132	496	61.0	322	176	3.59	252				36

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Prognos, gräs (0% baljv.) (041)	1	1				95.9	-8.0	5.94	11.0		
Prognos, blandvall (1-50% baljv) (042)	0	7				96.4	-4.4	5.94	12.6		
Prognos, blandvall (1-50% baljv) (042)	1	9				96.4	-4.4	5.94	12.6		
Grönmassa blandvall (1-50 % baljväxter) (164)	1	1				87.9	40.2	6.53	11.5	78.0	44.0
Ensilage, blandvall (1-50% klöver) (165)	1	1		5.0		79.6	14.8	6.15	10.7	71.0	15.0
Ensilage, blandvall (1-50% klöver) (165)	2	2	6	0.5		75.2	27.0	6.09	10.6		
Ensilage, blandvall (1-50% klöver) (326)	1	1	5	2.0		82.8	17.3	6.30	10.8		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	1	1	4.0	2.7	1.6	25.1	1.1	6.5	1.8	394	1	136.0	76.0	28.0	5.6	
Ensilage, blandvall (1-50% klöver) (165)	2	2	9.5	3.6	2.2	25.9	1.1	3.7	2.5	448	2	170.0	49.5	29.5	7.5	
Ensilage, blandvall (1-50% klöver) (326)	1	1	6.9	4.1	2.4	17.0	1.1	4.5	2.6	193	1	210.0	52.0	43.0	10.0	
Fullfoder (TMR) ej kompletta data (1E3)	1	1	4.6	3.0	1.9	11.4	2.0	1.4	2.0	214	1	406.0	60.0	50.0	9.7	0.2

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	201.000	.	201.000	201.000
OS smbh	1	72.700	.	72.700	72.700
iNDF	1	171.006	.	171.006	171.006
nhNDF	1	4.344	.	4.344	4.344
TAF	1	0.000	.	0.000	0.000
AATp20	1	95.932	.	95.932	95.932
PBVp20	1	-7.980	.	-7.980	-7.980
NELp20	1	5.936	.	5.936	5.936
OE*	1	11.000	.	11.000	11.000

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	209.143	33.4536	166.000	259.000
OS smbh	7	73.150	0.0000	73.150	73.150
iNDF	7	170.460	0.0000	170.460	170.460
nhNDF	7	4.315	0.0000	4.315	4.315
TAF	7	0.000	0.0000	0.000	0.000
AATp20	7	96.439	0.0000	96.439	96.439
PBVp20	7	-4.418	0.0000	-4.418	-4.418
NELp20	7	5.943	0.0000	5.943	5.943
OE*	7	12.614	0.2340	12.200	12.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	207.000	23.4414	181.000	260.000
OS smbh	9	73.150	0.0000	73.150	73.150
iNDF	9	170.460	0.0000	170.460	170.460
nhNDF	9	4.315	0.0000	4.315	4.315
TAF	9	0.000	0.0000	0.000	0.000
AATp20	9	96.439	0.0000	96.439	96.439
PBVp20	9	-4.418	0.0000	-4.418	-4.418
NELp20	9	5.943	0.0000	5.943	5.943
OE*	9	12.600	0.3202	11.900	13.100

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	383.000	.	383.000	383.000
Aska	1	119.000	.	119.000	119.000
OS smbh	1	81.900	.	81.900	81.900
Råprot	1	179.000	.	179.000	179.000
NDF	1	373.000	.	373.000	373.000
iNDF	1	76.244	.	76.244	76.244
nhNDF	1	5.729	.	5.729	5.729
TAF	1	84.000	.	84.000	84.000
Socket	1	154.000	.	154.000	154.000
AATp20	1	87.945	.	87.945	87.945
PBVp20	1	40.197	.	40.197	40.197
NELp20	1	6.526	.	6.526	6.526

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	11.500	.	11.500	11.500
AAT*	1	78.000	.	78.000	78.000
PBV*	1	44.000	.	44.000	44.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	353.000	.	353.000	353.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	74.000	.	74.000	74.000
Råprot	1	137.000	.	137.000	137.000
sRåprot	1	666.000	.	666.000	666.000
NH3-N	1	139.000	.	139.000	139.000
NDF	1	526.000	.	526.000	526.000
iNDF	1	151.473	.	151.473	151.473
nhNDF	1	4.815	.	4.815	4.815
TAF	1	84.000	.	84.000	84.000
Mjölksyra	1	57.000	.	57.000	57.000
Ättiksyra	1	21.000	.	21.000	21.000
Socker	1	22.000	.	22.000	22.000
BUF	1	5.000	.	5.000	5.000
AATp20	1	79.642	.	79.642	79.642
PBVp20	1	14.802	.	14.802	14.802
NELp20	1	6.147	.	6.147	6.147
OE*	1	10.700	.	10.700	10.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	1	71.000	.	71.000	71.000
PBV*	1	15.000	.	15.000	15.000
Ca	1	4.000	.	4.000	4.000
P	1	2.700	.	2.700	2.700
Mg	1	1.600	.	1.600	1.600
K	1	25.100	.	25.100	25.100
Na	1	1.100	.	1.100	1.100
Cl	1	6.500	.	6.500	6.500
S	1	1.800	.	1.800	1.800
CAB	1	394.171	.	394.171	394.171
Fe	1	136.000	.	136.000	136.000
Mn	1	76.000	.	76.000	76.000
Zn	1	28.000	.	28.000	28.000
Cu	1	5.600	.	5.600	5.600

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	375.500	9.1924	369.000	382.000
Aska	2	79.500	6.3640	75.000	84.000
OS smbh	2	73.200	2.2627	71.600	74.800
Råprot	2	142.500	6.3640	138.000	147.000
sRåprot	2	631.000	41.0122	602.000	660.000
NH3-N	2	90.500	4.9497	87.000	94.000
NDF	2	437.500	30.4056	416.000	459.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	2	233.000	49.4975	198.000	268.000
nhNDF	2	4.606	0.4551	4.284	4.928
TAF	2	121.500	0.7071	121.000	122.000
Mjölksyra	2	89.500	0.7071	89.000	90.000
Ättiksyra	2	25.500	0.7071	25.000	26.000
Socker	2	16.000	5.6569	12.000	20.000
PRF	2	6.000	0.0000	6.000	6.000
BUF	2	0.500	0.7071	0.000	1.000
AATp20	2	75.167	2.3258	73.522	76.812
PBVp20	2	27.047	2.0292	25.612	28.482
NELp20	2	6.088	0.1584	5.976	6.200
OE*	2	10.550	0.2970	10.340	10.760
Ca	2	9.500	2.1213	8.000	11.000
P	2	3.550	0.0707	3.500	3.600
Mg	2	2.150	0.0707	2.100	2.200
K	2	25.850	3.6062	23.300	28.400
Na	2	1.100	0.5657	0.700	1.500
Cl	2	3.700	0.5657	3.300	4.100
S	2	2.500	0.1414	2.400	2.600
CAB	2	448.476	92.0527	383.385	513.567
Fe	2	170.000	72.1249	119.000	221.000
Mn	2	49.500	21.9203	34.000	65.000
Zn	2	29.500	7.7782	24.000	35.000
Cu	2	7.500	2.1213	6.000	9.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	470.000	.	470.000	470.000
Aska	1	63.000	.	63.000	63.000
OS smbh	1	73.600	.	73.600	73.600
Råprot	1	141.000	.	141.000	141.000
sRåprot	1	556.000	.	556.000	556.000
NH3-N	1	82.000	.	82.000	82.000
NDF	1	365.000	.	365.000	365.000
iNDF	1	243.000	.	243.000	243.000
nhNDF	1	3.058	.	3.058	3.058
Stä	1	167.000	.	167.000	167.000
TAF	1	69.000	.	69.000	69.000
Mjölksyra	1	39.000	.	39.000	39.000
Ättiksyra	1	23.000	.	23.000	23.000
Socker	1	34.000	.	34.000	34.000
PRF	1	5.000	.	5.000	5.000
BUF	1	2.000	.	2.000	2.000
AATp20	1	82.773	.	82.773	82.773
PBVp20	1	17.336	.	17.336	17.336
NELp20	1	6.297	.	6.297	6.297
OE*	1	10.800	.	10.800	10.800
Ca	1	6.900	.	6.900	6.900
P	1	4.100	.	4.100	4.100
Mg	1	2.400	.	2.400	2.400
K	1	17.000	.	17.000	17.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.100	.	1.100	1.100
Cl	1	4.500	.	4.500	4.500
S	1	2.600	.	2.600	2.600
CAB	1	193.348	.	193.348	193.348
Fe	1	210.000	.	210.000	210.000
Mn	1	52.000	.	52.000	52.000
Zn	1	43.000	.	43.000	43.000
Cu	1	10.000	.	10.000	10.000

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	437.000	.	437.000	437.000
Aska	1	48.000	.	48.000	48.000
OS smbh	1	78.900	.	78.900	78.900
Råprot	1	132.000	.	132.000	132.000
sRåprot	1	496.000	.	496.000	496.000
NH3-N	1	61.000	.	61.000	61.000
NDF	1	322.000	.	322.000	322.000
iNDF	1	175.553	.	175.553	175.553
nhNDF	1	3.586	.	3.586	3.586
Stä	1	252.000	.	252.000	252.000
Socker	1	36.000	.	36.000	36.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	4.600	.	4.600	4.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	3.000	.	3.000	3.000
Mg	1	1.900	.	1.900	1.900
K	1	11.400	.	11.400	11.400
Na	1	2.000	.	2.000	2.000
Cl	1	1.400	.	1.400	1.400
S	1	2.000	.	2.000	2.000
CAB	1	214.080	.	214.080	214.080
Fe	1	406.000	.	406.000	406.000
Mn	1	60.000	.	60.000	60.000
Zn	1	50.000	.	50.000	50.000
Cu	1	9.700	.	9.700	9.700
Se	1	0.190	.	0.190	0.190

*= Parametrar från det gamla svenska fodervärderingssystemet