

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Vete, kärna (005)	1	1	868	16	88.0	136			110	187	3.50	697	0.0			
Ensilage, blandvall (1-50% klöver) (165)	1	1	397	55	69.6	103	651	67.0	571	188	4.10		108.0	86.0	20.0	12
Ensilage, blandvall (1-50% klöver) (165)	3	1	204	86	74.5	140	566	115	406	185	3.74		141.5	119	20.0	10
Ensilage, blandvall (1-50% klöver) (165)	4	1	301	105	70.7	152	585	140	386	242	2.87		70.0	49.0	13.0	40
Majs, helsädesensilage (305)	1	2	353	21	71.1	73	480	45.5	424	272	3.08	314	56.5	39.0	13.0	0

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Vete, kärna (005)	1	1				117	-35	8.17			
Ensilage, blandvall (1-50% klöver) (165)	1	1		1.0		73.8	-7.5	5.87	10.2	69.0	-16
Ensilage, blandvall (1-50% klöver) (165)	3	1		1.5		74.6	25.3	6.13	10.7	71.0	18.0
Ensilage, blandvall (1-50% klöver) (165)	4	1		7.0		75.6	35.7	5.52	9.9	68.0	34.0
Majs, helsädesensilage (305)	1	2	4.5	0.0		80.8	-54	6.10	10.9		

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Vete, kärna (005)	1	1	0.4	3.1	1.2	4.9	0.1		1.3	23	1	42.0	31.0	30.0	4.1	
Ensilage, blandvall (1-50% klöver) (165)	1	1	3.4	2.3	1.5	20.6	0.5	1.8	1.6	398	1	139.0	90.0	37.0	4.0	
Ensilage, blandvall (1-50% klöver) (165)	3	1	10.1	3.2	2.4	21.5	0.9	1.0	2.3	417	1	426.0	133.0	25.0	8.4	
Ensilage, blandvall (1-50% klöver) (165)	4	1	10.3	2.6	1.9	23.9	0.8	5.6	2.2	351	1	928.0	177.0	24.0	8.1	
Majs, helsädesensilage (305)	1	2	1.8	1.7	1.3	8.0	0.4		1.0	119	2	114.0	52.5	34.5	4.5	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	868.000	.	868.000	868.000
Aska	1	16.100	.	16.100	16.100
OS smbh	1	88.000	.	88.000	88.000
Råprot	1	135.900	.	135.900	135.900
NDF	1	110.000	.	110.000	110.000
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	697.000	.	697.000	697.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	116.969	.	116.969	116.969
PBVp20	1	-35.330	.	-35.330	-35.330
NELp20	1	8.173	.	8.173	8.173
Ca	1	0.400	.	0.400	0.400
P	1	3.100	.	3.100	3.100
Mg	1	1.200	.	1.200	1.200
K	1	4.900	.	4.900	4.900
Na	1	0.100	.	0.100	0.100
S	1	1.300	.	1.300	1.300
CAB	1	23.065	.	23.065	23.065
Fe	1	42.000	.	42.000	42.000
Mn	1	31.000	.	31.000	31.000
Zn	1	30.000	.	30.000	30.000
Cu	1	4.100	.	4.100	4.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	397.000	.	397.000	397.000
Aska	1	55.000	.	55.000	55.000
OS smbh	1	69.600	.	69.600	69.600
Råprot	1	103.000	.	103.000	103.000
sRåprot	1	651.000	.	651.000	651.000
NH3-N	1	67.000	.	67.000	67.000
NDF	1	571.000	.	571.000	571.000
iNDF	1	188.257	.	188.257	188.257
nhNDF	1	4.100	.	4.100	4.100
TAF	1	108.000	.	108.000	108.000
Mjölksyra	1	86.000	.	86.000	86.000
Ättiksyra	1	20.000	.	20.000	20.000
Socker	1	12.000	.	12.000	12.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	73.825	.	73.825	73.825
PBVp20	1	-7.543	.	-7.543	-7.543
NELp20	1	5.872	.	5.872	5.872
OE*	1	10.200	.	10.200	10.200
AAT*	1	69.000	.	69.000	69.000
PBV*	1	-16.000	.	-16.000	-16.000
Ca	1	3.400	.	3.400	3.400
P	1	2.300	.	2.300	2.300
Mg	1	1.500	.	1.500	1.500
K	1	20.600	.	20.600	20.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.500	.	0.500	0.500
Cl	1	1.800	.	1.800	1.800
S	1	1.600	.	1.600	1.600
CAB	1	397.889	.	397.889	397.889
Fe	1	139.000	.	139.000	139.000
Mn	1	90.000	.	90.000	90.000
Zn	1	37.000	.	37.000	37.000
Cu	1	4.000	.	4.000	4.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	204.000	.	204.000	204.000
Aska	1	86.000	.	86.000	86.000
OS smbh	1	74.500	.	74.500	74.500
Råprot	1	140.000	.	140.000	140.000
sRåprot	1	566.000	.	566.000	566.000
NH3-N	1	115.000	.	115.000	115.000
NDF	1	406.000	.	406.000	406.000
iNDF	1	185.039	.	185.039	185.039
nhNDF	1	3.741	.	3.741	3.741
TAF	1	141.500	.	141.500	141.500
Mjölksyra	1	119.000	.	119.000	119.000
Ättiksyra	1	20.000	.	20.000	20.000
Socker	1	10.000	.	10.000	10.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	1	1.500	.	1.500	1.500
AATp20	1	74.643	.	74.643	74.643
PBVp20	1	25.276	.	25.276	25.276
NELp20	1	6.135	.	6.135	6.135
OE*	1	10.700	.	10.700	10.700
AAT*	1	71.000	.	71.000	71.000
PBV*	1	18.000	.	18.000	18.000
Ca	1	10.100	.	10.100	10.100
P	1	3.200	.	3.200	3.200
Mg	1	2.400	.	2.400	2.400
K	1	21.500	.	21.500	21.500
Na	1	0.900	.	0.900	0.900
Cl	1	1.000	.	1.000	1.000
S	1	2.300	.	2.300	2.300
CAB	1	417.084	.	417.084	417.084
Fe	1	426.000	.	426.000	426.000
Mn	1	133.000	.	133.000	133.000
Zn	1	25.000	.	25.000	25.000
Cu	1	8.400	.	8.400	8.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	301.000	.	301.000	301.000
Aska	1	105.000	.	105.000	105.000
OS smbh	1	70.700	.	70.700	70.700
Råprot	1	152.000	.	152.000	152.000
sRåprot	1	585.000	.	585.000	585.000
NH3-N	1	140.000	.	140.000	140.000
NDF	1	386.000	.	386.000	386.000
iNDF	1	241.930	.	241.930	241.930
nhNDF	1	2.870	.	2.870	2.870
TAF	1	70.000	.	70.000	70.000
Mjölksyra	1	49.000	.	49.000	49.000
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	40.000	.	40.000	40.000
BUF	1	7.000	.	7.000	7.000
AATp20	1	75.568	.	75.568	75.568
PBVp20	1	35.731	.	35.731	35.731
NELp20	1	5.515	.	5.515	5.515
OE*	1	9.900	.	9.900	9.900
AAT*	1	68.000	.	68.000	68.000
PBV*	1	34.000	.	34.000	34.000
Ca	1	10.300	.	10.300	10.300
P	1	2.600	.	2.600	2.600
Mg	1	1.900	.	1.900	1.900
K	1	23.900	.	23.900	23.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.800	.	0.800	0.800
Cl	1	5.600	.	5.600	5.600
S	1	2.200	.	2.200	2.200
CAB	1	350.789	.	350.789	350.789
Fe	1	928.000	.	928.000	928.000
Mn	1	177.000	.	177.000	177.000
Zn	1	24.000	.	24.000	24.000
Cu	1	8.100	.	8.100	8.100

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	352.500	57.2756	312.000	393.000
Aska	2	21.000	1.4142	20.000	22.000
OS smbh	2	71.100	1.9799	69.700	72.500
Råprot	2	72.500	4.9497	69.000	76.000
sRåprot	2	479.500	28.9914	459.000	500.000
NH3-N	2	45.500	9.1924	39.000	52.000
NDF	2	424.000	14.1421	414.000	434.000
iNDF	2	272.000	18.3848	259.000	285.000
nhNDF	2	3.078	0.2802	2.880	3.276
Stä	2	314.000	18.3848	301.000	327.000
TAF	2	56.500	2.1213	55.000	58.000
Mjölksyra	2	39.000	1.4142	38.000	40.000
Ättiksyra	2	13.000	2.8284	11.000	15.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	0.000	0.0000	0.000	0.000
PRF	2	4.500	0.7071	4.000	5.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	2	80.778	0.9477	80.107	81.448
PBVp20	2	-53.504	5.9238	-57.693	-49.315
NELp20	2	6.098	0.1837	5.968	6.228
OE*	2	10.855	0.3323	10.620	11.090
Ca	2	1.800	0.1414	1.700	1.900
P	2	1.700	0.2828	1.500	1.900
Mg	2	1.250	0.0707	1.200	1.300
K	2	7.950	2.1920	6.400	9.500
Na	2	0.400	0.0000	0.400	0.400
S	2	0.950	0.3536	0.700	1.200
CAB	2	119.088	33.9651	95.071	143.105
Fe	2	114.000	45.2548	82.000	146.000
Mn	2	52.500	28.9914	32.000	73.000
Zn	2	34.500	9.1924	28.000	41.000
Cu	2	4.500	0.7071	4.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet