

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socket
Prognos, blandvall (1-50% baljv) (042)	1	2	196		73.2					170	4.32		0.00			
Grönmassa blandvall (1-50 % baljväxter) (164)	1	5	234	67	80.0	176	507		394	94	4.46		16.20	0.0	0.0	122
Ensilage, blandvall (1-50% klöver) (165)	1	1	458	67	72.1	107	588	81.0	445	206	3.51		48.30	36.0	11.0	81
Ensilage, blandvall (1-50% klöver) (165)	2	1	676	87	74.4	113	414	43.0	426	177	3.95		13.50	3.0	9.0	132
Ensilage, blandvall (1-50% klöver) (165)	3	2	363	82	72.7	141	437	67.5	425	202	3.53		71.55	57.0	11.5	32
Ensilage, blandvall (1-50% klöver) (326)	1	1	419	59	67.7	114	612	103	495	273	3.59		85.00	58.0	22.0	27

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Prognos, blandvall (1-50% baljv) (042)	1	2				96.4	-4.4	5.94	13.0		
Grönmassa blandvall (1-50 % baljväxter) (164)	1	5	11.2	5.00		96.5	24.2	6.49	11.8		
Ensilage, blandvall (1-50% klöver) (165)	1	1		0.30		79.9	-13	5.65	10.5	70.0	-13
Ensilage, blandvall (1-50% klöver) (165)	2	1		0.50		86.7	-19	5.69	10.7	71.0	-8.0
Ensilage, blandvall (1-50% klöver) (165)	3	2		2.05		82.5	14.1	5.87	10.5	70.0	21.0
Ensilage, blandvall (1-50% klöver) (326)	1	1	5.0	0.00		74.3	5.0	5.77	9.9		
Råvarublandning - ej kompletta data (1E3)	1	0						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa blandvall (1-50 % baljväxter) (164)	1	5	3.9	2.6	1.4	24.1	0.7	6.7	2.3	311	0					
Ensilage, blandvall (1-50% klöver) (165)	1	1	6.1	2.1	2.4	22.2	0.1	1.1	1.2	466	1	123.0	84.0	31.0	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	1	7.8	2.4	2.2	27.3	0.1	2.7	1.7	520	1	162.0	73.0	20.0	7.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	1	8.6	1.9	2.6	17.4	0.5	1.5	1.8	332	1	167.0	73.0	23.0	12.6	0.0
Ensilage, blandvall (1-50% klöver) (326)	1	1	5.2	2.7	2.3	14.0	1.5	1.8	2.1	241	0					

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	196.000	9.89949	189.000	203.000
OS smbh	2	73.150	0.00000	73.150	73.150
iNDF	2	170.460	0.00000	170.460	170.460
nhNDF	2	4.315	0.00000	4.315	4.315
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	96.439	0.00000	96.439	96.439
PBVp20	2	-4.418	0.00000	-4.418	-4.418
NELp20	2	5.943	0.00000	5.943	5.943
OE*	2	12.950	0.35355	12.700	13.200

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	233.600	15.821	216.000	253.000
Aska	5	66.600	5.941	57.000	72.000
OS smbh	5	80.040	1.965	76.600	81.500
Råprot	5	175.600	14.758	150.000	187.000
sRåprot	5	507.200	21.776	477.000	533.000
NDF	5	393.600	28.094	347.000	422.000
iNDF	5	93.800	35.188	64.000	141.000
nhNDF	5	4.459	0.321	4.029	4.792
TAF	5	16.200	1.789	14.000	18.000
Mjölksyra	5	0.000	0.000	0.000	0.000
Ättiksyra	5	0.000	0.000	0.000	0.000
Socker	5	122.400	20.683	89.000	140.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	5	11.200	1.095	10.000	12.000
BUF	5	5.000	1.732	2.000	6.000
AATp20	5	96.498	1.852	94.499	98.535
PBVp20	5	24.217	13.161	2.920	38.452
NELp20	5	6.488	0.159	6.247	6.660
OE*	5	11.830	0.328	11.260	12.080
Ca	5	3.940	0.573	3.200	4.600
P	5	2.620	0.110	2.500	2.800
Mg	5	1.400	0.308	1.000	1.800
K	5	24.060	3.508	20.600	28.400
Na	5	0.720	0.311	0.400	1.100
Cl	5	6.740	1.742	4.100	8.300
S	5	2.340	0.182	2.100	2.500
CAB	5	310.540	124.381	160.443	449.053

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	458.000	.	458.000	458.000
Aska	1	67.000	.	67.000	67.000
OS smbh	1	72.100	.	72.100	72.100
Råprot	1	107.000	.	107.000	107.000
sRåprot	1	588.000	.	588.000	588.000
NH3-N	1	81.000	.	81.000	81.000
NDF	1	445.000	.	445.000	445.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	205.813	.	205.813	205.813
nhNDF	1	3.508	.	3.508	3.508
TAF	1	48.300	.	48.300	48.300
Mjölksyra	1	36.000	.	36.000	36.000
Ättiksyra	1	11.000	.	11.000	11.000
Socker	1	81.000	.	81.000	81.000
BUF	1	0.300	.	0.300	0.300
AATp20	1	79.890	.	79.890	79.890
PBVp20	1	-13.383	.	-13.383	-13.383
NELp20	1	5.653	.	5.653	5.653
OE*	1	10.500	.	10.500	10.500
AAT*	1	70.000	.	70.000	70.000
PBV*	1	-13.000	.	-13.000	-13.000
Ca	1	6.100	.	6.100	6.100
P	1	2.100	.	2.100	2.100
Mg	1	2.400	.	2.400	2.400
K	1	22.200	.	22.200	22.200
Na	1	0.100	.	0.100	0.100
Cl	1	1.100	.	1.100	1.100
S	1	1.200	.	1.200	1.200
CAB	1	466.137	.	466.137	466.137
Fe	1	123.000	.	123.000	123.000
Mn	1	84.000	.	84.000	84.000
Zn	1	31.000	.	31.000	31.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	1	6.800	.	6.800	6.800
Se	1	0.010	.	0.010	0.010

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	676.000	.	676.000	676.000
Aska	1	87.000	.	87.000	87.000
OS smbh	1	74.400	.	74.400	74.400
Råprot	1	113.000	.	113.000	113.000
sRåprot	1	414.000	.	414.000	414.000
NH3-N	1	43.000	.	43.000	43.000
NDF	1	426.000	.	426.000	426.000
iNDF	1	177.293	.	177.293	177.293
nhNDF	1	3.951	.	3.951	3.951
TAF	1	13.500	.	13.500	13.500
Mjölksyra	1	3.000	.	3.000	3.000
Ättiksyra	1	9.000	.	9.000	9.000
Socker	1	132.000	.	132.000	132.000
BUF	1	0.500	.	0.500	0.500
AATp20	1	86.726	.	86.726	86.726
PBVp20	1	-19.019	.	-19.019	-19.019
NELp20	1	5.689	.	5.689	5.689
OE*	1	10.700	.	10.700	10.700
AAT*	1	71.000	.	71.000	71.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	1	-8.000	.	-8.000	-8.000
Ca	1	7.800	.	7.800	7.800
P	1	2.400	.	2.400	2.400
Mg	1	2.200	.	2.200	2.200
K	1	27.300	.	27.300	27.300
Na	1	0.100	.	0.100	0.100
Cl	1	2.700	.	2.700	2.700
S	1	1.700	.	1.700	1.700
CAB	1	520.251	.	520.251	520.251
Fe	1	162.000	.	162.000	162.000
Mn	1	73.000	.	73.000	73.000
Zn	1	20.000	.	20.000	20.000
Cu	1	7.400	.	7.400	7.400
Se	1	0.012	.	0.012	0.012

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	363.000	152.735	255.000	471.000
Aska	2	82.000	19.799	68.000	96.000
OS smbh	2	72.700	1.414	71.700	73.700
Råprot	2	141.000	50.912	105.000	177.000
sRåprot	2	436.500	120.915	351.000	522.000
NH3-N	2	67.500	7.778	62.000	73.000
NDF	2	424.500	3.536	422.000	427.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	2	202.179	9.557	195.422	208.937
nhNDF	2	3.529	0.120	3.444	3.614
TAF	2	71.550	12.233	62.900	80.200
Mjölksyra	2	57.000	4.243	54.000	60.000
Ättiksyra	2	11.500	6.364	7.000	16.000
Socker	2	31.500	26.163	13.000	50.000
BUF	2	2.050	1.626	0.900	3.200
AATp20	2	82.474	7.985	76.828	88.120
PBVp20	2	14.056	34.972	-10.673	38.785
NELp20	2	5.873	0.456	5.550	6.196
OE*	2	10.450	0.495	10.100	10.800
AAT*	2	70.000	1.414	69.000	71.000
PBV*	2	21.000	48.083	-13.000	55.000
Ca	1	8.600	.	8.600	8.600
P	1	1.900	.	1.900	1.900
Mg	1	2.600	.	2.600	2.600
K	1	17.400	.	17.400	17.400
Na	1	0.500	.	0.500	0.500
Cl	2	1.450	0.919	0.800	2.100
S	1	1.800	.	1.800	1.800
CAB	1	331.717	.	331.717	331.717
Fe	1	167.000	.	167.000	167.000
Mn	1	73.000	.	73.000	73.000
Zn	1	23.000	.	23.000	23.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	1	12.600	.	12.600	12.600
Se	1	0.025	.	0.025	0.025

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	419.000	.	419.000	419.000
Aska	1	59.000	.	59.000	59.000
OS smbh	1	67.700	.	67.700	67.700
Råprot	1	114.000	.	114.000	114.000
sRåprot	1	612.000	.	612.000	612.000
NH3-N	1	103.000	.	103.000	103.000
NDF	1	495.000	.	495.000	495.000
iNDF	1	273.000	.	273.000	273.000
nhNDF	1	3.589	.	3.589	3.589
TAF	1	85.000	.	85.000	85.000
Mjölksyra	1	58.000	.	58.000	58.000
Ättiksyra	1	22.000	.	22.000	22.000
Socker	1	27.000	.	27.000	27.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	74.315	.	74.315	74.315
PBVp20	1	5.034	.	5.034	5.034
NELp20	1	5.773	.	5.773	5.773
OE*	1	9.860	.	9.860	9.860

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	5.200	.	5.200	5.200
P	1	2.700	.	2.700	2.700
Mg	1	2.300	.	2.300	2.300
K	1	14.000	.	14.000	14.000
Na	1	1.500	.	1.500	1.500
Cl	1	1.800	.	1.800	1.800
S	1	2.100	.	2.100	2.100
CAB	1	241.319	.	241.319	241.319

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	0	.	0	0
TAF	1	0	.	0	0
NELp20	1	0	.	0	0

*= Parametrar från det gamla svenska fodervärderingssystemet