

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Prognos, blandvall (1-50% baljv) (042)	1	20	217		73.2					170	4.32					96.4	-4.4	5.94
Grönmassa, gräs (0% baljv.) (161)	1	66	399	68	74.5	156	391		471	160	4.44	22	113	0.0	0.7	90.9	11.8	6.00
Grönmassa blandvall (1-50 % baljväxter) (164)	0	29	644	75	77.3	152			515	118	5.72		140			86.9	14.4	6.41
Grönmassa blandvall (1-50 % baljväxter) (164)	1	385	410	70	78.7	147	439		444	116	5.39	10	138	0.0	2.1	90.9	6.4	6.39
Grönmassa blandvall (1-50 % baljväxter) (164)	2	34	456	78	77.9	156	399		458	117	5.03		123	0.0	0.6	92.3	12.2	6.32
Ensilage, blandvall (1-50% klöver) (165)	0	16	401	73	73.6	138	545	88.5	466	173	4.19		37	58.2	15.2	81.8	14.3	6.04
Ensilage, blandvall (1-50% klöver) (165)	1	167	377	72	76.8	150	635	76.4	425	151	4.55	114	78	53.0	15.2	83.4	20.8	6.29
Ensilage, blandvall (1-50% klöver) (165)	2	18	392	82	72.2	147	551	100	462	200	4.11		49	49.5	17.7	80.2	23.5	5.88
Ensilage, blandvall (1-50% klöver) (165)	3	31	396	93	72.2	152	536	96.3	437	211	3.92		42	54.0	16.6	79.5	29.2	5.82
Ensilage, blandvall (1-50% klöver) (165)	4	11	423	89	72.8	162	531	89.4	431	204	3.94		58	44.1	14.5	82.1	34.7	5.89
Korn, helsädesensilage (250)	1	10	300	58	72.9	126	540	52.9	447	194	3.67	41	118	29.0	10.7	77.7	-3.7	5.86
Majs, helsädesensilage (305)	1	14	360	26	75.5	74	574	66.0	378	218	3.41	311	6	49.5	15.3	82.0	-55	6.45
Hö, blandvall, 0-50% baljväxter (383)	1	22	855	62	69.4	97	448		562	187	4.10		123	0.0	0.0	88.5	-37	5.43
Grönmassa, blandvall (51-100% baljväxter) (437)	1	14	269	76	77.5	193			398	200	5.72		117			87.7	59.3	6.44

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	64	4.9	2.7	1.7	21.3	0.6	4.1	2.1	313	49	160.5	141.4	36.2	5.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	15	4.8	2.9	1.8	26.3	1.3		2.0	473	15	93.3	42.2	27.3	6.2	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	349	5.0	2.8	1.7	24.0	0.8	4.9	2.0	386	260	146.9	56.6	28.7	5.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	31	6.6	3.7	2.3	33.5	1.3	6.3	3.1	552	18	112.8	47.6	26.5	5.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	5	6.6	2.3	2.1	17.1	1.3	3.6	2.0	267	5	202.0	69.4	24.8	6.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	157	5.5	2.7	1.8	23.1	1.2	4.5	2.1	384	119	181.3	55.5	30.1	5.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	16	7.7	3.2	2.3	25.4	1.0	4.4	2.3	423	12	213.1	69.8	31.5	6.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	22	8.3	3.1	2.6	22.9	1.4	4.9	2.4	389	15	431.7	94.0	28.0	7.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	8	7.8	3.3	2.5	25.0	1.6	7.7	2.8	386	4	391.3	137.3	23.8	7.1	
Korn, helsädesensilage (250)	1	10	4.8	2.5	1.2	18.7	0.6	3.0	1.7	303	4	116.0	42.0	33.5	5.3	
Majs, helsädesensilage (305)	1	14	2.0	1.8	1.1	8.3	0.3	2.2	0.9	117	8	122.8	29.8	25.4	3.9	0.1
Hö, blandvall, 0-50% baljväxter (383)	1	21	3.1	2.4	1.2	20.0	0.4	5.2	1.5	291	18	141.8	69.3	28.1	4.7	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	1	14	11.6	3.3	2.0	27.6	0.6		2.1	474	14	123.3	35.0	26.6	6.7	0.0

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	20	216.600	25.6892	187.500	263.000
OS smbh	20	73.150	0.0000	73.150	73.150
iNDF	20	170.460	0.0000	170.460	170.460
nhNDF	20	4.315	0.0000	4.315	4.315
TAF	20	0.000	0.0000	0.000	0.000
AAT20	20	96.439	0.0000	96.439	96.439
PBV20	20	-4.418	0.0000	-4.418	-4.418
NEL20	20	5.943	0.0000	5.943	5.943

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	66	399.061	216.219	199.000	755.000
Aska	66	67.788	14.532	52.000	88.000
OS smbh	66	74.476	5.506	66.600	80.200
Råprot	66	155.652	61.633	88.000	235.000
sRåprot	39	391.333	98.676	247.000	495.000
NDF	66	471.455	64.327	399.000	570.000
iNDF	66	160.098	68.563	83.000	231.000
nhNDF	66	4.438	1.056	3.545	5.685
Socket	66	113.045	44.028	51.000	171.000
TAF	66	31.788	26.392	3.000	61.000
Mjölksyra	37	0.000	0.000	0.000	0.000
Ättiksyra	35	0.657	1.830	0.000	3.000
PRF	35	4.829	3.560	0.000	11.000
BUF	35	3.000	2.870	0.000	7.000
AAT20	66	90.884	10.768	77.689	101.461
PBV20	66	11.823	41.086	-34.808	68.008
NEL20	66	5.996	0.521	5.328	6.713
Ca	64	4.886	1.988	3.000	8.000
P	64	2.705	0.713	1.800	3.400
Mg	64	1.694	0.629	1.000	2.500
K	64	21.336	5.218	15.600	29.300
Na	63	0.617	0.500	0.100	1.100
Cl	35	4.117	3.250	1.200	9.400
S	64	2.113	0.800	1.200	3.300
CAB	64	313.302	144.739	161.880	517.765
Fe	49	160.531	116.986	61.000	315.000
Mn	49	141.388	182.710	34.000	475.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Zn	49	36.224	19.663	19.000	61.000
Cu	49	5.918	2.087	3.900	9.000

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	29	643.621	333.563	248.000	1000.00
Aska	16	74.813	11.571	63.000	85.00
OS smbh	29	77.300	3.131	74.700	81.00
Råprot	16	152.000	20.781	128.000	173.00
NDF	25	514.680	76.728	439.000	624.00
iNDF	29	118.105	26.890	87.704	151.40
nhNDF	29	5.720	0.930	4.709	6.46
Socker	16	140.000	28.225	109.000	166.00
TAF	29	84.000	0.000	84.000	84.00
AAT20	29	86.902	3.246	83.278	90.57
PBV20	29	14.436	12.693	1.444	27.19
NEL20	29	6.411	0.262	6.106	6.71
Ca	15	4.820	1.254	3.400	6.80
P	15	2.867	0.320	2.500	3.30
Mg	15	1.767	0.344	1.400	2.40
K	15	26.300	3.521	21.600	29.50
Na	15	1.307	0.968	0.200	2.90
S	15	1.980	0.443	1.400	2.30
CAB	15	473.301	99.559	343.133	596.75
Fe	15	93.267	28.902	65.000	137.00
Mn	15	42.200	15.925	28.000	60.00
Zn	15	27.333	3.177	23.000	31.00
Cu	15	6.193	1.388	4.500	8.60

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	385	409.891	139.881	243.000	603.000
Aska	384	70.167	11.210	57.000	84.000
OS smbh	385	78.665	4.096	72.900	83.700
Råprot	384	147.357	30.816	107.000	181.000
sRåprot	161	439.280	63.917	375.000	515.000
NDF	384	444.414	52.143	382.000	517.000
iNDF	385	116.249	45.038	58.182	178.532
nhNDF	385	5.386	1.485	4.045	6.911

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Socket	384	138.148	43.188	85.000	192.000
TAF	385	55.894	36.502	4.000	84.000
Mjölksyra	145	0.000	0.000	0.000	0.000
Ättiksyra	131	2.099	5.082	0.000	8.000
PRF	131	3.718	3.544	0.000	10.000
BUF	131	2.420	2.395	0.000	6.000
AAT20	385	90.875	6.085	83.195	98.031
PBV20	385	6.384	23.423	-21.671	36.303
NEL20	385	6.389	0.397	5.867	6.900
Ca	349	4.962	1.776	3.300	7.100
P	349	2.760	0.505	2.100	3.400
Mg	349	1.687	0.407	1.200	2.200
K	349	23.959	5.163	16.700	29.900
Na	347	0.850	0.693	0.200	1.600
Cl	146	4.933	2.961	1.300	8.300
S	349	2.049	0.451	1.500	2.600
CAB	349	386.463	122.587	227.708	543.483
Fe	260	146.919	227.848	69.000	229.500
Mn	260	56.646	33.569	31.000	84.500
Zn	260	28.654	7.059	21.000	36.500
Cu	260	5.805	3.287	4.000	7.500
Se	42	0.017	0.013	0.007	0.049

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	34	456.324	145.559	248.000	658.000
Aska	34	78.324	8.130	68.000	89.000
OS smbh	34	77.850	2.542	74.900	80.000
Råprot	34	155.882	19.980	124.000	176.000
sRåprot	23	398.957	27.640	368.000	438.000
NDF	34	457.529	30.652	412.000	498.000
iNDF	34	117.297	42.076	56.000	174.000
nhNDF	34	5.035	0.709	4.418	5.753
Socket	34	122.794	32.519	79.000	158.000
TAF	34	44.235	40.412	2.000	84.000
Mjölksyra	17	0.000	0.000	0.000	0.000
Ättiksyra	17	0.647	2.422	0.000	1.000
PRF	17	2.647	1.169	1.000	4.000
BUF	17	1.176	1.185	0.000	3.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
AAT20	34	92.251	5.620	86.065	99.453
PBV20	34	12.229	16.472	-11.785	36.563
NEL20	34	6.319	0.249	6.064	6.522
Ca	31	6.645	9.087	3.400	7.100
P	31	3.674	3.970	2.500	3.400
Mg	31	2.265	2.387	1.400	2.500
K	31	33.477	39.001	24.000	29.600
Na	31	1.306	0.922	0.500	2.100
Cl	23	6.348	2.843	3.500	10.500
S	31	3.113	4.088	1.700	3.100
CAB	31	551.613	778.340	236.119	544.476
Fe	18	112.778	52.863	72.000	216.000
Mn	18	47.556	14.525	27.000	66.000
Zn	18	26.500	3.899	22.000	30.000
Cu	18	5.433	1.002	4.100	7.100

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	16	401.375	198.753	286.000	726.000
Aska	12	73.250	12.159	57.000	88.000
OS smbh	16	73.638	2.986	71.800	75.700
Råprot	13	138.000	16.828	108.000	151.000
NDF	12	466.000	43.704	418.000	539.000
iNDF	16	173.349	28.526	151.215	202.701
nhNDF	16	4.192	0.515	3.415	4.644
Socker	12	36.500	30.216	19.000	74.000
TAF	16	77.425	17.122	74.300	90.900
AAT20	16	81.783	2.457	77.392	83.938
PBV20	16	14.264	12.043	-10.717	22.088
NEL20	16	6.039	0.328	5.847	6.244

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	167	376.946	102.938	257.000	504.000
Aska	167	72.168	9.219	62.000	83.000
OS smbh	168	76.755	3.995	72.100	80.600
Råprot	167	149.940	22.738	119.000	178.000
sRåprot	167	635.263	72.136	541.000	710.000
NH3-N	167	76.371	31.691	44.000	112.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NDF	167	425.365	52.643	366.000	504.000
iNDF	168	150.688	39.870	111.721	198.000
nhNDF	168	4.547	0.620	3.852	5.283
Socker	167	77.719	44.874	27.000	139.000
TAF	168	71.363	28.966	30.400	111.000
Mjölksyra	167	52.958	24.467	18.000	85.000
Ättiksyra	167	15.162	6.188	8.000	22.000
PRF	82	2.927	2.319	0.000	5.000
BUF	167	1.251	3.415	0.000	2.500
AAT20	168	83.446	4.627	78.278	89.037
PBV20	168	20.803	20.126	-7.040	44.828
NEL20	168	6.289	0.358	5.901	6.609
Ca	157	5.538	1.647	3.700	7.800
P	157	2.731	0.412	2.200	3.300
Mg	157	1.773	0.297	1.400	2.100
K	157	23.087	3.784	18.700	28.500
Na	157	1.178	0.729	0.300	2.000
Cl	167	4.489	2.395	1.800	7.500
S	157	2.103	0.386	1.600	2.600
CAB	157	384.060	93.019	259.989	500.557
Fe	119	181.328	162.554	82.000	335.000
Mn	119	55.479	25.373	29.000	84.000
Zn	119	30.050	24.428	21.000	36.000
Cu	119	5.546	1.235	4.000	7.100
Se	33	0.040	0.023	0.013	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	18	391.556	149.805	186.000	658.000
Aska	18	82.056	10.230	69.000	99.000
OS smbh	18	72.233	4.735	62.600	77.900
Råprot	18	147.000	22.442	118.000	174.000
sRåprot	18	551.333	104.483	394.000	660.000
NH3-N	18	100.389	47.557	52.000	211.000
NDF	18	461.944	47.277	416.000	557.000
iNDF	18	200.276	53.197	131.000	270.000
nhNDF	18	4.107	0.857	2.971	5.026
Socker	18	48.833	34.396	11.000	111.000
TAF	18	73.922	36.622	13.500	121.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Mjölksyra	18	49.500	29.388	3.000	90.000
Ättiksyra	18	17.667	12.391	1.000	45.000
BUF	18	3.367	7.210	0.000	9.000
AAT20	18	80.169	6.505	72.651	86.726
PBV20	18	23.500	17.696	-1.229	45.031
NEL20	18	5.881	0.480	5.168	6.457
Ca	16	7.725	2.467	4.700	11.200
P	16	3.200	0.466	2.600	3.700
Mg	16	2.275	0.552	1.500	3.100
K	16	25.388	5.155	18.100	32.100
Na	16	0.969	0.743	0.100	1.700
Cl	18	4.428	2.461	1.600	8.900
S	16	2.306	0.440	1.700	2.900
CAB	16	422.804	135.948	208.916	609.479
Fe	12	213.083	123.015	102.000	270.000
Mn	12	69.750	21.655	44.000	102.000
Zn	12	31.500	8.608	22.000	38.000
Cu	12	6.933	1.333	5.100	9.000

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	31	395.645	146.550	243.000	615.000
Aska	31	93.226	27.709	68.000	120.000
OS smbh	31	72.155	3.341	68.800	76.200
Råprot	31	152.065	26.641	124.000	184.000
sRåprot	31	536.097	71.532	438.000	614.000
NH3-N	31	96.290	34.152	62.000	142.000
NDF	31	436.516	47.505	385.000	490.000
iNDF	31	211.455	45.939	167.000	264.316
nhNDF	31	3.916	0.820	3.134	4.822
Socker	31	41.613	28.751	13.000	74.000
TAF	31	75.219	37.708	20.500	115.100
Mjölksyra	31	54.032	33.173	5.000	93.000
Ättiksyra	31	16.581	10.926	5.000	24.000
BUF	31	2.155	2.615	0.100	5.000
AAT20	31	79.508	5.262	73.590	85.407
PBV20	31	29.249	22.783	4.212	56.053
NEL20	31	5.818	0.402	5.220	6.228
Ca	22	8.286	2.580	5.100	12.600

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
P	22	3.114	0.471	2.600	3.600
Mg	22	2.641	0.508	2.000	3.400
K	22	22.923	3.677	20.400	26.700
Na	22	1.400	1.239	0.500	2.100
Cl	31	4.855	3.518	1.300	11.100
S	22	2.391	0.377	1.800	2.800
CAB	22	389.374	90.276	284.552	530.819
Fe	15	431.667	755.490	140.000	625.000
Mn	15	94.000	42.546	38.000	149.000
Zn	15	28.000	4.123	23.000	34.000
Cu	15	7.480	2.226	5.000	10.700

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	11	423.364	162.716	286.000	667.000
Aska	11	88.727	8.211	81.000	98.000
OS smbh	11	72.845	3.849	66.700	76.800
Råprot	11	162.182	24.584	132.000	187.000
sRåprot	11	530.727	89.555	412.000	587.000
NH3-N	11	89.364	58.433	48.000	140.000
NDF	11	431.000	41.658	388.000	469.000
iNDF	11	203.727	34.702	170.000	241.930
nhNDF	11	3.943	0.890	2.870	4.989
Socker	11	58.273	33.823	23.000	106.000
TAF	11	64.582	41.656	6.500	113.000
Mjölksyra	11	44.091	32.198	2.000	90.000
Ättiksyra	11	14.545	10.319	3.000	23.000
BUF	11	2.764	4.890	0.000	7.000
AAT20	11	82.078	4.653	76.698	87.078
PBV20	11	34.689	20.458	5.771	53.587
NEL20	11	5.895	0.429	5.297	6.437
Cl	11	7.709	4.467	3.200	13.900

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	10	300.300	64.8469	211.000	387.500
Aska	10	57.600	8.6692	46.000	67.000
OS smbh	10	72.870	5.5970	64.250	78.850
Råprot	10	125.900	19.1859	100.500	145.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
sRåprot	10	539.800	64.1903	489.000	648.500
NDF	10	446.800	41.5687	399.500	510.500
iNDF	10	193.611	78.0652	119.000	322.557
nhNDF	10	3.666	0.8555	2.213	4.526
Stä	10	41.300	52.0172	1.500	132.000
Socker	10	117.500	64.2966	19.500	189.000
TAF	10	42.870	22.2584	22.000	78.000
Mjölksyra	10	29.000	14.6059	15.500	51.000
Ättiksyra	10	10.700	7.3643	2.000	22.000
AAT20	10	77.748	7.3193	66.100	85.352
PBV20	10	-3.651	17.4887	-25.032	19.068
NEL20	10	5.863	0.4112	5.254	6.249
Ca	10	4.800	4.6469	1.650	13.050
P	10	2.490	0.4254	1.900	3.000
Mg	10	1.150	0.5949	0.450	2.050
K	10	18.700	3.9981	12.850	23.450
Na	10	0.630	0.4945	0.200	1.400
S	10	1.710	0.2923	1.300	2.050
CAB	10	303.284	57.2313	243.154	386.723

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	14	360.286	54.217	277.000	409.000
Aska	14	26.071	5.045	20.000	32.000
OS smbh	16	75.538	2.612	70.500	78.200
Råprot	14	73.643	8.723	64.000	86.000
sRåprot	14	573.643	103.735	446.000	725.000
NH3-N	14	66.000	35.605	30.000	120.000
NDF	14	377.786	44.054	331.000	436.000
iNDF	16	217.771	32.335	179.000	262.000
nhNDF	16	3.409	0.485	2.880	4.043
Stä	14	310.643	39.305	252.000	361.000
Socker	14	6.143	6.419	0.000	13.000
TAF	16	67.063	13.791	48.000	85.000
Mjölksyra	14	49.500	15.815	31.000	62.000
Ättiksyra	14	15.286	7.610	9.000	21.000
AAT20	16	81.959	3.193	78.116	85.205
PBV20	16	-54.668	5.954	-65.312	-49.068
NEL20	16	6.452	0.220	6.165	6.727

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Ca	14	1.950	0.372	1.300	2.400
P	14	1.843	0.234	1.500	2.100
Mg	14	1.093	0.186	0.900	1.300
K	14	8.271	1.345	6.400	10.000
Na	14	0.300	0.157	0.100	0.500
S	14	0.921	0.229	0.800	1.200
CAB	14	116.698	28.215	86.263	143.105

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	22	854.864	60.217	771.000	920.000
Aska	22	61.955	15.576	45.000	86.000
OS smbh	22	69.368	5.683	64.600	76.000
Råprot	22	96.545	32.783	68.000	133.000
NDF	22	561.818	58.596	500.000	643.000
iNDF	22	187.090	45.886	126.840	228.389
nhNDF	22	4.103	0.848	3.416	5.214
Socker	22	123.182	19.764	100.000	149.000
TAF	22	0.227	1.066	0.000	0.000
AAT20	22	88.491	7.905	80.104	96.960
PBV20	22	-37.309	19.183	-57.113	-15.806
NEL20	22	5.434	0.548	4.852	6.094
Ca	21	3.133	1.136	1.700	4.300
P	21	2.362	0.696	1.600	3.200
Mg	21	1.248	0.389	0.900	1.900
K	21	19.962	7.477	12.900	30.000
Na	21	0.395	0.472	0.100	0.900
S	21	1.524	0.459	1.000	2.000
CAB	21	291.233	159.534	125.220	505.766
Fe	18	141.833	238.789	47.000	187.000
Mn	18	69.333	42.052	41.000	95.000
Zn	18	28.056	8.612	17.000	42.000
Cu	18	4.650	1.517	3.000	6.100

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	14	268.714	143.126	153.000	535.000
Aska	14	75.857	9.710	65.000	86.000
OS smbh	14	77.500	3.306	73.300	82.100
Råprot	14	193.214	42.685	127.000	243.000
NDF	14	398.000	34.937	360.000	448.000
iNDF	14	200.021	78.990	67.882	272.717
nhNDF	14	5.723	0.556	5.181	6.417
Socket	14	117.000	32.361	83.000	156.000
TAF	14	72.000	0.000	72.000	72.000
AAT20	14	87.722	3.633	81.612	91.067
PBV20	14	59.313	37.299	7.040	105.392
NEL20	14	6.441	0.320	5.959	6.799
Ca	14	11.550	2.221	9.500	13.500
P	14	3.293	0.540	2.600	4.000
Mg	14	1.986	0.440	1.500	2.700
K	14	27.550	4.775	22.700	35.500
Na	14	0.629	0.414	0.200	1.200
S	14	2.050	0.549	1.400	2.800
CAB	14	474.230	120.013	347.181	641.842
Fe	14	123.286	17.895	105.000	146.000
Mn	14	35.000	9.414	27.000	49.000
Zn	14	26.643	4.684	22.000	31.000
Cu	14	6.714	1.201	5.200	8.900

*= Parametrar från det gamla svenska fodervärderingssystemet