

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Grönmassa, gräs (0% baljv.) (161)	1	4	391	75	78.8	140	453		400	131	4.64		7.750	0.0	3.0	129
Ensilage, gräs (0% klöver) (162)	0	1	594	143	63.3	92	508	83.0	560	230	3.65		23.400	18.0	3.0	36
Ensilage, gräs (0% klöver) (162)	1	1	539	66	78.4	171	572	41.0	421	122	4.56		30.000	23.0	7.0	133
Grönmassa blandvall (1-50 % baljväxter) (164)	1	58	376	71	79.8	151	447		422	109	5.43	1	33.879	0.0	1.5	138
Grönmassa blandvall (1-50 % baljväxter) (164)	2	5	382	77	76.8	164	397		463	125	4.64		6.400	0.0	2.0	112
Ensilage, blandvall (1-50% klöver) (165)	1	21	418	71	76.4	156	614	66.0	419	158	4.41	114	69.924	50.0	16.2	83
Ensilage, blandvall (1-50% klöver) (165)	2	5	353	79	71.7	154	510	103	489	189	4.16		56.020	34.0	13.6	61
Ensilage, blandvall (1-50% klöver) (165)	3	8	465	101	71.6	180	518	85.0	443	210	3.83		45.213	25.1	15.4	48
Ensilage, blandvall (1-50% klöver) (165)	4	4	563	84	70.0	172	473	67.0	457	217	3.29		30.625	18.8	8.8	76
Korn, helsädesensilage (250)	1	1	416	43	71.8	92	690	51.0	490	209	3.90	31	67.000	39.0	24.0	137
Vete, helsäd ensilage (299)	1	3	359	55	72.5	113	642	57.3	475	207	4.09	34	66.333	46.3	14.7	98
Majs, helsädesensilage (305)	1	3	366	21	74.7	70	520	50.0	364	242	3.02	358	62.000	46.0	12.3	2
Hö, blandvall, 0-50% baljväxter (383)	1	5	809	58	65.5	79	423		591	219	3.68		1.000	0.0	0.0	128
Ensilage, blandvall (51-100% klöver) (438)	1	1	304	94	74.2	183	698	95.0	385	271	4.97		102.000	71.0	31.0	49
Ensilage, blandvall (1-50% klöver) (326)	1	2	417	67	74.4	145	459	47.5	334	261	3.12	152	51.500	32.0	16.0	24
Fullfoder (TMR) ej kompletta data (1E3)	1	1	419	69	73.5	147	424	48.0	424	197	3.60	87				30

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Grönmassa, gräs (0% baljv.) (161)	1	4	2.50000	2.25000		93.6	-7.0	6.14	11.5		
Ensilage, gräs (0% klöver) (162)	0	1		1.40000		70.2	-14	4.71	8.3	63.0	-16
Ensilage, gräs (0% klöver) (162)	1	1	0.00000	0.00000		90.6	26.2	6.41	11.6		
Grönmassa blandvall (1-50 % baljväxter) (164)	1	58	4.74359	3.17949		94.1	4.7	6.43	11.7	82.1	14.2
Grönmassa blandvall (1-50 % baljväxter) (164)	2	5	3.00000	1.40000		96.2	13.6	6.19	11.2		
Ensilage, blandvall (1-50% klöver) (165)	1	21	3.56250	0.78095		83.8	25.9	6.29	11.2	72.2	22.6
Ensilage, blandvall (1-50% klöver) (165)	2	5	8.00000	3.22000		83.2	24.9	5.88	10.3	67.0	29.5

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	3	8	6.66667	1.58750		83.5	49.5	5.77	10.1	67.8	62.2
Ensilage, blandvall (1-50% klöver) (165)	4	4	5.00000	1.12500		84.9	39.3	5.63	10.0	67.7	57.3
Korn, helsädesensilage (250)	1	1	4.00000	0.00000		73.6	-25	5.88	10.7		
Vete, helsäd ensilage (299)	1	3	4.00000	1.33333		73.7	-8.3	5.96	10.7		
Majs, helsädesensilage (305)	1	3	3.66667	0.00000		82.7	-59	6.45	11.5		
Hö, blandvall, 0-50% baljväxter (383)	1	5	5.00000	0.00000		83.8	-46	5.06	9.5	66.3	-45
Ensilage, blandvall (51-100% klöver) (438)	1	1	0.00000	0.00000		74.4	71.2	6.18	10.5		
Ensilage, blandvall (1-50% klöver) (326)	1	2	3.50000	0.00000		87.1	14.5	6.25	10.9		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	4	6.4	2.8	1.8	25.8	1.2	4.7	1.9	455	2	134.5	33.0	19.5	5.0	
Ensilage, gräs (0% klöver) (162)	1	1	5.5	2.8	2.3	24.9	1.3	1.1	2.9	481	1	76.0	57.0	22.0	4.0	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	1	58	4.9	2.8	1.7	25.1	1.0	5.2	2.1	416	31	159.4	44.4	28.4	5.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	5	5.0	3.1	1.9	25.2	1.8	6.2	2.5	393	1	107.0	50.0	36.0	5.0	
Ensilage, blandvall (1-50% klöver) (165)	1	20	5.8	3.0	2.0	23.6	1.6	4.8	2.2	400	10	218.2	67.3	30.9	5.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	4	5.0	3.1	1.8	25.7	1.5	5.6	2.4	420	2	236.5	70.0	32.0	5.9	
Ensilage, blandvall (1-50% klöver) (165)	3	4	7.0	3.4	2.7	21.0	2.1	8.9	2.7	304	1	175.0	82.0	38.0	6.8	
Ensilage, blandvall (1-50% klöver) (165)	4	1	6.2	3.5	2.5	24.2	1.7	12.7	2.7	279	0					
Korn, helsädesensilage (250)	1	1	2.2	1.7	1.1	12.1	1.3	0.9	1.6	241	0					
Vete, helsäd ensilage (299)	1	3	3.6	2.3	1.0	17.7	0.6	4.2	1.5	264	1	97.0	41.0	22.0	4.0	
Majs, helsädesensilage (305)	1	3	1.7	1.9	1.0	6.9	0.4		0.8	102	0					
Hö, blandvall, 0-50% baljväxter (383)	1	5	2.3	2.0	1.0	17.1	0.7	7.1	1.5	226	4	59.8	48.8	20.5	3.5	0.0
Ensilage, blandvall (51-100% klöver) (438)	1	1	14.0	3.1	2.2	29.0	0.6	1.6	1.7	616	1	881.0	62.0	31.0	5.0	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (326)	1	2	7.4	4.0	2.9	16.8	3.1	10.5	2.4	123	0					
Fullfoder (TMR) ej kompletta data (1E3)	1	1	6.6	4.1	2.8	13.9	1.5	5.5	2.2	128	1	350.0	97.0	75.0	23.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	390.750	128.277	199.000	467.000
Aska	4	75.250	8.655	65.000	85.000
OS smbh	4	78.775	0.499	78.100	79.300
Råprot	4	140.250	34.510	98.000	174.000
sRåprot	4	453.000	53.547	382.000	503.000
NDF	4	399.750	58.784	338.000	451.000
iNDF	4	131.250	54.249	83.000	189.000
nhNDF	4	4.643	0.382	4.138	5.038
TAF	4	7.750	2.630	4.000	10.000
Mjölksyra	4	0.000	0.000	0.000	0.000
Ättiksyra	4	3.000	4.243	0.000	9.000
Socker	4	129.000	20.050	102.000	147.000
PRF	4	2.500	3.000	0.000	6.000
BUF	4	2.250	2.062	0.000	4.000
AATp20	4	93.606	2.498	90.563	96.470
PBVp20	4	-6.974	28.261	-41.001	22.672
NELp20	4	6.143	0.143	6.032	6.345
OE*	4	11.513	0.069	11.410	11.560
Ca	4	6.400	3.654	2.600	11.100
P	4	2.825	0.189	2.700	3.100
Mg	4	1.750	0.465	1.300	2.400
K	4	25.750	3.724	23.100	31.000
Na	3	1.200	0.346	1.000	1.600
Cl	4	4.725	6.323	1.200	14.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	4	1.875	0.568	1.500	2.700
CAB	4	455.021	112.866	293.654	557.022
Fe	2	134.500	31.820	112.000	157.000
Mn	2	33.000	7.071	28.000	38.000
Zn	2	19.500	0.707	19.000	20.000
Cu	2	5.000	1.414	4.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	594.000	.	594.000	594.000
Aska	1	143.000	.	143.000	143.000
OS smbh	1	63.300	.	63.300	63.300
Råprot	1	92.000	.	92.000	92.000
sRåprot	1	508.000	.	508.000	508.000
NH3-N	1	83.000	.	83.000	83.000
NDF	1	560.000	.	560.000	560.000
iNDF	1	229.970	.	229.970	229.970
nhNDF	1	3.651	.	3.651	3.651
TAF	1	23.400	.	23.400	23.400
Mjölksyra	1	18.000	.	18.000	18.000
Ättiksyra	1	3.000	.	3.000	3.000
Socker	1	36.000	.	36.000	36.000
BUF	1	1.400	.	1.400	1.400
AATp20	1	70.222	.	70.222	70.222

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-13.583	.	-13.583	-13.583
NELp20	1	4.708	.	4.708	4.708
OE*	1	8.300	.	8.300	8.300
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-16.000	.	-16.000	-16.000
CI	1	6.400	.	6.400	6.400

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	539.000	.	539.000	539.000
Aska	1	66.000	.	66.000	66.000
OS smbh	1	78.400	.	78.400	78.400
Råprot	1	171.000	.	171.000	171.000
sRåprot	1	572.000	.	572.000	572.000
NH3-N	1	41.000	.	41.000	41.000
NDF	1	421.000	.	421.000	421.000
iNDF	1	122.000	.	122.000	122.000
nhNDF	1	4.561	.	4.561	4.561
TAF	1	30.000	.	30.000	30.000
Mjölksyra	1	23.000	.	23.000	23.000
Ättiksyra	1	7.000	.	7.000	7.000
Socker	1	133.000	.	133.000	133.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	90.614	.	90.614	90.614
PBVp20	1	26.244	.	26.244	26.244
NELp20	1	6.412	.	6.412	6.412
OE*	1	11.570	.	11.570	11.570
Ca	1	5.500	.	5.500	5.500
P	1	2.800	.	2.800	2.800
Mg	1	2.300	.	2.300	2.300
K	1	24.900	.	24.900	24.900
Na	1	1.300	.	1.300	1.300
Cl	1	1.100	.	1.100	1.100
S	1	2.900	.	2.900	2.900
CAB	1	481.114	.	481.114	481.114
Fe	1	76.000	.	76.000	76.000
Mn	1	57.000	.	57.000	57.000
Zn	1	22.000	.	22.000	22.000
Cu	1	4.000	.	4.000	4.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	58	375.862	161.739	193.000	616.000
Aska	58	70.897	8.341	61.000	80.000
OS smbh	58	79.779	3.353	75.700	83.900
Råprot	58	151.034	28.089	121.000	177.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	39	446.949	41.153	404.000	508.000
NDF	58	422.190	37.942	383.000	466.000
iNDF	58	109.385	49.696	58.182	198.000
nhNDF	58	5.431	1.395	4.045	7.141
Stä	1	1.000	.	1.000	1.000
TAF	58	33.879	35.609	4.000	84.000
Mjölksyra	39	0.000	0.000	0.000	0.000
Ättiksyra	39	1.538	3.178	0.000	8.000
Socker	58	138.431	29.315	104.000	177.000
PRF	39	4.744	3.697	0.000	10.000
BUF	39	3.179	2.733	0.000	7.000
AATp20	58	94.112	4.694	87.330	98.949
PBVp20	58	4.689	20.586	-20.585	26.754
NELp20	58	6.427	0.408	5.824	6.997
OE*	58	11.731	0.524	11.060	12.400
AAT*	19	82.053	2.013	79.000	85.000
PBV*	19	14.158	15.298	-17.000	32.000
Ca	58	4.934	1.483	3.500	7.500
P	58	2.788	0.549	2.000	3.400
Mg	58	1.691	0.458	1.200	2.300
K	58	25.147	4.670	18.000	30.800
Na	56	1.027	0.821	0.400	1.700
Cl	35	5.151	3.308	1.500	8.100
S	58	2.097	0.396	1.700	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	58	416.035	102.707	312.674	542.455
Fe	31	159.355	85.995	98.000	237.000
Mn	31	44.355	12.233	30.000	58.000
Zn	31	28.419	7.284	21.000	39.000
Cu	31	5.665	1.740	4.000	6.600
Se	3	0.022	0.025	0.007	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	382.200	180.327	220.000	593.000
Aska	5	76.800	7.727	66.000	87.000
OS smbh	5	76.840	0.577	76.000	77.600
Råprot	5	163.800	20.897	147.000	196.000
sRåprot	5	397.200	24.448	379.000	438.000
NDF	5	463.200	36.162	399.000	486.000
iNDF	5	125.200	20.981	109.000	161.000
nhNDF	5	4.637	0.162	4.470	4.846
TAF	5	6.400	4.219	1.000	12.000
Mjölksyra	5	0.000	0.000	0.000	0.000
Ättiksyra	5	2.000	4.472	0.000	10.000
Socker	5	112.000	20.137	79.000	128.000
PRF	5	3.000	1.581	1.000	5.000
BUF	5	1.400	1.673	0.000	4.000
AATp20	5	96.187	2.167	94.275	99.916

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	5	13.649	17.465	-1.625	38.070
NELp20	5	6.190	0.117	6.113	6.394
OE*	5	11.176	0.155	10.920	11.330
Ca	5	4.980	1.477	3.400	6.500
P	5	3.120	0.179	2.900	3.300
Mg	5	1.900	0.442	1.300	2.500
K	5	25.160	6.055	14.700	30.100
Na	5	1.820	1.370	0.700	4.200
Cl	5	6.160	1.799	3.500	8.100
S	5	2.500	0.485	2.100	3.300
CAB	5	392.838	120.099	180.487	464.488
Fe	1	107.000	.	107.000	107.000
Mn	1	50.000	.	50.000	50.000
Zn	1	36.000	.	36.000	36.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	418.190	121.718	272.000	536.000
Aska	21	71.000	8.025	62.000	79.000
OS smbh	21	76.371	5.055	69.300	80.400
Råprot	21	155.905	22.038	120.000	178.000
sRåprot	21	614.095	100.936	533.000	692.000
NH3-N	21	66.000	31.556	40.000	106.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	21	419.333	49.208	366.000	489.000
iNDF	21	157.959	60.196	112.000	237.000
nhNDF	21	4.409	0.665	3.837	5.072
Stä	1	114.000	.	114.000	114.000
TAF	21	69.924	29.816	29.000	107.000
Mjölksyra	21	50.000	23.927	22.000	79.000
Ättiksyra	21	16.190	6.645	8.000	23.000
Socker	21	83.190	43.441	21.000	136.000
PRF	16	3.563	2.780	0.000	7.000
BUF	21	0.781	1.120	0.000	2.000
AATp20	21	83.774	4.979	77.915	90.636
PBVp20	21	25.948	18.063	3.215	47.401
NELp20	21	6.287	0.443	5.689	6.579
OE*	21	11.158	0.787	9.990	11.780
AAT*	5	72.200	3.493	66.000	74.000
PBV*	5	22.600	14.605	7.000	39.000
Ca	20	5.790	1.528	4.200	8.150
P	20	2.995	0.415	2.550	3.550
Mg	20	2.015	0.372	1.550	2.500
K	20	23.590	5.008	16.600	30.250
Na	20	1.620	0.577	0.750	2.250
Cl	21	4.843	2.061	2.600	6.500
S	20	2.235	0.289	1.850	2.650
CAB	20	399.988	113.822	218.319	544.826

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	10	218.200	77.406	128.000	320.000
Mn	10	67.300	36.984	43.000	124.500
Zn	10	30.900	4.306	25.000	36.500
Cu	10	5.350	1.281	3.950	7.150
Se	3	0.049	0.001	0.048	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	353.400	190.406	170.000	658.000
Aska	5	79.000	7.746	71.000	89.000
OS smbh	5	71.720	7.014	60.000	78.000
Råprot	5	153.600	27.592	130.000	201.000
sRåprot	5	510.400	117.033	373.000	617.000
NH3-N	5	103.000	70.512	52.000	225.000
NDF	5	489.000	44.357	434.000	557.000
iNDF	5	188.691	77.210	103.000	314.846
nhNDF	5	4.165	1.145	2.204	4.960
TAF	5	56.020	41.528	4.500	95.000
Mjölksyra	5	34.000	31.313	2.000	66.000
Ättiksyra	5	13.600	18.379	0.000	45.000
Socker	5	61.200	36.217	17.000	111.000
PRF	3	8.000	2.646	5.000	10.000
BUF	5	3.220	3.527	0.500	9.000
AATp20	5	83.248	9.369	76.834	99.447

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	5	24.865	11.362	12.741	43.024
NELp20	5	5.879	0.732	4.639	6.534
OE*	5	10.314	1.212	8.300	11.410
AAT*	2	67.000	4.243	64.000	70.000
PBV*	2	29.500	0.707	29.000	30.000
Ca	4	5.025	1.682	2.800	6.600
P	4	3.050	0.412	2.700	3.500
Mg	4	1.800	0.606	1.200	2.600
K	4	25.725	5.586	18.500	32.100
Na	4	1.475	0.964	0.800	2.900
Cl	5	5.560	2.281	1.600	7.200
S	4	2.425	0.512	1.900	3.000
CAB	4	420.496	202.732	208.916	696.825
Fe	2	236.500	38.891	209.000	264.000
Mn	2	70.000	14.142	60.000	80.000
Zn	2	32.000	8.485	26.000	38.000
Cu	2	5.850	1.202	5.000	6.700

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	464.875	170.396	173.000	687.000
Aska	8	101.125	31.589	62.000	153.000
OS smbh	8	71.575	3.853	64.500	76.300
Råprot	8	180.250	12.009	156.000	194.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	8	518.250	89.568	352.000	619.000
NH3-N	8	85.000	28.790	42.000	138.000
NDF	8	443.125	31.165	385.000	486.000
iNDF	8	209.747	53.732	135.000	298.000
nhNDF	8	3.832	0.633	2.988	4.564
TAF	8	45.213	37.492	5.500	91.000
Mjölksyra	8	25.125	29.435	2.000	71.000
Ättiksyra	8	15.375	18.670	2.000	58.000
Socker	8	47.750	22.115	19.000	83.000
PRF	3	6.667	8.963	1.000	17.000
BUF	8	1.588	1.750	0.000	5.000
AATp20	8	83.473	4.838	76.287	92.264
PBVp20	8	49.524	12.263	24.924	64.964
NELp20	8	5.774	0.534	4.913	6.489
OE*	8	10.066	0.943	8.400	11.180
AAT*	5	67.800	2.588	64.000	71.000
PBV*	5	62.200	17.880	34.000	77.000
Ca	4	6.975	0.866	6.200	8.200
P	4	3.375	0.602	2.600	3.900
Mg	4	2.725	0.050	2.700	2.800
K	4	21.000	0.535	20.400	21.500
Na	4	2.100	0.424	1.800	2.700
Cl	8	8.925	4.256	2.700	14.400
S	4	2.725	0.126	2.600	2.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	4	303.851	67.687	242.435	370.827
Fe	1	175.000	.	175.000	175.000
Mn	1	82.000	.	82.000	82.000
Zn	1	38.000	.	38.000	38.000
Cu	1	6.800	.	6.800	6.800

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	563.000	184.653	290.000	684.000
Aska	4	83.750	3.948	78.000	87.000
OS smbh	4	69.950	3.991	66.500	74.500
Råprot	4	171.500	32.151	132.000	206.000
sRåprot	4	473.250	136.961	376.000	676.000
NH3-N	4	67.000	35.618	44.000	120.000
NDF	4	456.500	49.440	396.000	517.000
iNDF	4	216.954	49.797	147.000	264.504
nhNDF	4	3.286	0.555	2.717	4.041
TAF	4	30.625	43.769	5.500	96.000
Mjölksyra	4	18.750	30.891	2.000	65.000
Ättiksyra	4	8.750	9.743	2.000	23.000
Socker	4	76.250	36.945	23.000	107.000
PRF	1	5.000	.	5.000	5.000
BUF	4	1.125	1.250	0.500	3.000
AATp20	4	84.885	5.929	77.846	91.744

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	4	39.343	23.889	5.771	60.667
NELp20	4	5.625	0.447	5.228	6.178
OE*	4	9.968	0.618	9.400	10.670
AAT*	3	67.667	1.155	67.000	69.000
PBV*	3	57.333	36.474	16.000	85.000
Ca	1	6.200	.	6.200	6.200
P	1	3.500	.	3.500	3.500
Mg	1	2.500	.	2.500	2.500
K	1	24.200	.	24.200	24.200
Na	1	1.700	.	1.700	1.700
Cl	4	12.725	2.711	8.700	14.600
S	1	2.700	.	2.700	2.700
CAB	1	279.018	.	279.018	279.018

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	416.000	.	416.000	416.000
Aska	1	43.000	.	43.000	43.000
OS smbh	1	71.800	.	71.800	71.800
Råprot	1	92.000	.	92.000	92.000
sRåprot	1	690.000	.	690.000	690.000
NH3-N	1	51.000	.	51.000	51.000
NDF	1	490.000	.	490.000	490.000
iNDF	1	209.000	.	209.000	209.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	1	3.901	.	3.901	3.901
Stä	1	31.000	.	31.000	31.000
TAF	1	67.000	.	67.000	67.000
Mjölksyra	1	39.000	.	39.000	39.000
Ättiksyra	1	24.000	.	24.000	24.000
Socker	1	137.000	.	137.000	137.000
PRF	1	4.000	.	4.000	4.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	73.578	.	73.578	73.578
PBVp20	1	-25.351	.	-25.351	-25.351
NELp20	1	5.883	.	5.883	5.883
OE*	1	10.730	.	10.730	10.730
Ca	1	2.200	.	2.200	2.200
P	1	1.700	.	1.700	1.700
Mg	1	1.100	.	1.100	1.100
K	1	12.100	.	12.100	12.100
Na	1	1.300	.	1.300	1.300
Cl	1	0.900	.	0.900	0.900
S	1	1.600	.	1.600	1.600
CAB	1	240.633	.	240.633	240.633

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	358.667	109.792	233.000	436.000
Aska	3	54.667	9.452	44.000	62.000
OS smbh	3	72.533	3.332	69.500	76.100
Råprot	3	113.000	32.187	79.000	143.000
sRåprot	3	642.333	114.858	511.000	724.000
NH3-N	3	57.333	12.503	45.000	70.000
NDF	3	475.000	23.065	451.000	497.000
iNDF	3	206.667	57.501	149.000	264.000
nhNDF	3	4.089	0.409	3.618	4.346
Stä	3	33.667	5.132	28.000	38.000
TAF	3	66.333	57.003	9.000	123.000
Mjölksyra	3	46.333	46.501	0.000	93.000
Ättiksyra	3	14.667	13.051	0.000	25.000
Socker	3	98.000	36.346	67.000	138.000
PRF	3	4.000	1.732	2.000	5.000
BUF	3	1.333	2.309	0.000	4.000
AATp20	3	73.668	5.298	70.536	79.785
PBVp20	3	-8.302	35.872	-47.778	22.298
NELp20	3	5.964	0.477	5.613	6.507
OE*	3	10.720	0.497	10.330	11.280
Ca	3	3.567	0.493	3.000	3.900
P	3	2.300	0.173	2.100	2.400
Mg	3	1.000	0.265	0.800	1.300
K	3	17.733	4.186	12.900	20.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	3	0.633	0.404	0.200	1.000
Cl	1	4.200	.	4.200	4.200
S	3	1.500	0.300	1.200	1.800
CAB	3	263.568	126.953	118.390	353.749
Fe	1	97.000	.	97.000	97.000
Mn	1	41.000	.	41.000	41.000
Zn	1	22.000	.	22.000	22.000
Cu	1	4.000	.	4.000	4.000

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	365.667	53.9475	306.000	411.000
Aska	3	20.667	1.1547	20.000	22.000
OS smbh	3	74.733	3.6937	70.500	77.300
Råprot	3	70.333	5.6862	64.000	75.000
sRåprot	3	519.667	92.5005	427.000	612.000
NH3-N	3	50.000	12.5300	38.000	63.000
NDF	3	364.000	67.1789	303.000	436.000
iNDF	3	242.333	23.7136	216.000	262.000
nhNDF	3	3.023	0.1971	2.806	3.191
Stä	3	358.333	37.0720	320.000	394.000
TAF	3	62.000	22.5167	40.000	85.000
Mjölksyra	3	46.000	14.1067	31.000	59.000
Ättiksyra	3	12.333	7.7675	6.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	3	1.667	2.8868	0.000	5.000
PRF	3	3.667	1.1547	3.000	5.000
BUF	3	0.000	0.0000	0.000	0.000
AATp20	3	82.728	6.8568	75.080	88.328
PBVp20	3	-58.765	7.4827	-66.507	-51.573
NELp20	3	6.449	0.2452	6.165	6.591
OE*	3	11.490	0.6355	10.760	11.920
Ca	3	1.700	0.3606	1.300	2.000
P	3	1.933	0.1528	1.800	2.100
Mg	3	1.000	0.2646	0.700	1.200
K	3	6.933	0.5508	6.300	7.300
Na	3	0.433	0.0577	0.400	0.500
S	3	0.833	0.0577	0.800	0.900
CAB	3	101.827	14.9979	86.263	116.186

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	809.000	65.372	742.000	907.000
Aska	5	58.400	6.189	52.000	66.000
OS smbh	5	65.460	7.188	53.100	71.600
Råprot	5	79.200	32.859	35.000	126.000
sRåprot	1	423.000	.	423.000	423.000
NDF	5	591.000	35.574	542.000	641.000
iNDF	5	218.867	53.975	180.000	312.593

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	5	3.680	0.850	2.253	4.426
TAF	5	1.000	2.236	0.000	5.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	5	128.000	12.083	117.000	147.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	5	83.763	11.024	66.761	97.407
PBVp20	5	-45.593	13.199	-58.417	-24.457
NELp20	5	5.059	0.703	3.883	5.752
OE*	5	9.492	1.151	7.500	10.460
AAT*	4	66.250	7.544	55.000	71.000
PBV*	4	-45.000	10.296	-57.000	-35.000
Ca	5	2.320	0.981	0.700	3.100
P	5	2.020	0.482	1.500	2.700
Mg	5	1.000	0.324	0.500	1.400
K	5	17.140	6.073	10.200	25.900
Na	5	0.720	0.716	0.200	1.900
Cl	1	7.100	.	7.100	7.100
S	5	1.460	0.462	0.800	1.900
CAB	5	225.741	114.343	121.383	415.852
Fe	4	59.750	17.727	47.000	86.000
Mn	4	48.750	4.924	43.000	55.000
Zn	4	20.500	5.568	13.000	26.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	4	3.525	0.512	2.800	4.000
Se	1	0.008	.	0.008	0.008

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	304.000	.	304.000	304.000
Aska	1	94.000	.	94.000	94.000
OS smbh	1	74.200	.	74.200	74.200
Råprot	1	183.000	.	183.000	183.000
sRåprot	1	698.000	.	698.000	698.000
NH3-N	1	95.000	.	95.000	95.000
NDF	1	385.000	.	385.000	385.000
iNDF	1	271.000	.	271.000	271.000
nhNDF	1	4.965	.	4.965	4.965
TAF	1	102.000	.	102.000	102.000
Mjölksyra	1	71.000	.	71.000	71.000
Ättiksyra	1	31.000	.	31.000	31.000
Socker	1	49.000	.	49.000	49.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	74.357	.	74.357	74.357
PBVp20	1	71.153	.	71.153	71.153
NELp20	1	6.176	.	6.176	6.176
OE*	1	10.540	.	10.540	10.540

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	14.000	.	14.000	14.000
P	1	3.100	.	3.100	3.100
Mg	1	2.200	.	2.200	2.200
K	1	29.000	.	29.000	29.000
Na	1	0.600	.	0.600	0.600
Cl	1	1.600	.	1.600	1.600
S	1	1.700	.	1.700	1.700
CAB	1	616.455	.	616.455	616.455
Fe	1	881.000	.	881.000	881.000
Mn	1	62.000	.	62.000	62.000
Zn	1	31.000	.	31.000	31.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	416.500	21.9203	401.000	432.000
Aska	2	67.000	8.4853	61.000	73.000
OS smbh	2	74.400	6.0811	70.100	78.700
Råprot	2	145.000	38.1838	118.000	172.000
sRåprot	2	459.000	1.4142	458.000	460.000
NH3-N	2	47.500	7.7782	42.000	53.000
NDF	2	333.500	67.1751	286.000	381.000
iNDF	2	261.000	57.9828	220.000	302.000
nhNDF	2	3.117	0.6356	2.668	3.567

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Stä	2	152.000	9.8995	145.000	159.000
TAF	2	51.500	17.6777	39.000	64.000
Mjölksyra	2	32.000	11.3137	24.000	40.000
Ättiksyra	2	16.000	4.2426	13.000	19.000
Socker	2	23.500	33.2340	0.000	47.000
PRF	2	3.500	2.1213	2.000	5.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	2	87.144	6.1563	82.791	91.498
PBVp20	2	14.501	26.4674	-4.214	33.216
NELp20	2	6.249	0.6651	5.779	6.720
OE*	2	10.885	0.9122	10.240	11.530
Ca	2	7.400	1.6971	6.200	8.600
P	2	3.950	1.2021	3.100	4.800
Mg	2	2.850	0.4950	2.500	3.200
K	2	16.800	5.0912	13.200	20.400
Na	2	3.100	1.4142	2.100	4.100
Cl	2	10.450	9.2631	3.900	17.000
S	2	2.350	0.3536	2.100	2.600
CAB	2	123.209	91.3330	58.627	187.791

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	419.000	.	419.000	419.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	424.000	.	424.000	424.000
NH3-N	1	48.000	.	48.000	48.000
NDF	1	424.000	.	424.000	424.000
iNDF	1	196.767	.	196.767	196.767
nhNDF	1	3.598	.	3.598	3.598
Stä	1	87.000	.	87.000	87.000
Socker	1	30.000	.	30.000	30.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	6.600	.	6.600	6.600
P	1	4.100	.	4.100	4.100
Mg	1	2.800	.	2.800	2.800
K	1	13.900	.	13.900	13.900
Na	1	1.500	.	1.500	1.500
Cl	1	5.500	.	5.500	5.500
S	1	2.200	.	2.200	2.200
CAB	1	128.287	.	128.287	128.287
Fe	1	350.000	.	350.000	350.000
Mn	1	97.000	.	97.000	97.000
Zn	1	75.000	.	75.000	75.000
Cu	1	23.800	.	23.800	23.800

*= Parametrar från det gamla svenska fodervärderingssystemet