

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk-syra	Ättik-syra	Socker
Prognos, gräs (0% baljv.) (041)	1	2	298		72.7					171	4.34		0.0000			
Prognos, blandvall (1-50% baljv) (042)	1	2	242		73.2					170	4.32		0.0000			
Prognos, blandvall (51-100% baljv.) (043)	1	2	238		73.2					262	6.38		0.0000			
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	315	77	78.1	154			497	113	5.70		84.0000			111
Grönmassa blandvall (1-50 % baljväxter) (164)	1	11	348	81	78.1	161			463	119	5.45		84.0000			104
Ensilage, blandvall (1-50% klöver) (165)	1	8	287	80	77.9	157	650	85.4	412	138	4.68		83.8375	65.1	15.8	57
Ensilage, blandvall (1-50% klöver) (165)	3	4	446	93	73.9	142	556	102	405	231	4.56		71.4000	48.5	15.8	64
Grönmassa, blandvall (51-100% baljväxter) (437)	1	4	450	83	78.0	155			403	180	6.01		72.0000			135

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Prognos, gräs (0% baljv.) (041)	1	2				95.9	-8.0	5.94	10.6		
Prognos, blandvall (1-50% baljv) (042)	1	2				96.4	-4.4	5.94	11.6		
Prognos, blandvall (51-100% baljv.) (043)	1	2				93.0	14.4	5.95	12.4		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				87.8	17.3	6.48	11.4	78.0	20.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	11				87.4	25.0	6.45	11.3	77.5	27.7
Ensilage, blandvall (1-50% klöver) (165)	1	8	4.0	0.8375		82.8	28.2	6.40	11.3	73.2	34.8
Ensilage, blandvall (1-50% klöver) (165)	3	4	7.5	2.9000		80.0	18.5	5.87	10.5	70.0	-6.5
Grönmassa, blandvall (51-100% baljväxter) (437)	1	4				85.7	25.3	6.32	11.3	77.3	21.5

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	3.4	3.0	1.2	29.5	0.2		1.9	512	1	94.0	36.0	28.0	6.0	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	9	5.8	3.1	2.0	30.7	0.5		2.2	536	9	140.6	50.8	31.0	7.0	
Ensilage, blandvall (1-50% klöver) (165)	1	8	5.8	2.7	1.7	26.4	0.8	5.4	2.1	428	7	144.3	38.7	27.4	6.5	0.1
Ensilage, blandvall (1-50% klöver) (165)	3	4	8.4	3.1	2.3	25.0	0.9	3.9	2.5	415	2	160.0	85.0	25.5	6.2	
Grönmassa, blandvall (51-100% baljväxter) (437)	1	4	9.8	2.8	2.3	26.5	0.3		1.6	459	4	117.8	43.8	26.0	7.5	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	297.500	3.53553	295.000	300.000
OS smbh	2	72.700	0.00000	72.700	72.700
iNDF	2	171.006	0.00000	171.006	171.006
nhNDF	2	4.344	0.00000	4.344	4.344
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	95.932	0.00000	95.932	95.932
PBVp20	2	-7.980	0.00000	-7.980	-7.980
NELp20	2	5.936	0.00000	5.936	5.936
OE*	2	10.550	0.07071	10.500	10.600

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	242.000	36.7696	216.000	268.000
OS smbh	2	73.150	0.0000	73.150	73.150
iNDF	2	170.460	0.0000	170.460	170.460
nhNDF	2	4.315	0.0000	4.315	4.315
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	96.439	0.0000	96.439	96.439
PBVp20	2	-4.418	0.0000	-4.418	-4.418
NELp20	2	5.943	0.0000	5.943	5.943
OE*	2	11.550	1.3435	10.600	12.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	237.500	2.12132	236.000	239.000
OS smbh	2	73.158	0.00000	73.158	73.158
iNDF	2	262.131	0.00000	262.131	262.131
nhNDF	2	6.377	0.00000	6.377	6.377
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	92.987	0.00000	92.987	92.987
PBVp20	2	14.357	0.00000	14.357	14.357
NELp20	2	5.951	0.00000	5.951	5.951
OE*	2	12.400	0.14142	12.300	12.500

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	315.000	.	315.000	315.000
Aska	1	77.000	.	77.000	77.000
OS smbh	1	78.100	.	78.100	78.100
Råprot	1	154.000	.	154.000	154.000
NDF	1	497.000	.	497.000	497.000
iNDF	1	113.475	.	113.475	113.475
nhNDF	1	5.696	.	5.696	5.696
TAF	1	84.000	.	84.000	84.000
Socker	1	111.000	.	111.000	111.000
AATp20	1	87.841	.	87.841	87.841
PBVp20	1	17.307	.	17.307	17.307
NELp20	1	6.485	.	6.485	6.485

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	11.400	.	11.400	11.400
AAT*	1	78.000	.	78.000	78.000
PBV*	1	20.000	.	20.000	20.000
Ca	1	3.400	.	3.400	3.400
P	1	3.000	.	3.000	3.000
Mg	1	1.200	.	1.200	1.200
K	1	29.500	.	29.500	29.500
Na	1	0.200	.	0.200	0.200
S	1	1.900	.	1.900	1.900
CAB	1	512.027	.	512.027	512.027
Fe	1	94.000	.	94.000	94.000
Mn	1	36.000	.	36.000	36.000
Zn	1	28.000	.	28.000	28.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	347.636	133.888	212.000	556.000
Aska	11	81.364	12.127	70.000	96.000
OS smbh	11	78.145	3.096	73.500	80.400
Råprot	11	161.455	35.337	114.000	199.000
NDF	11	462.909	31.747	428.000	482.000
iNDF	11	119.205	35.284	91.372	158.610
nhNDF	11	5.446	0.920	4.351	6.294

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	11	84.000	0.000	84.000	84.000
Socker	11	104.000	45.572	56.000	148.000
AATp20	11	87.408	4.288	82.503	90.352
PBVp20	11	25.043	28.774	-13.714	56.871
NELp20	11	6.451	0.350	6.058	6.700
OE*	11	11.336	0.512	10.700	11.900
AAT*	11	77.455	2.505	75.000	80.000
PBV*	11	27.727	34.436	-20.000	65.000
Ca	9	5.822	2.411	3.400	11.400
P	9	3.056	0.566	1.900	3.900
Mg	9	1.956	0.419	1.400	2.600
K	9	30.678	6.017	21.400	39.600
Na	9	0.478	0.346	0.100	0.900
S	9	2.189	0.359	1.700	2.900
CAB	9	536.171	159.278	300.518	775.774
Fe	9	140.556	100.418	69.000	400.000
Mn	9	50.778	16.216	26.000	74.000
Zn	9	31.000	4.924	25.000	40.000
Cu	9	6.989	1.592	4.400	9.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	286.750	44.1159	231.000	374.000
Aska	8	79.500	3.8545	72.000	85.000
OS smbh	8	77.875	2.1486	74.300	81.000
Råprot	8	157.000	13.1584	140.000	178.000
sRåprot	8	650.000	48.1723	554.000	705.000
NH3-N	8	85.375	17.7598	59.000	106.000
NDF	8	412.375	35.2093	372.000	458.000
iNDF	8	138.445	28.6971	101.372	194.000
nhNDF	8	4.679	0.5967	3.828	5.646
TAF	8	83.838	19.2836	50.900	101.100
Mjölksyra	8	65.125	18.0035	38.000	84.000
Ättiksyra	8	15.750	4.1318	9.000	20.000
Socker	8	56.625	13.6375	29.000	70.000
PRF	3	4.000	1.0000	3.000	5.000
BUF	8	0.838	0.4779	0.100	1.300
AATp20	8	82.835	2.1850	79.508	85.512
PBVp20	8	28.243	11.8814	8.064	45.858
NELp20	8	6.401	0.2212	6.041	6.722
OE*	8	11.295	0.3484	10.710	11.800
AAT*	5	73.200	0.4472	73.000	74.000
PBV*	5	34.800	14.3248	15.000	52.000
Ca	8	5.763	1.8197	3.900	9.000
P	8	2.725	0.4301	2.100	3.400
Mg	8	1.675	0.2053	1.400	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	8	26.375	2.2701	23.800	29.600
Na	8	0.750	0.3024	0.300	1.100
Cl	8	5.362	3.0845	1.200	10.100
S	8	2.050	0.3586	1.500	2.400
CAB	8	427.980	44.5190	361.657	500.692
Fe	7	144.286	35.6638	95.000	204.000
Mn	7	38.714	6.7259	26.000	46.000
Zn	7	27.429	3.9521	22.000	33.000
Cu	7	6.514	0.7625	5.000	7.100
Se	1	0.123	.	0.123	0.123

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	446.000	107.396	361.000	590.000
Aska	4	92.500	6.137	88.000	101.000
OS smbh	4	73.900	1.776	72.300	76.400
Råprot	4	141.500	34.549	102.000	179.000
sRåprot	4	555.500	43.646	512.000	616.000
NH3-N	4	102.250	33.540	79.000	152.000
NDF	4	405.000	29.473	387.000	449.000
iNDF	4	230.979	48.250	194.049	300.000
nhNDF	4	4.560	1.143	3.415	5.592
TAF	4	71.400	34.182	20.500	93.000
Mjölksyra	4	48.500	28.989	6.000	67.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	4	15.750	4.113	12.000	21.000
Socker	4	64.250	33.330	22.000	102.000
PRF	2	7.500	0.707	7.000	8.000
BUF	4	2.900	4.148	0.100	9.000
AATp20	4	79.994	2.360	77.392	82.094
PBVp20	4	18.453	33.248	-21.407	56.016
NELp20	4	5.866	0.289	5.511	6.217
OE*	4	10.525	0.294	10.290	10.910
AAT*	2	70.000	0.000	70.000	70.000
PBV*	2	-6.500	14.849	-17.000	4.000
Ca	4	8.425	1.515	6.600	10.200
P	4	3.075	0.499	2.600	3.600
Mg	4	2.275	0.435	1.700	2.700
K	4	25.025	1.237	23.800	26.700
Na	4	0.925	0.709	0.200	1.900
Cl	4	3.875	1.588	2.500	5.300
S	4	2.500	0.356	2.000	2.800
CAB	4	414.838	27.005	393.351	450.054
Fe	2	160.000	9.899	153.000	167.000
Mn	2	85.000	29.698	64.000	106.000
Zn	2	25.500	0.707	25.000	26.000
Cu	2	6.200	0.424	5.900	6.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	449.500	153.398	254.000	602.000
Aska	4	82.500	10.083	72.000	96.000
OS smbh	4	78.025	4.700	73.300	84.100
Råprot	4	154.750	56.222	90.000	212.000
NDF	4	403.250	63.200	338.000	466.000
iNDF	4	179.802	92.340	55.402	272.717
nhNDF	4	6.006	0.970	4.575	6.724
TAF	4	72.000	0.000	72.000	72.000
Socker	4	135.000	45.070	89.000	196.000
AATp20	4	85.671	5.773	80.579	93.050
PBVp20	4	25.314	45.728	-30.562	68.219
NELp20	4	6.317	0.524	5.876	7.018
OE*	4	11.300	0.648	10.600	12.100
AAT*	4	77.250	2.500	74.000	80.000
PBV*	4	21.525	51.758	-41.000	72.000
Ca	4	9.800	2.906	6.400	13.500
P	4	2.800	0.510	2.300	3.500
Mg	4	2.250	0.661	1.500	2.900
K	4	26.475	6.675	21.500	36.300
Na	4	0.300	0.183	0.100	0.500
S	4	1.625	0.150	1.400	1.700
CAB	4	459.013	164.521	335.784	701.257
Fe	4	117.750	28.289	100.000	160.000
Mn	4	43.750	12.842	30.000	59.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	4	26.000	7.348	22.000	37.000
Cu	4	7.475	1.866	5.200	9.100
Se	3	0.035	0.040	0.010	0.082

*= Parametrar från det gamla svenska fodervärderingssystemet