

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Havre, kärna, hög NDF (002)	1	1	851	21	75.0	107				392	2.00	677	0.0000			
Vete, kärna (005)	1	1	868	22	88.0	121				187	3.50	633	0.0000			
Prognos, blandvall (1-50% baljv) (042)	1	2	196		73.2					170	4.32		0.0000			
Grönmassa, gräs (0% baljv.) (161)	1	2	547	78	84.2	159			420	55	7.36		61.0000			185
Ensilage, gräs (0% klöver) (162)	1	1	400	78	79.2	149	746	105	410	122	5.02		37.4000	27.0	8.0	137
Grönmassa blandvall (1-50 % baljväxter) (164)	1	53	405	70	79.9	143	448		431	98	5.40		61.3019	0.0	0.0	157
Grönmassa blandvall (1-50 % baljväxter) (164)	2	9	477	76	79.5	160	405		454	74	4.84		21.8889	0.0	0.0	140
Ensilage, blandvall (1-50% klöver) (165)	1	24	397	72	76.7	134	628	84.3	417	147	4.47		61.7875	43.5	13.8	104
Ensilage, blandvall (1-50% klöver) (165)	2	3	380	96	72.6	148	438	76.3	421	223	4.07		75.8667	50.0	22.7	53
Ensilage, blandvall (1-50% klöver) (165)	3	7	320	106	72.7	148	518	103	403	205	3.45		90.6571	73.1	14.0	24
Ensilage, blandvall (1-50% klöver) (165)	4	2	385	97	76.7	161	574	51.0	400	176	4.77		85.0000	67.0	15.0	51
Ensilage, blandvall (1-50% klöver) (165)	5	1	382	92	79.1	159	629	86.0	374	140	4.85		79.0000	65.0	13.0	60
Vete-ärt, helsådesensilage, degmognad, 50% ärter (	1	1	328	65	59.2	98	573	130	463	355	1.67	139	70.0000	54.0	16.0	11
Ensilage, blandvall (1-50% klöver) (326)	1	1	419	59	67.7	114	612	103	495	273	3.59		85.0000	58.0	22.0	27

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Havre, kärna, hög NDF (002)	1	1				85.1	-15	6.50			
Vete, kärna (005)	1	1				112	-43	8.03			
Prognos, blandvall (1-50% baljv) (042)	1	2				96.4	-4.4	5.94	13.0		
Grönmassa, gräs (0% baljv.) (161)	1	2				95.1	6.6	6.82	12.4	83.0	15.5
Ensilage, gräs (0% klöver) (162)	1	1		1.40000		84.7	15.3	6.25	11.5	73.0	23.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	53	4.66667	3.40000		91.1	2.3	6.48	11.8	80.6	-5.1
Grönmassa blandvall (1-50 % baljväxter) (164)	2	9	2.57143	1.57143		96.7	8.9	6.44	11.6	79.0	26.0
Ensilage, blandvall (1-50% klöver) (165)	1	24	5.50000	2.70417		83.2	5.9	6.16	11.2	72.1	9.7
Ensilage, blandvall (1-50% klöver) (165)	2	3	7.00000	0.20000		81.4	22.2	5.80	10.3	70.0	17.5

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	3	7		2.51429		77.5	28.2	5.78	10.2	69.1	28.7
Ensilage, blandvall (1-50% klöver) (165)	4	2	3.00000	0.00000		82.1	33.0	6.27	10.9		
Ensilage, blandvall (1-50% klöver) (165)	5	1	0.00000	1.00000		83.5	28.9	6.41	11.4		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1				60.9	4.1	4.80			
Ensilage, blandvall (1-50% klöver) (326)	1	1	5.00000	0.00000		74.3	5.0	5.77	9.9		
Råvarublandning - ej kompletta data (1E3)	1	0						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Vete, kärna (005)	1	1	0.5	3.5	1.5	4.6	0.1		1.4	9	1	77.0	56.0	42.0	5.9	0.0
Grönmassa, gräs (0% baljv.) (161)	1	2	4.5	2.6	1.7	29.6	0.7		2.0	519	2	128.5	57.0	28.0	5.7	
Ensilage, gräs (0% klöver) (162)	1	1	4.0	2.2	1.6	24.6	0.3	6.5	2.0	334	1	429.0	84.0	25.0	5.3	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	44	4.8	2.6	1.6	25.0	0.7	7.0	2.0	386	39	129.4	54.5	26.5	5.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	9	4.1	2.8	1.7	26.7	0.8	8.6	2.8	311	9	107.6	48.3	25.4	5.4	
Ensilage, blandvall (1-50% klöver) (165)	1	21	4.8	2.4	1.7	22.8	0.7	4.5	1.8	372	19	291.1	68.4	25.9	5.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	3	9.6	2.9	2.8	25.7	0.9	3.4	2.1	470	2	353.0	75.5	24.0	8.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	4	12.0	2.8	3.2	21.7	0.7	2.7	1.9	413	4	943.0	90.5	26.8	10.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	2	7.8	3.4	2.9	28.3	1.8	5.8	2.8	466	1	170.0	69.0	22.0	6.0	
Ensilage, blandvall (1-50% klöver) (165)	5	1	6.4	3.2	2.0	29.2	0.6	3.9	3.6	438	1	117.0	126.0	18.0	7.0	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	7.2	2.3	1.7	14.1	0.2	0.6	1.3	271	1	257.0	66.0	27.0	6.6	
Ensilage, blandvall (1-50% klöver) (326)	1	1	5.2	2.7	2.3	14.0	1.5	1.8	2.1	241	0					

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	851.000	.	851.000	851.000
Aska	1	21.200	.	21.200	21.200
OS smbh	1	75.000	.	75.000	75.000
Råprot	1	106.900	.	106.900	106.900
iNDF	1	392.000	.	392.000	392.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	676.900	.	676.900	676.900
TAF	1	0.000	.	0.000	0.000
AATp20	1	85.073	.	85.073	85.073
PBVp20	1	-14.821	.	-14.821	-14.821
NELp20	1	6.504	.	6.504	6.504

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	868.000	.	868.000	868.000
Aska	1	21.900	.	21.900	21.900
OS smbh	1	88.000	.	88.000	88.000
Råprot	1	121.000	.	121.000	121.000
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	632.500	.	632.500	632.500
TAF	1	0.000	.	0.000	0.000
AATp20	1	112.443	.	112.443	112.443
PBVp20	1	-43.173	.	-43.173	-43.173

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	8.027	.	8.027	8.027
Ca	1	0.500	.	0.500	0.500
P	1	3.500	.	3.500	3.500
Mg	1	1.500	.	1.500	1.500
K	1	4.600	.	4.600	4.600
Na	1	0.100	.	0.100	0.100
S	1	1.400	.	1.400	1.400
CAB	1	9.143	.	9.143	9.143
Fe	1	77.000	.	77.000	77.000
Mn	1	56.000	.	56.000	56.000
Zn	1	42.000	.	42.000	42.000
Cu	1	5.900	.	5.900	5.900
Se	1	0.048	.	0.048	0.048

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	196.000	9.89949	189.000	203.000
OS smbh	2	73.150	0.00000	73.150	73.150
iNDF	2	170.460	0.00000	170.460	170.460
nhNDF	2	4.315	0.00000	4.315	4.315
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	96.439	0.00000	96.439	96.439
PBVp20	2	-4.418	0.00000	-4.418	-4.418

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	5.943	0.00000	5.943	5.943
OE*	2	12.950	0.35355	12.700	13.200

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	547.000	73.5391	495.000	599.000
Aska	2	78.000	1.4142	77.000	79.000
OS smbh	2	84.150	0.9192	83.500	84.800
Råprot	2	158.500	14.8492	148.000	169.000
NDF	2	420.000	1.4142	419.000	421.000
iNDF	2	54.554	9.6468	47.733	61.375
nhNDF	2	7.360	0.5951	6.939	7.781
TAF	2	61.000	0.0000	61.000	61.000
Socker	2	185.000	8.4853	179.000	191.000
AATp20	2	95.106	2.0483	93.657	96.554
PBVp20	2	6.609	10.3533	-0.712	13.930
NELp20	2	6.823	0.1557	6.713	6.934
OE*	2	12.350	0.2121	12.200	12.500
AAT*	2	83.000	0.0000	83.000	83.000
PBV*	2	15.500	13.4350	6.000	25.000
Ca	2	4.500	0.2828	4.300	4.700
P	2	2.600	0.1414	2.500	2.700
Mg	2	1.700	0.1414	1.600	1.800
K	2	29.600	1.1314	28.800	30.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.650	0.2121	0.500	0.800
S	2	2.000	0.2828	1.800	2.200
CAB	2	519.449	20.4808	504.967	533.931
Fe	2	128.500	28.9914	108.000	149.000
Mn	2	57.000	0.0000	57.000	57.000
Zn	2	28.000	7.0711	23.000	33.000
Cu	2	5.700	0.8485	5.100	6.300

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	400.000	.	400.000	400.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	79.200	.	79.200	79.200
Råprot	1	149.000	.	149.000	149.000
sRåprot	1	746.000	.	746.000	746.000
NH3-N	1	105.000	.	105.000	105.000
NDF	1	410.000	.	410.000	410.000
iNDF	1	122.141	.	122.141	122.141
nhNDF	1	5.024	.	5.024	5.024
TAF	1	37.400	.	37.400	37.400
Mjölksyra	1	27.000	.	27.000	27.000
Ättiksyra	1	8.000	.	8.000	8.000
Socker	1	137.000	.	137.000	137.000
BUF	1	1.400	.	1.400	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	84.690	.	84.690	84.690
PBVp20	1	15.341	.	15.341	15.341
NELp20	1	6.251	.	6.251	6.251
OE*	1	11.500	.	11.500	11.500
AAT*	1	73.000	.	73.000	73.000
PBV*	1	23.000	.	23.000	23.000
Ca	1	4.000	.	4.000	4.000
P	1	2.200	.	2.200	2.200
Mg	1	1.600	.	1.600	1.600
K	1	24.600	.	24.600	24.600
Na	1	0.300	.	0.300	0.300
Cl	1	6.500	.	6.500	6.500
S	1	2.000	.	2.000	2.000
CAB	1	334.101	.	334.101	334.101
Fe	1	429.000	.	429.000	429.000
Mn	1	84.000	.	84.000	84.000
Zn	1	25.000	.	25.000	25.000
Cu	1	5.300	.	5.300	5.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	53	404.755	110.851	253.000	558.000
Aska	52	69.673	8.307	58.000	79.000
OS smbh	53	79.943	3.102	76.400	84.200
Råprot	52	143.481	26.893	102.000	172.000
sRåprot	19	448.368	42.709	394.000	523.000
NDF	52	431.077	43.558	379.000	486.000
iNDF	53	97.990	34.826	56.119	143.432
nhNDF	53	5.398	1.068	4.226	6.850
TAF	53	61.302	35.032	4.000	84.000
Mjölksyra	16	0.000	0.000	0.000	0.000
Ättiksyra	15	0.000	0.000	0.000	0.000
Socker	52	157.154	36.635	111.000	208.000
PRF	15	4.667	4.923	0.000	12.000
BUF	15	3.400	1.682	2.000	6.000
AATp20	53	91.089	5.632	84.176	98.535
PBVp20	53	2.315	20.291	-29.891	27.772
NELp20	53	6.478	0.294	6.151	6.810
OE*	52	11.793	0.510	11.200	12.400
AAT*	33	80.636	3.343	77.000	84.000
PBV*	33	-5.058	25.238	-40.000	26.000
Ca	44	4.809	1.440	3.300	6.600
P	44	2.630	0.408	2.200	3.200
Mg	44	1.636	0.344	1.200	2.100
K	44	25.030	4.021	19.400	29.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	44	0.680	0.523	0.300	1.100
Cl	17	6.988	3.570	0.300	12.200
S	44	2.023	0.388	1.500	2.500
CAB	44	385.968	122.943	205.120	545.835
Fe	39	129.436	73.566	72.000	231.000
Mn	39	54.538	17.929	32.000	79.000
Zn	39	26.487	4.678	21.000	33.000
Cu	39	5.508	1.292	4.000	7.500
Se	10	0.017	0.013	0.008	0.042

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	476.556	97.3577	380.000	658.000
Aska	9	75.667	4.6368	68.000	82.000
OS smbh	9	79.522	1.4998	76.500	82.300
Råprot	9	159.889	12.8203	140.000	176.000
sRåprot	8	404.500	18.8680	373.000	430.000
NDF	9	454.222	18.9590	427.000	480.000
iNDF	9	74.267	23.5043	41.000	111.406
nhNDF	9	4.844	0.3469	4.387	5.421
TAF	9	21.889	35.2649	1.000	84.000
Mjölksyra	7	0.000	0.0000	0.000	0.000
Ättiksyra	7	0.000	0.0000	0.000	0.000
Socker	9	139.889	21.4677	88.000	164.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	7	2.571	1.2724	1.000	4.000
BUF	7	1.571	0.9759	0.000	3.000
AATp20	9	96.667	4.7802	88.513	101.144
PBVp20	9	8.907	11.9646	-12.676	23.722
NELp20	9	6.438	0.0764	6.316	6.531
OE*	9	11.633	0.2552	11.060	12.030
AAT*	1	79.000	.	79.000	79.000
PBV*	1	26.000	.	26.000	26.000
Ca	9	4.144	1.0643	3.300	6.800
P	9	2.822	0.3346	2.400	3.400
Mg	9	1.744	0.3712	1.400	2.600
K	9	26.733	2.6879	21.700	30.500
Na	9	0.811	0.2619	0.500	1.200
Cl	8	8.600	1.9878	6.000	11.700
S	9	2.844	0.2186	2.500	3.100
CAB	9	311.158	92.5275	206.809	467.333
Fe	9	107.556	49.2166	72.000	216.000
Mn	9	48.333	15.5644	29.000	79.000
Zn	9	25.444	2.8771	22.000	30.000
Cu	9	5.356	1.1780	4.000	8.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	24	397.125	116.343	244.000	522.000
Aska	24	72.250	9.303	63.000	84.000
OS smbh	24	76.683	6.928	72.100	82.100
Råprot	24	133.667	26.324	89.000	158.000
sRåprot	24	627.667	94.249	519.000	729.000
NH3-N	24	84.250	33.168	47.000	112.000
NDF	24	417.292	73.505	343.000	533.000
iNDF	24	147.353	53.354	87.780	193.520
nhNDF	24	4.471	0.857	3.591	5.695
TAF	24	61.788	30.570	22.300	99.200
Mjölksyra	24	43.500	25.377	14.000	80.000
Ättiksyra	24	13.833	7.287	6.000	22.000
Socker	24	103.833	61.795	27.000	183.000
PRF	4	5.500	3.873	2.000	11.000
BUF	24	2.704	7.177	0.100	3.700
AATp20	24	83.245	6.587	77.096	88.682
PBVp20	24	5.873	21.326	-22.549	28.852
NELp20	24	6.160	0.603	5.653	6.606
OE*	24	11.210	1.149	10.500	12.100
AAT*	20	72.050	3.873	70.000	75.000
PBV*	20	9.650	24.491	-26.500	33.500
Ca	21	4.824	1.279	3.500	6.200
P	21	2.381	0.336	2.100	2.700
Mg	21	1.695	0.312	1.300	2.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	21	22.790	3.228	19.300	25.400
Na	21	0.729	0.487	0.300	1.500
Cl	24	4.525	2.859	1.100	7.100
S	21	1.824	0.437	1.200	2.300
CAB	21	372.329	91.385	231.917	466.137
Fe	19	291.053	309.183	97.000	818.000
Mn	19	68.368	18.700	47.000	87.000
Zn	19	25.947	6.196	18.000	32.000
Cu	19	5.668	0.994	4.300	7.000
Se	5	0.015	0.004	0.010	0.019

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	380.000	260.438	186.000	676.000
Aska	3	95.667	7.572	87.000	101.000
OS smbh	3	72.633	1.976	70.500	74.400
Råprot	3	148.000	30.414	113.000	168.000
sRåprot	3	438.000	21.000	414.000	453.000
NH3-N	3	76.333	31.262	43.000	105.000
NDF	3	421.333	54.151	365.000	473.000
iNDF	3	223.199	46.360	177.293	270.000
nhNDF	3	4.067	1.086	3.044	5.207
TAF	3	75.867	54.011	13.500	107.100
Mjölksyra	3	50.000	44.710	3.000	92.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	3	22.667	19.502	9.000	45.000
Socker	3	53.333	68.311	9.000	132.000
PRF	1	7.000	.	7.000	7.000
BUF	3	0.200	0.265	0.000	0.500
AATp20	3	81.403	4.612	78.617	86.726
PBVp20	3	22.225	35.785	-19.019	45.031
NELp20	3	5.801	0.097	5.689	5.865
OE*	3	10.297	0.405	9.890	10.700
AAT*	2	70.000	1.414	69.000	71.000
PBV*	2	17.500	36.062	-8.000	43.000
Ca	3	9.633	1.756	7.800	11.300
P	3	2.900	0.700	2.400	3.700
Mg	3	2.767	0.551	2.200	3.300
K	3	25.700	6.940	18.100	31.700
Na	3	0.933	0.802	0.100	1.700
Cl	3	3.433	0.666	2.700	4.000
S	3	2.100	0.458	1.700	2.600
CAB	3	469.905	170.419	279.985	609.479
Fe	2	353.000	270.115	162.000	544.000
Mn	2	75.500	3.536	73.000	78.000
Zn	2	24.000	5.657	20.000	28.000
Cu	2	8.200	1.131	7.400	9.000
Se	1	0.012	.	0.012	0.012

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	320.429	83.14	243.000	471.00
Aska	7	106.000	43.53	68.000	201.00
OS smbh	7	72.700	1.89	70.600	76.20
Råprot	7	147.714	27.58	105.000	185.00
sRåprot	7	518.429	84.15	351.000	619.00
NH3-N	7	103.000	40.74	62.000	186.00
NDF	7	403.286	61.07	334.000	479.00
iNDF	7	205.300	26.33	173.996	256.23
nhNDF	7	3.455	0.51	2.564	4.16
TAF	7	90.657	21.44	62.900	121.30
Mjölksyra	7	73.143	16.77	54.000	100.00
Ättiksyra	7	14.000	6.78	2.000	20.00
Socker	7	23.714	13.24	12.000	50.00
BUF	7	2.514	3.46	0.100	10.00
AATp20	7	77.467	5.99	70.916	88.12
PBVp20	7	28.215	21.93	-10.673	55.32
NELp20	7	5.785	0.39	5.137	6.23
OE*	7	10.157	0.68	8.900	10.90
AAT*	7	69.143	1.77	66.000	71.00
PBV*	7	28.714	26.11	-13.000	62.00
Ca	4	11.950	2.26	8.600	13.40
P	4	2.800	0.67	1.900	3.40
Mg	4	3.225	0.46	2.600	3.70
K	4	21.725	3.84	17.400	26.70

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	0.675	0.21	0.500	0.90
Cl	7	2.714	1.56	0.800	5.00
S	4	1.875	0.29	1.700	2.30
CAB	4	412.857	96.50	331.717	542.02
Fe	4	943.000	1449.80	167.000	3117.00
Mn	4	90.500	47.47	32.000	137.00
Zn	4	26.750	2.99	23.000	30.00
Cu	4	10.525	1.55	9.000	12.60
Se	2	0.033	0.01	0.025	0.04

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	384.500	116.673	302.000	467.000
Aska	2	97.000	1.414	96.000	98.000
OS smbh	2	76.700	0.141	76.600	76.800
Råprot	2	161.000	26.870	142.000	180.000
sRåprot	2	573.500	19.092	560.000	587.000
NH3-N	2	51.000	2.828	49.000	53.000
NDF	2	399.500	16.263	388.000	411.000
iNDF	2	176.000	8.485	170.000	182.000
nhNDF	2	4.774	0.304	4.559	4.989
TAF	2	85.000	39.598	57.000	113.000
Mjölksyra	2	67.000	32.527	44.000	90.000
Ättiksyra	2	15.000	5.657	11.000	19.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	2	50.500	26.163	32.000	69.000
PRF	2	3.000	1.414	2.000	4.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	2	82.135	1.761	80.890	83.380
PBVp20	2	33.000	27.863	13.298	52.702
NELp20	2	6.267	0.241	6.096	6.437
OE*	2	10.910	0.000	10.910	10.910
Ca	2	7.800	0.283	7.600	8.000
P	2	3.350	0.071	3.300	3.400
Mg	2	2.900	0.566	2.500	3.300
K	2	28.300	1.273	27.400	29.200
Na	2	1.750	0.495	1.400	2.100
Cl	2	5.750	1.061	5.000	6.500
S	2	2.750	0.495	2.400	3.100
CAB	2	466.025	9.973	458.973	473.078
Fe	1	170.000	.	170.000	170.000
Mn	1	69.000	.	69.000	69.000
Zn	1	22.000	.	22.000	22.000
Cu	1	6.000	.	6.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	382.000	.	382.000	382.000
Aska	1	92.000	.	92.000	92.000
OS smbh	1	79.100	.	79.100	79.100
Råprot	1	159.000	.	159.000	159.000
sRåprot	1	629.000	.	629.000	629.000
NH3-N	1	86.000	.	86.000	86.000
NDF	1	374.000	.	374.000	374.000
iNDF	1	140.000	.	140.000	140.000
nhNDF	1	4.852	.	4.852	4.852
TAF	1	79.000	.	79.000	79.000
Mjölksyra	1	65.000	.	65.000	65.000
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	60.000	.	60.000	60.000
PRF	1	0.000	.	0.000	0.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	83.488	.	83.488	83.488
PBVp20	1	28.924	.	28.924	28.924
NELp20	1	6.411	.	6.411	6.411
OE*	1	11.360	.	11.360	11.360
Ca	1	6.400	.	6.400	6.400
P	1	3.200	.	3.200	3.200
Mg	1	2.000	.	2.000	2.000
K	1	29.200	.	29.200	29.200
Na	1	0.600	.	0.600	0.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	3.900	.	3.900	3.900
S	1	3.600	.	3.600	3.600
CAB	1	438.031	.	438.031	438.031
Fe	1	117.000	.	117.000	117.000
Mn	1	126.000	.	126.000	126.000
Zn	1	18.000	.	18.000	18.000
Cu	1	7.000	.	7.000	7.000

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	328.000	.	328.000	328.000
Aska	1	65.000	.	65.000	65.000
OS smbh	1	59.200	.	59.200	59.200
Råprot	1	98.000	.	98.000	98.000
sRåprot	1	573.000	.	573.000	573.000
NH3-N	1	130.000	.	130.000	130.000
NDF	1	463.000	.	463.000	463.000
iNDF	1	354.525	.	354.525	354.525
nhNDF	1	1.671	.	1.671	1.671
Stä	1	139.000	.	139.000	139.000
TAF	1	70.000	.	70.000	70.000
Mjölksyra	1	54.000	.	54.000	54.000
Ättiksyra	1	16.000	.	16.000	16.000
Socket	1	11.000	.	11.000	11.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	60.895	.	60.895	60.895
PBVp20	1	4.127	.	4.127	4.127
NELp20	1	4.795	.	4.795	4.795
Ca	1	7.200	.	7.200	7.200
P	1	2.300	.	2.300	2.300
Mg	1	1.700	.	1.700	1.700
K	1	14.100	.	14.100	14.100
Na	1	0.200	.	0.200	0.200
Cl	1	0.600	.	0.600	0.600
S	1	1.300	.	1.300	1.300
CAB	1	271.158	.	271.158	271.158
Fe	1	257.000	.	257.000	257.000
Mn	1	66.000	.	66.000	66.000
Zn	1	27.000	.	27.000	27.000
Cu	1	6.600	.	6.600	6.600

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	419.000	.	419.000	419.000
Aska	1	59.000	.	59.000	59.000
OS smbh	1	67.700	.	67.700	67.700
Råprot	1	114.000	.	114.000	114.000
sRåprot	1	612.000	.	612.000	612.000
NH3-N	1	103.000	.	103.000	103.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	495.000	.	495.000	495.000
iNDF	1	273.000	.	273.000	273.000
nhNDF	1	3.589	.	3.589	3.589
TAF	1	85.000	.	85.000	85.000
Mjölksyra	1	58.000	.	58.000	58.000
Ättiksyra	1	22.000	.	22.000	22.000
Socker	1	27.000	.	27.000	27.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	74.315	.	74.315	74.315
PBVp20	1	5.034	.	5.034	5.034
NELp20	1	5.773	.	5.773	5.773
OE*	1	9.860	.	9.860	9.860
Ca	1	5.200	.	5.200	5.200
P	1	2.700	.	2.700	2.700
Mg	1	2.300	.	2.300	2.300
K	1	14.000	.	14.000	14.000
Na	1	1.500	.	1.500	1.500
Cl	1	1.800	.	1.800	1.800
S	1	2.100	.	2.100	2.100
CAB	1	241.319	.	241.319	241.319

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	0	.	0	0
TAF	1	0	.	0	0
NELp20	1	0	.	0	0

*= Parametrar från det gamla svenska fodervärderingssystemet