

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök-syra	Ättik-syra	Socker
Prognos, blandvall (1-50% baljv) (042)	1	1	201		73.2					170	4.32		0.0			
Grönmassa blandvall (1-50 % baljväxter) (164)	1	6	359	63	81.3	166			443	92	6.16		84.0			156
Ensilage, blandvall (1-50% klöver) (165)	0	1	489		73.5					169	4.29		79.0			
Ensilage, blandvall (1-50% klöver) (165)	1	2	526	67	76.1	174	531	37.5	432	148	4.02		40.5	30.5	8.0	92
Ensilage, blandvall (1-50% klöver) (165)	2	1	203	69	62.6	133	602	211	565	256	2.98		93.7	41.0	21.0	11

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Prognos, blandvall (1-50% baljv) (042)	1	1				96.4	-4.4	5.94	11.9		
Grönmassa blandvall (1-50 % baljväxter) (164)	1	6				92.2	21.6	6.77	12.1	81.7	25.8
Ensilage, blandvall (1-50% klöver) (165)	0	1				82.1	22.1	6.06			
Ensilage, blandvall (1-50% klöver) (165)	1	2	2	0.0		89.6	33.8	6.30	11.2		
Ensilage, blandvall (1-50% klöver) (165)	2	1		30.7		68.8	29.5	5.17	8.9	65.0	20.0

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa blandvall (1-50 % baljväxter) (164)	1	4	5.2	2.9	1.9	16.5	0.2		2.2	161	4	114.8	50.8	40.0	9.0	
Ensilage, blandvall (1-50% klöver) (165)	1	2	5.0	2.8	2.1	17.5	1.1	1.2	2.4	308	0					

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	201.000	.	201.000	201.000
OS smbh	1	73.150	.	73.150	73.150
iNDF	1	170.460	.	170.460	170.460
nhNDF	1	4.315	.	4.315	4.315
TAF	1	0.000	.	0.000	0.000
AATp20	1	96.439	.	96.439	96.439
PBVp20	1	-4.418	.	-4.418	-4.418
NELp20	1	5.943	.	5.943	5.943
OE*	1	11.900	.	11.900	11.900

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	358.500	49.3021	298.000	441.000
Aska	6	62.833	12.7658	51.000	86.000
OS smbh	6	81.267	1.7682	78.300	83.100
Råprot	6	166.167	19.5900	139.000	198.000
NDF	6	442.833	26.3850	409.000	474.000
iNDF	6	91.906	14.2866	73.147	113.839
nhNDF	6	6.163	0.4187	5.549	6.682
TAF	6	84.000	0.0000	84.000	84.000
Socker	6	156.000	44.0136	91.000	227.000
AATp20	6	92.234	2.9949	86.983	96.018
PBVp20	6	21.606	16.0498	-4.753	45.400
NELp20	6	6.767	0.2054	6.428	7.046

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	6	12.083	0.4355	11.300	12.500
AAT*	6	81.667	2.2509	78.000	85.000
PBV*	6	25.833	19.9039	-6.000	56.000
Ca	4	5.150	1.0786	3.900	6.100
P	4	2.875	0.3594	2.600	3.400
Mg	4	1.925	0.4787	1.500	2.600
K	4	16.450	3.0447	12.100	18.700
Na	4	0.225	0.1500	0.100	0.400
S	4	2.200	0.2160	2.000	2.500
CAB	4	160.604	86.9800	38.210	226.237
Fe	4	114.750	18.0069	93.000	137.000
Mn	4	50.750	12.2304	43.000	69.000
Zn	4	40.000	6.4807	34.000	49.000
Cu	4	9.025	2.4144	6.500	11.800

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	489.000	.	489.000	489.000
OS smbh	1	73.500	.	73.500	73.500
iNDF	1	169.439	.	169.439	169.439
nhNDF	1	4.292	.	4.292	4.292
TAF	1	79.000	.	79.000	79.000
AATp20	1	82.115	.	82.115	82.115

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	22.077	.	22.077	22.077
NELp20	1	6.060	.	6.060	6.060

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	526.000	49.4975	491.000	561.000
Aska	2	66.500	6.3640	62.000	71.000
OS smbh	2	76.050	0.4950	75.700	76.400
Råprot	2	174.000	11.3137	166.000	182.000
sRåprot	2	530.500	50.2046	495.000	566.000
NH3-N	2	37.500	24.7487	20.000	55.000
NDF	2	431.500	31.8198	409.000	454.000
iNDF	2	147.500	17.6777	135.000	160.000
nhNDF	2	4.022	0.0823	3.964	4.080
TAF	2	40.500	7.7782	35.000	46.000
Mjölksyra	2	30.500	6.3640	26.000	35.000
Ättiksyra	2	8.000	0.0000	8.000	8.000
Socker	2	91.500	17.6777	79.000	104.000
PRF	2	2.000	1.4142	1.000	3.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	2	89.567	0.7437	89.041	90.093
PBVp20	2	33.809	9.3287	27.213	40.405
NELp20	2	6.305	0.0220	6.289	6.320
OE*	2	11.170	0.1556	11.060	11.280

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	2	5.000	0.9899	4.300	5.700
P	2	2.750	0.0707	2.700	2.800
Mg	2	2.050	0.0707	2.000	2.100
K	2	17.450	1.7678	16.200	18.700
Na	2	1.050	0.0707	1.000	1.100
Cl	2	1.200	0.4243	0.900	1.500
S	2	2.400	0.1414	2.300	2.500
CAB	2	308.141	27.4959	288.698	327.583

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	203.000	.	203.000	203.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	62.600	.	62.600	62.600
Råprot	1	133.000	.	133.000	133.000
sRåprot	1	602.000	.	602.000	602.000
NH3-N	1	211.000	.	211.000	211.000
NDF	1	565.000	.	565.000	565.000
iNDF	1	255.697	.	255.697	255.697
nhNDF	1	2.982	.	2.982	2.982
TAF	1	93.700	.	93.700	93.700
Mjölksyra	1	41.000	.	41.000	41.000
Ättiksyra	1	21.000	.	21.000	21.000
Socker	1	11.000	.	11.000	11.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	1	30.700	.	30.700	30.700
AATp20	1	68.783	.	68.783	68.783
PBVp20	1	29.494	.	29.494	29.494
NELp20	1	5.168	.	5.168	5.168
OE*	1	8.900	.	8.900	8.900
AAT*	1	65.000	.	65.000	65.000
PBV*	1	20.000	.	20.000	20.000
CI	1	2.500	.	2.500	2.500

*= Parametrar från det gamla svenska fodervärderingssystemet