

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Prognos, blandvall (1-50% baljv) (042)	0	13	245		73.2					170	4.32					96.4	-4.4	5.94
Grönmassa, gräs (0% baljv.) (161)	1	29	366	65	75.0	160	452		470	151	4.47	32	117			88.4	20.0	6.16
Grönmassa blandvall (1-50 % baljväxter) (164)	0	56	942	77	74.6	138			467	159	4.86		133			82.7	10.9	6.05
Grönmassa blandvall (1-50 % baljväxter) (164)	1	315	402	71	77.9	156	444		461	118	5.22		121			88.4	18.7	6.45
Grönmassa blandvall (1-50 % baljväxter) (164)	2	93	366	82	75.2	165	384		484	145	4.80		87			86.0	30.6	6.24
Ensilage, blandvall (1-50% klöver) (165)	0	21	470	88	73.5	158	577	89.6	435	182	4.02		76	38.7	12.4	82.7	29.5	5.93
Ensilage, blandvall (1-50% klöver) (165)	1	150	384	73	77.3	159	629	76.0	437	139	4.83	17	71	52.4	13.7	85.0	27.2	6.45
Ensilage, blandvall (1-50% klöver) (165)	2	27	466	77	73.5	157	555	81.4	456	188	4.28		60	47.6	14.1	82.8	28.5	6.06
Ensilage, blandvall (1-50% klöver) (165)	3	20	414	84	71.9	149	541	97.8	457	207	4.09		50	51.1	13.9	80.2	25.5	5.86
Ensilage, blandvall (1-50% klöver) (165)	4	15	345	91	75.6	175	585	81.1	403	184	4.39		47	71.6	16.3	81.7	47.3	6.26
Vete, helsäd ensilage (299)	1	11	358	56	71.7	124	590	51.9	495	199	4.08	34	105	31.3	12.5	75.8	-2.8	5.94
Majs, helsädesensilage (305)	1	19	358	31	74.9	79	574	56.3	385	219	3.33	275	11	55.1	14.8	80.4	-48	6.44
Grunnblanding Middels ford.grovför (326)	1	20	423	63	72.7	148	512	56.4	369	262	3.06	168	34	34.2	19.1	84.9	21.3	6.22
Fullfoder (TMR) ej kompletta data (1E3)	1	11	415	68	75.6	151	559	68.4	345	209	3.25	166	37	56.0	24.0			0.00

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	28	4.2	2.6	1.4	22.0	0.6	7.2	2.0	272	13	118.2	87.5	28.5	5.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	53	3.6	2.5	1.3	23.2	0.7		2.1	360	53	199.3	47.3	23.8	6.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	296	5.1	2.8	1.6	24.3	0.7	6.2	2.0	378	208	138.7	51.4	28.2	5.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	65	6.6	3.1	2.0	25.3	1.0	8.5	2.3	365	43	114.2	48.9	27.7	7.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	14	7.1	3.0	2.4	21.6	1.4	8.6	2.3	231	14	195.9	70.3	27.3	6.5	
Ensilage, blandvall (1-50% klöver) (165)	1	143	5.5	2.9	1.8	24.9	1.0	6.1	2.1	378	102	176.0	53.1	36.7	6.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	24	6.9	2.9	2.3	22.7	1.4	5.9	2.2	337	16	176.2	66.5	33.3	7.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	19	8.3	3.0	2.6	22.7	1.5	7.5	2.5	273	14	206.8	95.5	27.7	7.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	14	7.7	3.3	2.7	24.4	1.5	7.4	2.8	299	8	291.5	100.8	29.5	7.7	
Vete, helsäd ensilage (299)	1	11	2.8	2.2	1.0	17.9	0.7	4.0	1.6	273	0					
Majs, helsädesensilage (305)	1	19	1.9	1.8	1.1	9.3	0.3	2.1	0.9	142	12	117.7	28.3	26.6	5.0	0.0
Grunnblanding Middels ford.grovfôr (326)	1	20	7.1	3.7	3.5	13.7	3.4	9.8	2.7	54	18	317.1	91.2	75.3	17.4	0.6
Fullfoder (TMR) ej kompletta data (1E3)	1	9	6.2	3.3	3.2	15.9	2.7	7.4	2.3	152	9	412.7	76.3	75.1	14.0	0.7

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	13	245.077	40.7359	201.000	296.000
OS smbh	13	73.150	0.0000	73.150	73.150
iNDF	13	170.460	0.0000	170.460	170.460
nhNDF	13	4.315	0.0000	4.315	4.315
TAF	13	0.000	0.0000	0.000	0.000
AAT20	13	96.439	0.0000	96.439	96.439
PBV20	13	-4.418	0.0000	-4.418	-4.418
NEL20	13	5.943	0.0000	5.943	5.943

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	29	365.517	151.745	209.000	671.000
Aska	29	65.138	11.128	52.000	77.000
OS smbh	29	75.041	5.383	67.400	82.600
Råprot	29	160.241	42.058	110.000	223.000
sRåprot	24	452.375	75.888	376.000	532.000
NDF	29	470.448	58.620	394.000	549.000
iNDF	29	151.059	70.764	50.000	238.000
nhNDF	29	4.468	0.924	3.532	5.815
Socket	29	116.897	26.929	85.000	156.000
TAF	29	61.000	0.000	61.000	61.000
AAT20	29	88.359	6.953	79.014	98.336
PBV20	29	19.961	28.701	-14.311	61.986
NEL20	29	6.156	0.517	5.321	6.842
Ca	28	4.229	1.376	2.500	5.700
P	28	2.571	0.483	2.100	3.300
Mg	28	1.404	0.427	0.900	2.000
K	28	21.968	5.383	15.400	29.700
Na	26	0.577	0.523	0.100	1.200
Cl	23	7.187	6.176	2.200	11.600
S	28	1.979	0.561	1.200	2.800
CAB	28	272.194	176.525	12.653	471.895
Fe	13	118.231	97.053	56.000	228.000
Mn	13	87.538	64.899	20.000	207.000
Zn	13	28.538	8.647	23.000	40.000
Cu	13	5.685	2.196	3.000	8.000

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	56	941.786	190.399	1000.00	1000.00
Aska	56	77.179	11.548	64.00	96.00
OS smbh	56	74.629	6.363	66.00	83.20
Råprot	56	138.036	36.211	91.00	186.00
NDF	56	467.357	55.438	387.00	526.00
iNDF	56	159.000	61.565	74.06	243.97
nhNDF	56	4.856	2.021	3.10	6.66
Socker	56	133.393	41.337	83.00	196.00
TAF	56	84.000	0.000	84.00	84.00
AAT20	56	82.694	7.981	72.91	92.94
PBV20	56	10.899	23.948	-15.68	46.12
NEL20	56	6.048	0.634	5.26	6.87
Ca	53	3.604	0.964	2.70	4.30
P	53	2.534	0.489	1.90	3.10
Mg	53	1.315	0.355	1.00	1.70
K	53	23.225	4.769	16.30	29.70
Na	53	0.651	0.478	0.10	1.30
S	53	2.081	0.400	1.70	2.50
CAB	53	359.814	102.811	208.05	497.48
Fe	53	199.302	222.491	52.00	393.00
Mn	53	47.283	16.848	34.00	60.00
Zn	53	23.849	3.875	20.00	30.00
Cu	53	6.866	2.016	5.00	9.30

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	315	402.330	144.881	231.000	595.000
Aska	315	70.635	10.955	57.000	86.000
OS smbh	315	77.892	4.629	71.000	82.700
Råprot	315	156.222	30.841	118.000	195.000
sRåprot	119	443.933	50.176	388.000	505.000
NDF	315	460.514	56.181	392.000	542.000
iNDF	315	117.954	49.649	65.694	191.249
nhNDF	315	5.222	1.171	3.823	6.627
Socker	315	120.629	38.552	67.000	166.000
TAF	315	84.000	0.000	84.000	84.000
AAT20	315	88.366	5.705	80.432	94.637
PBV20	315	18.666	22.648	-8.706	47.001
NEL20	315	6.454	0.433	5.847	6.917

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Ca	296	5.108	2.247	3.300	7.100
P	296	2.796	0.470	2.200	3.400
Mg	296	1.631	0.352	1.200	2.100
K	296	24.305	5.026	17.700	30.700
Na	290	0.738	0.565	0.200	1.400
Cl	113	6.205	3.115	2.800	10.000
S	296	2.029	0.420	1.500	2.600
CAB	296	378.201	122.493	227.005	533.778
Fe	208	138.712	115.456	66.000	215.000
Mn	208	51.438	21.855	30.000	79.000
Zn	208	28.178	7.295	21.000	36.000
Cu	208	5.820	1.288	4.100	7.500
Se	54	0.015	0.015	0.005	0.050

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	93	365.753	159.932	183.000	581.000
Aska	93	82.054	12.953	66.000	100.000
OS smbh	93	75.204	4.241	68.800	80.200
Råprot	93	164.785	29.055	133.000	199.000
sRåprot	31	383.548	38.338	350.000	435.000
NDF	93	483.753	45.542	430.000	545.000
iNDF	93	145.481	57.601	85.036	229.426
nhNDF	93	4.796	1.042	3.319	6.177
Socket	93	87.430	31.920	46.000	130.000
TAF	93	84.000	0.000	84.000	84.000
AAT20	93	86.039	5.607	78.039	92.562
PBV20	93	30.579	22.527	5.135	60.485
NEL20	93	6.241	0.426	5.569	6.795
Ca	65	6.648	3.715	3.200	14.000
P	65	3.066	0.413	2.600	3.600
Mg	65	1.992	0.444	1.400	2.600
K	65	25.286	4.668	18.600	30.700
Na	65	1.025	0.559	0.400	1.600
Cl	31	8.468	3.359	4.000	12.700
S	65	2.289	0.462	1.800	2.900
CAB	65	365.164	108.014	212.810	498.680
Fe	43	114.209	57.959	73.000	135.000
Mn	43	48.860	22.029	26.000	81.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Zn	43	27.698	4.080	23.000	33.000
Cu	43	7.042	1.489	5.300	8.900
Se	12	0.011	0.005	0.006	0.017

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	21	469.762	126.469	320.000	664.000
Aska	19	88.000	21.380	54.000	113.000
OS smbh	22	73.523	4.558	68.300	78.500
Råprot	21	158.095	26.950	131.000	193.000
sRåprot	19	577.421	88.599	450.000	708.000
NH3-N	21	89.571	26.095	58.000	125.000
NDF	19	435.158	47.164	382.000	522.000
iNDF	22	181.697	55.087	126.128	250.776
nhNDF	22	4.023	0.941	2.733	4.701
Socker	19	76.263	35.851	29.000	135.000
TAF	22	54.977	31.702	16.500	111.600
Mjölksyra	21	38.714	27.174	8.000	74.000
Ättiksyra	21	12.429	8.134	6.000	22.000
BUF	21	1.686	1.504	0.400	4.100
AAT20	22	82.699	5.926	78.249	90.895
PBV20	22	29.486	22.245	-0.303	54.783
NEL20	22	5.926	0.418	5.354	6.400
Ca	14	7.107	3.532	4.300	10.600
P	14	3.014	0.671	2.300	4.200
Mg	14	2.429	0.751	1.800	3.300
K	14	21.557	7.281	7.800	27.300
Na	14	1.393	1.130	0.400	3.200
Cl	19	8.642	3.060	4.900	14.000
S	14	2.343	0.827	1.400	3.800
CAB	14	231.058	161.906	18.797	390.937
Fe	14	195.857	92.753	74.000	341.000
Mn	14	70.286	28.100	40.000	102.000
Zn	14	27.286	8.090	20.000	41.000
Cu	14	6.450	1.809	4.500	8.800

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	150	384.080	111.206	262.000	526.000
Aska	150	72.813	9.404	61.500	85.000
OS smbh	150	77.344	3.214	72.200	80.350
Råprot	150	159.460	26.812	121.000	193.500
sRåprot	150	628.907	87.202	508.500	715.500
NH3-N	150	76.040	40.056	31.000	121.000
NDF	150	436.760	49.737	383.000	508.500
iNDF	150	138.945	38.678	104.000	189.153
nhNDF	150	4.827	0.679	4.141	5.519
Socker	150	70.667	36.501	25.000	118.000
TAF	150	69.011	30.771	29.350	104.450
Mjölksyra	150	52.440	27.260	19.000	82.000
Ättiksyra	148	13.696	7.185	6.000	20.000
PRF	65	1.708	3.413	0.000	5.000
BUF	148	1.518	2.969	0.000	4.100
AAT20	150	85.016	4.724	79.603	90.933
PBV20	150	27.186	23.840	-1.950	57.054
NEL20	150	6.448	0.317	6.008	6.783
Ca	143	5.478	1.618	3.900	7.900
P	143	2.871	0.421	2.300	3.400
Mg	143	1.767	0.366	1.400	2.200
K	143	24.945	3.527	20.400	28.600
Na	143	0.966	0.727	0.200	2.000
Cl	149	6.142	2.713	3.200	10.400
S	143	2.112	0.374	1.600	2.700
CAB	143	377.941	101.285	250.767	497.620
Fe	102	175.951	117.763	76.000	332.000
Mn	102	53.118	16.798	33.000	77.000
Zn	102	36.676	61.925	23.000	35.000
Cu	102	6.300	1.389	4.900	8.000
Se	18	0.037	0.021	0.007	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	27	465.889	153.797	294.000	701.000
Aska	27	76.519	11.226	64.000	91.000
OS smbh	27	73.507	4.285	66.700	79.200
Råprot	27	156.741	34.129	113.000	205.000
sRåprot	27	554.667	99.911	409.000	687.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
NH3-N	26	81.385	31.105	48.000	119.000
NDF	27	455.593	49.923	388.000	522.000
iNDF	27	188.398	57.449	128.000	285.000
nhNDF	27	4.278	0.854	3.340	5.305
Socker	27	60.074	34.996	13.000	112.000
TAF	27	65.437	35.049	21.000	111.100
Mjölksyra	27	47.593	29.785	11.000	92.000
Ättiksyra	27	14.074	8.948	4.000	23.000
PRF	12	2.667	2.640	0.000	6.000
BUF	27	2.030	4.957	0.000	4.000
AAT20	27	82.789	5.355	75.824	91.758
PBV20	27	28.457	31.296	-10.129	76.914
NEL20	27	6.058	0.449	5.438	6.620
Ca	24	6.933	2.008	4.900	9.600
P	24	2.946	0.536	2.100	3.700
Mg	24	2.329	0.423	1.800	2.800
K	24	22.667	4.460	17.200	29.000
Na	24	1.350	1.074	0.200	3.000
Cl	27	5.933	2.892	2.900	9.700
S	24	2.213	0.429	1.700	2.800
CAB	24	336.627	97.799	172.251	462.183
Fe	16	176.188	139.143	74.000	307.000
Mn	16	66.500	20.998	43.000	96.000
Zn	16	33.313	10.989	24.000	47.000
Cu	16	7.338	1.876	5.100	8.500

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	20	414.450	125.528	300.000	597.000
Aska	20	84.250	10.915	75.000	94.000
OS smbh	20	71.905	4.230	65.950	76.950
Råprot	20	149.150	21.246	126.500	174.500
sRåprot	20	541.450	90.135	399.500	626.000
NH3-N	20	97.750	39.941	41.500	154.500
NDF	20	456.550	40.019	419.500	504.500
iNDF	20	207.091	42.980	144.000	258.535
nhNDF	20	4.094	1.225	2.855	4.919
Socker	20	50.350	33.500	13.000	99.000
TAF	20	69.675	34.697	19.400	114.850

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
Mjölksyra	20	51.050	30.036	12.000	91.000
Ättiksyra	20	13.900	7.900	3.000	24.000
BUF	20	2.925	4.813	0.000	8.600
AAT20	20	80.203	5.346	71.854	86.023
PBV20	20	25.509	21.468	-6.045	44.893
NEL20	20	5.863	0.414	5.284	6.436
Ca	19	8.342	2.353	5.300	12.700
P	19	3.011	0.508	2.100	3.600
Mg	19	2.584	0.330	2.100	3.200
K	19	22.679	4.945	16.900	30.200
Na	19	1.479	0.991	0.200	3.200
Cl	20	7.480	3.959	3.400	13.450
S	19	2.505	0.526	1.900	3.100
CAB	19	272.922	136.382	121.171	467.208
Fe	14	206.786	146.532	111.000	359.000
Mn	14	95.500	53.793	37.000	193.000
Zn	14	27.714	7.956	21.000	40.000
Cu	14	7.793	1.490	6.700	9.600

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	15	345.333	61.280	287.000	441.000
Aska	15	91.133	9.716	78.000	103.000
OS smbh	15	75.647	2.353	71.800	78.400
Råprot	15	175.200	23.041	141.000	210.000
sRåprot	15	584.600	54.666	517.000	650.000
NH3-N	15	81.133	23.418	54.000	107.000
NDF	15	403.467	28.881	366.000	438.000
iNDF	15	183.660	39.729	134.113	241.000
nhNDF	15	4.390	0.679	3.245	5.088
Socker	15	47.400	27.846	20.000	65.000
TAF	15	90.080	30.523	60.000	135.000
Mjölksyra	15	71.600	25.317	44.000	108.000
Ättiksyra	15	16.267	6.850	8.000	22.000
BUF	15	0.747	0.951	0.000	1.900
AAT20	15	81.674	3.484	77.861	86.272
PBV20	15	47.258	18.636	26.188	76.798
NEL20	15	6.259	0.315	5.806	6.625
Ca	14	7.664	1.655	5.600	10.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
P	14	3.271	0.484	2.500	3.700
Mg	14	2.714	0.235	2.500	3.000
K	14	24.393	3.017	21.500	29.700
Na	14	1.543	0.473	0.800	2.100
Cl	15	7.433	2.804	3.900	10.400
S	14	2.807	0.445	2.200	3.300
CAB	14	298.994	103.337	169.919	447.989

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	11	357.545	110.897	233.000	474.000
Aska	11	55.909	22.016	28.000	86.000
OS smbh	11	71.727	6.797	63.400	79.100
Råprot	11	124.182	48.386	54.000	168.000
sRåprot	11	590.273	114.040	469.000	720.000
NH3-N	10	51.900	41.391	11.500	117.500
NDF	11	494.545	61.526	424.000	564.000
iNDF	11	198.545	99.760	69.000	334.000
nhNDF	11	4.081	0.570	3.549	4.575
Stä	10	34.100	38.731	1.500	94.500
Socker	11	105.182	36.704	49.000	145.000
TAF	11	48.455	34.101	20.000	96.000
Mjölksyra	11	31.273	33.520	0.000	72.000
Ättiksyra	11	12.545	8.537	0.000	21.000
PRF	11	3.455	2.423	0.000	7.000
BUF	11	1.182	1.537	0.000	3.000
AAT20	11	75.790	6.520	70.150	85.163
PBV20	11	-2.801	36.790	-56.947	36.022
NEL20	11	5.939	0.603	5.000	6.502
Ca	11	2.836	1.855	0.800	5.100
P	11	2.227	0.847	1.100	2.900
K	11	17.855	7.530	9.700	25.500
Na	11	0.736	0.546	0.200	1.300
S	11	1.600	0.654	0.700	2.500
CAB	11	272.982	180.246	56.074	528.477

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	19	357.632	47.409	300.000	428.000
Aska	19	31.211	15.541	20.000	38.000
OS smbh	19	74.947	2.652	71.400	78.200
Råprot	19	78.632	7.243	69.000	89.000
sRåprot	19	574.316	102.092	462.000	726.000
NH3-N	18	56.333	24.855	24.000	102.000
NDF	19	384.526	57.013	334.000	446.000
iNDF	19	219.198	37.543	181.489	290.000
nhNDF	19	3.325	0.483	2.725	3.815
Stä	19	275.000	60.379	190.000	359.000
Socker	19	10.895	9.562	5.000	34.000
TAF	19	73.579	18.185	44.000	97.000
Mjölksyra	19	55.105	14.802	34.000	76.000
Ättiksyra	19	14.789	5.370	4.000	21.000
PRF	14	3.929	1.542	3.000	6.000
BUF	14	0.000	0.000	0.000	0.000
AAT20	19	80.376	2.169	77.743	84.009
PBV20	19	-48.009	7.328	-60.785	-39.894
NEL20	19	6.444	0.301	6.055	6.883
Ca	19	1.921	0.351	1.500	2.500
P	19	1.800	0.213	1.500	2.100
Mg	19	1.121	0.326	0.900	1.500
K	19	9.347	1.426	7.800	10.900
Na	19	0.321	0.204	0.100	0.600
Cl	12	2.117	1.252	1.200	4.400
S	19	0.932	0.111	0.800	1.100
CAB	19	141.574	52.004	64.851	202.008
Fe	12	117.667	52.747	64.000	199.000
Mn	12	28.333	12.198	15.000	41.000
Zn	12	26.583	6.007	19.000	33.000
Cu	12	5.025	1.533	3.500	6.000

Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	20	422.950	41.489	374.000	487.000
Aska	20	62.600	6.893	52.500	71.000
OS smbh	20	72.690	4.106	66.750	76.800
Råprot	20	148.350	18.548	120.500	166.000
sRåprot	20	512.000	39.947	467.500	563.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NH3-N	20	56.350	18.042	35.000	72.500
NDF	20	368.500	76.616	297.500	486.000
iNDF	20	262.050	45.334	211.000	327.500
nhNDF	20	3.060	0.564	2.330	3.865
Stä	20	168.450	40.085	108.000	213.000
Socker	20	34.100	17.487	8.500	54.000
TAF	20	58.400	24.217	22.500	86.000
Mjölksyra	20	34.200	14.126	15.500	52.500
Ättiksyra	20	19.100	11.684	2.500	31.500
PRF	20	4.850	1.725	2.500	7.000
BUF	20	0.250	0.550	0.000	1.000
AAT20	20	84.856	4.331	78.957	90.140
PBV20	20	21.350	12.106	4.870	33.347
NEL20	20	6.222	0.428	5.578	6.685
Ca	20	7.085	1.882	4.650	9.400
P	20	3.685	0.743	2.800	4.800
Mg	20	3.540	0.970	2.500	4.900
K	20	13.710	2.415	10.650	17.000
Na	20	3.425	1.820	1.800	4.950
Cl	20	9.795	6.136	4.500	18.900
S	20	2.710	1.002	2.050	4.400
CAB	20	54.262	167.702	-198.883	271.098
Fe	18	317.111	120.133	198.000	508.000
Mn	18	91.222	34.696	47.000	140.000
Zn	18	75.278	31.943	33.000	116.000
Cu	18	17.444	6.749	11.000	24.000

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	11	415.364	44.7399	364.000	465.000
Aska	11	68.364	10.2788	58.000	79.000
OS smbh	11	75.573	4.7115	68.200	79.600
Råprot	11	150.727	16.0940	134.000	166.000
sRåprot	11	558.909	64.0101	492.000	622.000
NH3-N	11	68.364	14.6647	48.000	82.000
NDF	11	344.545	49.4315	307.000	406.000
iNDF	11	208.798	57.5364	152.166	272.861
nhNDF	11	3.252	0.7263	2.498	4.118
Stä	11	166.182	47.1653	129.000	196.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Socket	11	36.545	11.1388	23.000	50.000
NEL20	11	0.000	0.0000	0.000	0.000
CI	11	7.427	4.0990	1.600	13.000