

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök-syra	Ättik-syra	Socker
Korn, kärna (001)	1	1	882	25	0.0	102	288		136	25	3.15	533	0.0000			5
Prognos, blandvall (1-50% baljv) (042)	1	1	155		73.2					170	4.32		0.0000			
Grönmassa, gräs (0% baljv.) (161)	1	4	473	64	75.0	148	419		502	141	4.70		61.0000			113
Ensilage, gräs (0% klöver) (162)	2	1	312	58	72.7	120	679	147	497	180	4.10		72.8000	56.0	11.0	61
Grönmassa blandvall (1-50 % baljväxter) (164)	1	54	470	67	76.8	152	444		484	124	5.17		84.0000			121
Grönmassa blandvall (1-50 % baljväxter) (164)	2	14	480	77	75.1	164	374		504	139	4.90		84.0000			90
Ensilage, blandvall (1-50% klöver) (165)	0	1	544	78	74.3	114	541	77.0	425	182	3.85		41.5000	30.0	10.0	110
Ensilage, blandvall (1-50% klöver) (165)	1	25	381	69	76.6	167	605	83.1	447	146	4.72		60.5000	42.0	13.8	78
Ensilage, blandvall (1-50% klöver) (165)	2	5	495	74	71.7	153	566	94.0	484	204	4.08		53.0600	31.6	14.6	49
Ensilage, blandvall (1-50% klöver) (165)	3	3	341	83	73.7	170	577	93.7	456	185	4.32		74.7667	55.3	15.7	40
Ensilage, blandvall (1-50% klöver) (165)	4	5	333	88	77.0	180	599	79.2	404	162	4.61		89.9600	72.8	15.6	57
Korn, helsädesensilage (250)	1	1	277	62	76.3	122	538	55.0	488	104	4.18	27	13.0000	5.0	0.0	155
Vete, helsäd ensilage (299)	1	1	386	64	75.9	118	627	14.0	423	144	3.75	44	54.0000	30.0	24.0	122
Majs, helsädesensilage (305)	1	2	344	32	74.1	78	638	61.0	429	185	3.41	197	71.5000	53.5	15.0	21
Råg, helsädesensilage, axgång (311)	1	1	407	65	70.2	123	782	106	536	191	3.99	18	68.0000	48.0	20.0	60
Hö, blandvall, 0-50% baljväxter (383)	1	1	870	47	64.8	107			565	240	3.15		0.0000			129
Grunnblanding Middels ford.grovför (326)	1	3	423	66	69.3	142	515	58.0	427	297	3.38	135	42.3333	28.3	9.0	42
Fullfoder (TMR) ej kompletta data (1E3)	1	2	441	57	79.7	160	511	53.5	325	157	3.90	160				42

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	1				97.3	-44	7.36	13.4		
Prognos, blandvall (1-50% baljv) (042)	1	1				96.4	-4.4	5.94	12.7		
Grönmassa, gräs (0% baljv.) (161)	1	4				87.6	9.6	6.14	11.0	75.0	5.0
Ensilage, gräs (0% klöver) (162)	2	1		4.80000		78.0	-0.3	5.94	10.7	71.0	-2.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	54				87.4	16.6	6.39	11.3	77.1	14.1

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa blandvall (1-50 % baljväxter) (164)	2	14				86.5	29.3	6.28	10.9	75.4	31.3
Ensilage, blandvall (1-50% klöver) (165)	0	1		0.50000		82.7	-12	5.80	10.7	71.0	-8.0
Ensilage, blandvall (1-50% klöver) (165)	1	25	2.45455	2.97917		86.4	31.9	6.41	11.2	72.3	35.6
Ensilage, blandvall (1-50% klöver) (165)	2	5	1.50000	5.66000		82.1	25.9	5.88	10.4	69.7	28.3
Ensilage, blandvall (1-50% klöver) (165)	3	3	3.00000	2.10000		82.2	42.2	6.13	10.6	70.5	32.5
Ensilage, blandvall (1-50% klöver) (165)	4	5	1.50000	0.36000		83.3	48.6	6.42	11.1	72.0	37.7
Korn, helsädesensilage (250)	1	1	5.00000	3.00000		83.7	-17	6.16	11.3		
Vete, helsäd ensilage (299)	1	1	0.00000	0.00000		77.1	-10	6.24	11.2		
Majs, helsädesensilage (305)	1	2	3.00000	0.00000		78.6	-46	6.32	10.9		
Råg, helsädesensilage, axgång (311)	1	1				67.7	11.4	5.75			
Hö, blandvall, 0-50% baljväxter (383)	1	1				85.3	-22	5.09	9.5	68.0	-9.0
Grunnblanding Middels ford.grovfôr (326)	1	3	4.33333	0.66667		83.0	18.8	5.85	10.0		
Fullfoder (TMR) ej kompletta data (1E3)	1	2						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	4	4.6	2.5	1.5	20.9	0.5	11.6	1.9	251	4	202.8	73.3	33.3	5.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	51	4.5	2.7	1.6	22.3	0.7	7.1	1.9	330	42	139.8	55.2	27.4	5.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	10	5.2	3.0	2.0	26.4	1.1	8.8	2.3	404	6	90.8	64.8	25.8	6.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	1	7.1	2.3	3.0	21.6	0.4	5.5	2.2	277	1	166.0	95.0	23.0	4.9	
Ensilage, blandvall (1-50% klöver) (165)	1	23	5.1	2.9	1.8	24.2	1.0	6.9	2.2	337	15	168.4	55.1	70.4	5.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	3	6.6	3.0	2.3	19.8	1.7	6.8	2.5	234	1	174.0	86.0	47.0	8.5	
Ensilage, blandvall (1-50% klöver) (165)	3	2	7.5	3.1	3.0	23.4	2.0	7.8	3.0	232	1	212.0	160.0	47.0	9.6	
Ensilage, blandvall (1-50% klöver) (165)	4	4	6.6	3.4	2.8	25.7	1.9	9.0	3.0	258	2	210.5	121.0	29.5	8.3	
Korn, helsädesensilage (250)	1	1	3.5	2.7	1.1	24.6	1.1	8.4	1.6	340	0					
Vete, helsäd ensilage (299)	1	1	4.7	2.7	1.4	23.2	0.8	5.0	1.7	381	0					

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Majs, helsädesensilage (305)	1	2	1.7	1.9	1.3	9.2	0.4	2.2	1.0	133	2	118.0	23.5	23.0	4.6	
Råg, helsädesensilage, axgång (311)	1	1	1.4	1.7	0.6	14.7	0.1	5.2	0.6	196	1	57.0	49.0	14.0	2.5	
Hö, blandvall, 0-50% baljväxter (383)	1	1	5.2	2.6	2.2	12.2	0.5		2.2	55	1	63.0	140.0	23.0	5.5	0.0
Grunnblanding Middels ford.grovfôr (326)	1	3	6.0	3.8	4.2	14.0	6.0	12.3	3.7	41	3	350.3	134.3	123.7	26.0	
Fullfoder (TMR) ej kompletta data (1E3)	1	1	6.0	3.5	3.6	14.9	2.2	3.6	2.2	170	1	249.0	83.0	63.0	12.2	0.3

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	882.000	.	882.000	882.000
Aska	1	25.000	.	25.000	25.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	102.000	.	102.000	102.000
sRåprot	1	288.000	.	288.000	288.000
NDF	1	136.000	.	136.000	136.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	3.150	.	3.150	3.150
Stä	1	533.000	.	533.000	533.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	97.281	.	97.281	97.281
PBVp20	1	-43.655	.	-43.655	-43.655
NELp20	1	7.361	.	7.361	7.361
OE*	1	13.400	.	13.400	13.400

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	155.000	.	155.000	155.000
OS smbh	1	73.150	.	73.150	73.150
iNDF	1	170.460	.	170.460	170.460
nhNDF	1	4.315	.	4.315	4.315
TAF	1	0.000	.	0.000	0.000
AATp20	1	96.439	.	96.439	96.439

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	-4.418	.	-4.418	-4.418
NELp20	1	5.943	.	5.943	5.943
OE*	1	12.700	.	12.700	12.700

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	472.750	169.526	329.000	711.000
Aska	4	64.250	10.275	52.000	75.000
OS smbh	4	75.000	5.143	67.400	78.300
Råprot	4	147.750	50.136	77.000	188.000
sRåprot	1	419.000	.	419.000	419.000
NDF	4	502.250	50.182	457.000	574.000
iNDF	4	140.906	48.942	99.000	209.568
nhNDF	4	4.700	0.815	3.690	5.634
TAF	4	61.000	0.000	61.000	61.000
Socker	4	112.750	16.215	97.000	130.000
AATp20	4	87.576	7.651	76.476	93.977
PBVp20	4	9.646	33.946	-37.161	36.256
NELp20	4	6.137	0.547	5.321	6.481
OE*	4	11.013	0.744	9.900	11.450
AAT*	3	75.000	4.359	70.000	78.000
PBV*	3	5.000	44.542	-43.000	45.000
Ca	4	4.625	0.525	4.300	5.400
P	4	2.500	0.271	2.100	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	4	1.500	0.455	1.100	2.100
K	4	20.900	2.708	17.500	24.100
Na	4	0.475	0.499	0.100	1.200
Cl	1	11.600	.	11.600	11.600
S	4	1.875	0.499	1.200	2.400
CAB	4	250.668	102.208	120.170	365.469
Fe	4	202.750	150.513	60.000	403.000
Mn	4	73.250	36.990	43.000	127.000
Zn	4	33.250	9.605	25.000	43.000
Cu	4	5.250	1.559	3.300	7.000
Se	1	0.011	.	0.011	0.011

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	312.000	.	312.000	312.000
Aska	1	58.000	.	58.000	58.000
OS smbh	1	72.700	.	72.700	72.700
Råprot	1	120.000	.	120.000	120.000
sRåprot	1	679.000	.	679.000	679.000
NH3-N	1	147.000	.	147.000	147.000
NDF	1	497.000	.	497.000	497.000
iNDF	1	180.398	.	180.398	180.398
nhNDF	1	4.095	.	4.095	4.095
TAF	1	72.800	.	72.800	72.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	1	56.000	.	56.000	56.000
Ättiksyra	1	11.000	.	11.000	11.000
Socket	1	61.000	.	61.000	61.000
BUF	1	4.800	.	4.800	4.800
AATp20	1	77.989	.	77.989	77.989
PBVp20	1	-0.267	.	-0.267	-0.267
NELp20	1	5.944	.	5.944	5.944
OE*	1	10.700	.	10.700	10.700
AAT*	1	71.000	.	71.000	71.000
PBV*	1	-2.000	.	-2.000	-2.000
CI	1	12.500	.	12.500	12.500

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	54	469.796	166.296	266.000	664.000
Aska	54	66.944	11.562	47.000	79.000
OS smbh	54	76.813	5.782	68.100	82.600
Råprot	54	152.241	33.889	105.000	194.000
sRåprot	13	444.154	56.010	388.000	516.000
NDF	54	484.148	55.262	417.000	563.000
iNDF	54	123.676	52.832	67.974	207.455
nhNDF	54	5.172	1.149	3.614	6.540
TAF	54	84.000	0.000	84.000	84.000
Socket	54	120.537	34.625	66.000	168.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	54	87.370	7.357	76.218	94.971
PBVp20	54	16.621	21.720	-8.196	46.060
NELp20	54	6.387	0.561	5.526	6.975
OE*	54	11.291	0.935	9.800	12.200
AAT*	41	77.073	5.574	69.000	82.000
PBV*	41	14.098	25.339	-13.000	52.000
Ca	51	4.476	1.016	3.500	5.800
P	51	2.720	0.523	2.000	3.300
Mg	51	1.643	0.295	1.300	2.000
K	51	22.296	5.675	14.600	28.500
Na	51	0.680	0.558	0.100	1.300
Cl	13	7.100	2.170	4.200	9.800
S	51	1.927	0.477	1.400	2.500
CAB	51	329.722	129.759	158.319	470.691
Fe	42	139.833	159.435	63.000	171.000
Mn	42	55.214	19.513	35.000	77.000
Zn	42	27.429	5.402	21.000	35.000
Cu	42	5.474	1.178	4.000	6.600
Se	14	0.015	0.019	0.005	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	480.071	158.547	304.000	627.000
Aska	14	76.857	15.053	61.000	100.000
OS smbh	14	75.121	4.443	68.800	79.800
Råprot	14	164.214	38.690	122.000	199.000
sRåprot	4	374.250	80.839	258.000	437.000
NDF	14	503.571	57.457	459.000	578.000
iNDF	14	138.970	35.405	100.000	190.978
nhNDF	14	4.904	0.658	4.080	5.808
TAF	14	84.000	0.000	84.000	84.000
Socker	14	89.857	31.615	48.000	134.000
AATp20	14	86.541	5.669	78.039	91.102
PBVp20	14	29.263	28.632	3.777	55.366
NELp20	14	6.275	0.420	5.696	6.644
OE*	14	10.911	0.673	10.000	11.800
AAT*	10	75.400	3.777	69.500	80.000
PBV*	10	31.300	39.786	-27.000	79.000
Ca	10	5.240	1.864	2.350	7.450
P	10	3.010	0.593	2.000	3.650
Mg	10	1.950	0.548	1.100	2.500
K	10	26.380	4.936	19.100	31.450
Na	10	1.120	0.813	0.400	2.350
Cl	4	8.800	1.089	7.300	9.900
S	10	2.250	0.574	1.400	2.850
CAB	10	404.159	111.226	238.906	559.437

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	6	90.833	23.895	54.000	120.000
Mn	6	64.833	18.755	36.000	86.000
Zn	6	25.833	3.869	20.000	31.000
Cu	6	6.217	2.313	2.500	8.600
Se	2	0.013	0.011	0.005	0.020

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	544.000	.	544.000	544.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	74.300	.	74.300	74.300
Råprot	1	114.000	.	114.000	114.000
sRåprot	1	541.000	.	541.000	541.000
NH3-N	1	77.000	.	77.000	77.000
NDF	1	425.000	.	425.000	425.000
iNDF	1	182.395	.	182.395	182.395
nhNDF	1	3.853	.	3.853	3.853
TAF	1	41.500	.	41.500	41.500
Mjölksyra	1	30.000	.	30.000	30.000
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	110.000	.	110.000	110.000
BUF	1	0.500	.	0.500	0.500
AATp20	1	82.749	.	82.749	82.749
PBVp20	1	-11.647	.	-11.647	-11.647

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	5.797	.	5.797	5.797
OE*	1	10.700	.	10.700	10.700
AAT*	1	71.000	.	71.000	71.000
PBV*	1	-8.000	.	-8.000	-8.000
Ca	1	7.100	.	7.100	7.100
P	1	2.300	.	2.300	2.300
Mg	1	3.000	.	3.000	3.000
K	1	21.600	.	21.600	21.600
Na	1	0.400	.	0.400	0.400
Cl	1	5.500	.	5.500	5.500
S	1	2.200	.	2.200	2.200
CAB	1	277.391	.	277.391	277.391
Fe	1	166.000	.	166.000	166.000
Mn	1	95.000	.	95.000	95.000
Zn	1	23.000	.	23.000	23.000
Cu	1	4.900	.	4.900	4.900

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	25	380.760	155.932	214.000	600.000
Aska	25	69.240	11.054	59.000	82.000
OS smbh	25	76.636	3.417	71.600	80.700
Råprot	25	166.640	27.451	130.000	205.000
sRåprot	25	604.800	99.061	485.000	695.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	25	83.120	61.864	20.000	139.000
NDF	25	447.480	50.237	391.000	526.000
iNDF	25	145.893	40.128	107.000	188.305
nhNDF	25	4.724	0.509	4.057	5.290
TAF	25	60.500	27.220	28.400	102.600
Mjölksyra	25	42.000	22.633	11.000	71.000
Ättiksyra	24	13.792	9.637	5.000	20.000
Socker	25	77.880	43.872	11.000	142.000
PRF	11	2.455	6.186	0.000	2.000
BUF	24	2.979	5.845	0.000	6.600
AATp20	25	86.353	6.191	81.062	94.478
PBVp20	25	31.915	25.868	-0.418	62.442
NELp20	25	6.406	0.303	5.958	6.733
OE*	25	11.241	0.602	10.400	11.800
AAT*	13	72.308	1.888	70.000	74.000
PBV*	13	35.615	24.710	5.000	68.000
Ca	23	5.074	1.206	3.900	6.500
P	23	2.870	0.460	2.300	3.600
Mg	23	1.835	0.276	1.500	2.100
K	23	24.239	3.038	20.400	27.700
Na	23	1.026	0.676	0.300	1.800
Cl	25	6.948	3.093	3.700	10.700
S	23	2.209	0.355	1.700	2.700
CAB	23	336.661	120.276	189.758	479.454

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	15	168.400	95.077	74.000	305.000
Mn	15	55.133	13.212	40.000	73.000
Zn	15	70.400	156.510	26.000	39.000
Cu	15	5.740	1.294	4.600	8.000
Se	2	0.042	0.011	0.034	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	495.000	150.564	306.000	701.000
Aska	5	73.600	15.502	49.000	88.000
OS smbh	5	71.660	3.296	66.700	75.500
Råprot	5	152.600	26.829	120.000	186.000
sRåprot	5	565.800	38.642	511.000	604.000
NH3-N	5	94.000	49.965	55.000	178.000
NDF	5	483.800	49.464	403.000	526.000
iNDF	5	204.482	46.709	170.489	285.000
nhNDF	5	4.082	0.251	3.778	4.314
TAF	5	53.060	25.667	8.000	70.900
Mjölksyra	5	31.600	24.724	0.000	56.000
Ättiksyra	5	14.600	5.727	7.000	23.000
Socker	5	49.000	28.240	29.000	93.000
PRF	2	1.500	0.707	1.000	2.000
BUF	5	5.660	11.440	0.000	26.100
AATp20	5	82.110	2.247	78.710	84.712

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	5	25.896	24.567	-3.751	52.834
NELp20	5	5.879	0.305	5.428	6.273
OE*	5	10.354	0.462	9.800	10.970
AAT*	3	69.667	0.577	69.000	70.000
PBV*	3	28.333	25.716	-1.000	47.000
Ca	3	6.633	1.159	5.300	7.400
P	3	3.000	0.964	1.900	3.700
Mg	3	2.300	0.173	2.100	2.400
K	3	19.833	6.881	12.000	24.900
Na	3	1.700	0.436	1.400	2.200
Cl	5	6.780	4.555	2.500	14.100
S	3	2.500	0.361	2.100	2.800
CAB	3	234.299	123.181	160.298	376.497
Fe	1	174.000	.	174.000	174.000
Mn	1	86.000	.	86.000	86.000
Zn	1	47.000	.	47.000	47.000
Cu	1	8.500	.	8.500	8.500

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	341.333	77.151	275.000	426.000
Aska	3	83.000	6.557	77.000	90.000
OS smbh	3	73.700	2.629	70.700	75.600
Råprot	3	170.333	30.665	144.000	204.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	3	577.000	54.672	517.000	624.000
NH3-N	3	93.667	31.086	64.000	126.000
NDF	3	455.667	17.010	443.000	475.000
iNDF	3	184.695	24.821	156.786	204.299
nhNDF	3	4.317	0.633	3.636	4.886
TAF	3	74.767	43.300	31.400	118.000
Mjölksyra	3	55.333	36.295	22.000	94.000
Ättiksyra	3	15.667	7.572	7.000	21.000
Socker	3	40.000	42.000	10.000	88.000
PRF	1	3.000	.	3.000	3.000
BUF	3	2.100	2.524	0.000	4.900
AATp20	3	82.151	2.921	80.083	85.493
PBVp20	3	42.183	31.791	12.192	75.511
NELp20	3	6.133	0.261	5.907	6.418
OE*	3	10.597	0.457	10.100	11.000
AAT*	2	70.500	2.121	69.000	72.000
PBV*	2	32.500	16.263	21.000	44.000
Ca	2	7.500	0.424	7.200	7.800
P	2	3.100	0.424	2.800	3.400
Mg	2	2.950	0.354	2.700	3.200
K	2	23.400	3.960	20.600	26.200
Na	2	1.950	0.071	1.900	2.000
Cl	3	7.800	3.100	4.700	10.900
S	2	3.000	0.141	2.900	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	2	232.368	157.257	121.171	343.565
Fe	1	212.000	.	212.000	212.000
Mn	1	160.000	.	160.000	160.000
Zn	1	47.000	.	47.000	47.000
Cu	1	9.600	.	9.600	9.600

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	332.600	64.291	287.000	441.000
Aska	5	87.600	9.370	73.000	99.000
OS smbh	5	77.040	1.553	75.100	79.300
Råprot	5	179.600	26.293	148.000	213.000
sRåprot	5	599.400	62.756	520.000	651.000
NH3-N	5	79.200	23.156	53.000	104.000
NDF	5	403.600	32.161	355.000	438.000
iNDF	5	161.626	35.979	130.797	220.000
nhNDF	5	4.605	0.383	4.025	4.942
TAF	5	89.960	37.739	30.400	131.100
Mjölksyra	5	72.800	33.237	22.000	108.000
Ättiksyra	5	15.600	6.841	6.000	22.000
Socker	5	57.000	41.635	22.000	125.000
PRF	2	1.500	2.121	0.000	3.000
BUF	5	0.360	0.594	0.000	1.400
AATp20	5	83.349	3.265	77.861	86.272

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	5	48.626	21.950	27.390	76.798
NELp20	5	6.419	0.216	6.103	6.666
OE*	5	11.076	0.283	10.630	11.400
AAT*	3	72.000	0.000	72.000	72.000
PBV*	3	37.667	12.662	24.000	49.000
Ca	4	6.550	1.348	5.200	7.900
P	4	3.350	0.208	3.100	3.600
Mg	4	2.825	0.236	2.500	3.000
K	4	25.650	1.690	23.400	27.000
Na	4	1.850	0.332	1.400	2.100
Cl	5	9.040	3.985	3.900	14.800
S	4	3.000	0.294	2.600	3.300
CAB	4	258.100	115.997	85.368	326.188
Fe	2	210.500	20.506	196.000	225.000
Mn	2	121.000	36.770	95.000	147.000
Zn	2	29.500	6.364	25.000	34.000
Cu	2	8.250	2.333	6.600	9.900

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	277.000	.	277.000	277.000
Aska	1	62.000	.	62.000	62.000
OS smbh	1	76.300	.	76.300	76.300
Råprot	1	122.000	.	122.000	122.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	1	538.000	.	538.000	538.000
NH3-N	1	55.000	.	55.000	55.000
NDF	1	488.000	.	488.000	488.000
iNDF	1	104.000	.	104.000	104.000
nhNDF	1	4.181	.	4.181	4.181
Stä	1	27.000	.	27.000	27.000
TAF	1	13.000	.	13.000	13.000
Mjölksyra	1	5.000	.	5.000	5.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	1	155.000	.	155.000	155.000
PRF	1	5.000	.	5.000	5.000
BUF	1	3.000	.	3.000	3.000
AATp20	1	83.676	.	83.676	83.676
PBVp20	1	-16.693	.	-16.693	-16.693
NELp20	1	6.155	.	6.155	6.155
OE*	1	11.270	.	11.270	11.270
Ca	1	3.500	.	3.500	3.500
P	1	2.700	.	2.700	2.700
Mg	1	1.100	.	1.100	1.100
K	1	24.600	.	24.600	24.600
Na	1	1.100	.	1.100	1.100
Cl	1	8.400	.	8.400	8.400
S	1	1.600	.	1.600	1.600
CAB	1	340.362	.	340.362	340.362

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	386.000	.	386.000	386.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	75.900	.	75.900	75.900
Råprot	1	118.000	.	118.000	118.000
sRåprot	1	627.000	.	627.000	627.000
NH3-N	1	14.000	.	14.000	14.000
NDF	1	423.000	.	423.000	423.000
iNDF	1	144.000	.	144.000	144.000
nhNDF	1	3.751	.	3.751	3.751
Stä	1	44.000	.	44.000	44.000
TAF	1	54.000	.	54.000	54.000
Mjölksyra	1	30.000	.	30.000	30.000
Ättiksyra	1	24.000	.	24.000	24.000
Socket	1	122.000	.	122.000	122.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	77.117	.	77.117	77.117
PBVp20	1	-10.330	.	-10.330	-10.330
NELp20	1	6.237	.	6.237	6.237
OE*	1	11.170	.	11.170	11.170
Ca	1	4.700	.	4.700	4.700
P	1	2.700	.	2.700	2.700
Mg	1	1.400	.	1.400	1.400
K	1	23.200	.	23.200	23.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.800	.	0.800	0.800
Cl	1	5.000	.	5.000	5.000
S	1	1.700	.	1.700	1.700
CAB	1	381.038	.	381.038	381.038

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	343.500	14.849	333.000	354.000
Aska	2	31.500	0.707	31.000	32.000
OS smbh	2	74.100	3.253	71.800	76.400
Råprot	2	78.000	11.314	70.000	86.000
sRåprot	2	638.000	124.451	550.000	726.000
NH3-N	2	61.000	52.326	24.000	98.000
NDF	2	429.000	25.456	411.000	447.000
iNDF	2	185.089	9.774	178.178	192.000
nhNDF	2	3.411	0.700	2.916	3.906
Stä	2	196.500	13.435	187.000	206.000
TAF	2	71.500	23.335	55.000	88.000
Mjölksyra	2	53.500	16.263	42.000	65.000
Ättiksyra	2	15.000	7.071	10.000	20.000
Socker	2	21.000	18.385	8.000	34.000
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	78.602	1.215	77.743	79.461

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	2	-45.559	8.011	-51.223	-39.894
NELp20	2	6.318	0.303	6.104	6.533
OE*	1	10.850	.	10.850	10.850
Ca	2	1.650	0.354	1.400	1.900
P	2	1.850	0.071	1.800	1.900
Mg	2	1.250	0.354	1.000	1.500
K	2	9.200	2.404	7.500	10.900
Na	2	0.400	0.141	0.300	0.500
Cl	2	2.150	0.212	2.000	2.300
S	2	0.950	0.071	0.900	1.000
CAB	2	132.747	44.944	100.967	164.527
Fe	2	118.000	86.267	57.000	179.000
Mn	2	23.500	16.263	12.000	35.000
Zn	2	23.000	5.657	19.000	27.000
Cu	2	4.600	0.566	4.200	5.000

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	407.000	.	407.000	407.000
Aska	1	65.000	.	65.000	65.000
OS smbh	1	70.200	.	70.200	70.200
Råprot	1	123.000	.	123.000	123.000
sRåprot	1	782.000	.	782.000	782.000
NH3-N	1	106.000	.	106.000	106.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	536.000	.	536.000	536.000
iNDF	1	191.315	.	191.315	191.315
nhNDF	1	3.985	.	3.985	3.985
Stä	1	18.000	.	18.000	18.000
TAF	1	68.000	.	68.000	68.000
Mjölksyra	1	48.000	.	48.000	48.000
Ättiksyra	1	20.000	.	20.000	20.000
Socker	1	60.000	.	60.000	60.000
AATp20	1	67.748	.	67.748	67.748
PBVp20	1	11.390	.	11.390	11.390
NELp20	1	5.755	.	5.755	5.755
Ca	1	1.400	.	1.400	1.400
P	1	1.700	.	1.700	1.700
Mg	1	0.600	.	0.600	0.600
K	1	14.700	.	14.700	14.700
Na	1	0.100	.	0.100	0.100
Cl	1	5.200	.	5.200	5.200
S	1	0.600	.	0.600	0.600
CAB	1	196.328	.	196.328	196.328
Fe	1	57.000	.	57.000	57.000
Mn	1	49.000	.	49.000	49.000
Zn	1	14.000	.	14.000	14.000
Cu	1	2.500	.	2.500	2.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	870.000	.	870.000	870.000
Aska	1	47.000	.	47.000	47.000
OS smbh	1	64.800	.	64.800	64.800
Råprot	1	107.000	.	107.000	107.000
NDF	1	565.000	.	565.000	565.000
iNDF	1	240.083	.	240.083	240.083
nhNDF	1	3.150	.	3.150	3.150
TAF	1	0.000	.	0.000	0.000
Socker	1	129.000	.	129.000	129.000
AATp20	1	85.272	.	85.272	85.272
PBVp20	1	-21.783	.	-21.783	-21.783
NELp20	1	5.086	.	5.086	5.086
OE*	1	9.500	.	9.500	9.500
AAT*	1	68.000	.	68.000	68.000
PBV*	1	-9.000	.	-9.000	-9.000
Ca	1	5.200	.	5.200	5.200
P	1	2.600	.	2.600	2.600
Mg	1	2.200	.	2.200	2.200
K	1	12.200	.	12.200	12.200
Na	1	0.500	.	0.500	0.500
S	1	2.200	.	2.200	2.200
CAB	1	55.415	.	55.415	55.415
Fe	1	63.000	.	63.000	63.000
Mn	1	140.000	.	140.000	140.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	23.000	.	23.000	23.000
Cu	1	5.500	.	5.500	5.500
Se	1	0.008	.	0.008	0.008

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	422.667	78.245	376.000	513.000
Aska	3	66.000	4.000	62.000	70.000
OS smbh	3	69.267	4.359	66.700	74.300
Råprot	3	142.333	22.811	122.000	167.000
sRåprot	3	514.667	38.371	471.000	543.000
NH3-N	3	58.000	6.928	54.000	66.000
NDF	3	427.333	80.872	337.000	493.000
iNDF	3	296.667	47.385	242.000	326.000
nhNDF	3	3.381	0.606	2.848	4.041
Stä	3	134.667	37.112	96.000	170.000
TAF	3	42.333	25.794	21.000	71.000
Mjölksyra	3	28.333	16.258	14.000	46.000
Ättiksyra	3	9.000	10.149	0.000	20.000
Socker	3	42.000	14.107	27.000	55.000
PRF	3	4.333	1.528	3.000	6.000
BUF	3	0.667	0.577	0.000	1.000
AATp20	3	82.999	6.524	76.801	89.807
PBVp20	3	18.805	11.555	9.041	31.562

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	3	5.847	0.403	5.539	6.303
OE*	3	10.047	0.687	9.640	10.840
Ca	3	6.033	1.815	4.700	8.100
P	3	3.800	1.114	2.600	4.800
Mg	3	4.200	0.819	3.500	5.100
K	3	13.967	2.294	12.400	16.600
Na	3	6.000	3.477	3.700	10.000
Cl	3	12.267	6.012	5.700	17.500
S	3	3.700	1.572	2.300	5.400
CAB	3	41.283	207.695	-78.719	281.109
Fe	3	350.333	155.069	198.000	508.000
Mn	3	134.333	17.214	115.000	148.000
Zn	3	123.667	28.219	104.000	156.000
Cu	3	26.000	9.849	18.000	37.000

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	440.500	34.6482	416.000	465.000
Aska	2	56.500	4.9497	53.000	60.000
OS smbh	2	79.650	0.0707	79.600	79.700
Råprot	2	159.500	7.7782	154.000	165.000
sRåprot	2	510.500	82.7315	452.000	569.000
NH3-N	2	53.500	13.4350	44.000	63.000
NDF	2	325.000	25.4558	307.000	343.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	2	157.190	8.6721	151.058	163.322
nhNDF	2	3.900	0.3101	3.681	4.119
Stä	2	160.000	9.8995	153.000	167.000
Socker	2	42.000	8.4853	36.000	48.000
NELp20	2	0.000	0.0000	0.000	0.000
Ca	1	6.000	.	6.000	6.000
P	1	3.500	.	3.500	3.500
Mg	1	3.600	.	3.600	3.600
K	1	14.900	.	14.900	14.900
Na	1	2.200	.	2.200	2.200
Cl	2	3.600	3.3941	1.200	6.000
S	1	2.200	.	2.200	2.200
CAB	1	170.212	.	170.212	170.212
Fe	1	249.000	.	249.000	249.000
Mn	1	83.000	.	83.000	83.000
Zn	1	63.000	.	63.000	63.000
Cu	1	12.200	.	12.200	12.200
Se	1	0.308	.	0.308	0.308

*= Parametrar från det gamla svenska fodervärderingssystemet