

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Grönmassa blandvall (1-50 % baljväxter) (164)	1	20	396	81	78.5	166	395		455	118	5.61		84.000			96
Grönmassa blandvall (1-50 % baljväxter) (164)	2	3	343	96	74.4	173	381		482	152	4.64		84.000			46
Ensilage, blandvall (1-50% klöver) (165)	1	13	381	77	75.9	143	545	64.2	458	150	4.70		55.077	43.7	9.3	66
Ensilage, blandvall (1-50% klöver) (165)	3	2	382	84	69.2	147	533	102	446	236	3.10		67.550	52.5	12.0	51
Ensilage, blandvall (1-50% klöver) (165)	4	2	316	100	76.1	188	513	54.5	387	223	5.27		104.500	86.5	14.5	44
Fullfoder (TMR) ej kompletta data (1E3)	1	3	385	81	73.3	148	534	66.7	324	249	2.49	196				24

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa blandvall (1-50 % baljväxter) (164)	1	20				88.8	27.1	6.51	11.4	77.9	27.5
Grönmassa blandvall (1-50 % baljväxter) (164)	2	3				84.9	40.4	6.16	10.6	73.0	42.5
Ensilage, blandvall (1-50% klöver) (165)	1	13	1.0	1.07692		85.5	10.8	6.23	11.0	71.6	15.7
Ensilage, blandvall (1-50% klöver) (165)	3	2		2.05000		77.7	27.4	5.51	9.9	68.5	29.0
Ensilage, blandvall (1-50% klöver) (165)	4	2	3.5	0.00000		83.0	56.8	6.35	10.8		
Fullfoder (TMR) ej kompletta data (1E3)	1	3						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa blandvall (1-50 % baljväxter) (164)	1	18	5.9	3.1	1.6	27.8	0.5	7.4	2.0	453	17	172.5	50.1	31.3	7.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	1	5.4	3.3	2.0	27.6	0.9	8.0	2.5	363	0					
Ensilage, blandvall (1-50% klöver) (165)	1	13	4.9	2.7	1.5	28.0	0.3	4.6	1.9	485	13	211.6	46.4	27.0	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	2	10.9	2.6	2.6	19.3	0.4	4.7	2.0	252	2	411.0	91.5	23.5	8.4	
Ensilage, blandvall (1-50% klöver) (165)	4	2	8.4	3.8	2.8	27.2	1.9	5.9	2.8	438	0					
Fullfoder (TMR) ej kompletta data (1E3)	1	3	6.4	3.2	3.8	16.5	2.3	11.0	2.7	45	3	715.7	96.3	89.0	17.6	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	20	395.900	124.194	254.000	607.000
Aska	20	81.000	10.234	65.000	95.000
OS smbh	20	78.520	3.831	73.100	82.800
Råprot	20	166.050	27.978	127.500	199.500
sRåprot	4	395.000	25.729	364.000	422.000
NDF	20	455.450	45.197	392.000	494.000
iNDF	20	118.401	42.030	67.839	186.356
nhNDF	20	5.607	0.918	4.316	6.748
TAF	20	84.000	0.000	84.000	84.000
Socker	20	95.750	33.726	47.000	136.500
AATp20	20	88.787	5.141	82.099	94.226
PBVp20	20	27.106	20.862	0.951	58.463
NELp20	20	6.505	0.372	6.014	6.938
OE*	20	11.409	0.658	10.450	12.105
AAT*	16	77.875	3.538	72.000	81.000
PBV*	16	27.500	24.849	-13.000	67.000
Ca	18	5.922	2.116	4.300	7.600
P	18	3.083	0.362	2.500	3.500
Mg	18	1.644	0.198	1.400	2.000
K	18	27.756	4.641	19.300	32.000
Na	18	0.456	0.415	0.100	1.300
Cl	4	7.400	2.305	5.700	10.800
S	18	2.033	0.460	1.400	2.600
CAB	18	453.288	127.092	245.163	584.118

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	17	172.471	148.170	83.000	445.000
Mn	17	50.118	14.916	30.000	62.000
Zn	17	31.294	6.202	23.000	39.000
Cu	17	7.047	1.536	5.200	9.100
Se	8	0.011	0.005	0.006	0.022

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	342.667	132.666	242.000	493.000
Aska	3	95.667	18.824	74.000	108.000
OS smbh	3	74.433	2.577	72.100	77.200
Råprot	3	173.333	10.263	162.000	182.000
sRåprot	1	381.000	.	381.000	381.000
NDF	3	482.333	17.898	467.000	502.000
iNDF	3	151.989	29.189	121.002	178.964
nhNDF	3	4.643	0.599	4.127	5.300
TAF	3	84.000	0.000	84.000	84.000
Socker	3	45.667	32.036	10.000	72.000
AATp20	3	84.936	4.527	80.606	89.637
PBVp20	3	40.357	10.040	29.979	50.020
NELp20	3	6.162	0.203	5.929	6.286
OE*	3	10.580	0.423	10.100	10.900
AAT*	2	73.000	2.828	71.000	75.000
PBV*	2	42.500	14.849	32.000	53.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	1	5.400	.	5.400	5.400
P	1	3.300	.	3.300	3.300
Mg	1	2.000	.	2.000	2.000
K	1	27.600	.	27.600	27.600
Na	1	0.900	.	0.900	0.900
Cl	1	8.000	.	8.000	8.000
S	1	2.500	.	2.500	2.500
CAB	1	363.411	.	363.411	363.411

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	380.538	81.918	276.000	453.000
Aska	13	77.231	9.731	67.000	87.000
OS smbh	13	75.892	3.978	72.600	79.100
Råprot	13	142.846	18.986	115.000	163.000
sRåprot	13	544.769	125.566	374.000	707.000
NH3-N	13	64.231	31.891	23.000	90.000
NDF	13	457.923	54.410	405.000	515.000
iNDF	13	149.670	38.174	117.000	201.000
nhNDF	13	4.702	0.663	3.553	5.345
TAF	13	55.077	21.376	31.400	86.100
Mjölksyra	13	43.692	18.250	24.000	73.000
Ättiksyra	13	9.308	4.906	3.000	15.000
Socker	13	66.231	29.474	27.000	109.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	1.000	1.414	0.000	2.000
BUF	13	1.077	1.017	0.100	1.400
AATp20	13	85.506	2.535	82.565	87.849
PBVp20	13	10.816	16.967	-15.860	28.483
NELp20	13	6.231	0.398	5.776	6.578
OE*	13	11.019	0.670	10.400	11.500
AAT*	11	71.636	1.912	70.000	73.000
PBV*	11	15.727	15.557	-6.000	31.000
Ca	13	4.923	2.229	3.200	8.900
P	13	2.677	0.245	2.500	3.000
Mg	13	1.546	0.293	1.100	1.800
K	13	27.977	1.576	26.400	29.700
Na	13	0.338	0.307	0.100	0.800
Cl	13	4.600	1.217	3.200	5.800
S	13	1.854	0.299	1.400	2.200
CAB	13	484.795	58.308	433.504	555.312
Fe	13	211.615	199.596	89.000	270.000
Mn	13	46.385	6.627	39.000	55.000
Zn	13	27.000	4.320	21.000	31.000
Cu	13	6.392	1.571	4.700	8.000
Se	3	0.011	0.007	0.006	0.019

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	382.000	77.782	327.000	437.000
Aska	2	84.000	12.728	75.000	93.000
OS smbh	2	69.200	3.394	66.800	71.600
Råprot	2	146.500	10.607	139.000	154.000
sRåprot	2	532.500	31.820	510.000	555.000
NH3-N	2	102.000	28.284	82.000	122.000
NDF	2	445.500	2.121	444.000	447.000
iNDF	2	235.880	36.999	209.718	262.043
nhNDF	2	3.103	0.493	2.755	3.452
TAF	2	67.550	62.438	23.400	111.700
Mjölksyra	2	52.500	50.205	17.000	88.000
Ättiksyra	2	12.000	11.314	4.000	20.000
Socker	2	51.000	57.983	10.000	92.000
BUF	2	2.050	0.919	1.400	2.700
AATp20	2	77.665	7.980	72.023	83.308
PBVp20	2	27.353	22.609	11.366	43.340
NELp20	2	5.509	0.190	5.375	5.643
OE*	2	9.850	0.636	9.400	10.300
AAT*	2	68.500	2.121	67.000	70.000
PBV*	2	29.000	14.142	19.000	39.000
Ca	2	10.900	0.141	10.800	11.000
P	2	2.600	0.141	2.500	2.700
Mg	2	2.600	0.283	2.400	2.800
K	2	19.250	2.192	17.700	20.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.350	0.212	0.200	0.500
Cl	2	4.650	0.778	4.100	5.200
S	2	2.000	0.707	1.500	2.500
CAB	2	251.559	69.123	202.682	300.436
Fe	2	411.000	333.754	175.000	647.000
Mn	2	91.500	24.749	74.000	109.000
Zn	2	23.500	2.121	22.000	25.000
Cu	2	8.350	0.354	8.100	8.600

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	316.000	22.6274	300.000	332.000
Aska	2	99.500	4.9497	96.000	103.000
OS smbh	2	76.100	0.1414	76.000	76.200
Råprot	2	188.000	0.0000	188.000	188.000
sRåprot	2	513.000	36.7696	487.000	539.000
NH3-N	2	54.500	0.7071	54.000	55.000
NDF	2	386.500	27.5772	367.000	406.000
iNDF	2	222.500	30.4056	201.000	244.000
nhNDF	2	5.269	0.2558	5.088	5.450
TAF	2	104.500	45.9619	72.000	137.000
Mjölksyra	2	86.500	36.0624	61.000	112.000
Ättiksyra	2	14.500	9.1924	8.000	21.000
Socker	2	44.000	12.7279	35.000	53.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	3.500	0.7071	3.000	4.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	2	83.026	5.3660	79.231	86.820
PBVp20	2	56.844	8.3682	50.927	62.761
NELp20	2	6.351	0.1134	6.271	6.431
OE*	2	10.785	0.0354	10.760	10.810
Ca	2	8.400	2.2627	6.800	10.000
P	2	3.750	0.2121	3.600	3.900
Mg	2	2.750	0.2121	2.600	2.900
K	2	27.200	3.9598	24.400	30.000
Na	2	1.850	0.0707	1.800	1.900
Cl	2	5.900	2.8284	3.900	7.900
S	2	2.750	0.0707	2.700	2.800
CAB	2	438.015	14.1058	428.040	447.989

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	384.667	31.880	356.000	419.000
Aska	3	81.000	7.211	75.000	89.000
OS smbh	3	73.333	5.784	68.200	79.600
Råprot	3	147.667	16.503	134.000	166.000
sRåprot	3	534.000	50.478	492.000	590.000
NH3-N	3	66.667	22.745	48.000	92.000
NDF	3	323.667	86.234	234.000	406.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	3	248.826	36.685	206.474	270.761
nhNDF	3	2.489	0.140	2.331	2.596
Stä	3	196.000	87.401	119.000	291.000
Socker	3	24.000	4.583	20.000	29.000
NELp20	3	0.000	0.000	0.000	0.000
Ca	3	6.367	0.611	5.700	6.900
P	3	3.200	0.794	2.600	4.100
Mg	3	3.800	0.529	3.400	4.400
K	3	16.500	1.637	15.100	18.300
Na	3	2.300	2.081	1.000	4.700
Cl	3	11.033	2.650	8.400	13.700
S	3	2.667	0.611	2.000	3.200
CAB	3	44.530	134.981	-105.673	155.678
Fe	3	715.667	282.727	393.000	920.000
Mn	3	96.333	12.503	84.000	109.000
Zn	3	89.000	15.395	76.000	106.000
Cu	3	17.633	2.775	15.100	20.600

*= Parametrar från det gamla svenska fodervärderingssystemet