

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Korn, kärna (001)	1	10	875	25	15.6	121	348	8.0	146	50	3.15	514	5			96.8	-25	7.37
Prognos, blandvall (1-50% baljv) (042)	0	13	245		73.2					170	4.32					96.4	-4.4	5.94
Grönmassa, gräs (0% baljv.) (161)	1	33	373	65	74.7	160	448		470	155	4.38	32	117			88.1	20.2	6.13
Grönmassa blandvall (1-50 % baljväxter) (164)	0	58	930	77	74.5	137			470	160	4.83		133			82.5	9.9	6.03
Grönmassa blandvall (1-50 % baljväxter) (164)	1	347	404	71	77.5	154	442		464	122	5.18		118			87.9	17.7	6.42
Grönmassa blandvall (1-50 % baljväxter) (164)	2	156	377	83	75.4	164	386		481	146	4.87		85			86.0	30.1	6.25
Ensilage, blandvall (1-50% klöver) (165)	0	24	466	94	73.9	158	580	88.9	427	178	4.08		79	38.0	11.8	82.6	29.1	5.94
Ensilage, blandvall (1-50% klöver) (165)	1	276	386	72	77.3	161	639	76.6	441	139	4.87	17	68	53.2	13.8	84.8	28.7	6.46
Ensilage, blandvall (1-50% klöver) (165)	2	38	457	78	73.8	158	551	71.8	459	183	4.36		62	47.8	12.6	83.4	28.7	6.10
Ensilage, blandvall (1-50% klöver) (165)	3	21	421	85	72.1	150	543	96.1	455	207	4.15		51	50.7	13.6	80.4	26.0	5.88
Ensilage, blandvall (1-50% klöver) (165)	4	16	342	91	75.0	175	580	82.4	408	196	4.38		46	70.5	16.5	81.3	47.8	6.21
Korn, helsädesensilage (250)	1	10	417	60	69.2	120	590	73.7	483	239	3.35	65	78	31.7	12.6	73.1	-0.4	5.63
Vete, helsäd ensilage (299)	1	13	343	57	72.1	132	620	56.5	491	190	4.05	32	97	37.5	15.5	74.7	5.7	6.01
Majs, helsädesensilage (305)	1	19	358	31	74.9	79	574	56.3	385	219	3.33	275	11	55.1	14.8	80.4	-48	6.44
Hö, blandvall, 0-50% baljväxter (383)	1	20	866	52	65.2	82	443		591	230	3.55		119			83.9	-43	5.06
Grunnblanding Middels ford.grovfôr (326)	1	22	423	64	72.8	149	515	57.0	370	261	3.12	166	33	35.4	19.0	84.8	22.0	6.23
Fullfoder (TMR) ej kompletta data (1E3)	1	11	415	68	75.6	151	559	68.4	345	209	3.25	166	37	56.0	24.0			0.00

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	5	4.5	4.4	1.8	6.5	1.3	3.9	1.9	-3	5	198.2	41.6	65.6	13.6	0.3
Grönmassa, gräs (0% baljv.) (161)	1	32	4.4	2.6	1.4	21.7	0.6	7.2	2.0	263	17	134.6	115.1	29.9	5.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	55	3.7	2.5	1.3	23.0	0.7		2.1	355	55	194.9	48.4	24.2	6.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	324	5.1	2.8	1.6	24.0	0.7	6.2	2.0	372	237	139.6	53.6	28.0	5.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	110	6.6	3.0	2.1	25.3	1.2	8.7	2.3	369	78	120.0	54.3	28.0	7.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	17	7.3	3.0	2.4	21.8	1.3	8.3	2.2	255	18	360.3	72.3	27.2	6.6	
Ensilage, blandvall (1-50% klöver) (165)	1	265	5.4	2.8	1.7	24.6	1.0	6.2	2.2	362	211	179.2	53.7	32.6	6.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	35	6.8	3.0	2.2	23.8	1.4	6.6	2.3	342	20	176.2	66.5	32.7	7.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	20	8.5	3.0	2.5	23.0	1.4	7.6	2.5	272	15	200.7	90.3	27.1	7.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	15	7.8	3.2	2.7	24.1	1.5	7.3	2.8	297	8	291.5	100.8	29.5	7.7	
Korn, helsädesensilage (250)	1	9	4.7	2.6	1.8	17.3	1.1	6.3	2.0	198	5	174.4	97.8	57.0	11.7	0.0
Vete, helsäd ensilage (299)	1	13	3.1	2.4	1.0	18.8	0.6	3.8	1.7	294	1	71.0	40.0	20.0	4.0	0.1
Majs, helsädesensilage (305)	1	19	1.9	1.8	1.1	9.3	0.3	2.1	0.9	142	12	117.7	28.3	26.6	5.0	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	16	2.8	2.1	1.1	15.9	0.3	5.9	1.3	197	12	64.4	67.8	21.1	3.9	0.0
Grunnblanding Middels ford.grovför (326)	1	22	7.2	3.7	3.5	14.1	3.4	9.9	2.7	59	20	322.9	92.2	76.9	17.7	0.6
Fullfoder (TMR) ej kompletta data (1E3)	1	9	6.2	3.3	3.2	15.9	2.7	7.4	2.3	152	9	412.7	76.3	75.1	14.0	0.7

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Korn, kärna (001) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	10	874.600	47.9078	795.000	903.500
Aska	10	25.400	5.1897	20.000	32.500
OS smbh	11	15.636	34.7887	0.000	86.000
Råprot	10	121.000	19.9109	100.500	149.000
iNDF	11	49.909	55.4192	25.000	162.000
nhNDF	11	3.150	0.0000	3.150	3.150
Stä	10	513.500	57.5678	444.000	580.000
TAF	11	0.000	0.0000	0.000	0.000
AAT20	11	96.840	2.1165	94.650	99.820
PBV20	11	-25.254	20.2881	-45.810	3.424
NEL20	11	7.371	0.1801	7.140	7.609

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	13	245.077	40.7359	201.000	296.000
OS smbh	13	73.150	0.0000	73.150	73.150
iNDF	13	170.460	0.0000	170.460	170.460
nhNDF	13	4.315	0.0000	4.315	4.315
TAF	13	0.000	0.0000	0.000	0.000
AAT20	13	96.439	0.0000	96.439	96.439
PBV20	13	-4.418	0.0000	-4.418	-4.418
NEL20	13	5.943	0.0000	5.943	5.943

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	33	372.848	171.490	209.000	671.000
Aska	33	64.576	10.683	52.000	75.000
OS smbh	33	74.745	5.177	68.200	81.500
Råprot	33	160.030	40.030	111.000	215.000
sRåprot	27	447.556	73.963	367.000	532.000
NDF	33	470.182	58.074	394.000	535.000
iNDF	33	155.361	67.451	77.000	220.000
nhNDF	33	4.381	0.902	3.535	5.634
Socker	33	117.485	25.963	86.000	148.000
TAF	33	61.000	0.000	61.000	61.000
AAT20	33	88.135	6.613	80.562	97.993
PBV20	33	20.157	27.448	-12.306	59.179
NEL20	33	6.128	0.497	5.398	6.818
Ca	32	4.391	1.477	2.800	6.100

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
P	32	2.575	0.496	2.100	3.300
Mg	32	1.441	0.437	0.900	2.000
K	32	21.659	5.923	15.400	29.700
Na	30	0.587	0.566	0.100	1.300
Cl	26	7.150	5.865	2.200	11.600
S	32	2.028	0.550	1.200	2.700
CAB	32	262.953	177.434	12.653	433.705
Fe	17	134.588	124.638	56.000	403.000
Mn	17	115.118	110.990	20.000	258.000
Zn	17	29.882	9.512	21.000	43.000
Cu	17	5.853	1.990	3.000	8.000

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	58	929.690	201.068	525.000	1000.00
Aska	58	76.552	11.899	64.000	96.00
OS smbh	58	74.469	6.337	66.000	83.20
Råprot	58	136.672	36.472	87.000	186.00
NDF	58	470.000	56.324	387.000	531.00
iNDF	58	160.188	61.274	74.060	243.97
nhNDF	58	4.827	1.997	3.104	6.66
Socker	58	132.828	40.872	83.000	196.00
TAF	58	84.000	0.000	84.000	84.00
AAT20	58	82.522	7.935	72.907	92.94
PBV20	58	9.907	24.187	-16.617	46.12
NEL20	58	6.035	0.631	5.257	6.87
Ca	55	3.665	1.040	2.700	4.70
P	55	2.540	0.481	1.900	3.10
Mg	55	1.349	0.405	1.000	1.80
K	55	22.984	4.963	15.500	29.70
Na	55	0.660	0.471	0.100	1.30
S	55	2.071	0.398	1.600	2.50
CAB	55	354.686	107.337	203.843	497.48
Fe	55	194.873	219.564	52.000	393.00
Mn	55	48.382	17.812	34.000	69.00
Zn	55	24.236	4.312	20.000	31.00
Cu	55	6.824	1.990	5.000	9.30

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	347	403.899	143.811	231.000	595.000
Aska	347	70.732	10.996	57.000	86.000
OS smbh	347	77.513	4.835	69.800	82.600
Råprot	347	154.375	30.980	116.000	195.000
sRåprot	128	442.414	50.502	385.000	498.000
NDF	347	464.159	57.426	392.000	546.000
iNDF	347	122.482	53.525	67.000	202.922
nhNDF	347	5.177	1.158	3.812	6.618
Socker	347	118.380	39.394	66.000	165.000
TAF	347	84.000	0.000	84.000	84.000
AAT20	347	87.892	5.900	79.639	94.297
PBV20	347	17.716	22.578	-10.494	46.060
NEL20	347	6.418	0.451	5.749	6.879
Ca	324	5.114	2.232	3.300	7.100
P	324	2.768	0.471	2.200	3.400
Mg	324	1.637	0.355	1.200	2.100
K	324	24.046	5.075	17.400	30.100
Na	318	0.731	0.588	0.100	1.400
Cl	122	6.221	3.159	2.500	10.200
S	324	2.021	0.422	1.500	2.600
CAB	324	371.852	125.983	219.901	529.019
Fe	237	139.570	118.358	65.000	216.000
Mn	237	53.612	27.650	30.000	80.000
Zn	237	28.046	7.072	21.000	35.000
Cu	237	5.799	1.260	4.100	7.400
Se	58	0.018	0.019	0.005	0.050

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	156	377.462	158.910	190.000	609.000
Aska	156	83.090	13.534	65.000	102.000
OS smbh	156	75.367	4.075	70.000	80.300
Råprot	156	164.224	28.811	133.000	199.000
sRåprot	48	385.875	61.908	321.000	437.000
NDF	156	480.814	43.296	429.000	535.000
iNDF	156	145.649	52.562	85.036	215.005
nhNDF	156	4.869	1.077	3.670	6.177
Socker	156	85.064	34.271	42.000	129.000
TAF	156	84.000	0.000	84.000	84.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
AAT20	156	85.975	5.450	78.592	92.811
PBV20	156	30.136	22.122	4.319	60.485
NEL20	156	6.246	0.410	5.721	6.795
Ca	110	6.641	3.091	3.750	11.050
P	110	3.013	0.406	2.550	3.500
Mg	110	2.114	0.481	1.600	2.600
K	110	25.270	4.814	18.650	31.100
Na	109	1.151	0.699	0.400	1.900
Cl	48	8.665	3.344	4.000	13.300
S	110	2.335	0.413	1.850	2.850
CAB	110	369.041	132.513	174.205	526.173
Fe	78	120.038	69.735	67.000	194.000
Mn	78	54.282	23.343	28.000	86.000
Zn	78	27.987	4.777	21.000	34.000
Cu	78	7.022	1.469	5.200	8.800
Se	21	0.015	0.012	0.006	0.020

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	24	465.855	123.198	312.000	664.00
Aska	22	93.591	30.651	60.000	116.00
OS smbh	26	73.855	4.700	68.300	80.10
Råprot	24	157.833	26.376	130.000	193.00
sRåprot	22	580.344	89.281	470.000	676.00
NH3-N	24	88.878	25.627	58.000	125.00
NDF	22	427.045	49.016	379.000	494.00
iNDF	26	178.409	56.559	117.555	264.05
nhNDF	26	4.082	0.962	2.702	5.14
Socker	22	79.027	37.729	37.000	135.00
TAF	26	54.547	31.193	16.500	111.60
Mjölksyra	24	37.987	26.797	8.000	74.00
Ättiksyra	24	11.810	7.894	5.000	22.00
BUF	23	1.696	1.446	0.400	4.10
AAT20	26	82.601	6.597	75.973	91.35
PBV20	26	29.084	20.796	-0.303	54.78
NEL20	26	5.936	0.452	5.323	6.55
Ca	17	7.330	3.449	4.300	10.90
P	17	2.951	0.624	2.300	4.20
Mg	17	2.389	0.699	1.800	3.30

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
K	17	21.795	6.811	7.800	28.12
Na	17	1.274	1.089	0.100	3.20
Cl	21	8.290	3.141	4.900	13.50
S	17	2.246	0.797	1.300	3.80
CAB	17	255.188	158.080	18.797	458.85
Fe	18	360.273	516.753	74.000	1452.00
Mn	17	72.276	35.655	29.684	124.00
Zn	17	27.174	7.351	20.000	41.00
Cu	17	6.625	1.745	4.500	8.80

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	276	385.866	104.112	267.000	533.000
Aska	276	72.243	10.572	60.000	84.000
OS smbh	276	77.266	3.342	72.300	80.500
Råprot	276	160.790	27.584	121.000	196.000
sRåprot	276	638.975	83.046	543.000	723.000
NH3-N	276	76.594	35.116	34.000	114.000
NDF	276	441.486	51.811	381.000	509.000
iNDF	276	138.515	37.681	103.402	188.305
nhNDF	276	4.868	0.726	4.120	5.596
Socker	276	67.768	36.342	24.000	117.000
TAF	276	69.708	29.934	29.300	106.000
Mjölksyra	276	53.246	26.306	18.000	84.000
Ättiksyra	272	13.827	6.603	6.000	20.000
PRF	114	1.447	2.707	0.000	3.000
BUF	272	1.395	2.662	0.000	3.500
AAT20	276	84.831	4.540	79.549	90.163
PBV20	276	28.747	24.412	-1.501	60.466
NEL20	276	6.460	0.324	5.989	6.797
Ca	265	5.390	1.555	3.900	7.700
P	265	2.834	0.421	2.300	3.400
Mg	265	1.728	0.334	1.400	2.100
K	265	24.636	4.027	19.300	28.800
Na	265	0.956	0.740	0.200	2.000
Cl	275	6.218	3.075	2.900	10.700
S	265	2.158	0.380	1.700	2.700
CAB	265	361.915	110.079	207.685	497.620
Fe	211	179.237	120.379	75.000	361.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mn	211	53.678	18.582	32.000	77.000
Zn	211	32.592	43.670	22.000	35.000
Cu	211	6.164	1.318	4.800	8.000
Se	39	0.033	0.021	0.006	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	38	457.211	148.540	294.000	668.000
Aska	38	78.105	11.147	66.000	92.000
OS smbh	38	73.763	3.842	67.400	79.200
Råprot	38	158.026	29.758	117.000	198.000
sRåprot	38	550.842	94.044	409.000	682.000
NH3-N	37	71.784	35.425	30.000	119.000
NDF	38	458.605	47.538	388.000	521.000
iNDF	38	183.089	51.574	125.000	243.507
nhNDF	38	4.360	0.818	3.637	5.305
Socker	38	61.684	36.854	16.000	123.000
TAF	38	63.592	33.907	21.000	108.000
Mjölksyra	38	47.816	28.522	16.000	92.000
Ättiksyra	38	12.605	8.744	1.000	23.000
PRF	20	2.100	2.269	0.000	6.000
BUF	38	1.592	4.284	0.000	4.000
AAT20	38	83.362	5.226	77.049	91.758
PBV20	38	28.705	27.475	-9.561	71.499
NEL20	38	6.100	0.402	5.549	6.601
Ca	35	6.797	1.957	4.500	9.500
P	35	2.997	0.491	2.200	3.700
Mg	35	2.234	0.445	1.700	2.800
K	35	23.823	5.102	17.200	30.200
Na	35	1.397	0.980	0.200	2.900
Cl	38	6.621	3.465	2.900	13.600
S	35	2.283	0.398	1.700	2.800
CAB	35	341.673	127.406	166.102	508.009
Fe	20	176.150	126.241	78.500	268.500
Mn	20	66.500	22.765	41.000	100.000
Zn	20	32.650	9.970	24.500	45.000
Cu	20	7.500	1.745	5.200	9.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	21	420.619	125.573	313.000	544.000
Aska	21	84.905	11.054	75.000	94.000
OS smbh	21	72.086	4.205	66.800	75.700
Råprot	21	150.143	21.202	134.000	170.000
sRåprot	21	542.524	87.991	427.000	624.000
NH3-N	21	96.095	39.661	46.000	142.000
NDF	21	454.714	39.903	418.000	497.000
iNDF	21	206.896	41.901	156.786	255.028
nhNDF	21	4.152	1.223	2.955	4.952
Socker	21	51.333	32.961	16.000	93.000
TAF	21	68.738	34.090	23.400	111.700
Mjölksyra	21	50.667	29.328	17.000	88.000
Ättiksyra	21	13.571	7.846	4.000	23.000
BUF	21	2.786	4.734	0.000	7.200
AAT20	21	80.446	5.328	72.023	85.493
PBV20	21	26.039	21.065	-2.366	43.634
NEL20	21	5.878	0.410	5.375	6.418
Ca	20	8.490	2.383	5.350	12.000
P	20	3.045	0.518	2.300	3.650
Mg	20	2.530	0.403	2.050	3.050
K	20	22.975	4.992	17.300	29.400
Na	20	1.410	1.013	0.200	2.900
Cl	21	7.638	3.926	4.100	12.600
S	20	2.520	0.517	1.950	3.050
CAB	20	272.104	132.795	126.451	419.417
Fe	15	200.733	143.134	111.000	359.000
Mn	15	90.267	55.658	25.000	193.000
Zn	15	27.133	7.990	19.000	40.000
Cu	15	7.807	1.437	6.700	9.600

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	16	342.375	60.373	287.000	441.000
Aska	16	90.688	9.555	78.000	103.000
OS smbh	16	74.987	3.482	70.900	78.400
Råprot	16	175.063	22.266	141.000	210.000
sRåprot	16	580.188	55.684	514.000	650.000
NH3-N	16	82.375	23.163	54.000	107.000
NDF	16	407.750	32.742	366.000	453.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
iNDF	16	195.619	61.330	134.113	244.000
nhNDF	16	4.380	0.658	3.245	5.088
Socket	16	45.688	27.760	20.000	65.000
TAF	16	89.700	29.527	60.000	135.000
Mjölksyra	16	70.500	24.852	44.000	108.000
Ättiksyra	16	16.500	6.683	8.000	22.000
BUF	16	1.075	1.603	0.000	3.000
AAT20	16	81.270	3.735	75.204	86.272
PBV20	16	47.832	18.150	26.188	76.798
NEL20	16	6.208	0.367	5.575	6.625
Ca	15	7.800	1.679	5.600	10.000
P	15	3.240	0.482	2.500	3.700
Mg	15	2.713	0.226	2.500	3.000
K	15	24.140	3.068	20.600	29.700
Na	15	1.527	0.461	0.800	2.100
Cl	16	7.319	2.747	3.900	10.400
S	15	2.793	0.432	2.200	3.300
CAB	15	296.603	100.007	169.919	447.989

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	10	416.900	104.258	297.500	564.000
Aska	10	59.800	20.104	31.000	86.500
OS smbh	10	69.190	4.117	63.450	74.150
Råprot	10	120.400	29.822	77.500	157.000
sRåprot	10	589.700	131.790	421.000	762.000
NH3-N	10	73.700	25.600	38.500	105.000
NDF	10	482.600	73.209	379.000	575.000
iNDF	10	238.511	84.248	132.500	363.500
nhNDF	10	3.351	0.962	1.821	4.349
Stä	10	64.800	71.604	17.500	197.500
Socket	10	78.000	40.222	36.000	134.000
TAF	10	47.080	26.191	13.850	77.000
Mjölksyra	10	31.700	21.250	5.500	56.500
Ättiksyra	10	12.600	7.806	3.000	22.000
AAT20	10	73.098	4.910	68.543	81.053
PBV20	10	-0.394	26.123	-34.019	34.093
NEL20	10	5.630	0.373	5.112	6.113

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	13	342.692	110.107	219.000	474.000
Aska	13	56.923	20.259	28.000	86.000
OS smbh	13	72.146	6.300	63.400	79.100
Råprot	13	131.692	48.448	54.000	192.000
sRåprot	13	619.923	127.342	469.000	754.000
NH3-N	12	56.500	43.141	14.000	123.000
NDF	13	491.385	57.068	424.000	564.000
iNDF	13	189.769	93.672	69.000	334.000
nhNDF	13	4.049	0.527	3.549	4.575
Stä	12	32.250	35.302	2.000	60.000
Socker	13	97.462	39.991	44.000	145.000
TAF	13	57.308	40.646	20.000	114.000
Mjölksyra	13	37.538	35.369	0.000	94.000
Ättiksyra	13	15.538	11.752	0.000	24.000
PRF	13	3.231	2.421	0.000	7.000
BUF	13	1.000	1.472	0.000	3.000
AAT20	13	74.654	6.853	69.436	85.163
PBV20	13	5.729	40.764	-56.947	45.498
NEL20	13	6.012	0.578	5.000	6.502
Ca	13	3.108	1.823	0.800	5.100
P	13	2.392	0.887	1.100	3.600
Mg	11	1.000	0.564	0.200	1.500
K	13	18.846	7.688	9.700	30.300
Na	13	0.638	0.553	0.100	1.300
Cl	10	3.790	2.259	0.850	6.900
S	13	1.669	0.637	0.700	2.500
CAB	13	294.120	186.039	56.074	528.651

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	19	357.632	47.409	300.000	428.000
Aska	19	31.211	15.541	20.000	38.000
OS smbh	19	74.947	2.652	71.400	78.200
Råprot	19	78.632	7.243	69.000	89.000
sRåprot	19	574.316	102.092	462.000	726.000
NH3-N	18	56.333	24.855	24.000	102.000
NDF	19	384.526	57.013	334.000	446.000
iNDF	19	219.198	37.543	181.489	290.000
nhNDF	19	3.325	0.483	2.725	3.815

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Stä	19	275.000	60.379	190.000	359.000
Socker	19	10.895	9.562	5.000	34.000
TAF	19	73.579	18.185	44.000	97.000
Mjölksyra	19	55.105	14.802	34.000	76.000
Ättiksyra	19	14.789	5.370	4.000	21.000
PRF	14	3.929	1.542	3.000	6.000
BUF	14	0.000	0.000	0.000	0.000
AAT20	19	80.376	2.169	77.743	84.009
PBV20	19	-48.009	7.328	-60.785	-39.894
NEL20	19	6.444	0.301	6.055	6.883
Ca	19	1.921	0.351	1.500	2.500
P	19	1.800	0.213	1.500	2.100
Mg	19	1.121	0.326	0.900	1.500
K	19	9.347	1.426	7.800	10.900
Na	19	0.321	0.204	0.100	0.600
Cl	12	2.117	1.252	1.200	4.400
S	19	0.932	0.111	0.800	1.100
CAB	19	141.574	52.004	64.851	202.008
Fe	12	117.667	52.747	64.000	199.000
Mn	12	28.333	12.198	15.000	41.000
Zn	12	26.583	6.007	19.000	33.000
Cu	12	5.025	1.533	3.500	6.000

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	20	865.750	54.540	778.500	912.500
Aska	20	52.450	9.208	42.500	58.500
OS smbh	20	65.200	2.493	62.250	67.950
Råprot	20	82.450	20.937	55.000	107.500
NDF	20	590.550	42.415	523.500	636.000
iNDF	20	230.052	25.343	200.220	257.900
nhNDF	20	3.553	0.377	3.122	4.024
Socker	20	118.650	29.491	94.500	148.500
TAF	20	0.000	0.000	0.000	0.000
AAT20	20	83.856	3.745	79.351	89.221
PBV20	20	-42.600	16.584	-64.290	-18.659
NEL20	20	5.064	0.212	4.815	5.343
Ca	16	2.756	1.133	1.600	4.700
P	16	2.113	0.344	1.700	2.600

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mg	16	1.131	0.464	0.600	1.800
K	16	15.919	4.125	11.500	21.100
Na	16	0.250	0.179	0.100	0.500
S	16	1.263	0.386	1.000	2.100
CAB	16	196.663	109.063	55.415	336.840
Fe	12	64.417	19.355	43.000	79.000
Mn	12	67.750	45.130	41.000	140.000
Zn	12	21.083	3.728	17.000	24.000
Cu	12	3.925	0.941	3.000	5.300

Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	22	423.045	41.259	376.000	477.000
Aska	22	63.773	7.653	54.000	72.000
OS smbh	22	72.791	3.977	66.800	76.600
Råprot	22	148.909	17.790	122.000	165.000
sRåprot	22	514.818	39.282	468.000	558.000
NH3-N	22	57.045	17.311	37.000	66.000
NDF	22	369.727	73.970	306.000	479.000
iNDF	22	260.545	43.900	214.000	326.000
nhNDF	22	3.122	0.573	2.371	3.836
Stä	22	166.045	39.154	110.000	212.000
Socker	22	33.364	16.806	12.000	53.000
TAF	22	59.318	23.597	24.000	82.000
Mjölksyra	22	35.364	14.228	17.000	56.000
Ättiksyra	22	19.000	11.225	3.000	30.000
PRF	22	4.682	1.729	3.000	6.000
BUF	22	0.273	0.550	0.000	1.000
AAT20	22	84.769	4.130	79.211	89.807
PBV20	22	21.996	11.761	9.041	32.216
NEL20	22	6.233	0.414	5.617	6.655
Ca	22	7.155	1.810	4.700	9.400
P	22	3.664	0.712	2.800	4.800
Mg	22	3.495	0.940	2.600	4.700
K	22	14.050	2.561	11.100	17.400
Na	22	3.409	1.752	1.900	4.700
Cl	22	9.945	5.870	4.600	18.300
S	22	2.691	0.955	2.100	3.400
CAB	22	59.221	160.441	-187.040	261.087

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Fe	20	322.900	115.024	206.000	502.500
Mn	20	92.200	32.963	49.000	137.000
Zn	20	76.850	30.846	42.000	113.500
Cu	20	17.700	6.441	11.500	24.000

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	11	415.364	44.7399	364.000	465.000
Aska	11	68.364	10.2788	58.000	79.000
OS smbh	11	75.573	4.7115	68.200	79.600
Råprot	11	150.727	16.0940	134.000	166.000
sRåprot	11	558.909	64.0101	492.000	622.000
NH3-N	11	68.364	14.6647	48.000	82.000
NDF	11	344.545	49.4315	307.000	406.000
iNDF	11	208.798	57.5364	152.166	272.861
nhNDF	11	3.252	0.7263	2.498	4.118
Stä	11	166.182	47.1653	129.000	196.000
Socker	11	36.545	11.1388	23.000	50.000
NEL20	11	0.000	0.0000	0.000	0.000
CI	11	7.427	4.0990	1.600	13.000