

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Grönmassa, gräs (0% baljv.) (161)	1	5	229	69	80.9	198	470		402	81	4.99		61.000			144
Ensilage, gräs (0% klöver) (162)	0	1	299	75	81.3	167	717	101	383	101	5.39		128.500	103	24.0	27
Grönmassa blandvall (1-50 % baljväxter) (164)	1	55	406	68	79.0	160	443		435	110	5.04		84.000			132
Grönmassa blandvall (1-50 % baljväxter) (164)	2	21	526	76	75.1	163	373		487	153	4.86		84.000			97
Ensilage, blandvall (1-50% klöver) (165)	0	4	556	100	73.7	170	568	75.8	439	176	4.10		28.150	17.0	8.0	70
Ensilage, blandvall (1-50% klöver) (165)	1	30	405	73	78.8	172	660	55.9	411	123	4.93	17	78.440	62.4	14.7	76
Ensilage, blandvall (1-50% klöver) (165)	2	6	532	75	75.8	161	570	65.3	462	147	4.59		48.150	37.0	9.2	83
Ensilage, blandvall (1-50% klöver) (165)	4	1	438	87	73.6	166	580	66.0	431	241	4.99		78.000	62.0	13.0	62
Majskolv, ensilerad (257)	1	1	417	5	76.7	64	588	67.0	342	218	2.97	442	58.000	44.0	13.0	5
Vete, helsäd ensilage (299)	1	6	346	47	69.0	121	667	62.6	527	225	3.78	38	65.667	41.0	21.3	83
Majs, helsädesensilage (305)	1	6	353	26	75.6	73	598	59.0	383	217	3.52	302	74.833	54.5	16.3	9
Hö, blandvall, 0-50% baljväxter (383)	1	2	899	44	63.9	63			616	229	3.38		0.000			134
Grunnblanding Middels ford.grovfôr (326)	1	2	424	76	73.8	155	543	64.0	382	246	3.74	142	68.500	47.0	18.0	26

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa, gräs (0% baljv.) (161)	1	5				95.5	43.3	6.72	11.9		
Ensilage, gräs (0% klöver) (162)	0	1	1.10000	0.40000		80.0	38.9	6.86	11.9	74.0	54.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	55				90.1	19.1	6.54	11.6	80.1	16.4
Grönmassa blandvall (1-50 % baljväxter) (164)	2	21				88.0	26.1	6.26	10.9	78.2	40.8
Ensilage, blandvall (1-50% klöver) (165)	0	4		2.15000		85.1	37.2	5.86	10.4	69.5	49.5
Ensilage, blandvall (1-50% klöver) (165)	1	30	1.08000	0.17931		85.2	38.1	6.64	11.6	72.5	31.8
Ensilage, blandvall (1-50% klöver) (165)	2	6	1.25000	0.81667		86.7	25.7	6.29	11.0	73.0	50.0
Ensilage, blandvall (1-50% klöver) (165)	4	1	3.00000	0.00000		81.2	39.5	6.05	10.5		
Majskolv, ensilerad (257)	1	1	1.00000	0.00000		86.2	-70	6.71	12.0		
Vete, helsäd ensilage (299)	1	6	2.66667	0.66667		70.9	3.6	5.84	10.2		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Majs, helsädesensilage (305)	1	6	4.50000	0.00000		80.8	-54	6.56	11.4		
Hö, blandvall, 0-50% baljväxter (383)	1	2				80.7	-55	4.92	9.4	67.5	-51
Grunnblanding Middels ford.grovför (326)	1	2	3.00000	0.50000		83.9	28.5	6.34	10.7		

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	5	3.8	2.7	1.3	24.9	0.8	13.0	2.4	158	2	91.0	31.0	28.0	5.5	
Ensilage, gräs (0% klöver) (162)	0	1	6.5	2.9	1.8	23.9	1.0	7.4	2.1	315	1	245.0	56.0	26.0	6.1	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	55	4.7	2.8	1.6	24.0	0.8	4.1	2.1	392	21	170.0	51.9	28.3	5.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	21	5.7	3.0	2.0	26.2	1.0	7.5	2.3	379	8	157.3	49.9	28.3	7.1	
Ensilage, blandvall (1-50% klöver) (165)	1	30	5.8	3.1	1.9	24.4	1.5	7.0	2.2	356	13	155.5	48.2	32.6	5.6	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	6	6.0	3.1	2.1	23.1	1.9	6.7	2.3	341	3	114.3	54.7	36.0	6.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	1	7.4	3.2	2.6	22.7	1.7	6.0	2.5	329	0					
Majskolv, ensilerad (257)	1	1	1.1	1.8	1.1	3.7	0.4		0.7	36	0					
Vete, helsäd ensilage (299)	1	6	2.7	2.3	1.2	17.1	0.4	4.0	1.5	245	1	71.0	40.0	20.0	4.0	0.1
Majs, helsädesensilage (305)	1	6	1.8	1.9	1.1	9.0	0.2	1.5	0.9	138	5	82.4	29.2	27.6	4.6	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	2	2.4	1.9	1.0	13.5	0.1		1.1	139	2	49.5	43.5	20.0	3.1	
Grunnblanding Middels ford.grovför (326)	1	2	7.9	3.5	3.1	17.5	3.3	11.5	2.5	109	2	375.0	101.0	91.0	20.0	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	228.600	29.305	196.000	264.000
Aska	5	69.000	8.544	58.000	78.000
OS smbh	5	80.920	3.056	76.100	83.800
Råprot	5	198.400	45.308	121.000	235.000
sRåprot	5	470.400	23.201	448.000	506.000
NDF	5	402.400	33.239	362.000	454.000
iNDF	5	80.600	39.259	45.000	143.000
nhNDF	5	4.989	0.646	4.242	5.815
TAF	5	61.000	0.000	61.000	61.000
Socker	5	144.200	16.888	116.000	158.000
AATp20	5	95.513	5.728	85.891	100.433
PBVp20	5	43.253	32.420	-12.306	68.850
NELp20	5	6.718	0.356	6.126	7.023
OE*	5	11.944	0.406	11.280	12.320
Ca	5	3.840	0.744	3.100	4.800
P	5	2.740	0.594	2.200	3.600
Mg	5	1.280	0.342	1.000	1.700
K	5	24.940	4.557	20.100	29.700
Na	5	0.800	0.604	0.100	1.400
Cl	5	13.040	11.014	2.100	27.800
S	5	2.360	0.477	1.700	2.900
CAB	5	157.810	303.350	-298.748	427.943
Fe	2	91.000	8.485	85.000	97.000
Mn	2	31.000	15.556	20.000	42.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	28.000	2.828	26.000	30.000
Cu	2	5.500	0.707	5.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	299.000	.	299.000	299.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	81.300	.	81.300	81.300
Råprot	1	167.000	.	167.000	167.000
sRåprot	1	717.000	.	717.000	717.000
NH3-N	1	101.000	.	101.000	101.000
NDF	1	383.000	.	383.000	383.000
iNDF	1	101.000	.	101.000	101.000
nhNDF	1	5.387	.	5.387	5.387
TAF	1	128.500	.	128.500	128.500
Mjölksyra	1	103.000	.	103.000	103.000
Ättiksyra	1	24.000	.	24.000	24.000
Socker	1	27.000	.	27.000	27.000
PRF	1	1.100	.	1.100	1.100
BUF	1	0.400	.	0.400	0.400
AATp20	1	79.997	.	79.997	79.997
PBVp20	1	38.866	.	38.866	38.866
NELp20	1	6.863	.	6.863	6.863
OE*	1	11.900	.	11.900	11.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	1	74.000	.	74.000	74.000
PBV*	1	54.000	.	54.000	54.000
Ca	1	6.500	.	6.500	6.500
P	1	2.900	.	2.900	2.900
Mg	1	1.800	.	1.800	1.800
K	1	23.900	.	23.900	23.900
Na	1	1.000	.	1.000	1.000
Cl	1	7.400	.	7.400	7.400
S	1	2.100	.	2.100	2.100
CAB	1	315.031	.	315.031	315.031
Fe	1	245.000	.	245.000	245.000
Mn	1	56.000	.	56.000	56.000
Zn	1	26.000	.	26.000	26.000
Cu	1	6.100	.	6.100	6.100

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	55	406.309	128.514	225.000	606.000
Aska	55	67.945	10.547	57.000	83.000
OS smbh	55	78.951	3.158	76.200	81.700
Råprot	55	159.727	27.031	131.000	186.000
sRåprot	37	443.000	49.593	392.000	505.000
NDF	55	435.491	48.417	368.000	499.000
iNDF	55	110.290	45.010	72.000	157.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	55	5.040	0.920	3.997	6.269
TAF	55	84.000	0.000	84.000	84.000
Socker	55	132.255	30.727	97.000	165.000
AATp20	55	90.089	4.232	85.171	95.099
PBVp20	55	19.143	19.852	0.251	40.670
NELp20	55	6.538	0.306	6.203	6.794
OE*	55	11.632	0.481	11.160	12.100
AAT*	18	80.056	1.552	78.000	82.000
PBV*	18	16.389	20.796	-14.000	47.000
Ca	55	4.709	1.228	3.700	6.500
P	55	2.775	0.420	2.300	3.300
Mg	55	1.607	0.332	1.200	2.000
K	55	23.996	4.790	19.800	30.300
Na	55	0.784	0.439	0.300	1.300
Cl	32	4.138	2.474	0.700	6.800
S	55	2.120	0.388	1.700	2.600
CAB	55	392.113	119.966	238.226	570.744
Fe	21	169.952	109.911	81.000	304.000
Mn	21	51.905	19.601	34.000	70.000
Zn	21	28.286	4.660	25.000	32.000
Cu	21	5.500	0.942	4.700	6.700
Se	1	0.010	.	0.010	0.010

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	525.619	140.196	359.000	663.000
Aska	21	76.286	12.626	64.000	99.000
OS smbh	21	75.110	3.802	71.400	80.100
Råprot	21	163.286	19.491	146.000	189.000
sRåprot	16	373.313	32.557	334.000	420.000
NDF	21	487.381	39.019	446.000	538.000
iNDF	21	153.107	67.094	92.000	242.000
nhNDF	21	4.861	0.849	3.991	5.946
TAF	21	84.000	0.000	84.000	84.000
Socker	21	96.952	30.531	54.000	125.000
AATp20	21	87.965	3.055	83.644	91.076
PBVp20	21	26.061	15.223	12.888	44.672
NELp20	21	6.264	0.346	5.837	6.754
OE*	21	10.887	0.525	10.360	11.600
AAT*	5	78.200	2.168	75.000	80.000
PBV*	5	40.800	31.428	-14.000	66.000
Ca	21	5.695	1.727	4.200	7.800
P	21	2.976	0.352	2.600	3.400
Mg	21	2.019	0.382	1.600	2.500
K	21	26.238	4.676	21.300	32.200
Na	21	1.033	0.500	0.400	1.700
Cl	16	7.500	3.136	3.200	11.900
S	21	2.310	0.327	1.900	2.800
CAB	21	379.145	121.140	254.749	478.683

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	8	157.250	85.683	76.000	345.000
Mn	8	49.875	24.492	27.000	104.000
Zn	8	28.250	5.092	21.000	39.000
Cu	8	7.050	0.833	5.800	8.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	555.500	160.612	393.000	715.000
Aska	4	99.500	13.304	87.000	111.000
OS smbh	4	73.650	4.796	68.300	79.600
Råprot	4	170.000	33.506	146.000	218.000
sRåprot	4	567.750	60.517	507.000	627.000
NH3-N	4	75.750	23.768	47.000	99.000
NDF	4	439.000	59.234	382.000	522.000
iNDF	4	176.293	52.606	98.819	213.983
nhNDF	4	4.102	1.047	3.335	5.639
TAF	4	28.150	10.018	19.500	41.500
Mjölksyra	4	17.000	8.485	9.000	27.000
Ättiksyra	4	8.000	2.708	4.000	10.000
Socker	4	69.750	24.061	52.000	104.000
BUF	4	2.150	1.921	0.500	4.100
AATp20	4	85.108	7.026	80.555	95.471
PBVp20	4	37.226	21.207	19.308	65.087
NELp20	4	5.862	0.501	5.354	6.550

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	4	10.375	0.768	9.400	11.200
AAT*	4	69.500	1.915	67.000	71.000
PBV*	4	49.500	30.490	26.000	93.000
CI	4	9.650	2.918	6.700	13.500

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	30	405.233	108.809	282.000	580.000
Aska	30	72.567	8.336	66.000	84.000
OS smbh	30	78.830	2.965	75.550	82.750
Råprot	30	171.500	22.741	139.500	205.500
sRåprot	30	659.600	67.475	583.500	726.000
NH3-N	30	55.900	26.950	28.000	100.000
NDF	30	410.767	44.004	352.500	470.500
iNDF	30	122.646	29.557	90.500	155.500
nhNDF	30	4.932	0.965	4.189	6.056
Stä	1	17.000	.	17.000	17.000
TAF	30	78.440	35.471	46.500	115.000
Mjölksyra	30	62.400	32.215	32.000	97.000
Ättiksyra	29	14.655	6.019	4.000	21.000
Socker	30	75.933	28.883	37.500	114.500
PRF	25	1.080	1.681	0.000	2.000
BUF	29	0.179	0.428	0.000	1.000
AATp20	30	85.224	4.390	79.933	90.531

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	30	38.064	19.630	9.539	66.378
NELp20	30	6.643	0.272	6.335	6.966
OE*	30	11.554	0.452	11.045	12.135
AAT*	4	72.500	2.380	69.000	74.000
PBV*	4	31.750	25.131	6.000	65.000
Ca	30	5.813	1.251	4.200	7.750
P	30	3.090	0.417	2.500	3.650
Mg	30	1.870	0.413	1.350	2.500
K	30	24.427	3.074	20.450	28.100
Na	30	1.517	0.844	0.500	2.800
Cl	30	6.973	2.951	4.350	12.050
S	30	2.217	0.370	1.750	2.700
CAB	30	355.691	108.672	220.471	489.671
Fe	13	155.538	81.416	93.000	287.000
Mn	13	48.231	10.872	37.000	61.000
Zn	13	32.615	23.971	20.000	44.000
Cu	13	5.585	1.104	4.000	7.000
Se	3	0.050	0.000	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	532.000	121.591	354.000	668.000
Aska	6	74.667	12.501	66.000	98.000
OS smbh	6	75.817	2.888	70.800	79.200
Råprot	6	160.500	25.689	127.000	188.000
sRåprot	6	570.333	132.518	378.000	762.000
NH3-N	6	65.333	35.024	24.000	118.000
NDF	6	461.667	42.847	399.000	505.000
iNDF	6	147.364	34.962	121.000	215.000
nhNDF	6	4.587	0.282	4.158	4.835
TAF	6	48.150	27.306	17.000	83.500
Mjölksyra	6	37.000	23.630	16.000	70.000
Ättiksyra	6	9.167	7.985	1.000	20.000
Socker	6	82.667	42.996	32.000	140.000
PRF	4	1.250	2.500	0.000	5.000
BUF	6	0.817	1.021	0.000	2.500
AATp20	6	86.672	5.300	80.226	91.946
PBVp20	6	25.665	23.204	-9.561	49.518
NELp20	6	6.288	0.275	5.858	6.570
OE*	6	11.033	0.505	10.300	11.700
AAT*	2	73.000	0.000	73.000	73.000
PBV*	2	50.000	15.556	39.000	61.000
Ca	6	5.967	1.439	4.000	8.100
P	6	3.100	0.200	2.800	3.300
Mg	6	2.117	0.512	1.400	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	6	23.100	4.085	17.200	29.400
Na	6	1.883	1.385	0.300	4.100
Cl	6	6.733	4.490	0.600	13.700
S	6	2.267	0.356	2.000	2.900
CAB	6	341.339	155.155	203.986	623.060
Fe	3	114.333	11.930	101.000	124.000
Mn	3	54.667	13.204	43.000	69.000
Zn	3	36.000	7.000	29.000	43.000
Cu	3	6.333	1.563	4.900	8.000
Se	1	0.014	.	0.014	0.014

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	438.000	.	438.000	438.000
Aska	1	87.000	.	87.000	87.000
OS smbh	1	73.600	.	73.600	73.600
Råprot	1	166.000	.	166.000	166.000
sRåprot	1	580.000	.	580.000	580.000
NH3-N	1	66.000	.	66.000	66.000
NDF	1	431.000	.	431.000	431.000
iNDF	1	241.000	.	241.000	241.000
nhNDF	1	4.994	.	4.994	4.994
TAF	1	78.000	.	78.000	78.000
Mjölksyra	1	62.000	.	62.000	62.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	62.000	.	62.000	62.000
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	81.222	.	81.222	81.222
PBVp20	1	39.534	.	39.534	39.534
NElp20	1	6.055	.	6.055	6.055
OE*	1	10.530	.	10.530	10.530
Ca	1	7.400	.	7.400	7.400
P	1	3.200	.	3.200	3.200
Mg	1	2.600	.	2.600	2.600
K	1	22.700	.	22.700	22.700
Na	1	1.700	.	1.700	1.700
Cl	1	6.000	.	6.000	6.000
S	1	2.500	.	2.500	2.500
CAB	1	329.212	.	329.212	329.212

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	417.000	.	417.000	417.000
Aska	1	5.000	.	5.000	5.000
OS smbh	1	76.700	.	76.700	76.700
Råprot	1	64.000	.	64.000	64.000
sRåprot	1	588.000	.	588.000	588.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	67.000	.	67.000	67.000
NDF	1	342.000	.	342.000	342.000
iNDF	1	218.000	.	218.000	218.000
nhNDF	1	2.968	.	2.968	2.968
Stä	1	442.000	.	442.000	442.000
TAF	1	58.000	.	58.000	58.000
Mjölksyra	1	44.000	.	44.000	44.000
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	5.000	.	5.000	5.000
PRF	1	1.000	.	1.000	1.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	86.156	.	86.156	86.156
PBVp20	1	-69.630	.	-69.630	-69.630
NElp20	1	6.712	.	6.712	6.712
OE*	1	12.020	.	12.020	12.020
Ca	1	1.100	.	1.100	1.100
P	1	1.800	.	1.800	1.800
Mg	1	1.100	.	1.100	1.100
K	1	3.700	.	3.700	3.700
Na	1	0.400	.	0.400	0.400
S	1	0.700	.	0.700	0.700
CAB	1	35.876	.	35.876	35.876

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	345.667	101.042	203.000	474.000
Aska	6	46.833	16.339	19.000	64.000
OS smbh	6	69.000	5.937	59.700	75.400
Råprot	6	120.667	53.050	49.000	192.000
sRåprot	6	667.333	142.535	469.000	812.000
NH3-N	5	62.600	43.781	20.000	123.000
NDF	6	526.500	49.791	458.000	591.000
iNDF	6	224.500	88.953	130.000	380.000
nhNDF	6	3.779	0.425	3.052	4.210
Stä	5	38.200	51.553	1.000	129.000
TAF	6	65.667	43.830	20.000	142.000
Mjölksyra	6	41.000	35.389	0.000	94.000
Ättiksyra	6	21.333	11.860	10.000	44.000
Socker	6	82.833	30.551	28.000	117.000
PRF	6	2.667	2.338	0.000	6.000
BUF	6	0.667	1.633	0.000	4.000
AATp20	6	70.893	3.720	63.594	73.790
PBVp20	6	3.579	49.522	-57.866	77.173
NELp20	6	5.842	0.618	4.813	6.446
OE*	6	10.200	0.860	8.890	11.130
Ca	6	2.733	1.737	0.600	4.900
P	6	2.283	1.085	0.900	3.700
Mg	4	1.225	0.189	1.100	1.500
K	6	17.050	8.000	5.900	30.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	6	0.400	0.352	0.100	1.000
Cl	4	4.000	2.132	1.700	6.700
S	6	1.467	0.659	0.700	2.400
CAB	6	244.509	188.120	-1.942	581.397
Fe	1	71.000	.	71.000	71.000
Mn	1	40.000	.	40.000	40.000
Zn	1	20.000	.	20.000	20.000
Cu	1	4.000	.	4.000	4.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	352.500	60.9615	267.000	439.000
Aska	6	26.000	7.3485	19.000	38.000
OS smbh	6	75.600	2.3503	72.900	78.200
Råprot	6	72.667	4.5898	68.000	79.000
sRåprot	6	597.833	84.7335	506.000	751.000
NH3-N	6	59.000	26.0615	24.000	102.000
NDF	6	383.333	49.3261	334.000	444.000
iNDF	6	216.740	34.2683	181.489	270.000
nhNDF	6	3.524	0.1592	3.238	3.687
Stä	6	302.000	62.8904	209.000	396.000
TAF	6	74.833	13.0295	53.000	89.000
Mjölksyra	6	54.500	10.8766	34.000	65.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	6	16.333	3.7771	11.000	21.000
Socker	6	9.167	5.7417	5.000	19.000
PRF	4	4.500	1.0000	4.000	6.000
BUF	4	0.000	0.0000	0.000	0.000
AATp20	6	80.752	2.9338	77.689	84.705
PBVp20	6	-53.718	7.9369	-64.274	-43.156
NELp20	6	6.562	0.1677	6.338	6.729
OE*	4	11.410	0.3263	11.110	11.870
Ca	6	1.783	0.2563	1.500	2.100
P	6	1.850	0.2429	1.600	2.300
Mg	6	1.117	0.1472	0.900	1.300
K	6	8.983	0.7360	8.300	10.200
Na	6	0.183	0.1169	0.100	0.400
Cl	5	1.520	0.3962	1.200	2.200
S	6	0.917	0.0753	0.800	1.000
CAB	6	137.709	18.4535	120.321	169.531
Fe	5	82.400	29.3309	64.000	134.000
Mn	5	29.200	15.5145	15.000	55.000
Zn	5	27.600	7.5366	17.000	36.000
Cu	5	4.580	0.9654	3.500	6.000
Se	1	0.006	.	0.006	0.006

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	899.000	12.7279	890.000	908.000
Aska	2	44.000	4.2426	41.000	47.000
OS smbh	2	63.900	0.8485	63.300	64.500
Råprot	2	63.000	7.0711	58.000	68.000
NDF	2	615.500	2.1213	614.000	617.000
iNDF	2	229.335	8.0257	223.660	235.010
nhNDF	2	3.383	0.1455	3.280	3.486
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	134.000	11.3137	126.000	142.000
AATp20	2	80.689	1.3134	79.760	81.617
PBVp20	2	-55.497	4.3817	-58.595	-52.399
NELp20	2	4.919	0.1018	4.848	4.991
OE*	2	9.350	0.0707	9.300	9.400
AAT*	2	67.500	0.7071	67.000	68.000
PBV*	2	-51.000	5.6569	-55.000	-47.000
Ca	2	2.400	0.5657	2.000	2.800
P	2	1.850	0.0707	1.800	1.900
Mg	2	1.000	0.0000	1.000	1.000
K	2	13.450	2.7577	11.500	15.400
Na	2	0.100	0.0000	0.100	0.100
S	2	1.100	0.0000	1.100	1.100
CAB	2	138.743	70.5298	88.870	188.615
Fe	2	49.500	7.7782	44.000	55.000
Mn	2	43.500	2.1213	42.000	45.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	20.000	1.4142	19.000	21.000
Cu	2	3.050	0.0707	3.000	3.100

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	424.000	55.1543	385.000	463.000
Aska	2	75.500	4.9497	72.000	79.000
OS smbh	2	73.800	3.1113	71.600	76.000
Råprot	2	154.500	6.3640	150.000	159.000
sRåprot	2	543.000	18.3848	530.000	556.000
NH3-N	2	64.000	1.4142	63.000	65.000
NDF	2	382.000	55.1543	343.000	421.000
iNDF	2	245.500	30.4056	224.000	267.000
nhNDF	2	3.739	0.1380	3.641	3.836
Stä	2	142.000	19.7990	128.000	156.000
TAF	2	68.500	19.0919	55.000	82.000
Mjölksyra	2	47.000	12.7279	38.000	56.000
Ättiksyra	2	18.000	7.0711	13.000	23.000
Socker	2	26.000	1.4142	25.000	27.000
PRF	2	3.000	0.0000	3.000	3.000
BUF	2	0.500	0.7071	0.000	1.000
AATp20	2	83.897	0.2659	83.709	84.085
PBVp20	2	28.460	5.3115	24.704	32.216
NELp20	2	6.343	0.3047	6.128	6.559

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	2	10.690	0.4525	10.370	11.010
Ca	2	7.850	0.6364	7.400	8.300
P	2	3.450	0.2121	3.300	3.600
Mg	2	3.050	0.4950	2.700	3.400
K	2	17.450	1.2021	16.600	18.300
Na	2	3.250	1.2021	2.400	4.100
Cl	2	11.450	1.7678	10.200	12.700
S	2	2.500	0.0000	2.500	2.500
CAB	2	108.811	28.2756	88.817	128.805
Fe	2	375.000	1.4142	374.000	376.000
Mn	2	101.000	2.8284	99.000	103.000
Zn	2	91.000	16.9706	79.000	103.000
Cu	2	20.000	1.4142	19.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet