

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Korn, kärna (001)	1	3	890	21	0.0	103	323		129	25	3.15	548	0.000			5
Majs, finmald kärna (014)	1	1	607	27	0.0	91	368		68	25	3.70	660	0.000			5
Betfiber melasserad, Danisco - Betfor (024)	1	1	300	36	0.0	103	698		250	25	9.60	352	0.000			5
Prognos, blandvall (1-50% baljv) (042)	0	9	236		73.2					170	4.32		0.000			
Prognos, blandvall (51-100% baljv.) (043)	0	1	261		73.2					262	6.38		0.000			
Grönmassa, gräs (0% baljv.) (161)	1	3	317	68	76.5	164	602		449	139	4.43	32	61.000			120
Ensilage, gräs (0% klöver) (162)	1	3	607	70	78.0	168	566	48.7	455	128	5.17		28.167	17.3	8.7	109
Grönmassa blandvall (1-50 % baljväxter) (164)	1	45	437	70	76.9	158	451		461	123	4.79		84.000			124
Grönmassa blandvall (1-50 % baljväxter) (164)	2	8	456	68	74.4	173	416		473	164	4.31		84.000			92
Ensilage, blandvall (1-50% klöver) (165)	0	1	515	54	77.4	157	745	100	402	159	4.22		58.000	49.0	6.0	115
Ensilage, blandvall (1-50% klöver) (165)	1	52	392	73	77.3	166	664	77.6	437	146	4.95		79.908	62.0	15.8	65
Ensilage, blandvall (1-50% klöver) (165)	2	8	431	81	73.9	168	560	82.4	451	196	4.63		64.888	46.5	14.6	61
Ensilage, blandvall (1-50% klöver) (165)	3	2	511	81	67.3	144	571	107	464	269	3.42		80.100	56.5	19.5	31
Ensilage, blandvall (1-50% klöver) (165)	4	1	300	113	73.6	141	612	106	400	190	3.66		96.300	80.0	15.0	33
Korn, helsädesensilage (250)	1	2	449	44	66.4	99	595	96.0	379	364	1.82	198	64.000	39.5	22.0	52
Vete, helsäd ensilage (299)	1	2	313	77	75.1	163	712	43.5	438	174	4.30	35	105.000	87.0	14.5	47
Majs, helsädesensilage (305)	1	5	365	41	75.8	82	529	63.8	346	234	3.08	290	71.800	57.4	11.8	8
Hö, blandvall, 0-50% baljväxter (383)	1	1	851	54	65.9	87			585	219	3.54		0.000			136
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	595	63	80.6	177	396		385	107	4.88		72.000			151
Ensilage, blandvall (51-100% klöver) (438)	1	1	530	94	77.2	233	580	79.0	311	277	4.84		54.000	39.0	12.0	74
Grunnblanding Middels ford.grovfôr (326)	1	7	437	64	73.1	149	532	68.7	375	258	3.29	157	72.571	41.7	25.1	30
Fullfoder (TMR) ej kompletta data (1E3)	1	4	449	67	73.9	157	556	72.3	368	227	3.19	143	86.000	56.0	24.0	42

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	3				98.7	-46	7.53	13.5		
Majs, finmald kärna (014)	1	1				106	-61	7.82	13.5		
Betfiber melasserad, Danisco - Betfor (024)	1	1				63.0	2.2	7.14	12.4		
Prognos, blandvall (1-50% baljv) (042)	0	9				96.4	-4.4	5.94	12.1		
Prognos, blandvall (51-100% baljv.) (043)	0	1				93.0	14.4	5.95	11.2		
Grönmassa, gräs (0% baljv.) (161)	1	3				86.0	27.5	6.30	11.2		
Ensilage, gräs (0% klöver) (162)	1	3		1.16667		90.8	23.3	6.43	11.4	72.7	42.7
Grönmassa blandvall (1-50 % baljväxter) (164)	1	45				87.9	20.8	6.38	11.3	75.1	11.4
Grönmassa blandvall (1-50 % baljväxter) (164)	2	8				88.2	34.6	6.25	10.9		
Ensilage, blandvall (1-50% klöver) (165)	0	1		2.00000		84.2	26.6	6.36	11.5	73.0	31.0
Ensilage, blandvall (1-50% klöver) (165)	1	52	1.33333	0.94615		83.5	35.4	6.49	11.3	72.7	31.1
Ensilage, blandvall (1-50% klöver) (165)	2	8	2.00000	2.01250		83.3	37.9	6.14	10.6	70.5	60.5
Ensilage, blandvall (1-50% klöver) (165)	3	2	4.00000	1.60000		74.1	30.5	5.49	9.6	65.0	26.0
Ensilage, blandvall (1-50% klöver) (165)	4	1		0.30000		74.7	26.2	5.89	10.2	69.0	22.0
Korn, helsädesensilage (250)	1	2	2.00000	0.50000		68.8	-11	5.45	9.8		
Vete, helsäd ensilage (299)	1	2	3.50000	0.00000		69.8	40.4	6.39	10.9		
Majs, helsädesensilage (305)	1	5	2.50000	0.00000		81.3	-47	6.44	11.4	80.0	-72
Hö, blandvall, 0-50% baljväxter (383)	1	1				84.2	-39	5.12	9.6	69.0	-30
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1				91.4	37.7	6.81	12.0		
Ensilage, blandvall (51-100% klöver) (438)	1	1	1.00000	2.00000		85.0	102	6.44	11.0		
Grunnblanding Middels ford.grovför (326)	1	7	5.42857	0.28571		83.5	24.3	6.30	10.7		
Fullfoder (TMR) ej kompletta data (1E3)	1	4	5.00000	1.00000				0.00	10.4		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	3	3.6	2.7	0.9	21.1	0.9	7.7	2.0	237	1	56.0	14.0	10.0	3.0	
Ensilage, gräs (0% klöver) (162)	1	3	5.9	2.6	1.6	25.2	1.9	6.4	2.6	384	3	86.0	39.3	28.7	5.7	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	45	5.0	2.8	1.6	24.9	0.9	7.1	2.1	369	20	130.7	44.6	25.7	4.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	8	6.8	2.9	2.3	21.1	1.8	9.1	2.6	197	2	73.0	38.5	23.0	7.5	
Ensilage, blandvall (1-50% klöver) (165)	0	1	8.0	2.8	2.0	16.6	0.7	4.9	1.3	236	1	74.0	40.0	20.0	2.7	
Ensilage, blandvall (1-50% klöver) (165)	1	49	6.4	2.9	1.7	24.2	1.6	6.9	2.3	354	39	126.4	43.7	33.7	5.9	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	7	7.3	2.8	2.1	22.4	1.7	7.3	2.4	287	5	156.8	49.0	30.2	7.5	0.1
Ensilage, blandvall (1-50% klöver) (165)	3	2	10.4	2.7	2.5	19.8	1.7	5.4	2.3	281	1	111.0	89.0	23.0	7.4	
Ensilage, blandvall (1-50% klöver) (165)	4	1	6.9	2.9	2.5	20.6	2.1	9.7	2.8	170	1	479.0	114.0	28.0	6.7	
Korn, helsädesensilage (250)	1	2	5.4	2.1	1.9	8.1	1.1	3.8	2.1	17	1	78.0	7.0	30.0	6.0	
Vete, helsäd ensilage (299)	1	2	5.7	3.0	1.5	17.2	1.7	5.1	2.3	229	0					
Majs, helsädesensilage (305)	1	5	1.9	1.7	0.9	10.2	0.4	3.5	1.0	142	3	121.7	25.0	30.0	5.7	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	1	3.5	2.1	1.3	16.5	0.6		1.7	201	1	68.0	61.0	19.0	3.7	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	4.8	2.1	1.3	18.4	1.5	5.7	2.2	238	1	66.0	34.0	17.0	6.0	
Ensilage, blandvall (51-100% klöver) (438)	1	1	12.7	4.0	2.9	23.6	1.6	7.0	2.8	301	0					
Grunnblanding Middels ford.grovför (326)	1	7	7.2	3.3	3.2	14.9	2.6	7.1	2.6	126	6	287.3	66.5	61.5	14.5	0.6
Fullfoder (TMR) ej kompletta data (1E3)	1	3	7.2	3.5	2.3	15.4	2.8	7.9	2.3	142	3	263.7	51.7	49.0	9.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	890.000	13.5277	877.000	904.000
Aska	3	21.333	0.5774	21.000	22.000
OS smbh	3	0.000	0.0000	0.000	0.000
Råprot	3	102.667	3.5119	99.000	106.000
sRåprot	3	323.000	11.1355	311.000	333.000
NDF	3	129.000	15.1327	117.000	146.000
iNDF	3	25.000	0.0000	25.000	25.000
nhNDF	3	3.150	0.0000	3.150	3.150
Stä	3	547.667	15.5671	533.000	564.000
TAF	3	0.000	0.0000	0.000	0.000
Socker	3	5.000	0.0000	5.000	5.000
AATp20	3	98.716	1.6879	96.773	99.820
PBVp20	3	-46.194	1.2354	-47.577	-45.197
NELp20	3	7.530	0.1639	7.342	7.643
OE*	3	13.500	0.1000	13.400	13.600

Fodermedel=Majs, finmald kärna (014) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	607.000	.	607.000	607.000
Aska	1	27.000	.	27.000	27.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	91.000	.	91.000	91.000
sRåprot	1	368.000	.	368.000	368.000
NDF	1	68.000	.	68.000	68.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, finmald kärna (014) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	3.700	.	3.700	3.700
Stä	1	660.000	.	660.000	660.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	105.656	.	105.656	105.656
PBVp20	1	-61.068	.	-61.068	-61.068
NELp20	1	7.824	.	7.824	7.824
OE*	1	13.500	.	13.500	13.500

Fodermedel=Betfiber melasserad, Danisco - Betfor (024) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	300.000	.	300.000	300.000
Aska	1	36.000	.	36.000	36.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	103.000	.	103.000	103.000
sRåprot	1	698.000	.	698.000	698.000
NDF	1	250.000	.	250.000	250.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	9.600	.	9.600	9.600
Stä	1	352.000	.	352.000	352.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	62.997	.	62.997	62.997

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Betfiber melasserad, Danisco - Betfor (024) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	2.196	.	2.196	2.196
NELp20	1	7.145	.	7.145	7.145
OE*	1	12.400	.	12.400	12.400

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	235.667	43.4569	194.000	330.000
OS smbh	9	73.150	0.0000	73.150	73.150
iNDF	9	170.460	0.0000	170.460	170.460
nhNDF	9	4.315	0.0000	4.315	4.315
TAF	9	0.000	0.0000	0.000	0.000
AATp20	9	96.439	0.0000	96.439	96.439
PBVp20	9	-4.418	0.0000	-4.418	-4.418
NELp20	9	5.943	0.0000	5.943	5.943
OE*	9	12.067	1.1057	9.500	13.100

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	261.000	.	261.000	261.000
OS smbh	1	73.158	.	73.158	73.158
iNDF	1	262.131	.	262.131	262.131
nhNDF	1	6.377	.	6.377	6.377
TAF	1	0.000	.	0.000	0.000
AATp20	1	92.987	.	92.987	92.987

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	14.357	.	14.357	14.357
NELp20	1	5.951	.	5.951	5.951
OE*	1	11.200	.	11.200	11.200

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	317.333	84.056	242.000	408.000
Aska	3	68.000	6.000	62.000	74.000
OS smbh	3	76.500	1.308	75.600	78.000
Råprot	3	164.333	41.861	126.000	209.000
sRåprot	3	602.000	92.601	532.000	707.000
NDF	3	448.667	7.024	442.000	456.000
iNDF	3	138.667	12.055	126.000	150.000
nhNDF	3	4.432	0.650	3.960	5.173
Stä	2	31.500	0.707	31.000	32.000
TAF	3	61.000	0.000	61.000	61.000
Socker	3	120.000	61.879	52.000	173.000
AATp20	3	86.032	5.147	81.956	91.815
PBVp20	3	27.455	32.164	-5.132	59.179
NELp20	3	6.300	0.224	6.105	6.544
OE*	3	11.227	0.162	11.080	11.400
Ca	3	3.600	1.418	2.500	5.200
P	3	2.667	0.321	2.300	2.900
Mg	3	0.900	0.100	0.800	1.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	3	21.100	7.976	12.200	27.600
Na	3	0.900	1.058	0.100	2.100
Cl	3	7.700	1.389	6.800	9.300
S	3	2.000	0.800	1.200	2.800
CAB	3	236.871	136.999	81.142	338.822
Fe	1	56.000	.	56.000	56.000
Mn	1	14.000	.	14.000	14.000
Zn	1	10.000	.	10.000	10.000
Cu	1	3.000	.	3.000	3.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	606.667	88.636	539.000	707.000
Aska	3	70.000	4.583	65.000	74.000
OS smbh	3	77.967	2.173	76.000	80.300
Råprot	3	168.333	12.503	156.000	181.000
sRåprot	3	566.333	101.692	449.000	629.000
NH3-N	3	48.667	10.017	39.000	59.000
NDF	3	455.000	14.731	438.000	464.000
iNDF	3	128.169	25.779	99.320	148.946
nhNDF	3	5.166	0.727	4.659	5.999
TAF	3	28.167	13.388	15.400	42.100
Mjölksyra	3	17.333	11.060	7.000	29.000
Ättiksyra	3	8.667	2.517	6.000	11.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	3	108.667	17.474	94.000	128.000
BUF	3	1.167	0.208	1.000	1.400
AATp20	3	90.845	4.594	85.584	94.060
PBVp20	3	23.349	7.297	17.880	31.634
NELp20	3	6.427	0.255	6.258	6.721
OE*	3	11.433	0.416	11.100	11.900
AAT*	3	72.667	1.155	72.000	74.000
PBV*	3	42.667	10.504	32.000	53.000
Ca	3	5.867	1.060	4.900	7.000
P	3	2.600	0.173	2.500	2.800
Mg	3	1.600	0.100	1.500	1.700
K	3	25.167	2.511	22.800	27.800
Na	3	1.933	0.404	1.700	2.400
Cl	3	6.433	1.955	4.800	8.600
S	3	2.600	0.361	2.200	2.900
CAB	3	383.986	47.014	352.521	438.030
Fe	3	86.000	18.028	66.000	101.000
Mn	3	39.333	3.055	36.000	42.000
Zn	3	28.667	4.163	24.000	32.000
Cu	3	5.667	0.643	5.200	6.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	45	436.778	172.658	206.000	635.000
Aska	45	70.044	8.668	59.000	81.000
OS smbh	45	76.916	5.255	66.900	82.600
Råprot	45	157.644	30.493	117.000	196.000
sRåprot	29	450.552	34.522	394.000	495.000
NDF	45	461.022	65.228	374.000	547.000
iNDF	45	123.113	54.408	58.000	220.380
nhNDF	45	4.786	0.946	3.540	5.986
TAF	45	84.000	0.000	84.000	84.000
Socker	45	123.644	38.227	67.000	166.000
AATp20	45	87.926	6.493	75.025	95.974
PBVp20	45	20.800	20.226	-5.309	43.889
NELp20	45	6.380	0.473	5.395	6.895
OE*	45	11.266	0.836	9.600	12.100
AAT*	16	75.063	5.802	67.000	82.000
PBV*	16	11.375	31.610	-21.000	53.000
Ca	45	5.047	1.537	3.200	7.200
P	45	2.769	0.467	2.200	3.300
Mg	45	1.593	0.353	1.200	2.000
K	45	24.942	5.015	17.400	31.700
Na	44	0.870	0.623	0.200	1.500
Cl	29	7.059	3.634	3.100	11.600
S	45	2.104	0.417	1.500	2.700
CAB	45	368.754	126.016	243.596	526.557

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	20	130.700	201.068	54.000	227.000
Mn	20	44.600	22.329	18.000	81.500
Zn	20	25.700	5.850	18.000	31.500
Cu	20	4.920	1.102	3.700	6.500
Se	11	0.027	0.020	0.008	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	455.500	120.657	332.000	700.000
Aska	8	68.250	7.186	60.000	79.000
OS smbh	8	74.375	3.271	69.800	79.100
Råprot	8	172.625	20.908	141.000	194.000
sRåprot	8	416.375	117.143	312.000	690.000
NDF	8	472.500	43.243	397.000	529.000
iNDF	8	163.750	50.443	129.000	271.000
nhNDF	8	4.306	0.450	3.726	4.987
TAF	8	84.000	0.000	84.000	84.000
Socker	8	92.000	22.760	53.000	115.000
AATp20	8	88.228	4.281	81.538	92.941
PBVp20	8	34.606	14.275	12.267	48.162
NELp20	8	6.247	0.314	5.721	6.610
OE*	8	10.869	0.487	10.200	11.580
Ca	8	6.838	1.404	4.700	9.100
P	8	2.888	0.458	1.800	3.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	8	2.263	0.378	1.800	3.000
K	8	21.050	4.971	13.200	24.800
Na	8	1.788	0.871	0.700	3.400
Cl	8	9.113	3.454	4.700	14.900
S	8	2.600	0.278	2.300	3.100
CAB	8	196.890	132.222	6.705	392.106
Fe	2	73.000	11.314	65.000	81.000
Mn	2	38.500	24.749	21.000	56.000
Zn	2	23.000	4.243	20.000	26.000
Cu	2	7.500	0.707	7.000	8.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	515.000	.	515.000	515.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	77.400	.	77.400	77.400
Råprot	1	157.000	.	157.000	157.000
sRåprot	1	745.000	.	745.000	745.000
NH3-N	1	100.000	.	100.000	100.000
NDF	1	402.000	.	402.000	402.000
iNDF	1	159.139	.	159.139	159.139
nhNDF	1	4.222	.	4.222	4.222
TAF	1	58.000	.	58.000	58.000
Mjölksyra	1	49.000	.	49.000	49.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	6.000	.	6.000	6.000
Socker	1	115.000	.	115.000	115.000
BUF	1	2.000	.	2.000	2.000
AATp20	1	84.191	.	84.191	84.191
PBVp20	1	26.580	.	26.580	26.580
NELp20	1	6.359	.	6.359	6.359
OE*	1	11.500	.	11.500	11.500
AAT*	1	73.000	.	73.000	73.000
PBV*	1	31.000	.	31.000	31.000
Ca	1	8.000	.	8.000	8.000
P	1	2.800	.	2.800	2.800
Mg	1	2.000	.	2.000	2.000
K	1	16.600	.	16.600	16.600
Na	1	0.700	.	0.700	0.700
Cl	1	4.900	.	4.900	4.900
S	1	1.300	.	1.300	1.300
CAB	1	235.709	.	235.709	235.709
Fe	1	74.000	.	74.000	74.000
Mn	1	40.000	.	40.000	40.000
Zn	1	20.000	.	20.000	20.000
Cu	1	2.700	.	2.700	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	52	392.481	102.252	296.000	551.000
Aska	52	73.462	9.642	60.000	83.000
OS smbh	52	77.288	2.730	74.300	80.000
Råprot	52	165.615	23.967	140.000	197.000
sRåprot	52	664.212	67.943	558.000	723.000
NH3-N	52	77.596	27.777	46.000	109.000
NDF	52	436.577	45.053	394.000	485.000
iNDF	52	146.173	36.113	115.603	190.000
nhNDF	52	4.946	0.620	4.242	5.496
TAF	52	79.908	31.534	41.100	118.000
Mjölksyra	52	61.981	28.164	25.000	100.000
Ättiksyra	52	15.808	6.042	9.000	24.000
Socker	52	64.577	33.687	29.000	121.000
PRF	27	1.333	1.569	0.000	4.000
BUF	52	0.946	1.382	0.000	3.200
AATp20	52	83.517	3.700	79.846	86.723
PBVp20	52	35.362	22.308	11.880	64.673
NELp20	52	6.494	0.271	6.186	6.779
OE*	52	11.283	0.423	10.850	11.710
AAT*	25	72.680	0.627	72.000	73.000
PBV*	25	31.120	22.866	7.000	67.000
Ca	49	6.416	1.776	4.200	8.900
P	49	2.918	0.464	2.300	3.500
Mg	49	1.714	0.361	1.200	2.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	49	24.167	3.330	18.800	28.100
Na	49	1.643	0.794	0.500	2.800
Cl	51	6.929	3.223	3.800	10.600
S	49	2.286	0.384	1.900	2.800
CAB	49	353.963	105.362	234.313	506.472
Fe	39	126.385	56.323	68.000	211.000
Mn	39	43.718	20.943	29.000	70.000
Zn	39	33.667	24.232	22.000	38.000
Cu	39	5.928	1.095	4.900	8.000
Se	7	0.050	0.020	0.031	0.090

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	430.500	188.421	229.000	820.000
Aska	8	81.375	11.439	61.000	95.000
OS smbh	8	73.863	4.326	67.400	81.500
Råprot	8	167.750	34.751	104.000	214.000
sRåprot	8	560.250	109.531	409.000	689.000
NH3-N	7	82.429	32.746	37.000	140.000
NDF	8	451.250	62.133	374.000	551.000
iNDF	8	195.988	73.417	119.000	361.000
nhNDF	8	4.632	0.993	3.707	6.729
TAF	8	64.888	33.818	21.000	105.000
Mjölksyra	8	46.500	22.997	18.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	8	14.625	14.020	0.000	41.000
Socker	8	61.375	37.988	9.000	112.000
PRF	6	2.000	2.683	0.000	7.000
BUF	8	2.013	1.913	0.000	5.000
AATp20	8	83.308	6.906	74.736	94.915
PBVp20	8	37.929	35.576	-22.520	80.891
NELp20	8	6.137	0.364	5.636	6.620
OE*	8	10.638	0.673	9.520	11.710
AAT*	2	70.500	0.707	70.000	71.000
PBV*	2	60.500	34.648	36.000	85.000
Ca	7	7.271	2.258	3.900	9.900
P	7	2.814	0.302	2.200	3.100
Mg	7	2.086	0.430	1.700	2.700
K	7	22.371	2.749	18.700	26.200
Na	7	1.657	1.149	0.400	3.600
Cl	8	7.338	3.439	2.900	13.600
S	7	2.400	0.503	1.700	2.900
CAB	7	287.368	109.638	118.228	389.118
Fe	5	156.800	74.614	66.000	230.000
Mn	5	49.000	14.000	32.000	64.000
Zn	5	30.200	3.701	25.000	34.000
Cu	5	7.500	1.500	6.000	9.500
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	510.500	229.810	348.000	673.000
Aska	2	81.000	8.485	75.000	87.000
OS smbh	2	67.300	8.344	61.400	73.200
Råprot	2	143.500	7.778	138.000	149.000
sRåprot	2	570.500	74.246	518.000	623.000
NH3-N	2	107.000	2.828	105.000	109.000
NDF	2	463.500	47.376	430.000	497.000
iNDF	2	268.642	47.577	235.000	302.284
nhNDF	2	3.425	1.586	2.303	4.546
TAF	2	80.100	21.072	65.200	95.000
Mjölksyra	2	56.500	14.849	46.000	67.000
Ättiksyra	2	19.500	4.950	16.000	23.000
Socker	2	31.000	16.971	19.000	43.000
PRF	1	4.000	.	4.000	4.000
BUF	2	1.600	0.849	1.000	2.200
AATp20	2	74.064	4.453	70.915	77.213
PBVp20	2	30.461	0.676	29.983	30.939
NELp20	2	5.492	0.687	5.006	5.978
OE*	2	9.580	1.245	8.700	10.460
AAT*	1	65.000	.	65.000	65.000
PBV*	1	26.000	.	26.000	26.000
Ca	2	10.400	3.253	8.100	12.700
P	2	2.700	0.849	2.100	3.300
Mg	2	2.500	0.283	2.300	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	2	19.800	4.101	16.900	22.700
Na	2	1.650	0.495	1.300	2.000
Cl	2	5.350	1.485	4.300	6.400
S	2	2.350	0.071	2.300	2.400
CAB	2	280.554	80.163	223.870	337.237
Fe	1	111.000	.	111.000	111.000
Mn	1	89.000	.	89.000	89.000
Zn	1	23.000	.	23.000	23.000
Cu	1	7.400	.	7.400	7.400

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	300.000	.	300.000	300.000
Aska	1	113.000	.	113.000	113.000
OS smbh	1	73.600	.	73.600	73.600
Råprot	1	141.000	.	141.000	141.000
sRåprot	1	612.000	.	612.000	612.000
NH3-N	1	106.000	.	106.000	106.000
NDF	1	400.000	.	400.000	400.000
iNDF	1	189.683	.	189.683	189.683
nhNDF	1	3.664	.	3.664	3.664
TAF	1	96.300	.	96.300	96.300
Mjölksyra	1	80.000	.	80.000	80.000
Ättiksyra	1	15.000	.	15.000	15.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	33.000	.	33.000	33.000
BUF	1	0.300	.	0.300	0.300
AATp20	1	74.748	.	74.748	74.748
PBVp20	1	26.188	.	26.188	26.188
NELp20	1	5.889	.	5.889	5.889
OE*	1	10.200	.	10.200	10.200
AAT*	1	69.000	.	69.000	69.000
PBV*	1	22.000	.	22.000	22.000
Ca	1	6.900	.	6.900	6.900
P	1	2.900	.	2.900	2.900
Mg	1	2.500	.	2.500	2.500
K	1	20.600	.	20.600	20.600
Na	1	2.100	.	2.100	2.100
Cl	1	9.700	.	9.700	9.700
S	1	2.800	.	2.800	2.800
CAB	1	169.919	.	169.919	169.919
Fe	1	479.000	.	479.000	479.000
Mn	1	114.000	.	114.000	114.000
Zn	1	28.000	.	28.000	28.000
Cu	1	6.700	.	6.700	6.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	448.500	36.0624	423.000	474.000
Aska	2	44.000	21.2132	29.000	59.000
OS smbh	2	66.400	0.9899	65.700	67.100
Råprot	2	99.000	42.4264	69.000	129.000
sRåprot	2	595.000	22.6274	579.000	611.000
NH3-N	2	96.000	21.2132	81.000	111.000
NDF	2	379.000	45.2548	347.000	411.000
iNDF	2	363.500	19.0919	350.000	377.000
nhNDF	2	1.821	0.2078	1.674	1.968
Stä	2	197.500	14.8492	187.000	208.000
TAF	2	64.000	16.9706	52.000	76.000
Mjölksyra	2	39.500	14.8492	29.000	50.000
Ättiksyra	2	22.000	0.0000	22.000	22.000
Socker	2	52.000	29.6985	31.000	73.000
PRF	2	2.000	1.4142	1.000	3.000
BUF	2	0.500	0.7071	0.000	1.000
AATp20	2	68.804	1.8536	67.493	70.115
PBVp20	2	-11.333	38.7638	-38.744	16.077
NELp20	2	5.449	0.1324	5.355	5.542
OE*	2	9.795	0.0495	9.760	9.830
Ca	2	5.350	4.1719	2.400	8.300
P	2	2.050	0.2121	1.900	2.200
Mg	2	1.900	0.4243	1.600	2.200
K	2	8.100	2.8284	6.100	10.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	1.100	0.4243	0.800	1.400
Cl	1	3.800	.	3.800	3.800
S	2	2.100	0.8485	1.500	2.700
CAB	2	16.695	0.8590	16.088	17.302
Fe	1	78.000	.	78.000	78.000
Mn	1	7.000	.	7.000	7.000
Zn	1	30.000	.	30.000	30.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	313.000	101.823	241.000	385.000
Aska	2	76.500	13.435	67.000	86.000
OS smbh	2	75.050	0.212	74.900	75.200
Råprot	2	163.000	7.071	158.000	168.000
sRåprot	2	711.500	12.021	703.000	720.000
NH3-N	2	43.500	48.790	9.000	78.000
NDF	2	438.000	19.799	424.000	452.000
iNDF	2	174.000	35.355	149.000	199.000
nhNDF	2	4.297	0.393	4.019	4.575
Stä	2	35.000	0.000	35.000	35.000
TAF	2	105.000	12.728	96.000	114.000
Mjölksyra	2	87.000	21.213	72.000	102.000
Ättiksyra	2	14.500	9.192	8.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	46.500	3.536	44.000	49.000
PRF	2	3.500	0.707	3.000	4.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	2	69.793	0.505	69.436	70.150
PBVp20	2	40.421	7.179	35.345	45.498
NELp20	2	6.390	0.159	6.277	6.502
OE*	2	10.885	0.191	10.750	11.020
Ca	2	5.650	0.778	5.100	6.200
P	2	3.000	0.849	2.400	3.600
Mg	2	1.450	0.919	0.800	2.100
K	2	17.200	8.061	11.500	22.900
Na	2	1.650	0.495	1.300	2.000
Cl	2	5.050	2.899	3.000	7.100
S	2	2.250	0.354	2.000	2.500
CAB	2	228.758	244.212	56.074	401.442

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	365.200	52.141	300.000	428.000
Aska	5	40.600	28.884	23.000	92.000
OS smbh	5	75.760	2.702	71.400	78.300
Råprot	5	82.000	8.803	70.000	92.000
sRåprot	5	529.000	158.758	291.000	706.000
NH3-N	4	63.750	31.063	33.000	106.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	5	345.600	78.376	211.000	406.000
iNDF	5	233.692	54.378	188.000	296.000
nhNDF	5	3.080	0.774	1.896	3.815
Stä	5	290.200	55.124	208.000	359.000
TAF	5	71.800	25.034	43.000	98.000
Mjölksyra	5	57.400	16.891	39.000	79.000
Ättiksyra	5	11.800	8.899	1.000	22.000
Socker	5	8.000	3.000	5.000	13.000
PRF	4	2.500	1.732	0.000	4.000
BUF	4	0.000	0.000	0.000	0.000
AATp20	5	81.289	2.239	78.579	84.009
PBVp20	5	-46.752	7.215	-52.542	-37.847
NELp20	5	6.439	0.332	6.102	6.931
OE*	5	11.370	0.471	10.820	12.080
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-72.000	.	-72.000	-72.000
Ca	5	1.920	0.460	1.500	2.700
P	5	1.680	0.192	1.500	2.000
Mg	5	0.920	0.512	0.100	1.500
K	5	10.200	2.035	8.400	13.700
Na	5	0.400	0.308	0.100	0.800
Cl	3	3.500	1.825	1.400	4.700
S	5	0.960	0.207	0.700	1.200
CAB	5	142.205	96.407	52.964	292.913

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	3	121.667	5.508	116.000	127.000
Mn	3	25.000	8.888	15.000	32.000
Zn	3	30.000	2.646	28.000	33.000
Cu	3	5.700	3.012	3.100	9.000
Se	1	0.008	.	0.008	0.008

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	851.000	.	851.000	851.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	65.900	.	65.900	65.900
Råprot	1	87.000	.	87.000	87.000
NDF	1	585.000	.	585.000	585.000
iNDF	1	219.443	.	219.443	219.443
nhNDF	1	3.538	.	3.538	3.538
TAF	1	0.000	.	0.000	0.000
Socker	1	136.000	.	136.000	136.000
AATp20	1	84.212	.	84.212	84.212
PBVp20	1	-38.973	.	-38.973	-38.973
NELp20	1	5.119	.	5.119	5.119
OE*	1	9.600	.	9.600	9.600
AAT*	1	69.000	.	69.000	69.000
PBV*	1	-30.000	.	-30.000	-30.000
Ca	1	3.500	.	3.500	3.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	2.100	.	2.100	2.100
Mg	1	1.300	.	1.300	1.300
K	1	16.500	.	16.500	16.500
Na	1	0.600	.	0.600	0.600
S	1	1.700	.	1.700	1.700
CAB	1	200.987	.	200.987	200.987
Fe	1	68.000	.	68.000	68.000
Mn	1	61.000	.	61.000	61.000
Zn	1	19.000	.	19.000	19.000
Cu	1	3.700	.	3.700	3.700
Se	1	0.006	.	0.006	0.006

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	595.000	.	595.000	595.000
Aska	1	63.000	.	63.000	63.000
OS smbh	1	80.600	.	80.600	80.600
Råprot	1	177.000	.	177.000	177.000
sRåprot	1	396.000	.	396.000	396.000
NDF	1	385.000	.	385.000	385.000
iNDF	1	107.000	.	107.000	107.000
nhNDF	1	4.875	.	4.875	4.875
TAF	1	72.000	.	72.000	72.000
Socket	1	151.000	.	151.000	151.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	91.352	.	91.352	91.352
PBVp20	1	37.662	.	37.662	37.662
NELp20	1	6.813	.	6.813	6.813
OE*	1	11.970	.	11.970	11.970
Ca	1	4.800	.	4.800	4.800
P	1	2.100	.	2.100	2.100
Mg	1	1.300	.	1.300	1.300
K	1	18.400	.	18.400	18.400
Na	1	1.500	.	1.500	1.500
Cl	1	5.700	.	5.700	5.700
S	1	2.200	.	2.200	2.200
CAB	1	237.742	.	237.742	237.742
Fe	1	66.000	.	66.000	66.000
Mn	1	34.000	.	34.000	34.000
Zn	1	17.000	.	17.000	17.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	530.000	.	530.000	530.000
Aska	1	94.000	.	94.000	94.000
OS smbh	1	77.200	.	77.200	77.200
Råprot	1	233.000	.	233.000	233.000
sRåprot	1	580.000	.	580.000	580.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	79.000	.	79.000	79.000
NDF	1	311.000	.	311.000	311.000
iNDF	1	277.000	.	277.000	277.000
nhNDF	1	4.841	.	4.841	4.841
TAF	1	54.000	.	54.000	54.000
Mjölksyra	1	39.000	.	39.000	39.000
Ättiksyra	1	12.000	.	12.000	12.000
Socker	1	74.000	.	74.000	74.000
PRF	1	1.000	.	1.000	1.000
BUF	1	2.000	.	2.000	2.000
AATp20	1	84.993	.	84.993	84.993
PBVp20	1	102.417	.	102.417	102.417
NELp20	1	6.436	.	6.436	6.436
OE*	1	11.030	.	11.030	11.030
Ca	1	12.700	.	12.700	12.700
P	1	4.000	.	4.000	4.000
Mg	1	2.900	.	2.900	2.900
K	1	23.600	.	23.600	23.600
Na	1	1.600	.	1.600	1.600
Cl	1	7.000	.	7.000	7.000
S	1	2.800	.	2.800	2.800
CAB	1	300.963	.	300.963	300.963

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	437.143	20.449	410.000	464.000
Aska	7	64.000	4.041	59.000	70.000
OS smbh	7	73.114	4.054	66.800	77.300
Råprot	7	149.429	15.382	126.000	165.000
sRåprot	7	532.286	42.417	467.000	588.000
NH3-N	7	68.714	20.910	40.000	108.000
NDF	7	375.000	74.815	306.000	479.000
iNDF	7	257.857	41.229	208.000	320.000
nhNDF	7	3.289	0.283	2.905	3.690
Stä	7	156.857	35.914	106.000	197.000
TAF	7	72.571	14.943	54.000	91.000
Mjölksyra	7	41.714	10.704	31.000	56.000
Ättiksyra	7	25.143	7.819	13.000	38.000
Socker	7	29.714	13.450	5.000	43.000
PRF	7	5.429	1.902	3.000	8.000
BUF	7	0.286	0.756	0.000	2.000
AATp20	7	83.531	3.881	78.704	89.327
PBVp20	7	24.330	9.008	9.220	35.133
NELp20	7	6.299	0.424	5.617	6.755
OE*	7	10.713	0.675	9.690	11.460
Ca	7	7.200	1.695	4.600	9.300
P	7	3.343	0.461	2.800	4.100
Mg	7	3.171	1.209	1.900	5.400
K	7	14.857	2.210	12.300	18.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	7	2.586	0.729	1.500	3.500
Cl	7	7.143	1.892	4.400	9.000
S	7	2.643	1.274	1.800	5.500
CAB	7	126.015	133.707	-73.735	335.343
Fe	6	287.333	86.611	185.000	408.000
Mn	6	66.500	34.098	42.000	134.000
Zn	6	61.500	15.162	51.000	92.000
Cu	6	14.500	4.764	11.000	24.000
Se	3	0.647	0.571	0.200	1.290

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	448.500	37.027	407.000	494.000
Aska	4	67.000	4.082	63.000	71.000
OS smbh	4	73.850	5.112	68.100	78.500
Råprot	4	157.250	15.564	143.000	176.000
sRåprot	4	556.250	37.827	516.000	604.000
NH3-N	4	72.250	8.770	63.000	82.000
NDF	4	368.250	38.999	321.000	416.000
iNDF	4	226.554	70.141	161.670	300.000
nhNDF	4	3.191	0.743	2.498	4.034
Stä	4	142.500	16.783	129.000	166.000
TAF	1	86.000	.	86.000	86.000
Mjölksyra	1	56.000	.	56.000	56.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	24.000	.	24.000	24.000
Socker	4	42.250	8.016	32.000	50.000
PRF	1	5.000	.	5.000	5.000
BUF	1	1.000	.	1.000	1.000
NELp20	4	0.000	0.000	0.000	0.000
OE*	1	10.360	.	10.360	10.360
Ca	3	7.200	0.436	6.700	7.500
P	3	3.467	0.643	3.000	4.200
Mg	3	2.267	0.643	1.800	3.000
K	3	15.433	1.692	14.000	17.300
Na	3	2.800	1.114	1.800	4.000
Cl	4	7.900	3.592	4.600	13.000
S	3	2.333	0.416	2.000	2.800
CAB	3	142.451	143.914	-20.097	253.639
Fe	3	263.667	109.965	160.000	379.000
Mn	3	51.667	11.846	38.000	59.000
Zn	3	49.000	19.925	26.000	61.000
Cu	3	9.800	3.081	7.000	13.100

*= Parametrar från det gamla svenska fodervärderingssystemet