

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Korn, kärna (001)	1	1	840	22	0.0	125	285		100	25	3.15	587	0.00			5
Grönmassa blandvall (1-50 % baljväxter) (164)	1	20	396	81	78.5	166	395		455	118	5.61		84.00			96
Grönmassa blandvall (1-50 % baljväxter) (164)	2	6	342	89	76.1	186	332		463	141	4.90		84.00			66
Ensilage, blandvall (1-50% klöver) (165)	0	1	466		80.6	184	663	78.1	357	118	4.80		19.13	13.7	2.5	104
Ensilage, blandvall (1-50% klöver) (165)	1	30	381	78	77.2	154	597	74.6	443	139	5.00		65.26	50.8	11.8	67
Ensilage, blandvall (1-50% klöver) (165)	2	2	433	79	72.8	164	501	25.5	454	195	3.95		66.25	54.0	11.0	62
Ensilage, blandvall (1-50% klöver) (165)	3	2	382	84	69.2	147	533	102	446	236	3.10		67.55	52.5	12.0	51
Ensilage, blandvall (1-50% klöver) (165)	4	2	316	100	76.1	188	513	54.5	387	223	5.27		104.50	86.5	14.5	44
Hö, blandvall, 0-50% baljväxter (383)	1	4	804	46	66.6	98	453		561	248	3.81		0.00			107
Fullfoder (TMR) ej kompletta data (1E3)	1	3	385	81	73.3	148	534	66.7	324	249	2.49	196				24

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	1				100	-26	7.61	13.6		
Grönmassa blandvall (1-50 % baljväxter) (164)	1	20				88.8	27.1	6.51	11.4	77.9	27.5
Grönmassa blandvall (1-50 % baljväxter) (164)	2	6				90.2	43.8	6.36	10.9	73.0	42.5
Ensilage, blandvall (1-50% klöver) (165)	0	1				91.3	40.2	6.52	11.3	72.1	
Ensilage, blandvall (1-50% klöver) (165)	1	30	1.2	1.44138		85.3	21.8	6.40	11.2	72.3	23.0
Ensilage, blandvall (1-50% klöver) (165)	2	2	1.0	0.25000		83.8	33.1	6.07	10.5	70.0	35.0
Ensilage, blandvall (1-50% klöver) (165)	3	2		2.05000		77.7	27.4	5.51	9.9	68.5	29.0
Ensilage, blandvall (1-50% klöver) (165)	4	2	3.5	0.00000		83.0	56.8	6.35	10.8		
Hö, blandvall, 0-50% baljväxter (383)	1	4				88.4	-36	5.26	9.8	68.0	19.0
Fullfoder (TMR) ej kompletta data (1E3)	1	3						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa blandvall (1-50 % baljväxter) (164)	1	18	5.9	3.1	1.6	27.8	0.5	7.4	2.0	453	17	172.5	50.1	31.3	7.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	4	5.9	3.4	1.7	24.5	1.4	5.2	2.5	372	0					
Ensilage, blandvall (1-50% klöver) (165)	0	1	9.8	2.5	2.0	28.1	0.1		2.1	459	1	106.9	29.7	24.0	8.7	
Ensilage, blandvall (1-50% klöver) (165)	1	29	4.9	2.7	1.6	27.7	0.4	4.8	2.0	465	29	226.6	55.4	27.7	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	2	7.3	2.8	2.3	20.8	1.7	5.3	2.4	303	1	201.0	111.0	31.0	8.0	
Ensilage, blandvall (1-50% klöver) (165)	3	2	10.9	2.6	2.6	19.3	0.4	4.7	2.0	252	2	411.0	91.5	23.5	8.4	
Ensilage, blandvall (1-50% klöver) (165)	4	2	8.4	3.8	2.8	27.2	1.9	5.9	2.8	438	0					
Hö, blandvall, 0-50% baljväxter (383)	1	4	2.5	2.1	0.9	12.8	0.3		1.3	120	1	73.0	165.0	29.0	5.3	
Fullfoder (TMR) ej kompletta data (1E3)	1	3	6.4	3.2	3.8	16.5	2.3	11.0	2.7	45	3	715.7	96.3	89.0	17.6	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	840.000	.	840.000	840.000
Aska	1	22.000	.	22.000	22.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	125.000	.	125.000	125.000
sRåprot	1	285.000	.	285.000	285.000
NDF	1	100.000	.	100.000	100.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	3.150	.	3.150	3.150
Stä	1	587.000	.	587.000	587.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	100.285	.	100.285	100.285
PBVp20	1	-26.326	.	-26.326	-26.326
NELp20	1	7.609	.	7.609	7.609
OE*	1	13.600	.	13.600	13.600

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	20	395.900	124.194	254.000	607.000
Aska	20	81.000	10.234	65.000	95.000
OS smbh	20	78.520	3.831	73.100	82.800
Råprot	20	166.050	27.978	127.500	199.500
sRåprot	4	395.000	25.729	364.000	422.000
NDF	20	455.450	45.197	392.000	494.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	20	118.401	42.030	67.839	186.356
nhNDF	20	5.607	0.918	4.316	6.748
TAF	20	84.000	0.000	84.000	84.000
Socker	20	95.750	33.726	47.000	136.500
AATp20	20	88.787	5.141	82.099	94.226
PBVp20	20	27.106	20.862	0.951	58.463
NELp20	20	6.505	0.372	6.014	6.938
OE*	20	11.409	0.658	10.450	12.105
AAT*	16	77.875	3.538	72.000	81.000
PBV*	16	27.500	24.849	-13.000	67.000
Ca	18	5.922	2.116	4.300	7.600
P	18	3.083	0.362	2.500	3.500
Mg	18	1.644	0.198	1.400	2.000
K	18	27.756	4.641	19.300	32.000
Na	18	0.456	0.415	0.100	1.300
Cl	4	7.400	2.305	5.700	10.800
S	18	2.033	0.460	1.400	2.600
CAB	18	453.288	127.092	245.163	584.118
Fe	17	172.471	148.170	83.000	445.000
Mn	17	50.118	14.916	30.000	62.000
Zn	17	31.294	6.202	23.000	39.000
Cu	17	7.047	1.536	5.200	9.100
Se	8	0.011	0.005	0.006	0.022

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	342.333	132.527	230.000	528.000
Aska	6	88.667	20.666	56.000	108.000
OS smbh	6	76.117	2.618	72.100	79.300
Råprot	6	186.167	19.312	162.000	220.000
sRåprot	4	332.000	38.393	293.000	381.000
NDF	6	462.833	27.607	420.000	502.000
iNDF	6	140.661	31.605	94.000	178.964
nhNDF	6	4.898	0.758	4.127	5.999
TAF	6	84.000	0.000	84.000	84.000
Socker	6	66.333	36.308	10.000	115.000
AATp20	6	90.187	6.682	80.606	97.940
PBVp20	6	43.850	11.279	29.979	62.752
NELp20	6	6.364	0.276	5.929	6.673
OE*	6	10.927	0.496	10.100	11.560
AAT*	2	73.000	2.828	71.000	75.000
PBV*	2	42.500	14.849	32.000	53.000
Ca	4	5.925	1.005	5.000	7.300
P	4	3.400	0.258	3.100	3.700
Mg	4	1.725	0.427	1.100	2.000
K	4	24.450	3.520	19.500	27.600
Na	3	1.400	0.624	0.900	2.100
Cl	4	5.225	2.076	3.200	8.000
S	4	2.525	0.206	2.300	2.800
CAB	4	372.498	86.822	262.748	473.302

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	465.524	.	465.524	465.524
OS smbh	1	80.620	.	80.620	80.620
Råprot	1	184.000	.	184.000	184.000
sRåprot	1	662.570	.	662.570	662.570
NH3-N	1	78.080	.	78.080	78.080
NDF	1	357.000	.	357.000	357.000
iNDF	1	117.555	.	117.555	117.555
nhNDF	1	4.804	.	4.804	4.804
TAF	1	19.130	.	19.130	19.130
Mjölksyra	1	13.680	.	13.680	13.680
Ättiksyra	1	2.450	.	2.450	2.450
Socker	1	103.600	.	103.600	103.600
AATp20	1	91.349	.	91.349	91.349
PBVp20	1	40.206	.	40.206	40.206
NELp20	1	6.519	.	6.519	6.519
OE*	1	11.320	.	11.320	11.320
AAT*	1	72.107	.	72.107	72.107
Ca	1	9.804	.	9.804	9.804
P	1	2.469	.	2.469	2.469
Mg	1	2.016	.	2.016	2.016
K	1	28.117	.	28.117	28.117
Na	1	0.054	.	0.054	0.054
S	1	2.083	.	2.083	2.083
CAB	1	458.846	.	458.846	458.846

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	106.922	.	106.922	106.922
Mn	1	29.684	.	29.684	29.684
Zn	1	23.965	.	23.965	23.965
Cu	1	8.722	.	8.722	8.722

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	30	381.233	88.951	266.500	524.000
Aska	30	77.600	10.598	67.500	93.500
OS smbh	30	77.247	3.636	73.150	81.200
Råprot	30	154.333	26.598	119.500	196.000
sRåprot	30	597.400	105.246	416.000	709.000
NH3-N	30	74.633	29.008	27.500	110.500
NDF	30	443.467	51.517	382.500	504.000
iNDF	30	138.978	38.134	96.877	200.978
nhNDF	30	5.004	0.837	4.102	5.785
TAF	30	65.260	30.193	30.200	108.450
Mjölksyra	30	50.800	25.206	21.000	88.000
Ättiksyra	29	11.793	6.184	3.000	20.000
Socker	30	67.067	39.512	24.500	126.500
PRF	5	1.200	1.095	0.000	2.000
BUF	29	1.441	1.316	0.100	3.800
AATp20	30	85.350	3.446	80.640	89.624
PBVp20	30	21.769	25.307	-13.162	63.395

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	30	6.400	0.379	5.937	6.877
OE*	30	11.236	0.596	10.540	11.960
AAT*	24	72.333	1.579	71.000	74.000
PBV*	24	22.958	21.251	-6.000	42.000
Ca	29	4.852	1.619	3.600	7.300
P	29	2.734	0.360	2.200	3.100
Mg	29	1.597	0.272	1.200	2.000
K	29	27.710	3.383	23.500	31.200
Na	29	0.438	0.358	0.100	0.900
Cl	30	4.753	2.311	2.350	8.600
S	29	2.031	0.380	1.500	2.700
CAB	29	465.303	79.258	382.153	555.312
Fe	29	226.586	170.991	74.000	416.000
Mn	29	55.414	19.089	39.000	93.000
Zn	29	27.655	4.538	21.000	35.000
Cu	29	6.797	1.437	5.100	8.600
Se	11	0.020	0.017	0.006	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	432.500	228.395	271.000	594.000
Aska	2	78.500	17.678	66.000	91.000
OS smbh	2	72.800	2.546	71.000	74.600
Råprot	2	163.500	12.021	155.000	172.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	2	500.500	34.648	476.000	525.000
NH3-N	2	25.500	20.506	11.000	40.000
NDF	2	453.500	38.891	426.000	481.000
iNDF	2	194.773	12.407	186.000	203.547
nhNDF	2	3.949	0.441	3.637	4.260
TAF	2	66.250	59.043	24.500	108.000
Mjölksyra	2	54.000	53.740	16.000	92.000
Ättiksyra	2	11.000	5.657	7.000	15.000
Socker	2	61.500	55.861	22.000	101.000
PRF	1	1.000	.	1.000	1.000
BUF	2	0.250	0.354	0.000	0.500
AATp20	2	83.850	2.571	82.032	85.667
PBVp20	2	33.064	14.722	22.654	43.474
NELp20	2	6.070	0.384	5.798	6.341
OE*	2	10.470	0.240	10.300	10.640
AAT*	1	70.000	.	70.000	70.000
PBV*	1	35.000	.	35.000	35.000
Ca	2	7.250	1.768	6.000	8.500
P	2	2.800	0.566	2.400	3.200
Mg	2	2.350	0.071	2.300	2.400
K	2	20.750	9.687	13.900	27.600
Na	2	1.650	0.071	1.600	1.700
Cl	2	5.300	0.141	5.200	5.400
S	2	2.400	0.283	2.200	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	2	303.134	266.346	114.799	491.469
Fe	1	201.000	.	201.000	201.000
Mn	1	111.000	.	111.000	111.000
Zn	1	31.000	.	31.000	31.000
Cu	1	8.000	.	8.000	8.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	382.000	77.782	327.000	437.000
Aska	2	84.000	12.728	75.000	93.000
OS smbh	2	69.200	3.394	66.800	71.600
Råprot	2	146.500	10.607	139.000	154.000
sRåprot	2	532.500	31.820	510.000	555.000
NH3-N	2	102.000	28.284	82.000	122.000
NDF	2	445.500	2.121	444.000	447.000
iNDF	2	235.880	36.999	209.718	262.043
nhNDF	2	3.103	0.493	2.755	3.452
TAF	2	67.550	62.438	23.400	111.700
Mjölksyra	2	52.500	50.205	17.000	88.000
Ättiksyra	2	12.000	11.314	4.000	20.000
Socker	2	51.000	57.983	10.000	92.000
BUF	2	2.050	0.919	1.400	2.700
AATp20	2	77.665	7.980	72.023	83.308
PBVp20	2	27.353	22.609	11.366	43.340

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	5.509	0.190	5.375	5.643
OE*	2	9.850	0.636	9.400	10.300
AAT*	2	68.500	2.121	67.000	70.000
PBV*	2	29.000	14.142	19.000	39.000
Ca	2	10.900	0.141	10.800	11.000
P	2	2.600	0.141	2.500	2.700
Mg	2	2.600	0.283	2.400	2.800
K	2	19.250	2.192	17.700	20.800
Na	2	0.350	0.212	0.200	0.500
Cl	2	4.650	0.778	4.100	5.200
S	2	2.000	0.707	1.500	2.500
CAB	2	251.559	69.123	202.682	300.436
Fe	2	411.000	333.754	175.000	647.000
Mn	2	91.500	24.749	74.000	109.000
Zn	2	23.500	2.121	22.000	25.000
Cu	2	8.350	0.354	8.100	8.600

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	316.000	22.6274	300.000	332.000
Aska	2	99.500	4.9497	96.000	103.000
OS smbh	2	76.100	0.1414	76.000	76.200
Råprot	2	188.000	0.0000	188.000	188.000
sRåprot	2	513.000	36.7696	487.000	539.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	2	54.500	0.7071	54.000	55.000
NDF	2	386.500	27.5772	367.000	406.000
iNDF	2	222.500	30.4056	201.000	244.000
nhNDF	2	5.269	0.2558	5.088	5.450
TAF	2	104.500	45.9619	72.000	137.000
Mjölksyra	2	86.500	36.0624	61.000	112.000
Ättiksyra	2	14.500	9.1924	8.000	21.000
Socker	2	44.000	12.7279	35.000	53.000
PRF	2	3.500	0.7071	3.000	4.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	2	83.026	5.3660	79.231	86.820
PBVp20	2	56.844	8.3682	50.927	62.761
NELp20	2	6.351	0.1134	6.271	6.431
OE*	2	10.785	0.0354	10.760	10.810
Ca	2	8.400	2.2627	6.800	10.000
P	2	3.750	0.2121	3.600	3.900
Mg	2	2.750	0.2121	2.600	2.900
K	2	27.200	3.9598	24.400	30.000
Na	2	1.850	0.0707	1.800	1.900
Cl	2	5.900	2.8284	3.900	7.900
S	2	2.750	0.0707	2.700	2.800
CAB	2	438.015	14.1058	428.040	447.989

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	804.250	89.343	711.000	888.000
Aska	4	45.750	11.786	30.000	57.000
OS smbh	4	66.600	3.560	63.200	71.600
Råprot	4	97.750	28.488	69.000	137.000
sRåprot	3	453.000	23.643	431.000	478.000
NDF	4	560.750	40.779	513.000	599.000
iNDF	4	248.005	43.870	196.000	303.000
nhNDF	4	3.807	0.485	3.100	4.162
TAF	4	0.000	0.000	0.000	0.000
Socker	4	107.000	16.793	94.000	130.000
AATp20	4	88.382	1.232	86.711	89.640
PBVp20	4	-35.641	26.969	-63.679	1.196
NELp20	4	5.257	0.189	5.026	5.489
OE*	4	9.820	0.502	9.390	10.540
AAT*	1	68.000	.	68.000	68.000
PBV*	1	19.000	.	19.000	19.000
Ca	4	2.500	1.547	1.200	4.700
P	4	2.125	0.287	1.800	2.500
Mg	4	0.925	0.618	0.400	1.800
K	4	12.775	4.757	5.800	16.000
Na	4	0.325	0.096	0.200	0.400
S	4	1.275	0.550	1.000	2.100
CAB	4	120.324	124.867	-46.312	223.253
Fe	1	73.000	.	73.000	73.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	165.000	.	165.000	165.000
Zn	1	29.000	.	29.000	29.000
Cu	1	5.300	.	5.300	5.300

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	384.667	31.880	356.000	419.000
Aska	3	81.000	7.211	75.000	89.000
OS smbh	3	73.333	5.784	68.200	79.600
Råprot	3	147.667	16.503	134.000	166.000
sRåprot	3	534.000	50.478	492.000	590.000
NH3-N	3	66.667	22.745	48.000	92.000
NDF	3	323.667	86.234	234.000	406.000
iNDF	3	248.826	36.685	206.474	270.761
nhNDF	3	2.489	0.140	2.331	2.596
Stä	3	196.000	87.401	119.000	291.000
Socker	3	24.000	4.583	20.000	29.000
NELp20	3	0.000	0.000	0.000	0.000
Ca	3	6.367	0.611	5.700	6.900
P	3	3.200	0.794	2.600	4.100
Mg	3	3.800	0.529	3.400	4.400
K	3	16.500	1.637	15.100	18.300
Na	3	2.300	2.081	1.000	4.700
Cl	3	11.033	2.650	8.400	13.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	3	2.667	0.611	2.000	3.200
CAB	3	44.530	134.981	-105.673	155.678
Fe	3	715.667	282.727	393.000	920.000
Mn	3	96.333	12.503	84.000	109.000
Zn	3	89.000	15.395	76.000	106.000
Cu	3	17.633	2.775	15.100	20.600

*= Parametrar från det gamla svenska fodervärderingssystemet