

| Fodermedel                                    | Sk. nr. | Ant. | TS  | Aska | OS<br>smbh | Rå-<br>prot | sRå-<br>prot | NH3-N | NDF | iNDF | nhNDF | Stä | TAF  | Mjök-<br>syra | Ättik-<br>syra | Socker |
|-----------------------------------------------|---------|------|-----|------|------------|-------------|--------------|-------|-----|------|-------|-----|------|---------------|----------------|--------|
| Grönmassa blandvall (1-50 % baljväxter) (164) | 1       | 1    | 336 | 88   | 69.3       | 129         |              |       | 552 | 188  | 4.13  |     | 84.0 |               |                | 29     |
| Ensilage, blandvall (1-50% klöver) (165)      | 1       | 2    | 366 | 50   | 69.3       | 130         | 596          | 83.0  | 536 | 214  | 3.85  |     | 72.8 | 47.5          | 19.5           | 52     |
| Korn, helsädesensilage (250)                  | 1       | 1    | 493 | 50   | 70.4       | 149         | 571          | 67.0  | 477 | 218  | 3.37  | 27  | 14.7 | 6.0           | 7.0            | 41     |
| Fullfoder (TMR) ej kompletta data (1E3)       | 1       | 1    | 364 | 70   | 77.4       | 146         | 622          | 76.0  | 346 | 178  | 3.62  | 154 |      |               |                | 50     |

| Fodermedel                                    | Sk. nr. | Ant. | PRF | BUF | FOF | AAT-<br>p20 | PBV-<br>p20 | NEL-<br>p20 | OE*  | AAT* | PBV* |
|-----------------------------------------------|---------|------|-----|-----|-----|-------------|-------------|-------------|------|------|------|
| Grönmassa blandvall (1-50 % baljväxter) (164) | 1       | 1    |     |     |     | 77.1        | 11.6        | 5.68        | 9.8  | 70.0 | 9.0  |
| Ensilage, blandvall (1-50% klöver) (165)      | 1       | 2    | 5   | 2.8 |     | 78.6        | 10.6        | 5.84        | 10.2 | 71.0 | -1.0 |
| Korn, helsädesensilage (250)                  | 1       | 1    |     |     |     | 78.4        | 15.4        | 5.71        |      |      |      |
| Fullfoder (TMR) ej kompletta data (1E3)       | 1       | 1    |     |     |     |             |             | 0.00        |      |      |      |

| Fodermedel                                    | Sk. nr. | Ant. Ca | Ca  | P   | Mg  | K    | Na  | Cl  | S   | CAB | Ant. Fe | Fe    | Mn   | Zn    | Cu   | Se  |
|-----------------------------------------------|---------|---------|-----|-----|-----|------|-----|-----|-----|-----|---------|-------|------|-------|------|-----|
| Grönmassa blandvall (1-50 % baljväxter) (164) | 1       | 1       | 4.6 | 2.9 | 1.7 | 25.0 | 0.1 |     | 1.8 | 399 | 1       | 505.0 | 53.0 | 29.0  | 6.7  | 0.0 |
| Ensilage, blandvall (1-50% klöver) (165)      | 1       | 2       | 4.5 | 2.6 | 1.8 | 16.4 | 0.6 | 4.0 | 2.2 | 195 | 1       | 532.0 | 89.0 | 48.0  | 6.3  |     |
| Korn, helsädesensilage (250)                  | 1       | 1       | 5.6 | 2.8 | 2.0 | 15.9 | 0.1 | 2.0 | 2.1 | 223 | 1       | 209.0 | 91.0 | 43.0  | 6.5  |     |
| Fullfoder (TMR) ej kompletta data (1E3)       | 1       | 1       | 4.0 | 3.5 | 3.9 | 15.4 | 6.3 | 8.2 | 2.2 | 299 | 1       | 308.0 | 93.0 | 135.0 | 22.4 | 1.0 |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 336.000    | .       | 336.000       | 336.000       |
| Aska      | 1     | 88.000     | .       | 88.000        | 88.000        |
| OS smbh   | 1     | 69.300     | .       | 69.300        | 69.300        |
| Råprot    | 1     | 129.000    | .       | 129.000       | 129.000       |
| NDF       | 1     | 552.000    | .       | 552.000       | 552.000       |
| iNDF      | 1     | 188.275    | .       | 188.275       | 188.275       |
| nhNDF     | 1     | 4.131      | .       | 4.131         | 4.131         |
| TAF       | 1     | 84.000     | .       | 84.000        | 84.000        |
| Socker    | 1     | 29.000     | .       | 29.000        | 29.000        |
| AATp20    | 1     | 77.126     | .       | 77.126        | 77.126        |
| PBVp20    | 1     | 11.613     | .       | 11.613        | 11.613        |
| NELp20    | 1     | 5.677      | .       | 5.677         | 5.677         |
| OE*       | 1     | 9.800      | .       | 9.800         | 9.800         |
| AAT*      | 1     | 70.000     | .       | 70.000        | 70.000        |
| PBV*      | 1     | 9.000      | .       | 9.000         | 9.000         |
| Ca        | 1     | 4.600      | .       | 4.600         | 4.600         |
| P         | 1     | 2.900      | .       | 2.900         | 2.900         |
| Mg        | 1     | 1.700      | .       | 1.700         | 1.700         |
| K         | 1     | 25.000     | .       | 25.000        | 25.000        |
| Na        | 1     | 0.100      | .       | 0.100         | 0.100         |
| S         | 1     | 1.800      | .       | 1.800         | 1.800         |
| CAB       | 1     | 398.840    | .       | 398.840       | 398.840       |
| Fe        | 1     | 505.000    | .       | 505.000       | 505.000       |
| Mn        | 1     | 53.000     | .       | 53.000        | 53.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 1     | 29.000     | .       | 29.000        | 29.000        |
| Cu        | 1     | 6.700      | .       | 6.700         | 6.700         |
| Se        | 1     | 0.047      | .       | 0.047         | 0.047         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 365.500    | 116.673 | 283.000       | 448.000       |
| Aska      | 2     | 50.000     | 0.000   | 50.000        | 50.000        |
| OS smbh   | 2     | 69.250     | 3.889   | 66.500        | 72.000        |
| Råprot    | 2     | 130.000    | 12.728  | 121.000       | 139.000       |
| sRåprot   | 2     | 596.000    | 59.397  | 554.000       | 638.000       |
| NH3-N     | 2     | 83.000     | 0.000   | 83.000        | 83.000        |
| NDF       | 2     | 536.000    | 36.770  | 510.000       | 562.000       |
| iNDF      | 2     | 213.990    | 39.612  | 185.980       | 242.000       |
| nhNDF     | 2     | 3.850      | 0.225   | 3.691         | 4.009         |
| TAF       | 2     | 72.800     | 48.366  | 38.600        | 107.000       |
| Mjölksyra | 2     | 47.500     | 31.820  | 25.000        | 70.000        |
| Ättiksyra | 2     | 19.500     | 13.435  | 10.000        | 29.000        |
| Socker    | 2     | 52.000     | 53.740  | 14.000        | 90.000        |
| PRF       | 1     | 5.000      | .       | 5.000         | 5.000         |
| BUF       | 2     | 2.800      | 0.283   | 2.600         | 3.000         |
| AATp20    | 2     | 78.558     | 5.824   | 74.440        | 82.676        |
| PBVp20    | 2     | 10.589     | 21.345  | -4.504        | 25.682        |
| NELp20    | 2     | 5.842      | 0.085   | 5.782         | 5.903         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 2     | 10.225     | 0.672   | 9.750         | 10.700        |
| AAT*      | 1     | 71.000     | .       | 71.000        | 71.000        |
| PBV*      | 1     | -1.000     | .       | -1.000        | -1.000        |
| Ca        | 2     | 4.450      | 0.071   | 4.400         | 4.500         |
| P         | 2     | 2.550      | 0.212   | 2.400         | 2.700         |
| Mg        | 2     | 1.750      | 0.071   | 1.700         | 1.800         |
| K         | 2     | 16.350     | 2.333   | 14.700        | 18.000        |
| Na        | 2     | 0.550      | 0.495   | 0.200         | 0.900         |
| Cl        | 2     | 4.000      | 0.707   | 3.500         | 4.500         |
| S         | 2     | 2.150      | 0.071   | 2.100         | 2.200         |
| CAB       | 2     | 195.021    | 96.699  | 126.644       | 263.397       |
| Fe        | 1     | 532.000    | .       | 532.000       | 532.000       |
| Mn        | 1     | 89.000     | .       | 89.000        | 89.000        |
| Zn        | 1     | 48.000     | .       | 48.000        | 48.000        |
| Cu        | 1     | 6.300      | .       | 6.300         | 6.300         |

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 493.000    | .       | 493.000       | 493.000       |
| Aska      | 1     | 50.000     | .       | 50.000        | 50.000        |
| OS smbh   | 1     | 70.400     | .       | 70.400        | 70.400        |
| Råprot    | 1     | 149.000    | .       | 149.000       | 149.000       |
| sRåprot   | 1     | 571.000    | .       | 571.000       | 571.000       |
| NH3-N     | 1     | 67.000     | .       | 67.000        | 67.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NDF       | 1     | 477.000    | .       | 477.000       | 477.000       |
| iNDF      | 1     | 217.631    | .       | 217.631       | 217.631       |
| nhNDF     | 1     | 3.368      | .       | 3.368         | 3.368         |
| Stä       | 1     | 27.000     | .       | 27.000        | 27.000        |
| TAF       | 1     | 14.700     | .       | 14.700        | 14.700        |
| Mjölksyra | 1     | 6.000      | .       | 6.000         | 6.000         |
| Ättiksyra | 1     | 7.000      | .       | 7.000         | 7.000         |
| Socker    | 1     | 41.000     | .       | 41.000        | 41.000        |
| AATp20    | 1     | 78.429     | .       | 78.429        | 78.429        |
| PBVp20    | 1     | 15.448     | .       | 15.448        | 15.448        |
| NELp20    | 1     | 5.712      | .       | 5.712         | 5.712         |
| Ca        | 1     | 5.600      | .       | 5.600         | 5.600         |
| P         | 1     | 2.800      | .       | 2.800         | 2.800         |
| Mg        | 1     | 2.000      | .       | 2.000         | 2.000         |
| K         | 1     | 15.900     | .       | 15.900        | 15.900        |
| Na        | 1     | 0.100      | .       | 0.100         | 0.100         |
| Cl        | 1     | 2.000      | .       | 2.000         | 2.000         |
| S         | 1     | 2.100      | .       | 2.100         | 2.100         |
| CAB       | 1     | 223.409    | .       | 223.409       | 223.409       |
| Fe        | 1     | 209.000    | .       | 209.000       | 209.000       |
| Mn        | 1     | 91.000     | .       | 91.000        | 91.000        |
| Zn        | 1     | 43.000     | .       | 43.000        | 43.000        |
| Cu        | 1     | 6.500      | .       | 6.500         | 6.500         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 364.000    | .       | 364.000       | 364.000       |
| Aska      | 1     | 70.000     | .       | 70.000        | 70.000        |
| OS smbh   | 1     | 77.400     | .       | 77.400        | 77.400        |
| Råprot    | 1     | 146.000    | .       | 146.000       | 146.000       |
| sRåprot   | 1     | 622.000    | .       | 622.000       | 622.000       |
| NH3-N     | 1     | 76.000     | .       | 76.000        | 76.000        |
| NDF       | 1     | 346.000    | .       | 346.000       | 346.000       |
| iNDF      | 1     | 177.543    | .       | 177.543       | 177.543       |
| nhNDF     | 1     | 3.621      | .       | 3.621         | 3.621         |
| Stä       | 1     | 154.000    | .       | 154.000       | 154.000       |
| Socker    | 1     | 50.000     | .       | 50.000        | 50.000        |
| NELp20    | 1     | 0.000      | .       | 0.000         | 0.000         |
| Ca        | 1     | 4.000      | .       | 4.000         | 4.000         |
| P         | 1     | 3.500      | .       | 3.500         | 3.500         |
| Mg        | 1     | 3.900      | .       | 3.900         | 3.900         |
| K         | 1     | 15.400     | .       | 15.400        | 15.400        |
| Na        | 1     | 6.300      | .       | 6.300         | 6.300         |
| Cl        | 1     | 8.200      | .       | 8.200         | 8.200         |
| S         | 1     | 2.200      | .       | 2.200         | 2.200         |
| CAB       | 1     | 299.289    | .       | 299.289       | 299.289       |
| Fe        | 1     | 308.000    | .       | 308.000       | 308.000       |
| Mn        | 1     | 93.000     | .       | 93.000        | 93.000        |
| Zn        | 1     | 135.000    | .       | 135.000       | 135.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Cu        | 1     | 22.400     | .       | 22.400        | 22.400        |
| Se        | 1     | 1.030      | .       | 1.030         | 1.030         |

\*= Parametrar från det gamla svenska fodervärderingssystemet