

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Prognos, blandvall (1-50% baljv) (042)	1	20	217		73.2					170	4.32					96.4	-4.4	5.94
Grönmassa, gräs (0% baljv.) (161)	1	83	441	65	73.2	146	404		487	173	4.31	22	112	0.0	0.7	88.5	6.4	5.89
Ensilage, gräs (0% klöver) (162)	1	58	401	69	74.9	135	623	79.9	468	158	4.46		71	52.4	12.6	81.3	8.5	6.09
Grönmassa blandvall (1-50 % baljväxter) (164)	0	42	597	79	76.4	148			509	128	5.46		122			85.6	14.7	6.31
Grönmassa blandvall (1-50 % baljväxter) (164)	1	515	417	70	77.7	144	432		454	127	5.22	18	133	0.0	2.1	89.2	5.6	6.32
Grönmassa blandvall (1-50 % baljväxter) (164)	2	167	481	79	75.5	152	425		467	151	4.77		102	0.0	0.6	85.8	19.4	6.17
Grönmassa blandvall (1-50 % baljväxter) (164)	3	33	457	86	74.5	160	391		483	157	4.71		83			84.8	27.6	6.14
Ensilage, blandvall (1-50% klöver) (165)	0	36	452	71	74.1	130	561	72.7	469	168	4.31		60	48.2	12.2	82.5	6.4	6.04
Ensilage, blandvall (1-50% klöver) (165)	1	833	379	70	76.7	146	640	75.8	433	148	4.57	114	74	56.8	15.1	83.1	17.5	6.30
Ensilage, blandvall (1-50% klöver) (165)	2	180	450	78	75.6	157	565	65.1	442	161	4.47		73	45.7	13.3	84.8	25.3	6.20
Ensilage, blandvall (1-50% klöver) (165)	3	44	401	90	72.9	152	537	87.8	439	200	4.01		48	53.9	15.7	80.6	27.5	5.90
Ensilage, blandvall (1-50% klöver) (165)	4	13	408	89	73.2	163	544	87.5	424	205	4.00		53	50.8	16.0	81.5	36.7	5.95
Korn, helsädesensilage (250)	1	24	364	59	69.8	117	551	69.9	465	225	3.27	76	92	28.3	11.0	74.8	-6.4	5.59
Vete, helsäd ensilage (299)	1	25	399	56	68.5	104	589	62.8	476	246	3.27	74	88	30.5	13.7	72.7	-14	5.54
Majs, helsädesensilage (305)	1	16	356	26	75.7	74	571	61.4	377	214	3.43	310	6	50.9	14.3	82.1	-55	6.47
Hö, blandvall, 0-50% baljväxter (383)	1	54	849	57	67.7	87	442		569	205	3.82		132	0.0	0.0	86.0	-42	5.25
Grönmassa, blandvall (51-100% baljväxter) (437)	0	10	286	80	68.4	179			440	395	6.21		69			78.7	60.7	5.62
Grönmassa, blandvall (51-100% baljväxter) (437)	1	15	264	77	77.4	193	336		395	202	5.62		112			87.6	59.1	6.43
Ensilage, blandvall (1-50% klöver) (326)	1	15	454	68	74.6	152	496	70.3	359	228	3.29	158	40	32.3	12.3	87.4	20.5	6.32

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	81	4.6	2.6	1.6	20.2	0.7	4.1	2.0	293	59	153.9	129.4	34.5	5.8	0.0
Ensilage, gräs (0% klöver) (162)	1	57	4.6	2.5	1.6	21.3	1.0	5.0	2.0	326	55	214.9	66.6	29.2	5.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	27	5.2	2.9	2.0	25.9	1.3		2.1	457	27	107.9	45.7	37.2	6.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	475	5.0	2.7	1.7	23.4	0.8	5.0	2.0	372	374	140.8	67.0	29.1	5.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	149	7.1	3.0	2.3	25.4	1.2	5.8	2.5	403	123	143.8	63.1	28.9	6.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	27	6.3	3.1	2.3	28.2	1.0	8.1	2.5	430	20	121.8	69.2	29.0	7.3	
Ensilage, blandvall (1-50% klöver) (165)	0	21	5.5	2.4	1.8	21.4	0.8	5.7	1.9	316	21	156.6	59.9	28.0	5.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	796	5.3	2.6	1.7	23.0	1.0	4.9	2.0	369	676	234.8	56.9	29.4	5.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	171	6.2	2.9	2.2	24.3	1.4	7.6	2.4	322	132	169.9	71.6	31.1	7.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	32	7.7	3.0	2.6	22.8	1.4	5.5	2.4	356	21	361.5	91.0	28.4	7.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	10	8.0	3.2	2.6	24.3	1.9	7.7	2.9	365	5	342.0	123.4	23.4	7.3	
Korn, helsädesensilage (250)	1	22	4.3	2.6	1.4	17.1	0.7	3.8	1.7	255	12	187.6	42.2	36.1	5.2	
Vete, helsäd ensilage (299)	1	25	3.7	2.2	1.4	16.6	0.6	3.4	1.5	254	20	111.0	46.4	22.6	4.2	0.0
Majs, helsädesensilage (305)	1	16	2.0	1.8	1.1	8.4	0.3	2.2	0.9	120	9	117.4	27.6	24.8	4.0	0.1
Hö, blandvall, 0-50% baljväxter (383)	1	47	3.3	2.2	1.3	18.4	0.5	4.3	1.5	260	44	122.8	69.7	24.5	4.3	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	0	10	14.2	3.1	2.1	19.2	0.8		2.3	254	10	98.6	31.6	23.3	7.4	
Grönmassa, blandvall (51-100% baljväxter) (437)	1	15	11.6	3.3	2.0	27.3	0.7	0.2	2.1	477	14	123.3	35.0	26.6	6.7	0.0
Ensilage, blandvall (1-50% klöver) (326)	1	15	6.2	3.8	2.9	15.5	3.4	6.4	2.8	188	9	268.9	91.8	69.2	10.9	0.4

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	20	216.600	25.6892	187.500	263.000
OS smbh	20	73.150	0.0000	73.150	73.150
iNDF	20	170.460	0.0000	170.460	170.460
nhNDF	20	4.315	0.0000	4.315	4.315
TAF	20	0.000	0.0000	0.000	0.000
AAT20	20	96.439	0.0000	96.439	96.439
PBV20	20	-4.418	0.0000	-4.418	-4.418
NEL20	20	5.943	0.0000	5.943	5.943

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	83	440.639	229.286	205.000	800.000
Aska	83	65.096	15.714	49.000	86.000
OS smbh	83	73.160	5.887	65.300	79.400
Råprot	83	145.542	60.000	82.000	222.000
sRåprot	51	403.941	93.602	267.000	495.000
NDF	83	487.205	68.838	404.000	589.000
iNDF	83	172.533	70.847	90.000	255.381
nhNDF	83	4.308	0.983	3.566	5.321
Socker	83	111.867	40.996	58.000	160.000
TAF	83	37.771	26.321	4.000	61.000
Mjölksyra	37	0.000	0.000	0.000	0.000
Ättiksyra	35	0.657	1.830	0.000	3.000
PRF	35	4.829	3.560	0.000	11.000
BUF	35	3.000	2.870	0.000	7.000
AAT20	83	88.502	10.935	75.536	100.255
PBV20	83	6.406	39.396	-37.659	62.241
NEL20	83	5.890	0.545	5.181	6.554
Ca	81	4.590	1.948	2.700	7.200
P	81	2.598	0.708	1.700	3.300
Mg	81	1.633	0.602	1.000	2.400
K	81	20.204	5.588	13.800	28.800
Na	80	0.662	0.565	0.100	1.300
Cl	45	4.078	3.145	1.200	9.400
S	81	2.019	0.766	1.100	3.000
CAB	81	292.973	145.299	144.233	504.967
Fe	59	153.949	111.648	60.000	307.000
Mn	59	129.441	171.637	28.000	425.000
Zn	59	34.492	18.487	19.000	61.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Cu	59	5.814	1.981	3.800	9.000
Se	11	0.029	0.023	0.005	0.050

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	58	401.069	156.553	262.000	684.000
Aska	58	68.655	13.523	56.000	78.000
OS smbh	59	74.859	4.354	68.300	79.200
Råprot	58	135.379	29.017	90.000	167.000
sRåprot	57	622.667	106.878	439.000	717.000
NH3-N	57	79.912	26.977	41.000	118.000
NDF	58	467.810	55.922	406.000	555.000
iNDF	59	158.049	35.213	122.141	206.628
nhNDF	59	4.462	0.572	3.834	5.136
Socker	58	71.069	39.043	20.000	126.000
TAF	59	67.188	31.643	28.000	117.100
Mjölksyra	57	52.351	27.883	17.000	95.000
Ättiksyra	57	12.614	5.966	5.000	19.000
BUF	57	1.089	1.403	0.000	3.300
AAT20	59	81.281	4.460	74.952	87.146
PBV20	59	8.530	23.181	-29.404	34.886
NEL20	59	6.092	0.461	5.497	6.531
Ca	57	4.644	1.154	3.300	6.400
P	57	2.456	0.428	1.900	2.900
Mg	57	1.630	0.276	1.200	2.000
K	57	21.254	4.869	15.800	27.500
Na	57	1.037	0.796	0.100	2.200
Cl	57	4.979	2.583	1.100	7.700
S	57	1.963	0.384	1.400	2.400
CAB	57	326.067	117.288	158.350	481.114
Fe	55	214.945	300.474	76.000	373.000
Mn	55	66.636	29.172	34.000	90.000
Zn	55	29.218	7.274	22.000	36.000
Cu	55	5.507	0.891	4.100	6.800
Se	11	0.022	0.017	0.007	0.050

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	42	596.690	306.808	291.000	1000.00
Aska	28	78.714	11.916	66.000	98.00
OS smbh	42	76.429	4.059	73.500	80.70
Råprot	28	148.036	26.669	128.000	173.00
NDF	38	508.816	70.193	427.000	624.00
iNDF	42	127.970	39.118	93.083	166.16
nhNDF	42	5.456	1.036	4.263	6.17
Socker	28	122.250	34.391	80.000	166.00
TAF	42	84.000	0.000	84.000	84.00
AAT20	42	85.640	4.888	81.766	89.83
PBV20	42	14.699	14.980	1.614	31.06
NEL20	42	6.313	0.392	6.006	6.67
Ca	27	5.178	1.493	3.400	7.20
P	27	2.878	0.297	2.500	3.30
Mg	27	2.004	0.447	1.400	2.40
K	27	25.885	3.744	21.600	30.40
Na	27	1.341	0.945	0.100	2.80
S	27	2.089	0.459	1.400	2.80
CAB	27	457.368	98.157	343.133	595.07
Fe	27	107.889	71.449	67.000	145.00
Mn	27	45.667	19.670	28.000	85.00
Zn	27	37.185	57.426	22.000	31.00
Cu	27	6.359	1.354	4.500	8.60

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	515	416.808	147.630	244.000	635.000
Aska	514	69.698	11.249	56.000	84.000
OS smbh	515	77.653	4.750	70.400	83.200
Råprot	514	143.562	30.647	102.000	177.000
sRåprot	209	432.139	73.283	349.000	515.000
NDF	514	454.142	56.522	386.000	532.000
iNDF	515	126.582	51.609	64.021	198.000
nhNDF	515	5.224	1.449	3.857	6.739
Socker	514	132.840	43.736	77.000	189.000
TAF	515	62.988	33.835	5.000	84.000
Mjölksyra	145	0.000	0.000	0.000	0.000
Ättiksyra	131	2.099	5.082	0.000	8.000
PRF	131	3.718	3.544	0.000	10.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
BUF	131	2.420	2.395	0.000	6.000
AAT20	515	89.166	6.592	80.654	97.263
PBV20	515	5.605	22.662	-22.116	34.481
NEL20	515	6.316	0.430	5.729	6.865
Ca	475	5.032	1.814	3.200	7.300
P	475	2.710	0.498	2.100	3.300
Mg	475	1.697	0.423	1.200	2.200
K	475	23.428	5.233	16.500	29.700
Na	473	0.809	0.701	0.100	1.600
Cl	192	5.021	3.203	1.400	8.400
S	475	2.020	0.469	1.400	2.600
CAB	475	372.019	132.826	204.514	536.180
Fe	374	140.848	194.762	66.000	231.000
Mn	374	66.965	73.640	31.000	93.000
Zn	374	29.115	9.203	21.000	37.000
Cu	374	5.771	2.820	4.000	7.400
Se	65	0.020	0.019	0.006	0.050

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	167	480.988	156.392	299.000	710.000
Aska	166	79.175	10.826	65.000	93.000
OS smbh	167	75.505	4.366	70.500	80.100
Råprot	166	152.410	25.669	122.000	185.000
sRåprot	52	424.923	78.014	368.000	550.000
NDF	166	467.241	40.097	417.000	517.000
iNDF	167	150.856	56.268	78.000	221.000
nhNDF	167	4.773	0.977	3.659	5.965
Socker	166	101.898	38.146	51.000	146.000
TAF	167	75.904	24.137	12.000	84.000
Mjölksyra	17	0.000	0.000	0.000	0.000
Ättiksyra	17	0.647	2.422	0.000	1.000
PRF	17	2.647	1.169	1.000	4.000
BUF	17	1.176	1.185	0.000	3.000
AAT20	167	85.789	6.336	78.707	95.198
PBV20	167	19.361	20.374	-6.048	46.566
NEL20	167	6.173	0.413	5.713	6.707
Ca	149	7.090	4.832	4.100	10.300
P	149	3.024	1.853	2.400	3.400

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Mg	149	2.346	1.155	1.700	2.900
K	149	25.411	18.595	17.000	29.800
Na	149	1.226	0.946	0.300	2.900
Cl	52	5.846	3.754	2.600	10.400
S	149	2.497	1.910	1.800	3.000
CAB	149	403.430	376.667	225.230	538.018
Fe	123	143.772	132.400	73.000	225.000
Mn	123	63.065	27.638	30.000	97.000
Zn	123	28.870	7.779	21.000	37.000
Cu	123	6.842	1.665	5.000	9.000
Se	33	0.023	0.016	0.007	0.050

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	33	457.091	142.404	316.000	733.000
Aska	33	85.697	13.828	68.000	106.000
OS smbh	33	74.461	3.746	69.100	78.100
Råprot	33	159.545	25.863	130.000	190.000
sRåprot	13	391.385	25.909	361.000	411.000
NDF	33	483.212	39.482	426.000	529.000
iNDF	33	157.059	44.723	111.289	232.818
nhNDF	33	4.706	0.841	3.309	5.651
Socker	33	82.879	31.362	42.000	126.000
TAF	33	84.000	0.000	84.000	84.000
AAT20	33	84.847	5.674	77.177	91.326
PBV20	33	27.583	20.201	-0.572	44.945
NEL20	33	6.136	0.384	5.631	6.493
Ca	27	6.341	2.006	4.400	10.000
P	27	3.137	0.466	2.400	3.800
Mg	27	2.326	0.490	1.700	3.100
K	27	28.207	5.024	19.600	35.100
Na	27	0.993	0.777	0.200	1.500
Cl	13	8.146	7.483	3.100	9.900
S	27	2.485	0.373	2.000	3.000
CAB	27	430.115	168.345	317.526	541.831
Fe	20	121.800	52.163	74.500	193.500
Mn	20	69.200	27.833	28.500	107.000
Zn	20	29.000	4.472	24.000	34.500
Cu	20	7.300	1.182	6.000	9.050

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	36	452.111	212.492	289.000	739.000
Aska	29	71.345	12.717	47.000	89.000
OS smbh	36	74.086	3.116	71.600	78.500
Råprot	30	129.600	23.548	94.000	152.500
sRåprot	22	560.773	77.929	459.000	653.000
NH3-N	23	72.652	24.967	41.000	99.000
NDF	29	469.138	48.099	408.000	546.000
iNDF	36	167.519	28.675	134.729	202.701
nhNDF	36	4.311	0.520	3.501	4.761
Socker	29	60.069	46.178	19.000	142.000
TAF	36	68.381	24.480	25.400	94.700
Mjölksyra	23	48.217	23.798	17.000	74.000
Ättiksyra	23	12.217	6.346	5.000	21.000
BUF	23	0.957	0.896	0.100	2.500
AAT20	36	82.460	3.554	78.743	85.118
PBV20	36	6.398	19.442	-28.153	22.088
NEL20	36	6.036	0.313	5.791	6.469
Ca	21	5.481	1.957	3.400	8.000
P	21	2.381	0.479	1.800	2.800
Mg	21	1.819	0.492	1.200	2.500
K	21	21.386	5.219	16.100	26.800
Na	21	0.843	0.671	0.200	1.600
Cl	22	5.650	3.259	2.100	8.700
S	21	1.914	0.425	1.500	2.500
CAB	21	316.400	100.260	219.862	418.389
Fe	21	156.619	91.509	80.000	335.000
Mn	21	59.857	22.998	30.000	94.000
Zn	21	28.048	9.206	22.000	34.000
Cu	21	5.910	1.375	4.100	6.800

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	833	378.838	110.75	272.000	532.000
Aska	829	69.911	11.33	57.000	81.000
OS smbh	835	76.741	3.46	72.200	80.300
Råprot	829	145.817	23.85	115.000	174.000
sRåprot	829	639.633	78.71	541.000	725.000
NH3-N	827	75.811	28.38	42.000	110.000
NDF	829	433.257	47.20	375.000	501.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
iNDF	835	147.743	35.03	111.527	191.564
nhNDF	835	4.572	0.59	3.896	5.268
Socker	829	73.723	43.03	27.000	137.000
TAF	835	74.742	31.19	28.400	113.100
Mjölksyra	829	56.789	26.88	18.000	91.000
Ättiksyra	829	15.083	6.31	7.000	22.000
PRF	304	3.125	2.01	1.000	6.000
BUF	829	1.060	2.35	0.000	2.800
AAT20	835	83.077	4.09	78.566	87.984
PBV20	835	17.536	21.93	-10.926	44.813
NEL20	835	6.303	0.35	5.866	6.643
Ca	796	5.305	1.54	3.700	7.500
P	796	2.612	0.43	2.100	3.200
Mg	796	1.711	0.30	1.400	2.100
K	796	23.043	4.05	18.000	27.800
Na	796	1.003	0.73	0.200	1.900
Cl	825	4.864	3.79	1.600	8.300
S	796	2.028	0.39	1.600	2.500
CAB	796	369.435	122.14	232.826	490.864
Fe	676	234.759	1620.73	78.000	290.000
Mn	676	56.888	26.37	30.000	84.000
Zn	676	29.401	17.25	22.000	35.000
Cu	676	5.798	1.21	4.300	7.200
Se	134	0.033	0.02	0.008	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	180	450.444	134.201	297.000	652.000
Aska	179	77.793	10.563	66.000	88.000
OS smbh	180	75.595	3.107	72.400	79.000
Råprot	179	157.084	23.212	127.000	185.000
sRåprot	179	564.777	94.890	428.000	659.000
NH3-N	178	65.124	28.973	30.000	95.000
NDF	179	442.184	34.977	398.000	482.000
iNDF	180	160.621	39.454	116.500	213.016
nhNDF	180	4.468	0.599	3.742	5.089
Socker	179	72.749	38.619	23.000	129.000
TAF	180	61.938	29.871	20.000	100.950
Mjölksyra	179	45.659	24.474	13.000	78.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Ättiksyra	179	13.279	6.960	5.000	21.000
PRF	75	3.320	2.100	1.000	6.000
BUF	179	0.932	2.544	0.000	2.000
AAT20	180	84.835	4.972	79.483	90.940
PBV20	180	25.284	20.969	-3.962	50.028
NEL20	180	6.197	0.333	5.813	6.567
Ca	171	6.238	1.728	4.300	8.600
P	171	2.860	0.420	2.400	3.400
Mg	171	2.239	0.391	1.800	2.700
K	171	24.252	4.480	18.200	29.400
Na	171	1.440	0.925	0.400	2.500
Cl	179	7.607	5.207	2.400	12.600
S	171	2.418	0.434	1.800	2.900
CAB	171	321.612	150.063	170.246	482.578
Fe	132	169.894	147.428	80.000	270.000
Mn	132	71.629	32.196	42.000	107.000
Zn	132	31.061	10.083	23.000	39.000
Cu	132	7.180	1.401	5.400	9.000
Se	27	0.025	0.018	0.008	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	44	400.705	146.119	255.000	615.000
Aska	44	89.818	23.975	69.000	114.000
OS smbh	44	72.900	3.182	68.900	76.300
Råprot	44	152.136	25.402	124.000	184.000
sRåprot	44	537.114	76.735	438.000	614.000
NH3-N	44	87.750	34.138	43.000	138.000
NDF	44	439.000	43.574	385.000	486.000
iNDF	44	199.560	45.191	146.000	262.468
nhNDF	44	4.014	0.769	3.096	4.822
Socker	44	48.114	31.275	18.000	101.000
TAF	44	73.668	35.835	20.500	115.000
Mjölksyra	44	53.864	30.920	6.000	89.000
Ättiksyra	44	15.727	9.804	5.000	23.000
PRF	13	5.462	4.427	1.000	9.000
BUF	44	1.759	2.303	0.000	4.700
AAT20	44	80.607	5.122	73.848	88.120
PBV20	44	27.518	22.518	1.202	56.053

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
NEL20	44	5.902	0.390	5.384	6.336
Ca	32	7.688	2.369	5.100	10.400
P	32	3.013	0.508	2.600	3.600
Mg	32	2.581	0.488	2.000	3.400
K	32	22.816	3.957	20.400	26.700
Na	32	1.403	1.059	0.500	2.000
Cl	44	5.530	3.906	1.600	11.900
S	32	2.422	0.335	2.000	2.800
CAB	32	356.010	119.711	177.153	497.599
Fe	21	361.524	647.373	131.000	510.000
Mn	21	91.000	40.368	44.000	137.000
Zn	21	28.429	4.578	23.000	34.000
Cu	21	7.314	1.903	5.900	9.800

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	13	408.308	153.166	286.000	667.000
Aska	13	89.077	7.643	81.000	98.000
OS smbh	13	73.231	3.667	66.700	76.800
Råprot	13	163.385	23.796	132.000	188.000
sRåprot	13	544.077	89.701	412.000	660.000
NH3-N	13	87.538	53.699	48.000	140.000
NDF	13	424.077	41.632	386.000	469.000
iNDF	13	204.886	37.302	163.517	259.000
nhNDF	13	3.999	0.832	2.870	4.989
Socker	13	52.692	33.748	22.000	106.000
TAF	13	72.115	42.279	6.500	118.000
Mjölksyra	13	50.769	33.616	2.000	90.000
Ättiksyra	13	16.000	10.100	3.000	26.000
BUF	13	2.346	4.579	0.000	7.000
AAT20	13	81.471	4.502	76.698	87.078
PBV20	13	36.735	20.431	5.771	60.667
NEL20	13	5.947	0.413	5.297	6.437
Ca	10	7.980	1.963	5.750	10.750
P	10	3.160	0.406	2.600	3.600
Mg	10	2.570	0.408	1.950	3.100
K	10	24.330	3.532	19.700	29.050
Na	10	1.920	0.898	1.100	3.200
Cl	13	7.654	4.344	3.200	13.900

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
S	10	2.870	0.416	2.300	3.400
CAB	10	364.945	114.191	222.263	502.066

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	24	363.625	96.917	243.000	470.000
Aska	24	59.208	17.686	41.000	85.000
OS smbh	24	69.796	5.441	62.500	77.000
Råprot	24	116.708	26.765	88.000	145.000
sRåprot	24	551.208	116.911	442.000	750.000
NH3-N	23	69.870	51.880	18.000	143.000
NDF	24	464.583	56.332	385.000	537.000
iNDF	24	225.436	68.628	132.000	317.000
nhNDF	24	3.273	0.899	2.078	4.301
Stä	23	75.565	87.609	7.000	192.000
Socker	24	92.125	68.182	22.000	180.000
TAF	24	42.333	19.664	23.000	70.700
Mjölksyra	24	28.250	12.270	16.000	43.000
Ättiksyra	24	10.958	7.160	4.000	23.000
PRF	14	2.500	2.739	0.000	7.000
BUF	14	1.643	1.946	0.000	5.000
AAT20	24	74.791	6.542	67.888	83.780
PBV20	24	-6.438	22.281	-28.346	24.288
NEL20	24	5.587	0.433	5.061	6.156
Ca	22	4.277	3.508	1.700	8.900
P	22	2.550	0.611	1.900	3.100
Mg	22	1.441	0.684	0.600	2.300
K	22	17.127	7.093	10.800	23.900
Na	22	0.691	0.407	0.200	1.300
Cl	18	3.778	3.532	0.800	8.700
S	22	1.736	0.468	1.100	2.300
CAB	22	254.945	139.408	100.151	409.102
Fe	12	187.583	215.524	72.000	222.000
Mn	12	42.167	28.155	18.000	92.000
Zn	12	36.083	21.803	18.000	68.000
Cu	12	5.208	1.102	4.000	6.400

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	25	399.040	101.434	285.000	487.000
Aska	25	55.880	11.738	40.000	71.000
OS smbh	25	68.544	5.184	63.200	76.100
Råprot	25	103.960	26.964	66.000	142.000
sRåprot	25	589.440	142.411	408.000	746.000
NH3-N	25	62.800	34.084	24.000	111.000
NDF	25	476.000	53.115	408.000	542.000
iNDF	25	245.637	60.075	155.208	311.133
nhNDF	25	3.268	0.912	2.089	4.467
Stä	25	74.080	70.174	17.000	200.000
Socker	25	88.160	36.453	44.000	140.000
TAF	25	47.098	29.521	19.000	89.000
Mjölksyra	25	30.480	23.376	6.000	56.000
Ättiksyra	24	13.667	7.938	5.000	25.000
AAT20	25	72.655	4.357	67.809	78.748
PBV20	25	-14.449	24.397	-45.277	22.298
NEL20	25	5.537	0.443	5.116	6.109
Ca	25	3.652	1.009	2.700	5.300
P	25	2.184	0.591	1.300	2.900
Mg	25	1.412	0.370	1.100	1.900
K	25	16.588	5.482	9.900	25.800
Na	25	0.560	0.528	0.100	1.300
Cl	23	3.417	2.467	0.700	7.200
S	25	1.540	0.371	1.000	2.100
CAB	25	253.662	150.761	95.281	485.763
Fe	20	110.950	48.731	64.000	181.000
Mn	20	46.400	24.117	20.500	76.500
Zn	20	22.600	6.185	14.500	30.500
Cu	20	4.210	0.991	3.000	5.350

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	16	356.063	51.8478	277.000	409.000
Aska	16	26.125	4.7028	20.000	32.000
OS smbh	18	75.717	2.6451	70.500	78.600
Råprot	16	73.500	8.1322	64.000	86.000
sRåprot	16	571.125	98.2316	446.000	725.000
NH3-N	16	61.375	35.5038	25.000	120.000
NDF	16	376.875	45.9766	314.000	436.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
iNDF	18	214.019	32.2842	179.000	262.000
nhNDF	18	3.426	0.4603	2.880	4.043
Stä	16	310.125	40.9990	252.000	361.000
Socker	16	6.125	5.9875	0.000	13.000
TAF	18	67.500	13.0350	48.000	85.000
Mjölksyra	16	50.938	15.2773	31.000	64.000
Ättiksyra	16	14.313	7.7435	6.000	21.000
PRF	11	3.273	1.1909	2.000	5.000
BUF	11	0.000	0.0000	0.000	0.000
AAT20	18	82.108	3.1969	78.116	86.274
PBV20	18	-55.052	5.9989	-65.312	-49.068
NEL20	18	6.471	0.2294	6.165	6.748
Ca	16	1.963	0.3722	1.300	2.500
P	16	1.831	0.1991	1.500	2.100
Mg	16	1.081	0.1905	0.800	1.300
K	16	8.419	1.4607	6.400	10.000
Na	16	0.306	0.1731	0.100	0.500
S	16	0.944	0.2250	0.800	1.200
CAB	16	120.348	28.7420	86.263	164.412

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	54	848.667	79.102	742.000	920.000
Aska	54	57.241	13.398	42.000	77.000
OS smbh	54	67.689	5.253	61.900	75.500
Råprot	54	86.630	28.205	60.000	126.000
NDF	54	568.611	48.618	510.000	631.000
iNDF	54	204.932	44.630	137.904	251.827
nhNDF	54	3.821	0.783	2.918	5.111
Socker	54	132.315	27.999	100.000	156.000
TAF	54	0.093	0.680	0.000	0.000
AAT20	54	85.981	6.944	78.425	95.884
PBV20	54	-42.349	18.195	-61.669	-15.828
NEL20	54	5.254	0.489	4.732	5.963
Ca	47	3.281	1.350	1.700	5.500
P	47	2.162	0.602	1.400	3.100
Mg	47	1.279	0.448	0.900	1.900
K	47	18.383	5.927	11.800	28.500
Na	47	0.487	0.731	0.100	1.300

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
S	47	1.483	0.452	0.900	2.100
CAB	47	259.544	131.967	121.383	488.998
Fe	44	122.818	165.841	47.000	205.000
Mn	44	69.682	41.112	32.000	110.000
Zn	44	24.477	7.429	17.000	37.000
Cu	44	4.332	1.343	3.200	6.000
Se	12	0.033	0.030	0.005	0.059

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	10	285.900	44.8961	234.500	338.500
Aska	10	80.000	5.6765	72.000	87.500
OS smbh	10	68.390	2.5445	65.200	71.800
Råprot	10	179.000	24.7880	148.500	210.500
NDF	10	439.500	22.6728	405.500	468.500
iNDF	10	394.923	60.4857	315.453	455.419
nhNDF	10	6.208	0.5643	5.438	7.020
Socker	10	68.900	13.8760	54.500	91.500
TAF	10	72.000	0.0000	72.000	72.000
AAT20	10	78.702	2.9631	75.068	82.106
PBV20	10	60.743	20.4043	37.287	87.844
NEL20	10	5.618	0.2532	5.314	5.922
Ca	10	14.220	1.6712	12.450	16.900
P	10	3.050	0.4170	2.600	3.500
Mg	10	2.120	0.3259	1.700	2.550
K	10	19.220	3.6772	14.800	23.800
Na	10	0.770	0.2497	0.450	1.100
S	10	2.260	0.5296	1.650	2.950
CAB	10	254.211	84.9802	153.735	362.582
Fe	10	98.600	7.6333	89.000	109.000
Mn	10	31.600	4.9035	26.000	38.500
Zn	10	23.300	2.9458	20.000	27.500
Cu	10	7.360	1.2322	5.400	8.300

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	15	263.800	139.227	153.000	535.000
Aska	15	76.733	9.953	65.000	89.000
OS smbh	15	77.393	3.212	73.300	82.100
Råprot	15	192.867	41.155	127.000	243.000
NDF	15	395.000	35.615	353.000	448.000
iNDF	15	202.420	76.681	67.882	272.717
nhNDF	15	5.623	0.662	4.575	6.417
Socker	15	112.333	36.043	78.000	156.000
TAF	15	72.000	0.000	72.000	72.000
AAT20	15	87.634	3.518	81.612	91.067
PBV20	15	59.120	35.950	7.040	105.392
NEL20	15	6.427	0.313	5.959	6.799
Ca	15	11.560	2.140	9.500	13.500
P	15	3.287	0.521	2.600	4.000
Mg	15	2.040	0.473	1.500	2.800
K	15	27.320	4.686	22.700	35.500
Na	15	0.687	0.458	0.200	1.500
S	15	2.087	0.548	1.400	2.800
CAB	15	476.845	116.090	347.181	641.842
Fe	14	123.286	17.895	105.000	146.000
Mn	14	35.000	9.414	27.000	49.000
Zn	14	26.643	4.684	22.000	31.000
Cu	14	6.714	1.201	5.200	8.900

Type=Ensilage, blandvall (1-50% klöver) (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	15	454.467	43.449	404.000	519.000
Aska	15	68.467	10.070	59.000	80.000
OS smbh	15	74.600	2.877	70.100	77.600
Råprot	15	151.733	19.804	118.000	173.000
sRåprot	15	495.867	71.469	423.000	612.000
NH3-N	15	70.267	23.930	39.000	98.000
NDF	15	359.200	64.973	286.000	468.000
iNDF	15	227.933	35.929	179.000	273.000
nhNDF	15	3.293	0.806	2.292	4.491
Stä	14	157.786	61.137	72.000	230.000
Socker	15	39.867	24.931	12.000	73.000
TAF	15	49.933	20.923	27.000	81.000
Mjölksyra	15	32.333	15.126	20.000	58.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Ättiksyra	15	12.267	8.430	0.000	23.000
PRF	15	3.933	1.534	2.000	6.000
BUF	15	1.400	1.502	0.000	3.000
AAT20	15	87.387	5.421	81.246	91.956
PBV20	15	20.467	13.244	-1.800	34.946
NEL20	15	6.317	0.266	5.779	6.565
Ca	15	6.240	1.292	5.100	8.600
P	15	3.840	0.718	2.900	4.800
Mg	15	2.860	0.599	2.200	3.600
K	15	15.473	2.743	11.100	19.900
Na	15	3.373	2.043	1.500	6.900
Cl	15	6.433	3.988	2.400	13.600
S	15	2.773	0.880	2.100	3.600
CAB	15	187.850	148.557	-34.820	359.775

*= Parametrar från det gamla svenska fodervärderingssystemet