

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Grönmassa, gräs (0% baljv.) (161)	1	10	596	57	71.4	111	450		493	206	4.15		39.700	0.0	3.0	120
Grönmassa, gräs (0% baljv.) (161)	2	1	621	75	77.9	155	418		505	77	4.73		61.000			116
Ensilage, gräs (0% klöver) (162)	0	1	594	143	63.3	92	508	83.0	560	230	3.65		23.400	18.0	3.0	36
Ensilage, gräs (0% klöver) (162)	1	3	437	64	75.4	141	659	80.3	463	154	4.41		48.100	34.0	11.7	90
Ensilage, gräs (0% klöver) (162)	2	2	623	75	74.4	151	486	38.0	468	158	4.15		18.400	13.0	4.0	112
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	547	103	78.9	158			455	105	5.65		84.000			83
Grönmassa blandvall (1-50 % baljväxter) (164)	1	72	388	71	78.5	147	444		431	126	5.24	18	43.625	0.0	1.5	133
Grönmassa blandvall (1-50 % baljväxter) (164)	2	19	558	80	76.7	156	388		455	153	5.22		63.579	0.0	2.0	114
Grönmassa blandvall (1-50 % baljväxter) (164)	3	5	534	69	74.9	148	408		508	134	4.51		84.000			112
Ensilage, blandvall (1-50% klöver) (165)	1	76	429	70	77.3	156	641	59.8	424	137	4.51	114	68.364	50.6	14.9	89
Ensilage, blandvall (1-50% klöver) (165)	2	31	465	76	75.8	165	574	60.9	450	151	4.50		63.384	45.5	14.1	74
Ensilage, blandvall (1-50% klöver) (165)	3	11	426	96	72.7	176	541	78.1	445	195	4.04		58.518	37.4	16.3	48
Ensilage, blandvall (1-50% klöver) (165)	4	4	563	84	70.0	172	473	67.0	457	217	3.29		30.625	18.8	8.8	76
Korn, helsädesensilage (250)	1	2	312	61	71.9	117	720	110	498	199	4.12	29	76.500	44.5	23.5	80
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	341	66	70.4	124	493	21.0	354	337	2.81	191	20.500	11.5	8.0	89
Havre helsädesensilage degmognad (296)	1	1	545	42	67.8	91	499	4.0	520	232	3.25	58	26.570	10.0		136
Vete, helsäd ensilage (299)	1	7	326	61	73.2	118	667	72.0	472	193	4.18	28	62.857	43.3	15.0	99
Majs, helsädesensilage (305)	1	5	350	23	75.7	71	533	41.6	367	219	3.24	338	65.600	52.0	10.4	3
Hö, blandvall, 0-50% baljväxter (383)	0	2	938	51	62.6	76			629	235	3.37		0.000			114
Hö, blandvall, 0-50% baljväxter (383)	1	9	817	56	65.8	83	428		588	219	3.68		0.556	0.0	0.0	127
Hö, blandvall, 0-50% baljväxter (383)	2	1	869	75	70.3	93	422		520	199	4.04		0.000			116
Ensilage, blandvall (51-100% klöver) (438)	1	1	304	94	74.2	183	698	95.0	385	271	4.97		102.000	71.0	31.0	49
Ensilage, blandvall (1-50% klöver) (326)	1	3	431	59	74.2	140	457	42.7	322	252	2.67	192	45.000	24.3	15.7	34
Fullfoder (TMR) ej kompletta data (1E3)	1	1	419	69	73.5	147	424	48.0	424	197	3.60	87				30

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa, gräs (0% baljv.) (161)	1	10	2.50000	2.25000		84.1	-18	5.65	10.5		
Grönmassa, gräs (0% baljv.) (161)	2	1				91.5	9.6	6.44	11.4		
Ensilage, gräs (0% klöver) (162)	0	1		1.40000		70.2	-14	4.71	8.3	63.0	-16
Ensilage, gräs (0% klöver) (162)	1	3	1.50000	1.10000		83.4	10.3	6.13	11.1	72.0	10.0
Ensilage, gräs (0% klöver) (162)	2	2	1.00000	0.40000		88.7	11.1	5.97	10.8	70.0	23.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				86.1	23.6	6.44	11.2	77.0	25.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	72	4.74359	3.17949		91.9	4.8	6.33	11.5	81.1	12.5
Grönmassa blandvall (1-50 % baljväxter) (164)	2	19	3.00000	1.40000		89.2	16.8	6.24	11.1	78.6	20.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	5				87.3	12.6	6.24	10.9		
Ensilage, blandvall (1-50% klöver) (165)	1	76	2.87302	0.39079		84.4	24.7	6.38	11.3	73.0	18.8
Ensilage, blandvall (1-50% klöver) (165)	2	31	3.75000	0.60968		85.3	31.7	6.27	11.0	70.0	39.9
Ensilage, blandvall (1-50% klöver) (165)	3	11	5.66667	1.33636		83.0	46.5	5.93	10.3	67.8	62.2
Ensilage, blandvall (1-50% klöver) (165)	4	4	5.00000	1.12500		84.9	39.3	5.63	10.0	67.7	57.3
Korn, helsädesensilage (250)	1	2	5.50000	3.00000		71.4	-0.5	5.90	10.6		
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	0.00000	1.00000		78.8	-2.6	5.60	10.2		
Havre helsädesensilage degmognad (296)	1	1				81.6	-38	5.45	10.1		
Vete, helsäd ensilage (299)	1	7	4.40000	1.00000		74.0	-4.2	5.96	10.6		
Majs, helsädesensilage (305)	1	5	3.20000	0.00000		83.0	-59	6.52	11.6		
Hö, blandvall, 0-50% baljväxter (383)	0	2				80.4	-43	4.86	9.1	65.5	-36
Hö, blandvall, 0-50% baljväxter (383)	1	9	5.00000	0.00000		85.1	-45	5.11	9.6	66.5	-46
Hö, blandvall, 0-50% baljväxter (383)	2	1				90.7	-44	5.41	10.1		
Ensilage, blandvall (51-100% klöver) (438)	1	1	0.00000	0.00000		74.4	71.2	6.18	10.5		
Ensilage, blandvall (1-50% klöver) (326)	1	3	4.33333	0.66667		87.8	9.1	6.27	11.0		
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	10	4.2	2.3	1.6	17.5	1.0	3.4	1.7	278	3	104.3	60.0	20.0	5.0	
Grönmassa, gräs (0% baljv.) (161)	2	1	5.3	2.7	2.5	38.5	0.9	5.3	3.2	674	1	158.0	57.0	29.0	6.0	
Ensilage, gräs (0% klöver) (162)	1	2	4.8	2.7	2.0	21.1	1.6	3.5	2.6	379	2	88.0	53.5	25.0	4.5	0.1
Ensilage, gräs (0% klöver) (162)	2	1	4.5	2.5	2.7	19.4	1.3	7.1	2.5	275	1	1104	57.0	26.0	10.0	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	5.4	3.0	2.1	30.4	1.7		2.8	544	1	435.0	98.0	324.0	6.9	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	72	5.1	2.8	1.7	24.5	1.0	4.7	2.1	406	43	170.3	43.9	28.1	5.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	18	6.7	2.9	2.2	24.3	2.0	5.1	2.6	408	13	149.1	62.3	29.2	6.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	5	4.7	3.2	1.9	24.5	1.1	4.7	2.2	400	0					
Ensilage, blandvall (1-50% klöver) (165)	1	74	5.4	2.9	1.9	23.8	1.4	5.7	2.2	375	44	167.5	56.1	28.7	5.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	26	5.6	3.1	2.1	25.1	1.8	8.7	2.6	342	17	138.2	60.4	30.2	6.6	0.1
Ensilage, blandvall (1-50% klöver) (165)	3	7	6.6	3.3	2.5	22.3	2.0	8.8	2.6	304	2	156.5	63.0	35.0	6.9	
Ensilage, blandvall (1-50% klöver) (165)	4	1	6.2	3.5	2.5	24.2	1.7	12.7	2.7	279	0					
Korn, helsädesensilage (250)	1	2	2.9	2.6	1.2	22.2	0.8	1.3	1.9	445	1	107.0	33.0	29.0	5.0	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	6.2	2.6	1.7	18.6	0.2	2.7	1.4	320	2	105.5	37.0	30.5	5.0	
Havre helsädesensilage degmognad (296)	1	1	1.9	2.7	1.2	16.0	0.8	4.8	1.4	221	1	116.0	118.0	32.0	6.0	0.1
Vete, helsäd ensilage (299)	1	7	3.8	2.6	1.2	19.8	0.7	2.2	1.7	353	3	126.7	43.7	27.0	4.5	0.0
Majs, helsädesensilage (305)	1	5	1.8	1.9	1.0	7.7	0.5		0.9	120	0					
Hö, blandvall, 0-50% baljväxter (383)	0	1	2.7	2.2	1.0	20.3	0.1		1.2	308	1	70.0	43.0	18.0	3.2	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	9	2.5	2.1	1.1	17.4	0.6	4.6	1.4	243	7	95.6	50.4	21.0	3.6	0.0
Hö, blandvall, 0-50% baljväxter (383)	2	1	2.8	2.6	1.0	21.7	0.5	3.8	1.8	357	1	90.0	43.0	24.0	5.0	
Ensilage, blandvall (51-100% klöver) (438)	1	1	14.0	3.1	2.2	29.0	0.6	1.6	1.7	616	1	881.0	62.0	31.0	5.0	
Ensilage, blandvall (1-50% klöver) (326)	1	3	6.5	3.8	2.6	14.7	2.9	8.6	2.2	120	0					
Fullfoder (TMR) ej kompletta data (1E3)	1	1	6.6	4.1	2.8	13.9	1.5	5.5	2.2	128	1	350.0	97.0	75.0	23.8	

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	596.000	202.694	320.000	819.500
Aska	10	56.900	17.117	37.500	82.000
OS smbh	10	71.440	7.371	62.250	79.100
Råprot	10	110.700	35.540	72.500	168.000
sRåprot	10	449.600	43.321	399.000	515.000
NDF	10	493.000	92.562	349.500	592.000
iNDF	10	205.600	93.654	85.000	318.500
nhNDF	10	4.151	0.489	3.694	4.920
TAF	10	39.700	27.540	6.000	61.000
Mjölksyra	4	0.000	0.000	0.000	0.000
Ättiksyra	4	3.000	4.243	0.000	9.000
Socker	10	119.900	22.869	92.000	149.500
PRF	4	2.500	3.000	0.000	6.000
BUF	4	2.250	2.062	0.000	4.000
AATp20	10	84.056	9.110	73.901	95.477
PBVp20	10	-18.409	20.798	-41.133	15.556
NELp20	10	5.648	0.563	4.932	6.248
OE*	10	10.495	1.083	9.090	11.555
Ca	10	4.240	2.876	1.950	9.150
P	10	2.300	0.527	1.600	2.950
Mg	10	1.560	0.467	0.950	2.250
K	10	17.460	7.883	9.100	28.400
Na	9	0.967	0.520	0.100	1.700
Cl	8	3.425	4.522	0.600	14.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	10	1.670	0.445	1.250	2.400
CAB	10	277.690	190.047	31.499	522.011
Fe	3	104.333	56.889	44.000	157.000
Mn	3	60.000	47.032	28.000	114.000
Zn	3	20.000	1.000	19.000	21.000
Cu	3	5.000	1.000	4.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	621.000	.	621.000	621.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	77.900	.	77.900	77.900
Råprot	1	155.000	.	155.000	155.000
sRåprot	1	418.000	.	418.000	418.000
NDF	1	505.000	.	505.000	505.000
iNDF	1	77.000	.	77.000	77.000
nhNDF	1	4.732	.	4.732	4.732
TAF	1	61.000	.	61.000	61.000
Socket	1	116.000	.	116.000	116.000
AATp20	1	91.525	.	91.525	91.525
PBVp20	1	9.625	.	9.625	9.625
NELp20	1	6.445	.	6.445	6.445
OE*	1	11.370	.	11.370	11.370
Ca	1	5.300	.	5.300	5.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	2.700	.	2.700	2.700
Mg	1	2.500	.	2.500	2.500
K	1	38.500	.	38.500	38.500
Na	1	0.900	.	0.900	0.900
Cl	1	5.300	.	5.300	5.300
S	1	3.200	.	3.200	3.200
CAB	1	674.489	.	674.489	674.489
Fe	1	158.000	.	158.000	158.000
Mn	1	57.000	.	57.000	57.000
Zn	1	29.000	.	29.000	29.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	594.000	.	594.000	594.000
Aska	1	143.000	.	143.000	143.000
OS smbh	1	63.300	.	63.300	63.300
Råprot	1	92.000	.	92.000	92.000
sRåprot	1	508.000	.	508.000	508.000
NH3-N	1	83.000	.	83.000	83.000
NDF	1	560.000	.	560.000	560.000
iNDF	1	229.970	.	229.970	229.970
nhNDF	1	3.651	.	3.651	3.651
TAF	1	23.400	.	23.400	23.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	1	18.000	.	18.000	18.000
Ättiksyra	1	3.000	.	3.000	3.000
Socker	1	36.000	.	36.000	36.000
BUF	1	1.400	.	1.400	1.400
AATp20	1	70.222	.	70.222	70.222
PBVp20	1	-13.583	.	-13.583	-13.583
NELp20	1	4.708	.	4.708	4.708
OE*	1	8.300	.	8.300	8.300
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-16.000	.	-16.000	-16.000
CI	1	6.400	.	6.400	6.400

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	436.667	88.636	384.000	539.000
Aska	3	63.667	3.215	60.000	66.000
OS smbh	3	75.433	3.350	71.800	78.400
Råprot	3	141.000	27.185	118.000	171.000
sRåprot	3	658.667	121.072	572.000	797.000
NH3-N	3	80.333	50.292	41.000	137.000
NDF	3	462.667	41.501	421.000	504.000
iNDF	3	154.373	34.696	122.000	191.000
nhNDF	3	4.413	0.320	4.046	4.633
TAF	3	48.100	23.982	30.000	75.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	3	34.000	19.053	23.000	56.000
Ättiksyra	3	11.667	4.163	7.000	15.000
Socker	3	89.667	39.400	56.000	133.000
PRF	2	1.500	2.121	0.000	3.000
BUF	3	1.100	1.905	0.000	3.300
AATp20	3	83.417	6.378	78.464	90.614
PBVp20	3	10.274	16.688	-7.050	26.244
NELp20	3	6.132	0.304	5.808	6.412
OE*	3	11.103	0.522	10.540	11.570
AAT*	1	72.000	.	72.000	72.000
PBV*	1	10.000	.	10.000	10.000
Ca	2	4.750	1.061	4.000	5.500
P	2	2.700	0.141	2.600	2.800
Mg	2	2.000	0.424	1.700	2.300
K	2	21.050	5.445	17.200	24.900
Na	2	1.600	0.424	1.300	1.900
Cl	3	3.533	2.401	1.100	5.900
S	2	2.600	0.424	2.300	2.900
CAB	2	379.231	144.085	277.348	481.114
Fe	2	88.000	16.971	76.000	100.000
Mn	2	53.500	4.950	50.000	57.000
Zn	2	25.000	4.243	22.000	28.000
Cu	2	4.500	0.707	4.000	5.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	622.50	81.3173	565.00	680.00
Aska	2	74.50	14.8492	64.00	85.00
OS smbh	2	74.40	0.7071	73.90	74.90
Råprot	2	151.00	9.8995	144.00	158.00
sRåprot	2	486.00	42.4264	456.00	516.00
NH3-N	2	38.00	22.6274	22.00	54.00
NDF	2	467.50	26.1630	449.00	486.00
iNDF	2	158.08	24.1519	141.00	175.16
nhNDF	2	4.15	0.1161	4.07	4.24
TAF	2	18.40	2.2627	16.80	20.00
Mjölksyra	2	13.00	4.2426	10.00	16.00
Ättiksyra	2	4.00	1.4142	3.00	5.00
Socker	2	111.50	21.9203	96.00	127.00
PRF	1	1.00	.	1.00	1.00
BUF	2	0.40	0.5657	0.00	0.80
AATp20	2	88.68	3.5456	86.17	91.19
PBVp20	2	11.09	3.4408	8.66	13.52
NELp20	2	5.97	0.2378	5.80	6.14
OE*	2	10.81	0.2899	10.60	11.01
AAT*	1	70.00	.	70.00	70.00
PBV*	1	23.00	.	23.00	23.00
Ca	1	4.50	.	4.50	4.50
P	1	2.50	.	2.50	2.50
Mg	1	2.70	.	2.70	2.70

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	19.40	.	19.40	19.40
Na	1	1.30	.	1.30	1.30
Cl	2	7.10	3.9598	4.30	9.90
S	1	2.50	.	2.50	2.50
CAB	1	275.31	.	275.31	275.31
Fe	1	1104.00	.	1104.00	1104.00
Mn	1	57.00	.	57.00	57.00
Zn	1	26.00	.	26.00	26.00
Cu	1	10.00	.	10.00	10.00
Se	1	0.05	.	0.05	0.05

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	547.000	.	547.000	547.000
Aska	1	103.000	.	103.000	103.000
OS smbh	1	78.900	.	78.900	78.900
Råprot	1	158.000	.	158.000	158.000
NDF	1	455.000	.	455.000	455.000
iNDF	1	105.018	.	105.018	105.018
nhNDF	1	5.650	.	5.650	5.650
TAF	1	84.000	.	84.000	84.000
Socket	1	83.000	.	83.000	83.000
AATp20	1	86.137	.	86.137	86.137
PBVp20	1	23.594	.	23.594	23.594

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	6.436	.	6.436	6.436
OE*	1	11.200	.	11.200	11.200
AAT*	1	77.000	.	77.000	77.000
PBV*	1	25.000	.	25.000	25.000
Ca	1	5.400	.	5.400	5.400
P	1	3.000	.	3.000	3.000
Mg	1	2.100	.	2.100	2.100
K	1	30.400	.	30.400	30.400
Na	1	1.700	.	1.700	1.700
S	1	2.800	.	2.800	2.800
CAB	1	544.012	.	544.012	544.012
Fe	1	435.000	.	435.000	435.000
Mn	1	98.000	.	98.000	98.000
Zn	1	324.000	.	324.000	324.000
Cu	1	6.900	.	6.900	6.900

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	72	388.083	165.254	200.000	616.000
Aska	72	71.083	9.221	60.000	82.000
OS smbh	72	78.521	4.182	71.800	83.700
Råprot	72	147.458	28.598	117.000	174.000
sRåprot	50	444.360	60.504	374.500	508.500
NDF	72	430.639	43.684	384.000	493.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	72	126.260	62.938	61.197	211.000
nhNDF	72	5.236	1.346	3.912	6.988
Stä	2	18.000	24.042	1.000	35.000
TAF	72	43.625	37.643	4.000	84.000
Mjölksyra	39	0.000	0.000	0.000	0.000
Ättiksyra	39	1.538	3.178	0.000	8.000
Socker	72	132.903	30.449	96.000	174.000
PRF	39	4.744	3.697	0.000	10.000
BUF	39	3.179	2.733	0.000	7.000
AATp20	72	91.945	6.314	83.422	98.373
PBVp20	72	4.844	20.475	-20.091	28.165
NELp20	72	6.333	0.433	5.808	6.969
OE*	72	11.521	0.676	10.450	12.250
AAT*	22	81.091	3.279	77.000	84.000
PBV*	22	12.455	15.212	-10.000	29.000
Ca	72	5.101	1.759	3.500	7.500
P	72	2.768	0.520	2.100	3.300
Mg	72	1.735	0.536	1.200	2.500
K	72	24.460	5.055	17.600	30.800
Na	70	1.001	0.767	0.400	1.650
Cl	46	4.709	3.114	1.500	8.100
S	72	2.075	0.397	1.700	2.500
CAB	72	406.386	110.935	272.755	542.455
Fe	43	170.326	91.045	96.000	320.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	43	43.884	11.985	29.000	58.000
Zn	43	28.116	6.744	21.000	36.000
Cu	43	5.537	1.785	4.000	7.200
Se	7	0.038	0.021	0.007	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	557.737	198.232	233.000	815.000
Aska	19	80.368	9.388	66.000	91.000
OS smbh	19	76.679	4.292	70.800	83.500
Råprot	19	155.579	24.158	123.000	193.000
sRåprot	11	388.364	42.908	326.000	438.000
NDF	19	454.632	35.714	399.000	489.000
iNDF	19	153.167	85.285	58.354	334.000
nhNDF	19	5.222	1.135	4.404	6.975
TAF	19	63.579	35.164	5.000	84.000
Mjölksyra	5	0.000	0.000	0.000	0.000
Ättiksyra	5	2.000	4.472	0.000	10.000
Socker	19	114.368	31.639	79.000	157.000
PRF	5	3.000	1.581	1.000	5.000
BUF	5	1.400	1.673	0.000	4.000
AATp20	19	89.239	5.944	82.453	95.909
PBVp20	19	16.754	17.676	-6.625	40.477
NELp20	19	6.239	0.442	5.624	6.974

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	19	11.101	0.689	10.050	12.100
AAT*	8	78.625	3.204	72.000	82.000
PBV*	8	20.125	27.581	-14.000	51.000
Ca	18	6.683	2.624	3.400	12.000
P	18	2.922	0.357	2.300	3.300
Mg	18	2.239	0.435	1.700	2.800
K	18	24.289	5.014	14.700	30.100
Na	18	1.978	1.396	0.600	4.200
Cl	11	5.064	2.470	1.700	7.800
S	18	2.567	0.412	2.000	3.100
CAB	18	408.119	111.200	222.129	606.288
Fe	13	149.077	65.345	79.000	231.000
Mn	13	62.308	20.686	46.000	97.000
Zn	13	29.154	4.469	25.000	35.000
Cu	13	6.646	1.229	5.000	8.000
Se	1	0.015	.	0.015	0.015

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	533.800	157.155	316.000	742.000
Aska	5	69.400	8.019	60.000	81.000
OS smbh	5	74.860	1.558	72.900	77.100
Råprot	5	147.800	10.378	130.000	157.000
sRåprot	5	407.600	21.067	387.000	442.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	5	508.400	25.363	472.000	534.000
iNDF	5	134.200	29.201	89.000	162.000
nhNDF	5	4.505	0.234	4.251	4.725
TAF	5	84.000	0.000	84.000	84.000
Socker	5	111.800	17.697	94.000	140.000
AATp20	5	87.312	1.350	85.683	89.094
PBVp20	5	12.587	8.343	-1.718	20.027
NELp20	5	6.241	0.102	6.111	6.398
OE*	5	10.940	0.266	10.630	11.360
Ca	5	4.720	0.311	4.400	5.100
P	5	3.180	0.259	2.900	3.400
Mg	5	1.880	0.130	1.700	2.000
K	5	24.460	4.141	19.000	29.600
Na	5	1.060	0.167	0.800	1.200
Cl	5	4.720	1.947	3.000	7.900
S	5	2.220	0.130	2.000	2.300
CAB	5	399.955	96.559	284.008	541.831

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	76	428.737	113.652	317.000	598.000
Aska	76	70.184	7.031	63.000	79.000
OS smbh	76	77.316	3.560	71.700	80.100
Råprot	76	155.658	21.777	131.000	179.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	76	641.053	93.210	529.000	722.000
NH3-N	76	59.803	23.656	34.000	95.000
NDF	76	424.382	45.492	370.000	504.000
iNDF	76	137.396	41.485	104.000	194.781
nhNDF	76	4.508	0.475	3.975	5.059
Stä	1	114.000	.	114.000	114.000
TAF	76	68.364	32.898	24.000	109.000
Mjölksyra	76	50.553	28.825	14.000	81.000
Ättiksyra	76	14.868	5.827	6.000	21.000
Socker	76	88.605	35.735	46.000	139.000
PRF	63	2.873	1.836	1.000	5.000
BUF	76	0.391	0.818	0.000	1.000
AATp20	76	84.380	4.069	79.910	90.048
PBVp20	76	24.689	20.170	3.215	49.853
NELp20	76	6.382	0.343	5.823	6.681
OE*	76	11.331	0.555	10.500	11.780
AAT*	13	73.000	2.273	71.000	74.000
PBV*	13	18.846	25.245	4.000	39.000
Ca	74	5.382	1.341	4.000	7.700
P	74	2.866	0.398	2.400	3.500
Mg	74	1.857	0.357	1.400	2.300
K	74	23.830	3.992	18.500	28.700
Na	74	1.373	0.599	0.600	2.100
Cl	76	5.721	3.130	2.200	10.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	74	2.164	0.350	1.700	2.500
CAB	74	374.928	111.532	215.697	500.557
Fe	44	167.455	99.174	90.000	283.000
Mn	44	56.068	24.022	36.000	82.000
Zn	44	28.727	4.592	24.000	35.000
Cu	44	5.755	1.260	4.000	7.000
Se	19	0.044	0.013	0.013	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	31	465.290	147.148	317.000	658.000
Aska	31	76.097	8.236	68.000	84.000
OS smbh	31	75.771	3.994	73.000	79.100
Råprot	31	164.710	24.931	133.000	188.000
sRåprot	31	573.645	100.899	431.000	657.000
NH3-N	31	60.903	35.743	30.000	80.000
NDF	31	450.032	32.935	419.000	481.000
iNDF	31	150.548	46.643	107.000	179.000
nhNDF	31	4.498	0.584	4.073	5.023
TAF	31	63.384	34.817	14.500	95.000
Mjölksyra	31	45.548	27.945	7.000	76.000
Ättiksyra	31	14.097	9.928	3.000	20.000
Socker	31	74.194	30.920	34.000	119.000
PRF	24	3.750	2.436	1.000	7.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	31	0.610	1.754	0.000	1.200
AATp20	31	85.340	5.626	80.081	93.421
PBVp20	31	31.684	20.743	12.741	56.091
NELp20	31	6.274	0.442	5.940	6.621
OE*	31	11.008	0.653	10.600	11.570
AAT*	7	70.000	2.708	64.000	72.000
PBV*	7	39.857	17.034	11.000	57.000
Ca	26	5.642	1.250	3.800	6.600
P	26	3.088	0.440	2.500	3.500
Mg	26	2.146	0.394	1.600	2.600
K	26	25.054	5.609	18.200	32.100
Na	26	1.796	1.159	0.800	2.600
Cl	31	8.671	5.682	3.100	16.800
S	26	2.573	0.464	1.900	3.100
CAB	26	342.113	156.153	154.960	481.330
Fe	17	138.176	54.786	81.000	211.000
Mn	17	60.412	13.721	46.000	80.000
Zn	17	30.235	5.750	23.000	38.000
Cu	17	6.600	1.651	5.000	8.000
Se	4	0.050	0.000	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	425.909	160.859	266.000	621.000
Aska	11	95.545	28.119	69.000	122.000
OS smbh	11	72.700	3.860	68.800	76.700
Råprot	11	176.364	12.476	158.000	193.000
sRåprot	11	540.818	85.475	436.000	619.000
NH3-N	11	78.091	28.445	42.000	108.000
NDF	11	445.182	27.327	427.000	474.000
iNDF	11	195.179	52.095	145.000	262.468
nhNDF	11	4.038	0.665	3.134	4.564
TAF	11	58.518	38.873	9.500	92.000
Mjölksyra	11	37.364	32.767	3.000	71.000
Ättiksyra	11	16.273	15.825	3.000	24.000
Socker	11	48.182	19.575	30.000	68.000
PRF	6	5.667	5.922	1.000	17.000
BUF	11	1.336	1.611	0.000	3.100
AATp20	11	83.041	4.159	78.117	85.407
PBVp20	11	46.451	12.049	29.232	59.550
NELp20	11	5.933	0.529	5.384	6.487
OE*	11	10.305	0.902	9.400	11.160
AAT*	5	67.800	2.588	64.000	71.000
PBV*	5	62.200	17.880	34.000	77.000
Ca	7	6.600	0.858	5.500	8.200
P	7	3.257	0.454	2.600	3.900
Mg	7	2.543	0.257	2.100	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	7	22.314	1.881	20.400	25.100
Na	7	1.986	0.353	1.600	2.700
Cl	11	8.800	4.812	3.500	14.400
S	7	2.600	0.191	2.300	2.900
CAB	7	304.191	108.763	111.911	428.495
Fe	2	156.500	26.163	138.000	175.000
Mn	2	63.000	26.870	44.000	82.000
Zn	2	35.000	4.243	32.000	38.000
Cu	2	6.900	0.141	6.800	7.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	563.000	184.653	290.000	684.000
Aska	4	83.750	3.948	78.000	87.000
OS smbh	4	69.950	3.991	66.500	74.500
Råprot	4	171.500	32.151	132.000	206.000
sRåprot	4	473.250	136.961	376.000	676.000
NH3-N	4	67.000	35.618	44.000	120.000
NDF	4	456.500	49.440	396.000	517.000
iNDF	4	216.954	49.797	147.000	264.504
nhNDF	4	3.286	0.555	2.717	4.041
TAF	4	30.625	43.769	5.500	96.000
Mjölksyra	4	18.750	30.891	2.000	65.000
Ättiksyra	4	8.750	9.743	2.000	23.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	4	76.250	36.945	23.000	107.000
PRF	1	5.000	.	5.000	5.000
BUF	4	1.125	1.250	0.500	3.000
AATp20	4	84.885	5.929	77.846	91.744
PBVp20	4	39.343	23.889	5.771	60.667
NELp20	4	5.625	0.447	5.228	6.178
OE*	4	9.968	0.618	9.400	10.670
AAT*	3	67.667	1.155	67.000	69.000
PBV*	3	57.333	36.474	16.000	85.000
Ca	1	6.200	.	6.200	6.200
P	1	3.500	.	3.500	3.500
Mg	1	2.500	.	2.500	2.500
K	1	24.200	.	24.200	24.200
Na	1	1.700	.	1.700	1.700
Cl	4	12.725	2.711	8.700	14.600
S	1	2.700	.	2.700	2.700
CAB	1	279.018	.	279.018	279.018

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	311.500	147.785	207.000	416.000
Aska	2	60.500	24.749	43.000	78.000
OS smbh	2	71.900	0.141	71.800	72.000
Råprot	2	117.000	35.355	92.000	142.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	2	720.000	42.426	690.000	750.000
NH3-N	2	109.500	82.731	51.000	168.000
NDF	2	497.500	10.607	490.000	505.000
iNDF	2	198.500	14.849	188.000	209.000
nhNDF	2	4.121	0.311	3.901	4.341
Stä	2	28.500	3.536	26.000	31.000
TAF	2	76.500	13.435	67.000	86.000
Mjölksyra	2	44.500	7.778	39.000	50.000
Ättiksyra	2	23.500	0.707	23.000	24.000
Socker	2	80.000	80.610	23.000	137.000
PRF	2	5.500	2.121	4.000	7.000
BUF	2	3.000	4.243	0.000	6.000
AATp20	2	71.381	3.107	69.184	73.578
PBVp20	2	-0.540	35.088	-25.351	24.271
NELp20	2	5.901	0.026	5.883	5.920
OE*	2	10.550	0.255	10.370	10.730
Ca	2	2.850	0.919	2.200	3.500
P	2	2.600	1.273	1.700	3.500
Mg	2	1.200	0.141	1.100	1.300
K	2	22.200	14.284	12.100	32.300
Na	2	0.750	0.778	0.200	1.300
Cl	2	1.300	0.566	0.900	1.700
S	2	1.900	0.424	1.600	2.200
CAB	2	445.014	289.039	240.633	649.395

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	107.000	.	107.000	107.000
Mn	1	33.000	.	33.000	33.000
Zn	1	29.000	.	29.000	29.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	341.000	90.5097	277.000	405.000
Aska	2	65.500	9.1924	59.000	72.000
OS smbh	2	70.350	3.4648	67.900	72.800
Råprot	2	123.500	26.1630	105.000	142.000
sRåprot	2	492.500	77.0746	438.000	547.000
NH3-N	1	21.000	.	21.000	21.000
NDF	2	354.000	14.1421	344.000	364.000
iNDF	2	337.000	22.6274	321.000	353.000
nhNDF	2	2.814	1.5789	1.698	3.931
Stä	2	190.500	28.9914	170.000	211.000
TAF	2	20.500	14.8492	10.000	31.000
Mjölksyra	2	11.500	16.2635	0.000	23.000
Ättiksyra	2	8.000	0.0000	8.000	8.000
Socker	2	89.000	21.2132	74.000	104.000
PRF	2	0.000	0.0000	0.000	0.000
BUF	2	1.000	1.4142	0.000	2.000
AATp20	2	78.812	1.7000	77.610	80.014

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	2	-2.588	20.4039	-17.015	11.840
NELp20	2	5.604	0.3544	5.353	5.855
OE*	2	10.235	0.4738	9.900	10.570
Ca	2	6.200	1.4142	5.200	7.200
P	2	2.600	0.0000	2.600	2.600
Mg	2	1.700	0.1414	1.600	1.800
K	2	18.600	2.9698	16.500	20.700
Na	2	0.200	0.1414	0.100	0.300
Cl	1	2.700	.	2.700	2.700
S	2	1.350	0.3536	1.100	1.600
CAB	2	319.742	65.9824	273.086	366.399
Fe	2	105.500	55.8614	66.000	145.000
Mn	2	37.000	21.2132	22.000	52.000
Zn	2	30.500	2.1213	29.000	32.000
Cu	2	5.000	0.0000	5.000	5.000

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	545.000	.	545.000	545.000
Aska	1	42.000	.	42.000	42.000
OS smbh	1	67.800	.	67.800	67.800
Råprot	1	91.000	.	91.000	91.000
sRåprot	1	499.000	.	499.000	499.000
NH3-N	1	4.000	.	4.000	4.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	520.000	.	520.000	520.000
iNDF	1	232.000	.	232.000	232.000
nhNDF	1	3.255	.	3.255	3.255
Stä	1	58.000	.	58.000	58.000
TAF	1	26.570	.	26.570	26.570
Mjölksyra	1	10.000	.	10.000	10.000
Socket	1	136.000	.	136.000	136.000
AATp20	1	81.560	.	81.560	81.560
PBVp20	1	-37.797	.	-37.797	-37.797
NELp20	1	5.454	.	5.454	5.454
OE*	1	10.060	.	10.060	10.060
Ca	1	1.900	.	1.900	1.900
P	1	2.700	.	2.700	2.700
Mg	1	1.200	.	1.200	1.200
K	1	16.000	.	16.000	16.000
Na	1	0.800	.	0.800	0.800
Cl	1	4.800	.	4.800	4.800
S	1	1.400	.	1.400	1.400
CAB	1	221.279	.	221.279	221.279
Fe	1	116.000	.	116.000	116.000
Mn	1	118.000	.	118.000	118.000
Zn	1	32.000	.	32.000	32.000
Cu	1	6.000	.	6.000	6.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	325.857	74.790	233.000	436.000
Aska	7	60.714	11.131	44.000	79.000
OS smbh	7	73.200	3.085	69.500	78.200
Råprot	7	118.286	21.500	79.000	143.000
sRåprot	7	666.571	153.795	408.000	829.000
NH3-N	7	72.000	29.905	45.000	120.000
NDF	7	471.857	52.353	370.000	531.000
iNDF	7	192.750	39.554	149.000	264.000
nhNDF	7	4.177	0.297	3.618	4.467
Stä	7	27.857	7.647	17.000	38.000
TAF	7	62.857	43.269	9.000	123.000
Mjölksyra	7	43.286	33.634	0.000	93.000
Ättiksyra	7	15.000	10.832	0.000	28.000
Socker	7	98.571	42.007	49.000	157.000
PRF	5	4.400	1.342	2.000	5.000
BUF	5	1.000	1.732	0.000	4.000
AATp20	7	73.986	6.012	67.809	84.279
PBVp20	7	-4.213	25.089	-47.778	23.943
NELp20	7	5.959	0.292	5.613	6.507
OE*	5	10.574	0.409	10.270	11.280
Ca	7	3.786	0.747	3.000	5.300
P	7	2.614	0.488	2.100	3.400
Mg	7	1.186	0.324	0.800	1.800
K	7	19.814	5.645	12.900	28.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	7	0.714	0.406	0.200	1.300
Cl	5	2.160	1.866	0.700	4.200
S	7	1.686	0.313	1.200	2.100
CAB	7	352.860	149.143	118.390	555.074
Fe	3	126.667	49.662	97.000	184.000
Mn	3	43.667	8.327	37.000	53.000
Zn	3	27.000	4.583	22.000	31.000
Cu	3	4.533	0.611	4.000	5.200
Se	1	0.011	.	0.011	0.011

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	350.000	44.0851	306.000	411.000
Aska	5	23.000	3.3166	20.000	27.000
OS smbh	5	75.700	3.4022	70.500	79.600
Råprot	5	71.200	4.2071	64.000	75.000
sRåprot	5	533.200	75.2110	427.000	612.000
NH3-N	5	41.600	14.7919	25.000	63.000
NDF	5	366.600	62.1715	303.000	436.000
iNDF	5	219.000	36.1109	182.000	262.000
nhNDF	5	3.237	0.3356	2.806	3.678
Stä	5	337.600	52.6146	256.000	394.000
TAF	5	65.600	16.7272	40.000	85.000
Mjölksyra	5	52.000	13.0958	31.000	64.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	5	10.400	6.8775	3.000	21.000
Socker	5	3.400	3.2094	0.000	7.000
PRF	5	3.200	1.0954	2.000	5.000
BUF	5	0.000	0.0000	0.000	0.000
AATp20	5	82.959	5.2927	75.080	88.328
PBVp20	5	-58.510	6.5413	-66.507	-51.573
NELp20	5	6.520	0.2613	6.165	6.866
OE*	5	11.630	0.5718	10.760	12.260
Ca	5	1.820	0.3701	1.300	2.300
P	5	1.920	0.1095	1.800	2.100
Mg	5	0.980	0.2168	0.700	1.200
K	5	7.700	1.2390	6.300	9.600
Na	5	0.460	0.0894	0.400	0.600
S	5	0.880	0.0837	0.800	1.000
CAB	5	119.677	29.5158	86.263	164.412

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	938.000	26.8701	919.000	957.000
Aska	2	51.000	4.2426	48.000	54.000
OS smbh	2	62.550	5.1619	58.900	66.200
Råprot	2	75.500	6.3640	71.000	80.000
NDF	2	628.500	0.7071	628.000	629.000
iNDF	2	234.889	47.3305	201.421	268.357

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	3.370	0.7998	2.804	3.936
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	114.000	18.3848	101.000	127.000
AATp20	2	80.423	5.8343	76.298	84.549
PBVp20	2	-43.353	3.9581	-46.152	-40.554
NELp20	2	4.857	0.4813	4.517	5.197
OE*	2	9.100	0.8485	8.500	9.700
AAT*	2	65.500	4.9497	62.000	69.000
PBV*	2	-36.000	2.8284	-38.000	-34.000
Ca	1	2.700	.	2.700	2.700
P	1	2.200	.	2.200	2.200
Mg	1	1.000	.	1.000	1.000
K	1	20.300	.	20.300	20.300
Na	1	0.100	.	0.100	0.100
S	1	1.200	.	1.200	1.200
CAB	1	307.684	.	307.684	307.684
Fe	1	70.000	.	70.000	70.000
Mn	1	43.000	.	43.000	43.000
Zn	1	18.000	.	18.000	18.000
Cu	1	3.200	.	3.200	3.200
Se	1	0.014	.	0.014	0.014

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	816.778	61.5077	741.000	907.000
Aska	9	56.000	6.5192	47.000	66.000
OS smbh	9	65.833	5.4348	53.100	71.600
Råprot	9	82.667	29.1590	35.000	126.000
sRåprot	3	428.000	47.6970	383.000	478.000
NDF	9	588.111	31.5057	540.000	641.000
iNDF	9	218.991	42.9597	174.000	312.593
nhNDF	9	3.679	0.6320	2.253	4.426
TAF	9	0.556	1.6667	0.000	5.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	9	126.667	17.3349	89.000	147.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	9	85.105	9.2247	66.761	97.407
PBVp20	9	-44.523	12.7970	-58.417	-24.457
NELp20	9	5.115	0.5533	3.883	5.752
OE*	9	9.580	0.8899	7.500	10.460
AAT*	6	66.500	5.8907	55.000	71.000
PBV*	6	-46.333	8.3347	-57.000	-35.000
Ca	9	2.478	0.7429	0.700	3.100
P	9	2.133	0.3708	1.500	2.700
Mg	9	1.078	0.2863	0.500	1.500
K	9	17.367	4.7117	10.200	25.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	9	0.589	0.5732	0.100	1.900
Cl	3	4.633	3.3650	0.800	7.100
S	9	1.422	0.3768	0.800	1.900
CAB	9	243.473	84.7146	121.383	415.852
Fe	7	95.571	91.4984	47.000	301.000
Mn	7	50.429	11.1633	35.000	71.000
Zn	7	21.000	4.0825	13.000	26.000
Cu	7	3.557	0.4198	2.800	4.000
Se	1	0.008	.	0.008	0.008

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	869.000	.	869.000	869.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	70.300	.	70.300	70.300
Råprot	1	93.000	.	93.000	93.000
sRåprot	1	422.000	.	422.000	422.000
NDF	1	520.000	.	520.000	520.000
iNDF	1	199.000	.	199.000	199.000
nhNDF	1	4.037	.	4.037	4.037
TAF	1	0.000	.	0.000	0.000
Socker	1	116.000	.	116.000	116.000
AATp20	1	90.673	.	90.673	90.673
PBVp20	1	-44.363	.	-44.363	-44.363

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	5.411	.	5.411	5.411
OE*	1	10.120	.	10.120	10.120
Ca	1	2.800	.	2.800	2.800
P	1	2.600	.	2.600	2.600
Mg	1	1.000	.	1.000	1.000
K	1	21.700	.	21.700	21.700
Na	1	0.500	.	0.500	0.500
Cl	1	3.800	.	3.800	3.800
S	1	1.800	.	1.800	1.800
CAB	1	357.184	.	357.184	357.184
Fe	1	90.000	.	90.000	90.000
Mn	1	43.000	.	43.000	43.000
Zn	1	24.000	.	24.000	24.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	304.000	.	304.000	304.000
Aska	1	94.000	.	94.000	94.000
OS smbh	1	74.200	.	74.200	74.200
Råprot	1	183.000	.	183.000	183.000
sRåprot	1	698.000	.	698.000	698.000
NH3-N	1	95.000	.	95.000	95.000
NDF	1	385.000	.	385.000	385.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	271.000	.	271.000	271.000
nhNDF	1	4.965	.	4.965	4.965
TAF	1	102.000	.	102.000	102.000
Mjölksyra	1	71.000	.	71.000	71.000
Ättiksyra	1	31.000	.	31.000	31.000
Socker	1	49.000	.	49.000	49.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	74.357	.	74.357	74.357
PBVp20	1	71.153	.	71.153	71.153
NELp20	1	6.176	.	6.176	6.176
OE*	1	10.540	.	10.540	10.540
Ca	1	14.000	.	14.000	14.000
P	1	3.100	.	3.100	3.100
Mg	1	2.200	.	2.200	2.200
K	1	29.000	.	29.000	29.000
Na	1	0.600	.	0.600	0.600
Cl	1	1.600	.	1.600	1.600
S	1	1.700	.	1.700	1.700
CAB	1	616.455	.	616.455	616.455
Fe	1	881.000	.	881.000	881.000
Mn	1	62.000	.	62.000	62.000
Zn	1	31.000	.	31.000	31.000
Cu	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	430.667	29.0230	401.000	459.000
Aska	3	59.000	15.0997	43.000	73.000
OS smbh	3	74.233	4.3097	70.100	78.700
Råprot	3	140.333	28.1839	118.000	172.000
sRåprot	3	457.000	3.6056	453.000	460.000
NH3-N	3	42.667	10.0167	33.000	53.000
NDF	3	322.000	51.5073	286.000	381.000
iNDF	3	252.000	43.8634	220.000	302.000
nhNDF	3	2.669	0.8975	1.772	3.567
Stä	3	192.333	70.2092	145.000	273.000
TAF	3	45.000	16.8226	32.000	64.000
Mjölksyra	3	24.333	15.5027	9.000	40.000
Ättiksyra	3	15.667	3.0551	13.000	19.000
Socker	3	34.000	29.7153	0.000	55.000
PRF	3	4.333	2.0817	2.000	6.000
BUF	3	0.667	1.1547	0.000	2.000
AATp20	3	87.792	4.4953	82.791	91.498
PBVp20	3	9.068	20.9483	-4.214	33.216
NELp20	3	6.271	0.4718	5.779	6.720
OE*	3	10.953	0.6558	10.240	11.530
Ca	3	6.533	1.9218	4.800	8.600
P	3	3.833	0.8737	3.100	4.800
Mg	3	2.633	0.5132	2.200	3.200
K	3	14.733	5.0767	10.600	20.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	3	2.900	1.0583	2.100	4.100
Cl	3	8.633	7.2666	3.900	17.000
S	3	2.233	0.3215	2.000	2.600
CAB	3	120.123	64.8030	58.627	187.791

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	419.000	.	419.000	419.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	147.000	.	147.000	147.000
sRåprot	1	424.000	.	424.000	424.000
NH3-N	1	48.000	.	48.000	48.000
NDF	1	424.000	.	424.000	424.000
iNDF	1	196.767	.	196.767	196.767
nhNDF	1	3.598	.	3.598	3.598
Stä	1	87.000	.	87.000	87.000
Socker	1	30.000	.	30.000	30.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	6.600	.	6.600	6.600
P	1	4.100	.	4.100	4.100
Mg	1	2.800	.	2.800	2.800
K	1	13.900	.	13.900	13.900
Na	1	1.500	.	1.500	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	5.500	.	5.500	5.500
S	1	2.200	.	2.200	2.200
CAB	1	128.287	.	128.287	128.287
Fe	1	350.000	.	350.000	350.000
Mn	1	97.000	.	97.000	97.000
Zn	1	75.000	.	75.000	75.000
Cu	1	23.800	.	23.800	23.800

*= Parametrar från det gamla svenska fodervärderingssystemet