

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök-syra	Ättik-syra	Socker
Prognos, gräs (0% baljv.) (041)	1	2	298		72.7					171	4.34		0.000			
Prognos, blandvall (1-50% baljv) (042)	1	2	242		73.2					170	4.32		0.000			
Prognos, blandvall (51-100% baljv.) (043)	1	2	238		73.2					262	6.38		0.000			
Grönmassa, gräs (0% baljv.) (161)	1	1	852	50	60.8	63			617	255	2.99		61.000			130
Ensilage, gräs (0% klöver) (162)	1	1	402	58	72.2	112	756	76.0	514	180	4.15		38.600	30.0	5.0	81
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	315	77	78.1	154			497	113	5.70		84.000			111
Grönmassa blandvall (1-50 % baljväxter) (164)	1	24	404	77	78.3	147			466	117	5.50		84.000			118
Grönmassa blandvall (1-50 % baljväxter) (164)	2	7	563	89	74.4	156			471	159	4.50		84.000			90
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2	463	85	70.0	156			482	208	3.62		84.000			76
Ensilage, blandvall (1-50% klöver) (165)	0	1	554	78	73.5	125	656	66.0	509	161	4.55		50.800	37.0	12.0	71
Ensilage, blandvall (1-50% klöver) (165)	1	50	387	70	75.7	136	643	86.5	450	155	4.47		66.394	50.0	13.0	72
Ensilage, blandvall (1-50% klöver) (165)	2	8	544	84	74.9	159	532	54.1	431	170	4.16		39.025	27.1	9.4	89
Ensilage, blandvall (1-50% klöver) (165)	3	4	446	93	73.9	142	556	102	405	231	4.56		71.400	48.5	15.8	64
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	237	76	72.1	170	697	62.0	438	252	4.29	48	124.000	89.0	35.0	23
Havre helsädesensilage degmognad (296)	1	1	318	101	72.2	191	680	122	460	186	3.93	17	76.000	47.0	29.0	20
Vete, helsäd ensilage (299)	1	1	344	77	67.1	140	642	99.0	462	255	2.83	17	71.500	53.0	16.0	62
Hö, blandvall, 0-50% baljväxter (383)	1	1	917	54	72.6	77			529	172	4.35		0.000			179
Hö, blandvall, 0-50% baljväxter (383)	2	1	891	42	56.1	41			632	293	2.45		0.000			147
Grönmassa, blandvall (51-100% baljväxter) (437)	1	4	450	83	78.0	155			403	180	6.01		72.000			135

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Prognos, gräs (0% baljv.) (041)	1	2				95.9	-8.0	5.94	10.6		
Prognos, blandvall (1-50% baljv) (042)	1	2				96.4	-4.4	5.94	11.6		
Prognos, blandvall (51-100% baljv.) (043)	1	2				93.0	14.4	5.95	12.4		
Grönmassa, gräs (0% baljv.) (161)	1	1				69.5	-38	4.76	8.8	63.0	-45

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, gräs (0% klöver) (162)	1	1		2.600		79.2	-9.3	5.79	10.6	71.0	-9.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				87.8	17.3	6.48	11.4	78.0	20.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	24				87.0	11.6	6.42	11.4	78.3	11.9
Grönmassa blandvall (1-50 % baljväxter) (164)	2	7				82.8	27.8	6.05	10.6	74.1	28.4
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2				78.7	34.1	5.69	10.0	70.5	33.5
Ensilage, blandvall (1-50% klöver) (165)	0	1		0.800		81.3	1.0	5.95	10.6	71.0	4.0
Ensilage, blandvall (1-50% klöver) (165)	1	50	3.66667	2.074		82.4	9.4	6.16	11.1	72.0	11.3
Ensilage, blandvall (1-50% klöver) (165)	2	8	3.00000	1.275		86.3	24.7	6.02	10.8	71.0	37.1
Ensilage, blandvall (1-50% klöver) (165)	3	4	7.50000	2.900		80.0	18.5	5.87	10.5	70.0	-6.5
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	0.00000	0.000		67.9	56.9	6.24	10.4		
Havre helsädesensilage degmognad (296)	1	1				75.2	59.4	5.89			
Vete, helsäd ensilage (299)	1	1				66.5	26.3	5.34	9.8	59.0	19.0
Hö, blandvall, 0-50% baljväxter (383)	1	1				89.3	-57	5.60	10.7	75.0	-51
Hö, blandvall, 0-50% baljväxter (383)	2	1				70.7	-59	4.16	8.1	59.0	-58
Grönmassa, blandvall (51-100% baljväxter) (437)	1	4				85.7	25.3	6.32	11.3	77.3	21.5

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	1	1.8	1.6	1.0	15.7	0.1		1.1	196	1	60.0	16.0	22.0	3.8	
Ensilage, gräs (0% klöver) (162)	1	1	3.8	2.4	1.3	20.8	0.1	7.2	1.5	240	1	93.0	90.0	25.0	4.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	3.4	3.0	1.2	29.5	0.2		1.9	512	1	94.0	36.0	28.0	6.0	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	21	5.1	2.8	1.8	27.8	0.5		2.0	475	21	112.5	57.0	29.4	6.5	
Grönmassa blandvall (1-50 % baljväxter) (164)	2	6	7.1	2.7	2.5	26.7	0.6		2.5	417	6	97.7	58.3	26.0	7.7	
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2	8.4	2.3	2.6	28.1	0.2		2.3	451	2	70.5	48.0	24.0	7.6	
Ensilage, blandvall (1-50% klöver) (165)	0	1	3.1	2.8	1.6	26.0	0.6	7.2	2.8	313	1	122.0	57.0	34.0	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	49	5.2	2.5	1.6	24.4	0.6	4.5	1.9	402	46	115.0	52.4	26.7	6.2	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	2	8	7.9	2.6	2.5	23.0	1.3	6.8	2.7	282	7	90.1	104.6	31.3	8.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	4	8.4	3.1	2.3	25.0	0.9	3.9	2.5	415	2	160.0	85.0	25.5	6.2	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	8.4	2.8	2.2	31.4	0.6	43.9	2.0	***	1	109.0	57.0	48.0	8.0	
Havre helsädesensilage degmognad (296)	1	1	3.7	2.6	1.6	34.8	1.5	9.1	2.3	555	1	823.0	88.0	32.0	6.9	
Vete, helsäd ensilage (299)	1	1	3.4	2.9	1.9	18.6	0.1	7.3	1.9	156	1	133.0	16.0	30.0	6.7	
Hö, blandvall, 0-50% baljväxter (383)	1	1	2.1	1.8	1.0	20.0	0.1		1.1	306	1	79.0	77.0	21.0	3.7	
Hö, blandvall, 0-50% baljväxter (383)	2	1	1.0	1.6	0.6	15.8	0.1		0.7	224	1	51.0	23.0	13.0	3.3	
Grönmassa, blandvall (51-100% baljväxter) (437)	1	4	9.8	2.8	2.3	26.5	0.3		1.6	459	4	117.8	43.8	26.0	7.5	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	297.500	3.53553	295.000	300.000
OS smbh	2	72.700	0.00000	72.700	72.700
iNDF	2	171.006	0.00000	171.006	171.006
nhNDF	2	4.344	0.00000	4.344	4.344
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	95.932	0.00000	95.932	95.932
PBVp20	2	-7.980	0.00000	-7.980	-7.980
NELp20	2	5.936	0.00000	5.936	5.936
OE*	2	10.550	0.07071	10.500	10.600

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	242.000	36.7696	216.000	268.000
OS smbh	2	73.150	0.0000	73.150	73.150
iNDF	2	170.460	0.0000	170.460	170.460
nhNDF	2	4.315	0.0000	4.315	4.315
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	96.439	0.0000	96.439	96.439
PBVp20	2	-4.418	0.0000	-4.418	-4.418
NELp20	2	5.943	0.0000	5.943	5.943
OE*	2	11.550	1.3435	10.600	12.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	237.500	2.12132	236.000	239.000
OS smbh	2	73.158	0.00000	73.158	73.158
iNDF	2	262.131	0.00000	262.131	262.131
nhNDF	2	6.377	0.00000	6.377	6.377
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	92.987	0.00000	92.987	92.987
PBVp20	2	14.357	0.00000	14.357	14.357
NELp20	2	5.951	0.00000	5.951	5.951
OE*	2	12.400	0.14142	12.300	12.500

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	852.000	.	852.000	852.000
Aska	1	50.000	.	50.000	50.000
OS smbh	1	60.800	.	60.800	60.800
Råprot	1	63.000	.	63.000	63.000
NDF	1	617.000	.	617.000	617.000
iNDF	1	255.381	.	255.381	255.381
nhNDF	1	2.989	.	2.989	2.989
TAF	1	61.000	.	61.000	61.000
Socker	1	130.000	.	130.000	130.000
AATp20	1	69.465	.	69.465	69.465
PBVp20	1	-38.251	.	-38.251	-38.251
NELp20	1	4.756	.	4.756	4.756

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	8.800	.	8.800	8.800
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-45.000	.	-45.000	-45.000
Ca	1	1.800	.	1.800	1.800
P	1	1.600	.	1.600	1.600
Mg	1	1.000	.	1.000	1.000
K	1	15.700	.	15.700	15.700
Na	1	0.100	.	0.100	0.100
S	1	1.100	.	1.100	1.100
CAB	1	196.287	.	196.287	196.287
Fe	1	60.000	.	60.000	60.000
Mn	1	16.000	.	16.000	16.000
Zn	1	22.000	.	22.000	22.000
Cu	1	3.800	.	3.800	3.800

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	402.000	.	402.000	402.000
Aska	1	58.000	.	58.000	58.000
OS smbh	1	72.200	.	72.200	72.200
Råprot	1	112.000	.	112.000	112.000
sRåprot	1	756.000	.	756.000	756.000
NH3-N	1	76.000	.	76.000	76.000
NDF	1	514.000	.	514.000	514.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	179.879	.	179.879	179.879
nhNDF	1	4.149	.	4.149	4.149
TAF	1	38.600	.	38.600	38.600
Mjölksyra	1	30.000	.	30.000	30.000
Ättiksyra	1	5.000	.	5.000	5.000
Socker	1	81.000	.	81.000	81.000
BUF	1	2.600	.	2.600	2.600
AATp20	1	79.171	.	79.171	79.171
PBVp20	1	-9.347	.	-9.347	-9.347
NELp20	1	5.793	.	5.793	5.793
OE*	1	10.600	.	10.600	10.600
AAT*	1	71.000	.	71.000	71.000
PBV*	1	-9.000	.	-9.000	-9.000
Ca	1	3.800	.	3.800	3.800
P	1	2.400	.	2.400	2.400
Mg	1	1.300	.	1.300	1.300
K	1	20.800	.	20.800	20.800
Na	1	0.100	.	0.100	0.100
Cl	1	7.200	.	7.200	7.200
S	1	1.500	.	1.500	1.500
CAB	1	239.750	.	239.750	239.750
Fe	1	93.000	.	93.000	93.000
Mn	1	90.000	.	90.000	90.000
Zn	1	25.000	.	25.000	25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	1	4.400	.	4.400	4.400
Se	1	0.025	.	0.025	0.025

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	315.000	.	315.000	315.000
Aska	1	77.000	.	77.000	77.000
OS smbh	1	78.100	.	78.100	78.100
Råprot	1	154.000	.	154.000	154.000
NDF	1	497.000	.	497.000	497.000
iNDF	1	113.475	.	113.475	113.475
nhNDF	1	5.696	.	5.696	5.696
TAF	1	84.000	.	84.000	84.000
Socket	1	111.000	.	111.000	111.000
AATp20	1	87.841	.	87.841	87.841
PBVp20	1	17.307	.	17.307	17.307
NELp20	1	6.485	.	6.485	6.485
OE*	1	11.400	.	11.400	11.400
AAT*	1	78.000	.	78.000	78.000
PBV*	1	20.000	.	20.000	20.000
Ca	1	3.400	.	3.400	3.400
P	1	3.000	.	3.000	3.000
Mg	1	1.200	.	1.200	1.200
K	1	29.500	.	29.500	29.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.200	.	0.200	0.200
S	1	1.900	.	1.900	1.900
CAB	1	512.027	.	512.027	512.027
Fe	1	94.000	.	94.000	94.000
Mn	1	36.000	.	36.000	36.000
Zn	1	28.000	.	28.000	28.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	24	404.417	136.255	237.000	596.000
Aska	24	77.042	10.071	66.000	94.000
OS smbh	24	78.283	3.315	73.500	83.000
Råprot	24	146.500	30.098	108.000	185.000
NDF	24	466.000	44.081	403.000	520.000
iNDF	24	117.166	32.511	75.010	158.943
nhNDF	24	5.500	0.782	4.400	6.472
TAF	24	84.000	0.000	84.000	84.000
Socker	24	118.333	46.603	56.000	171.000
AATp20	24	87.003	3.989	82.503	90.990
PBVp20	24	11.614	24.959	-17.186	55.473
NELp20	24	6.422	0.318	6.018	6.750
OE*	24	11.408	0.576	10.700	12.100
AAT*	24	78.250	3.011	75.000	82.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	24	11.875	29.727	-23.000	60.000
Ca	21	5.095	1.895	3.100	6.600
P	21	2.843	0.451	2.300	3.300
Mg	21	1.771	0.382	1.400	2.400
K	21	27.824	4.847	23.300	34.100
Na	21	0.514	0.350	0.100	0.900
S	21	2.029	0.362	1.700	2.400
CAB	21	474.787	122.294	326.829	597.992
Fe	21	112.524	73.106	59.000	157.000
Mn	21	57.048	24.057	32.000	79.000
Zn	21	29.381	4.883	25.000	35.000
Cu	21	6.457	1.299	5.000	8.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	562.571	211.450	315.000	804.000
Aska	7	89.429	12.150	70.000	106.000
OS smbh	7	74.386	3.350	69.500	77.500
Råprot	7	156.143	33.153	117.000	208.000
NDF	7	471.429	48.273	386.000	519.000
iNDF	7	158.676	28.860	122.955	197.607
nhNDF	7	4.501	0.583	3.886	5.383
TAF	7	84.000	0.000	84.000	84.000
Socker	7	89.714	49.966	30.000	151.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	7	82.769	3.440	78.270	86.633
PBVp20	7	27.756	29.632	-5.565	70.222
NELp20	7	6.051	0.273	5.713	6.341
OE*	7	10.629	0.585	9.700	11.100
AAT*	7	74.143	3.288	69.000	77.000
PBV*	7	28.429	34.510	-11.000	78.000
Ca	6	7.117	2.332	3.800	10.300
P	6	2.683	0.412	2.000	3.100
Mg	6	2.517	0.440	1.900	2.900
K	6	26.667	4.422	18.800	30.500
Na	6	0.550	0.302	0.100	1.000
S	6	2.500	0.245	2.100	2.800
CAB	6	417.281	102.017	247.609	534.885
Fe	6	97.667	28.974	65.000	147.000
Mn	6	58.333	35.012	31.000	116.000
Zn	6	26.000	3.225	21.000	31.000
Cu	6	7.733	1.581	5.800	9.900

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	462.500	200.111	321.000	604.000
Aska	2	84.500	3.536	82.000	87.000
OS smbh	2	70.000	3.960	67.200	72.800
Råprot	2	155.500	21.920	140.000	171.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	2	482.000	26.870	463.000	501.000
iNDF	2	207.648	35.596	182.477	232.818
nhNDF	2	3.617	0.523	3.247	3.987
TAF	2	84.000	0.000	84.000	84.000
Socker	2	75.500	17.678	63.000	88.000
AATp20	2	78.715	4.841	75.291	82.138
PBVp20	2	34.102	12.518	25.251	42.953
NELp20	2	5.685	0.353	5.436	5.935
OE*	2	9.950	0.636	9.500	10.400
AAT*	2	70.500	3.536	68.000	73.000
PBV*	2	33.500	16.263	22.000	45.000
Ca	2	8.400	2.546	6.600	10.200
P	2	2.350	0.071	2.300	2.400
Mg	2	2.550	0.071	2.500	2.600
K	2	28.050	1.768	26.800	29.300
Na	2	0.150	0.071	0.100	0.200
S	2	2.250	0.636	1.800	2.700
CAB	2	450.894	8.511	444.875	456.912
Fe	2	70.500	9.192	64.000	77.000
Mn	2	48.000	22.627	32.000	64.000
Zn	2	24.000	0.000	24.000	24.000
Cu	2	7.600	2.121	6.100	9.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	554.000	.	554.000	554.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	125.000	.	125.000	125.000
sRåprot	1	656.000	.	656.000	656.000
NH3-N	1	66.000	.	66.000	66.000
NDF	1	509.000	.	509.000	509.000
iNDF	1	161.096	.	161.096	161.096
nhNDF	1	4.547	.	4.547	4.547
TAF	1	50.800	.	50.800	50.800
Mjölksyra	1	37.000	.	37.000	37.000
Ättiksyra	1	12.000	.	12.000	12.000
Socker	1	71.000	.	71.000	71.000
BUF	1	0.800	.	0.800	0.800
AATp20	1	81.279	.	81.279	81.279
PBVp20	1	1.040	.	1.040	1.040
NELp20	1	5.948	.	5.948	5.948
OE*	1	10.600	.	10.600	10.600
AAT*	1	71.000	.	71.000	71.000
PBV*	1	4.000	.	4.000	4.000
Ca	1	3.100	.	3.100	3.100
P	1	2.800	.	2.800	2.800
Mg	1	1.600	.	1.600	1.600
K	1	26.000	.	26.000	26.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.600	.	0.600	0.600
Cl	1	7.200	.	7.200	7.200
S	1	2.800	.	2.800	2.800
CAB	1	313.232	.	313.232	313.232
Fe	1	122.000	.	122.000	122.000
Mn	1	57.000	.	57.000	57.000
Zn	1	34.000	.	34.000	34.000
Cu	1	6.800	.	6.800	6.800
Se	1	0.013	.	0.013	0.013

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	50	386.620	123.175	254.500	568.500
Aska	50	70.360	8.545	59.000	79.500
OS smbh	50	75.744	3.209	71.150	79.300
Råprot	50	135.940	22.880	108.000	165.500
sRåprot	50	642.680	88.460	522.500	748.500
NH3-N	50	86.480	33.410	44.000	123.500
NDF	50	449.600	39.801	393.000	499.000
iNDF	50	154.853	31.226	118.307	200.944
nhNDF	50	4.471	0.589	3.674	5.181
TAF	50	66.394	28.764	30.750	101.150
Mjölksyra	50	49.980	24.616	16.500	82.500
Ättiksyra	50	13.020	5.176	6.000	20.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	50	72.460	36.505	27.500	126.500
PRF	6	3.667	1.033	2.000	5.000
BUF	50	2.074	4.114	0.100	4.800
AATp20	50	82.415	3.628	78.547	85.699
PBVp20	50	9.394	20.141	-17.217	35.514
NELp20	50	6.157	0.362	5.548	6.576
OE*	50	11.069	0.493	10.400	11.650
AAT*	44	71.955	1.446	70.000	73.000
PBV*	44	11.318	21.800	-14.000	41.000
Ca	49	5.153	1.327	3.700	7.400
P	49	2.529	0.392	2.100	3.000
Mg	49	1.645	0.228	1.400	1.900
K	49	24.429	3.614	20.300	28.400
Na	49	0.565	0.336	0.100	1.000
Cl	50	4.516	2.611	1.700	8.050
S	49	1.900	0.394	1.400	2.400
CAB	49	401.943	91.233	269.755	501.578
Fe	46	114.978	45.195	67.000	183.000
Mn	46	52.435	26.364	30.000	73.000
Zn	46	26.652	4.605	22.000	32.000
Cu	46	6.235	0.951	5.000	7.900
Se	6	0.040	0.043	0.007	0.123

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	544.375	121.568	405.000	753.000
Aska	8	83.875	12.415	60.000	101.000
OS smbh	8	74.938	2.252	72.600	78.500
Råprot	8	158.875	19.335	125.000	181.000
sRåprot	8	532.000	109.706	332.000	674.000
NH3-N	8	54.125	24.109	11.000	84.000
NDF	8	431.375	24.974	389.000	465.000
iNDF	8	169.871	30.757	122.017	215.342
nhNDF	8	4.156	0.582	3.212	5.061
TAF	8	39.025	22.006	12.500	73.000
Mjölksyra	8	27.125	18.473	5.000	54.000
Ättiksyra	8	9.375	3.583	6.000	16.000
Socker	8	89.250	40.865	33.000	143.000
PRF	1	3.000	.	3.000	3.000
BUF	8	1.275	0.904	0.000	2.600
AATp20	8	86.342	4.436	78.911	91.490
PBVp20	8	24.705	21.133	-13.332	55.811
NELp20	8	6.019	0.244	5.833	6.507
OE*	8	10.784	0.388	10.300	11.300
AAT*	7	71.000	1.000	70.000	72.000
PBV*	7	37.143	20.219	3.000	58.000
Ca	8	7.850	2.569	5.300	13.700
P	8	2.600	0.321	2.100	3.200
Mg	8	2.463	0.233	2.000	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	8	23.038	5.495	11.100	29.400
Na	8	1.288	1.012	0.400	3.100
Cl	8	6.775	2.652	2.200	11.400
S	8	2.750	0.663	2.200	3.900
CAB	8	282.453	121.844	37.068	440.426
Fe	7	90.143	20.740	71.000	129.000
Mn	7	104.571	94.479	26.000	292.000
Zn	7	31.286	8.597	24.000	46.000
Cu	7	8.414	1.987	6.300	11.700
Se	2	0.017	0.003	0.015	0.019

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	446.000	107.396	361.000	590.000
Aska	4	92.500	6.137	88.000	101.000
OS smbh	4	73.900	1.776	72.300	76.400
Råprot	4	141.500	34.549	102.000	179.000
sRåprot	4	555.500	43.646	512.000	616.000
NH3-N	4	102.250	33.540	79.000	152.000
NDF	4	405.000	29.473	387.000	449.000
iNDF	4	230.979	48.250	194.049	300.000
nhNDF	4	4.560	1.143	3.415	5.592
TAF	4	71.400	34.182	20.500	93.000
Mjölksyra	4	48.500	28.989	6.000	67.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	4	15.750	4.113	12.000	21.000
Socker	4	64.250	33.330	22.000	102.000
PRF	2	7.500	0.707	7.000	8.000
BUF	4	2.900	4.148	0.100	9.000
AATp20	4	79.994	2.360	77.392	82.094
PBVp20	4	18.453	33.248	-21.407	56.016
NELp20	4	5.866	0.289	5.511	6.217
OE*	4	10.525	0.294	10.290	10.910
AAT*	2	70.000	0.000	70.000	70.000
PBV*	2	-6.500	14.849	-17.000	4.000
Ca	4	8.425	1.515	6.600	10.200
P	4	3.075	0.499	2.600	3.600
Mg	4	2.275	0.435	1.700	2.700
K	4	25.025	1.237	23.800	26.700
Na	4	0.925	0.709	0.200	1.900
Cl	4	3.875	1.588	2.500	5.300
S	4	2.500	0.356	2.000	2.800
CAB	4	414.838	27.005	393.351	450.054
Fe	2	160.000	9.899	153.000	167.000
Mn	2	85.000	29.698	64.000	106.000
Zn	2	25.500	0.707	25.000	26.000
Cu	2	6.200	0.424	5.900	6.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	237.000	.	237.000	237.000
Aska	1	76.000	.	76.000	76.000
OS smbh	1	72.100	.	72.100	72.100
Råprot	1	170.000	.	170.000	170.000
sRåprot	1	697.000	.	697.000	697.000
NH3-N	1	62.000	.	62.000	62.000
NDF	1	438.000	.	438.000	438.000
iNDF	1	252.000	.	252.000	252.000
nhNDF	1	4.288	.	4.288	4.288
Stä	1	48.000	.	48.000	48.000
TAF	1	124.000	.	124.000	124.000
Mjölksyra	1	89.000	.	89.000	89.000
Ättiksyra	1	35.000	.	35.000	35.000
Socket	1	23.000	.	23.000	23.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	67.895	.	67.895	67.895
PBVp20	1	56.919	.	56.919	56.919
NELp20	1	6.242	.	6.242	6.242
OE*	1	10.410	.	10.410	10.410
Ca	1	8.400	.	8.400	8.400
P	1	2.800	.	2.800	2.800
Mg	1	2.200	.	2.200	2.200
K	1	31.400	.	31.400	31.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.600	.	0.600	0.600
Cl	1	43.900	.	43.900	43.900
S	1	2.000	.	2.000	2.000
CAB	1	-532.464	.	-532.464	-532.464
Fe	1	109.000	.	109.000	109.000
Mn	1	57.000	.	57.000	57.000
Zn	1	48.000	.	48.000	48.000
Cu	1	8.000	.	8.000	8.000

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	318.000	.	318.000	318.000
Aska	1	101.000	.	101.000	101.000
OS smbh	1	72.200	.	72.200	72.200
Råprot	1	191.000	.	191.000	191.000
sRåprot	1	680.000	.	680.000	680.000
NH3-N	1	122.000	.	122.000	122.000
NDF	1	460.000	.	460.000	460.000
iNDF	1	186.133	.	186.133	186.133
nhNDF	1	3.932	.	3.932	3.932
Stä	1	17.000	.	17.000	17.000
TAF	1	76.000	.	76.000	76.000
Mjölksyra	1	47.000	.	47.000	47.000
Ättiksyra	1	29.000	.	29.000	29.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	1	20.000	.	20.000	20.000
AATp20	1	75.184	.	75.184	75.184
PBVp20	1	59.368	.	59.368	59.368
NELp20	1	5.893	.	5.893	5.893
Ca	1	3.700	.	3.700	3.700
P	1	2.600	.	2.600	2.600
Mg	1	1.600	.	1.600	1.600
K	1	34.800	.	34.800	34.800
Na	1	1.500	.	1.500	1.500
Cl	1	9.100	.	9.100	9.100
S	1	2.300	.	2.300	2.300
CAB	1	555.155	.	555.155	555.155
Fe	1	823.000	.	823.000	823.000
Mn	1	88.000	.	88.000	88.000
Zn	1	32.000	.	32.000	32.000
Cu	1	6.900	.	6.900	6.900

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	344.000	.	344.000	344.000
Aska	1	77.000	.	77.000	77.000
OS smbh	1	67.100	.	67.100	67.100
Råprot	1	140.000	.	140.000	140.000
sRåprot	1	642.000	.	642.000	642.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	99.000	.	99.000	99.000
NDF	1	462.000	.	462.000	462.000
iNDF	1	255.405	.	255.405	255.405
nhNDF	1	2.833	.	2.833	2.833
Stä	1	17.000	.	17.000	17.000
TAF	1	71.500	.	71.500	71.500
Mjölksyra	1	53.000	.	53.000	53.000
Ättiksyra	1	16.000	.	16.000	16.000
Socker	1	62.000	.	62.000	62.000
AATp20	1	66.503	.	66.503	66.503
PBVp20	1	26.268	.	26.268	26.268
NELp20	1	5.336	.	5.336	5.336
OE*	1	9.800	.	9.800	9.800
AAT*	1	59.000	.	59.000	59.000
PBV*	1	19.000	.	19.000	19.000
Ca	1	3.400	.	3.400	3.400
P	1	2.900	.	2.900	2.900
Mg	1	1.900	.	1.900	1.900
K	1	18.600	.	18.600	18.600
Na	1	0.100	.	0.100	0.100
Cl	1	7.300	.	7.300	7.300
S	1	1.900	.	1.900	1.900
CAB	1	155.667	.	155.667	155.667
Fe	1	133.000	.	133.000	133.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	16.000	.	16.000	16.000
Zn	1	30.000	.	30.000	30.000
Cu	1	6.700	.	6.700	6.700

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	917.000	.	917.000	917.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	72.600	.	72.600	72.600
Råprot	1	77.000	.	77.000	77.000
NDF	1	529.000	.	529.000	529.000
iNDF	1	171.747	.	171.747	171.747
nhNDF	1	4.352	.	4.352	4.352
TAF	1	0.000	.	0.000	0.000
Socker	1	179.000	.	179.000	179.000
AATp20	1	89.312	.	89.312	89.312
PBVp20	1	-57.067	.	-57.067	-57.067
NELp20	1	5.600	.	5.600	5.600
OE*	1	10.700	.	10.700	10.700
AAT*	1	75.000	.	75.000	75.000
PBV*	1	-51.000	.	-51.000	-51.000
Ca	1	2.100	.	2.100	2.100
P	1	1.800	.	1.800	1.800
Mg	1	1.000	.	1.000	1.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	20.000	.	20.000	20.000
Na	1	0.100	.	0.100	0.100
S	1	1.100	.	1.100	1.100
CAB	1	306.262	.	306.262	306.262
Fe	1	79.000	.	79.000	79.000
Mn	1	77.000	.	77.000	77.000
Zn	1	21.000	.	21.000	21.000
Cu	1	3.700	.	3.700	3.700

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	891.000	.	891.000	891.000
Aska	1	42.000	.	42.000	42.000
OS smbh	1	56.100	.	56.100	56.100
Råprot	1	41.000	.	41.000	41.000
NDF	1	632.000	.	632.000	632.000
iNDF	1	292.978	.	292.978	292.978
nhNDF	1	2.453	.	2.453	2.453
TAF	1	0.000	.	0.000	0.000
Socker	1	147.000	.	147.000	147.000
AATp20	1	70.737	.	70.737	70.737
PBVp20	1	-59.348	.	-59.348	-59.348
NELp20	1	4.163	.	4.163	4.163
OE*	1	8.100	.	8.100	8.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	1	59.000	.	59.000	59.000
PBV*	1	-58.000	.	-58.000	-58.000
Ca	1	1.000	.	1.000	1.000
P	1	1.600	.	1.600	1.600
Mg	1	0.600	.	0.600	0.600
K	1	15.800	.	15.800	15.800
Na	1	0.100	.	0.100	0.100
S	1	0.700	.	0.700	0.700
CAB	1	223.845	.	223.845	223.845
Fe	1	51.000	.	51.000	51.000
Mn	1	23.000	.	23.000	23.000
Zn	1	13.000	.	13.000	13.000
Cu	1	3.300	.	3.300	3.300

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	449.500	153.398	254.000	602.000
Aska	4	82.500	10.083	72.000	96.000
OS smbh	4	78.025	4.700	73.300	84.100
Råprot	4	154.750	56.222	90.000	212.000
NDF	4	403.250	63.200	338.000	466.000
iNDF	4	179.802	92.340	55.402	272.717
nhNDF	4	6.006	0.970	4.575	6.724
TAF	4	72.000	0.000	72.000	72.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	4	135.000	45.070	89.000	196.000
AATp20	4	85.671	5.773	80.579	93.050
PBVp20	4	25.314	45.728	-30.562	68.219
NELp20	4	6.317	0.524	5.876	7.018
OE*	4	11.300	0.648	10.600	12.100
AAT*	4	77.250	2.500	74.000	80.000
PBV*	4	21.525	51.758	-41.000	72.000
Ca	4	9.800	2.906	6.400	13.500
P	4	2.800	0.510	2.300	3.500
Mg	4	2.250	0.661	1.500	2.900
K	4	26.475	6.675	21.500	36.300
Na	4	0.300	0.183	0.100	0.500
S	4	1.625	0.150	1.400	1.700
CAB	4	459.013	164.521	335.784	701.257
Fe	4	117.750	28.289	100.000	160.000
Mn	4	43.750	12.842	30.000	59.000
Zn	4	26.000	7.348	22.000	37.000
Cu	4	7.475	1.866	5.200	9.100
Se	3	0.035	0.040	0.010	0.082

*= Parametrar från det gamla svenska fodervärderingssystemet