

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Prognos, blandvall (1-50% baljv) (042)	1	1	201		73.2					170	4.32		0.0000			
Prognos, blandvall (1-50% baljv) (042)	2	1	202		73.2					170	4.32		0.0000			
Ensilage, gräs (0% klöver) (162)	1	1	351	73	75.8	153	715	68.0	444	145	4.16		28.0000	17.0	9.0	88
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	469	75	83.8	192			401	62	6.78		84.0000			155
Grönmassa blandvall (1-50 % baljväxter) (164)	1	10	343	65	78.5	155	400		467	115	5.52		84.0000			139
Grönmassa blandvall (1-50 % baljväxter) (164)	2	2	435	64	77.0	144			482	134	5.12		84.0000			103
Ensilage, blandvall (1-50% klöver) (165)	0	2	525	73	75.5	173	459	41.0	454	152	4.63		52.2000	19.0	4.0	83
Ensilage, blandvall (1-50% klöver) (165)	1	19	353	68	76.4	153	603	60.9	438	147	4.39		74.6211	59.3	12.9	68
Ensilage, blandvall (1-50% klöver) (165)	2	1	203	69	62.6	133	602	211	565	256	2.98		93.7000	41.0	21.0	11

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Prognos, blandvall (1-50% baljv) (042)	1	1				96.4	-4.4	5.94	11.9		
Prognos, blandvall (1-50% baljv) (042)	2	1				96.4	-4.4	5.94	11.1		
Ensilage, gräs (0% klöver) (162)	1	1	2.00000	0.0000		83.4	21.5	6.11	11.1		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				94.8	41.5	7.00	12.3	82.0	50.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	10				89.4	15.9	6.51	11.6	79.9	20.4
Grönmassa blandvall (1-50 % baljväxter) (164)	2	2				86.4	10.0	6.41	11.4	78.5	9.5
Ensilage, blandvall (1-50% klöver) (165)	0	2		1.4000		88.1	23.8	6.22	11.3	72.0	48.0
Ensilage, blandvall (1-50% klöver) (165)	1	19	2.90909	0.3053		84.2	22.9	6.33	11.2	72.8	18.5
Ensilage, blandvall (1-50% klöver) (165)	2	1		30.7000		68.8	29.5	5.17	8.9	65.0	20.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, gräs (0% klöver) (162)	1	1	4.8	2.9	1.8	22.2	0.7	1.0	2.2	433	0					
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	4.7	3.1	2.2	28.5	0.1		2.4	451	1	86.0	21.0	22.0	7.3	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	8	4.7	2.9	1.9	18.7	0.3	1.8	2.2	242	6	108.2	45.7	35.5	8.2	
Grönmassa blandvall (1-50 % baljväxter) (164)	2	2	5.3	2.2	1.8	19.7	0.1		1.9	257	2	120.5	39.0	22.0	5.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	1	6.4	2.4	2.3	24.3	0.1	5.0	2.3	341	1	192.0	39.0	25.0	6.8	
Ensilage, blandvall (1-50% klöver) (165)	1	19	4.4	2.4	1.6	20.4	0.7	2.5	2.1	343	15	250.5	51.2	28.1	6.1	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	201.000	.	201.000	201.000
OS smbh	1	73.150	.	73.150	73.150
iNDF	1	170.460	.	170.460	170.460
nhNDF	1	4.315	.	4.315	4.315
TAF	1	0.000	.	0.000	0.000
AATp20	1	96.439	.	96.439	96.439
PBVp20	1	-4.418	.	-4.418	-4.418
NELp20	1	5.943	.	5.943	5.943
OE*	1	11.900	.	11.900	11.900

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	202.000	.	202.000	202.000
OS smbh	1	73.150	.	73.150	73.150
iNDF	1	170.460	.	170.460	170.460
nhNDF	1	4.315	.	4.315	4.315
TAF	1	0.000	.	0.000	0.000
AATp20	1	96.439	.	96.439	96.439
PBVp20	1	-4.418	.	-4.418	-4.418
NELp20	1	5.943	.	5.943	5.943
OE*	1	11.100	.	11.100	11.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	351.000	.	351.000	351.000
Aska	1	73.000	.	73.000	73.000
OS smbh	1	75.800	.	75.800	75.800
Råprot	1	153.000	.	153.000	153.000
sRåprot	1	715.000	.	715.000	715.000
NH3-N	1	68.000	.	68.000	68.000
NDF	1	444.000	.	444.000	444.000
iNDF	1	145.000	.	145.000	145.000
nhNDF	1	4.164	.	4.164	4.164
TAF	1	28.000	.	28.000	28.000
Mjölksyra	1	17.000	.	17.000	17.000
Ättiksyra	1	9.000	.	9.000	9.000
Socker	1	88.000	.	88.000	88.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	83.408	.	83.408	83.408
PBVp20	1	21.463	.	21.463	21.463
NELp20	1	6.111	.	6.111	6.111
OE*	1	11.050	.	11.050	11.050
Ca	1	4.800	.	4.800	4.800
P	1	2.900	.	2.900	2.900
Mg	1	1.800	.	1.800	1.800
K	1	22.200	.	22.200	22.200
Na	1	0.700	.	0.700	0.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CI	1	1.000	.	1.000	1.000
S	1	2.200	.	2.200	2.200
CAB	1	432.541	.	432.541	432.541

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	469.000	.	469.000	469.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	83.800	.	83.800	83.800
Råprot	1	192.000	.	192.000	192.000
NDF	1	401.000	.	401.000	401.000
iNDF	1	61.833	.	61.833	61.833
nhNDF	1	6.779	.	6.779	6.779
TAF	1	84.000	.	84.000	84.000
Socker	1	155.000	.	155.000	155.000
AATp20	1	94.829	.	94.829	94.829
PBVp20	1	41.515	.	41.515	41.515
NELp20	1	6.999	.	6.999	6.999
OE*	1	12.300	.	12.300	12.300
AAT*	1	82.000	.	82.000	82.000
PBV*	1	50.000	.	50.000	50.000
Ca	1	4.700	.	4.700	4.700
P	1	3.100	.	3.100	3.100
Mg	1	2.200	.	2.200	2.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	28.500	.	28.500	28.500
Na	1	0.100	.	0.100	0.100
S	1	2.400	.	2.400	2.400
CAB	1	450.854	.	450.854	450.854
Fe	1	86.000	.	86.000	86.000
Mn	1	21.000	.	21.000	21.000
Zn	1	22.000	.	22.000	22.000
Cu	1	7.300	.	7.300	7.300

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	342.900	61.303	255.000	416.500
Aska	10	64.700	10.457	53.000	80.500
OS smbh	10	78.510	4.351	71.900	83.050
Råprot	10	155.000	22.266	127.500	183.500
sRåprot	2	400.000	28.284	380.000	420.000
NDF	10	466.600	46.369	416.000	539.000
iNDF	10	115.143	35.926	77.027	168.831
nhNDF	10	5.518	0.940	4.118	6.568
TAF	10	84.000	0.000	84.000	84.000
Socker	10	138.500	43.352	81.000	197.000
AATp20	10	89.355	5.129	82.413	94.717
PBVp20	10	15.904	14.536	-3.291	35.573
NELp20	10	6.510	0.410	5.902	6.951

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	10	11.599	0.788	10.450	12.450
AAT*	8	79.875	4.257	71.000	85.000
PBV*	8	20.375	20.340	-6.000	56.000
Ca	8	4.725	0.971	3.200	6.100
P	8	2.900	0.334	2.400	3.400
Mg	8	1.888	0.564	1.400	2.900
K	8	18.663	4.020	12.100	25.700
Na	8	0.250	0.169	0.100	0.500
Cl	2	1.750	1.202	0.900	2.600
S	8	2.150	0.177	2.000	2.500
CAB	8	242.177	147.330	38.210	518.078
Fe	6	108.167	20.351	78.000	137.000
Mn	6	45.667	12.356	34.000	69.000
Zn	6	35.500	8.597	26.000	49.000
Cu	6	8.183	2.350	5.600	11.800

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	435.000	86.267	374.000	496.000
Aska	2	63.500	7.778	58.000	69.000
OS smbh	2	76.950	3.465	74.500	79.400
Råprot	2	143.500	27.577	124.000	163.000
NDF	2	481.500	30.406	460.000	503.000
iNDF	2	133.874	34.412	109.541	158.207

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	5.119	0.756	4.584	5.653
TAF	2	84.000	0.000	84.000	84.000
Socker	2	102.500	16.263	91.000	114.000
AATp20	2	86.427	4.441	83.287	89.567
PBVp20	2	9.955	18.497	-3.125	23.035
NELp20	2	6.408	0.337	6.170	6.647
OE*	2	11.350	0.495	11.000	11.700
AAT*	2	78.500	2.121	77.000	80.000
PBV*	2	9.500	23.335	-7.000	26.000
Ca	2	5.250	1.768	4.000	6.500
P	2	2.200	0.424	1.900	2.500
Mg	2	1.800	0.566	1.400	2.200
K	2	19.700	5.091	16.100	23.300
Na	2	0.100	0.000	0.100	0.100
S	2	1.900	0.424	1.600	2.200
CAB	2	257.040	103.692	183.718	330.361
Fe	2	120.500	50.205	85.000	156.000
Mn	2	39.000	1.414	38.000	40.000
Zn	2	22.000	1.414	21.000	23.000
Cu	2	5.300	0.566	4.900	5.700
Se	2	0.007	0.001	0.006	0.007

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	524.500	50.2046	489.000	560.000
Aska	1	73.000	.	73.000	73.000
OS smbh	2	75.450	2.7577	73.500	77.400
Råprot	1	173.000	.	173.000	173.000
sRåprot	1	459.000	.	459.000	459.000
NH3-N	1	41.000	.	41.000	41.000
NDF	1	454.000	.	454.000	454.000
iNDF	2	151.848	24.8769	134.258	169.439
nhNDF	2	4.625	0.4717	4.292	4.959
TAF	2	52.200	37.9009	25.400	79.000
Mjölksyra	1	19.000	.	19.000	19.000
Ättiksyra	1	4.000	.	4.000	4.000
Socker	1	83.000	.	83.000	83.000
BUF	1	1.400	.	1.400	1.400
AATp20	2	88.070	8.4214	82.115	94.025
PBVp20	2	23.781	2.4096	22.077	25.485
NELp20	2	6.224	0.2325	6.060	6.389
OE*	1	11.300	.	11.300	11.300
AAT*	1	72.000	.	72.000	72.000
PBV*	1	48.000	.	48.000	48.000
Ca	1	6.400	.	6.400	6.400
P	1	2.400	.	2.400	2.400
Mg	1	2.300	.	2.300	2.300
K	1	24.300	.	24.300	24.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.100	.	0.100	0.100
Cl	1	5.000	.	5.000	5.000
S	1	2.300	.	2.300	2.300
CAB	1	341.236	.	341.236	341.236
Fe	1	192.000	.	192.000	192.000
Mn	1	39.000	.	39.000	39.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.800	.	6.800	6.800

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	352.947	88.149	270.000	543.000
Aska	19	67.947	8.038	56.000	77.000
OS smbh	19	76.358	2.792	72.500	80.000
Råprot	19	153.316	18.756	130.000	175.000
sRåprot	19	602.684	42.668	563.000	660.000
NH3-N	19	60.947	15.956	38.000	79.000
NDF	19	438.316	39.625	393.000	502.000
iNDF	19	147.017	28.658	114.105	184.927
nhNDF	19	4.393	0.658	3.765	5.354
TAF	19	74.621	23.907	35.000	101.100
Mjölksyra	19	59.263	21.283	26.000	83.000
Ättiksyra	19	12.947	4.743	7.000	20.000
Socker	19	68.000	34.194	34.000	104.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	11	2.909	1.136	2.000	4.000
BUF	19	0.305	0.711	0.000	1.400
AATp20	19	84.154	4.292	78.223	90.093
PBVp20	19	22.854	15.949	3.332	40.405
NELp20	19	6.327	0.252	5.918	6.672
OE*	19	11.214	0.503	10.500	11.900
AAT*	8	72.750	2.188	70.000	76.000
PBV*	8	18.500	18.032	-20.000	42.000
Ca	19	4.389	1.057	3.100	5.900
P	19	2.379	0.435	1.800	3.000
Mg	19	1.595	0.458	0.900	2.200
K	19	20.411	2.815	16.800	23.100
Na	19	0.674	0.409	0.100	1.200
Cl	18	2.539	2.624	0.500	8.500
S	19	2.137	0.300	1.700	2.500
CAB	19	343.024	105.494	195.810	462.558
Fe	15	250.533	115.580	96.000	374.000
Mn	15	51.200	18.092	29.000	77.000
Zn	15	28.133	6.209	21.000	38.000
Cu	15	6.133	1.036	5.000	7.300
Se	9	0.037	0.016	0.017	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	203.000	.	203.000	203.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	62.600	.	62.600	62.600
Råprot	1	133.000	.	133.000	133.000
sRåprot	1	602.000	.	602.000	602.000
NH3-N	1	211.000	.	211.000	211.000
NDF	1	565.000	.	565.000	565.000
iNDF	1	255.697	.	255.697	255.697
nhNDF	1	2.982	.	2.982	2.982
TAF	1	93.700	.	93.700	93.700
Mjölksyra	1	41.000	.	41.000	41.000
Ättiksyra	1	21.000	.	21.000	21.000
Socker	1	11.000	.	11.000	11.000
BUF	1	30.700	.	30.700	30.700
AATp20	1	68.783	.	68.783	68.783
PBVp20	1	29.494	.	29.494	29.494
NELp20	1	5.168	.	5.168	5.168
OE*	1	8.900	.	8.900	8.900
AAT*	1	65.000	.	65.000	65.000
PBV*	1	20.000	.	20.000	20.000
CI	1	2.500	.	2.500	2.500

*= Parametrar från det gamla svenska fodervärderingssystemet