

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socket
Vete, kärna (005)	1	1	911	18	0.0	132	348		92	25	3.50	565	0.000			5
Ärter, kärna (006)	1	1	813	33	0.0	227	769		94	25	7.90	435	0.000			5
Grönmassa, gräs (0% baljv.) (161)	1	8	415	61	75.0	163	461		471	152	4.64		61.000			130
Ensilage, gräs (0% klöver) (162)	0	1	299	75	81.3	167	717	101	383	101	5.39		128.500	103	24.0	27
Ensilage, gräs (0% klöver) (162)	1	1	717	38	60.9	114	369	16.0	575	348	3.48		19.000	0.0		68
Grönmassa blandvall (1-50 % baljväxter) (164)	1	56	408	68	79.0	159	443		436	110	5.06		84.000			133
Grönmassa blandvall (1-50 % baljväxter) (164)	2	30	537	79	75.4	162	374		488	147	4.95		84.000			97
Grönmassa blandvall (1-50 % baljväxter) (164)	3	1	505	76	74.5	148	358		485	140	4.18		84.000			100
Ensilage, blandvall (1-50% klöver) (165)	0	4	556	100	73.7	170	568	75.8	439	176	4.10		28.150	17.0	8.0	70
Ensilage, blandvall (1-50% klöver) (165)	1	70	413	73	77.5	161	671	68.4	432	129	4.68	25	74.866	57.8	15.3	74
Ensilage, blandvall (1-50% klöver) (165)	2	31	459	74	74.7	168	605	65.1	479	155	4.49		65.071	48.9	13.9	59
Ensilage, blandvall (1-50% klöver) (165)	3	6	459	78	76.4	175	541	48.0	435	151	4.69		63.450	50.2	11.4	59
Ensilage, blandvall (1-50% klöver) (165)	4	4	351	99	75.4	186	622	66.8	411	199	4.89		106.750	87.8	15.8	44
Korn, helsädesensilage (250)	1	2	368	49	67.1	88	598	85.5	457	264	2.51	121	46.850	30.0	15.0	95
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	300	78	70.9	173	706	72.0	239	275	2.55	202	111.500	106	33.0	36
Majskolv, ensilerad (257)	1	1	417	5	76.7	64	588	67.0	342	218	2.97	442	58.000	44.0	13.0	5
Vete, helsäd ensilage (299)	1	7	359	49	69.1	118	668	62.2	527	221	3.80	35	67.000	42.4	21.6	81
Majs, helsädesensilage (305)	1	6	353	26	75.6	73	598	59.0	383	217	3.52	302	74.833	54.5	16.3	9
Hö, blandvall, 0-50% baljväxter (383)	1	2	899	44	63.9	63			616	229	3.38		0.000			134
Ensilage, blandvall (51-100% klöver) (438)	1	2	324	89	72.3	172	681	88.0	411	283	4.48		110.500	85.5	22.5	36
Grunnblanding Middels ford.grovför (326)	1	4	435	68	73.0	140	525	59.3	364	254	3.18	192	52.750	31.0	16.8	34

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Vete, kärna (005)	1	1				115	-37	7.97	14.1		
Ärter, kärna (006)	1	1				100	80.6	7.70	14.0		
Grönmassa, gräs (0% baljv.) (161)	1	8				89.0	21.9	6.18	11.1		
Ensilage, gräs (0% klöver) (162)	0	1	1.10000	0.40000		80.0	38.9	6.86	11.9	74.0	54.0
Ensilage, gräs (0% klöver) (162)	1	1				79.0	-6.2	4.90	8.9		
Grönmassa blandvall (1-50 % baljväxter) (164)	1	56				90.1	18.5	6.54	11.6	80.2	14.4
Grönmassa blandvall (1-50 % baljväxter) (164)	2	30				87.3	25.6	6.27	10.9	76.6	32.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	1				87.0	13.3	6.18	10.8		
Ensilage, blandvall (1-50% klöver) (165)	0	4		2.15000		85.1	37.2	5.86	10.4	69.5	49.5
Ensilage, blandvall (1-50% klöver) (165)	1	70	1.26000	0.55942		83.6	31.2	6.49	11.3	71.9	18.5
Ensilage, blandvall (1-50% klöver) (165)	2	31	1.57143	0.62759		84.1	36.9	6.31	10.9	70.9	33.4
Ensilage, blandvall (1-50% klöver) (165)	3	6	0.00000	0.34000		87.3	38.5	6.43	11.1	72.0	43.0
Ensilage, blandvall (1-50% klöver) (165)	4	4	3.25000	0.00000		79.3	61.1	6.33	10.7		
Korn, helsädesensilage (250)	1	2	1.00000	1.00000		71.2	-25	5.39	10.2		
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	5.00000	0.00000		69.7	37.7	6.01	11.5		
Majskolv, ensilerad (257)	1	1	1.00000	0.00000		86.2	-70	6.71	12.0		
Vete, helsäd ensilage (299)	1	7	2.42857	0.57143		70.8	1.5	5.84	10.2		
Majs, helsädesensilage (305)	1	6	4.50000	0.00000		80.8	-54	6.56	11.4		
Hö, blandvall, 0-50% baljväxter (383)	1	2				80.7	-55	4.92	9.4	67.5	-51
Ensilage, blandvall (51-100% klöver) (438)	1	2	2.00000	1.00000		72.6	63.5	6.10	10.3	66.0	46.0
Grunnblanding Middels ford.grovfôr (326)	1	4	4.00000	1.00000		84.4	14.1	6.23	10.6		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	8	3.2	2.4	1.2	21.1	0.7	10.2	2.0	175	2	91.0	31.0	28.0	5.5	
Ensilage, gräs (0% klöver) (162)	0	1	6.5	2.9	1.8	23.9	1.0	7.4	2.1	315	1	245.0	56.0	26.0	6.1	
Ensilage, gräs (0% klöver) (162)	1	1	3.7	1.5	1.7	5.4	1.3		1.8	-64	0					
Grönmassa blandvall (1-50 % baljväxter) (164)	1	56	4.7	2.8	1.6	24.0	0.8	4.1	2.1	392	22	166.2	52.2	28.1	5.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	29	5.6	2.9	2.1	25.9	1.1	8.0	2.4	377	16	125.3	54.7	28.8	6.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	1	5.9	3.0	2.3	26.1	1.7	9.5	2.4	324	0					
Ensilage, blandvall (1-50% klöver) (165)	1	65	5.3	3.0	1.8	24.4	1.3	7.2	2.1	345	31	167.4	50.7	47.0	5.6	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	31	5.8	3.1	2.1	25.3	1.6	8.8	2.4	321	14	121.4	60.2	32.8	6.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	6	7.3	2.9	2.3	23.5	1.7	7.5	2.5	307	1	158.0	54.0	24.0	5.1	
Ensilage, blandvall (1-50% klöver) (165)	4	4	7.3	3.4	2.7	23.0	1.9	7.4	2.8	290	0					
Korn, helsädesensilage (250)	1	2	3.3	2.5	1.4	17.4	1.3	8.8	1.5	160	1	48.0	22.0	21.0	5.5	
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	9.8	4.6	2.1	20.8	1.8	7.9	1.8	275	0					
Majskolv, ensilerad (257)	1	1	1.1	1.8	1.1	3.7	0.4		0.7	36	0					
Vete, helsäd ensilage (299)	1	7	2.8	2.3	1.2	17.8	0.4	3.9	1.5	269	1	71.0	40.0	20.0	4.0	0.1
Majs, helsädesensilage (305)	1	6	1.8	1.9	1.1	9.0	0.2	1.5	0.9	138	5	82.4	29.2	27.6	4.6	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	2	2.4	1.9	1.0	13.5	0.1		1.1	139	2	49.5	43.5	20.0	3.1	
Ensilage, blandvall (51-100% klöver) (438)	1	1	4.3	2.6	1.9	19.7	1.2	7.9	2.2	179	1	88.0	41.0	26.0	5.0	
Grunnblanding Middels ford.grovfôr (326)	1	4	8.1	3.7	2.9	14.5	3.7	11.1	2.3	140	3	372.3	116.0	90.0	18.7	0.5

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	911.000	.	911.000	911.000
Aska	1	18.000	.	18.000	18.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	132.000	.	132.000	132.000
sRåprot	1	348.000	.	348.000	348.000
NDF	1	92.000	.	92.000	92.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	565.000	.	565.000	565.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	115.306	.	115.306	115.306
PBVp20	1	-37.273	.	-37.273	-37.273
NELp20	1	7.969	.	7.969	7.969
OE*	1	14.100	.	14.100	14.100

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	813.000	.	813.000	813.000
Aska	1	33.000	.	33.000	33.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	227.000	.	227.000	227.000
sRåprot	1	769.000	.	769.000	769.000
NDF	1	94.000	.	94.000	94.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	7.900	.	7.900	7.900
Stä	1	435.000	.	435.000	435.000
TAF	1	0.000	.	0.000	0.000
Socket	1	5.000	.	5.000	5.000
AATp20	1	100.142	.	100.142	100.142
PBVp20	1	80.617	.	80.617	80.617
NELp20	1	7.696	.	7.696	7.696
OE*	1	14.000	.	14.000	14.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	415.250	262.183	196.000	791.000
Aska	8	60.500	13.448	45.000	78.000
OS smbh	8	75.038	8.477	63.900	83.800
Råprot	8	163.375	61.486	79.000	235.000
sRåprot	8	461.250	29.354	411.000	506.000
NDF	8	470.750	97.902	362.000	600.000
iNDF	8	151.625	103.236	45.000	285.000
nhNDF	8	4.638	0.692	3.909	5.815
TAF	8	61.000	0.000	61.000	61.000
Socket	8	130.250	31.640	77.000	158.000
AATp20	8	88.964	10.071	76.926	100.433
PBVp20	8	21.922	40.689	-35.935	68.850

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	8	6.180	0.790	5.231	7.023
OE*	8	11.056	1.270	9.360	12.320
Ca	8	3.163	1.388	0.500	4.800
P	8	2.388	0.671	1.600	3.600
Mg	8	1.175	0.486	0.400	1.800
K	8	21.075	6.632	10.700	29.700
Na	8	0.688	0.517	0.100	1.400
Cl	7	10.214	10.224	2.100	27.800
S	8	2.000	0.682	0.900	2.900
CAB	8	174.528	234.582	-298.748	427.943
Fe	2	91.000	8.485	85.000	97.000
Mn	2	31.000	15.556	20.000	42.000
Zn	2	28.000	2.828	26.000	30.000
Cu	2	5.500	0.707	5.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	299.000	.	299.000	299.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	81.300	.	81.300	81.300
Råprot	1	167.000	.	167.000	167.000
sRåprot	1	717.000	.	717.000	717.000
NH3-N	1	101.000	.	101.000	101.000
NDF	1	383.000	.	383.000	383.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	101.000	.	101.000	101.000
nhNDF	1	5.387	.	5.387	5.387
TAF	1	128.500	.	128.500	128.500
Mjölksyra	1	103.000	.	103.000	103.000
Ättiksyra	1	24.000	.	24.000	24.000
Socker	1	27.000	.	27.000	27.000
PRF	1	1.100	.	1.100	1.100
BUF	1	0.400	.	0.400	0.400
AATp20	1	79.997	.	79.997	79.997
PBVp20	1	38.866	.	38.866	38.866
NELp20	1	6.863	.	6.863	6.863
OE*	1	11.900	.	11.900	11.900
AAT*	1	74.000	.	74.000	74.000
PBV*	1	54.000	.	54.000	54.000
Ca	1	6.500	.	6.500	6.500
P	1	2.900	.	2.900	2.900
Mg	1	1.800	.	1.800	1.800
K	1	23.900	.	23.900	23.900
Na	1	1.000	.	1.000	1.000
Cl	1	7.400	.	7.400	7.400
S	1	2.100	.	2.100	2.100
CAB	1	315.031	.	315.031	315.031
Fe	1	245.000	.	245.000	245.000
Mn	1	56.000	.	56.000	56.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	26.000	.	26.000	26.000
Cu	1	6.100	.	6.100	6.100

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	717.000	.	717.000	717.000
Aska	1	38.000	.	38.000	38.000
OS smbh	1	60.900	.	60.900	60.900
Råprot	1	114.000	.	114.000	114.000
sRåprot	1	369.000	.	369.000	369.000
NH3-N	1	16.000	.	16.000	16.000
NDF	1	575.000	.	575.000	575.000
iNDF	1	348.000	.	348.000	348.000
nhNDF	1	3.475	.	3.475	3.475
TAF	1	19.000	.	19.000	19.000
Mjölksyra	1	0.000	.	0.000	0.000
Socket	1	68.000	.	68.000	68.000
AATp20	1	79.016	.	79.016	79.016
PBVp20	1	-6.249	.	-6.249	-6.249
NELp20	1	4.905	.	4.905	4.905
OE*	1	8.920	.	8.920	8.920
Ca	1	3.700	.	3.700	3.700
P	1	1.500	.	1.500	1.500
Mg	1	1.700	.	1.700	1.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	5.400	.	5.400	5.400
Na	1	1.300	.	1.300	1.300
S	1	1.800	.	1.800	1.800
CAB	1	-64.350	.	-64.350	-64.350

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	56	407.696	127.763	225.000	606.000
Aska	56	67.929	10.451	57.000	83.000
OS smbh	56	78.982	3.137	76.200	81.700
Råprot	56	158.982	27.359	123.000	186.000
sRåprot	37	443.000	49.593	392.000	505.000
NDF	56	436.018	48.136	368.000	499.000
iNDF	56	109.988	44.656	72.000	157.000
nhNDF	56	5.061	0.925	3.997	6.269
TAF	56	84.000	0.000	84.000	84.000
Socker	56	133.393	31.616	97.000	171.000
AATp20	56	90.061	4.198	85.171	95.099
PBVp20	56	18.482	20.283	-7.261	40.670
NELp20	56	6.539	0.303	6.203	6.794
OE*	56	11.637	0.478	11.160	12.100
AAT*	19	80.158	1.573	78.000	82.000
PBV*	19	14.368	22.046	-20.000	47.000
Ca	56	4.696	1.221	3.700	6.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	56	2.766	0.421	2.300	3.300
Mg	56	1.602	0.332	1.200	2.000
K	56	24.018	4.749	19.800	30.300
Na	56	0.775	0.440	0.300	1.300
Cl	32	4.138	2.474	0.700	6.800
S	56	2.118	0.385	1.700	2.600
CAB	56	392.257	118.876	238.226	570.744
Fe	22	166.182	108.710	81.000	304.000
Mn	22	52.227	19.188	34.000	70.000
Zn	22	28.091	4.638	24.000	32.000
Cu	22	5.482	0.924	4.700	6.700
Se	1	0.010	.	0.010	0.010

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	30	537.300	141.368	359.500	734.000
Aska	30	78.767	11.884	64.000	98.500
OS smbh	30	75.433	3.626	71.150	79.950
Råprot	30	161.667	22.734	132.500	193.500
sRåprot	17	373.941	31.630	334.000	420.000
NDF	30	488.200	35.559	446.000	538.000
iNDF	30	147.256	59.263	94.500	217.000
nhNDF	30	4.950	0.832	4.009	6.090
TAF	30	84.000	0.000	84.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	30	97.333	27.935	56.500	127.500
AATp20	30	87.316	3.933	82.377	91.511
PBVp20	30	25.552	16.788	1.915	47.389
NELp20	30	6.271	0.354	5.806	6.720
OE*	30	10.917	0.524	10.235	11.600
AAT*	13	76.615	2.785	72.000	80.000
PBV*	13	32.077	28.935	-12.000	66.000
Ca	29	5.566	1.531	3.800	7.800
P	29	2.948	0.337	2.500	3.400
Mg	29	2.055	0.417	1.400	2.500
K	29	25.876	4.312	20.300	32.200
Na	29	1.138	0.566	0.400	1.900
Cl	17	7.982	3.629	3.200	12.500
S	29	2.362	0.360	1.900	2.900
CAB	29	377.037	120.053	248.415	561.691
Fe	16	125.250	69.455	69.000	208.000
Mn	16	54.688	19.622	28.000	75.000
Zn	16	28.813	5.659	23.000	39.000
Cu	16	6.713	0.761	5.800	8.000
Se	1	0.016	.	0.016	0.016

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	505.000	.	505.000	505.000
Aska	1	76.000	.	76.000	76.000
OS smbh	1	74.500	.	74.500	74.500
Råprot	1	148.000	.	148.000	148.000
sRåprot	1	358.000	.	358.000	358.000
NDF	1	485.000	.	485.000	485.000
iNDF	1	140.000	.	140.000	140.000
nhNDF	1	4.179	.	4.179	4.179
TAF	1	84.000	.	84.000	84.000
Socket	1	100.000	.	100.000	100.000
AATp20	1	86.975	.	86.975	86.975
PBVp20	1	13.298	.	13.298	13.298
NELp20	1	6.175	.	6.175	6.175
OE*	1	10.800	.	10.800	10.800
Ca	1	5.900	.	5.900	5.900
P	1	3.000	.	3.000	3.000
Mg	1	2.300	.	2.300	2.300
K	1	26.100	.	26.100	26.100
Na	1	1.700	.	1.700	1.700
Cl	1	9.500	.	9.500	9.500
S	1	2.400	.	2.400	2.400
CAB	1	323.827	.	323.827	323.827

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	555.500	160.612	393.000	715.000
Aska	4	99.500	13.304	87.000	111.000
OS smbh	4	73.650	4.796	68.300	79.600
Råprot	4	170.000	33.506	146.000	218.000
sRåprot	4	567.750	60.517	507.000	627.000
NH3-N	4	75.750	23.768	47.000	99.000
NDF	4	439.000	59.234	382.000	522.000
iNDF	4	176.293	52.606	98.819	213.983
nhNDF	4	4.102	1.047	3.335	5.639
TAF	4	28.150	10.018	19.500	41.500
Mjölksyra	4	17.000	8.485	9.000	27.000
Ättiksyra	4	8.000	2.708	4.000	10.000
Socker	4	69.750	24.061	52.000	104.000
BUF	4	2.150	1.921	0.500	4.100
AATp20	4	85.108	7.026	80.555	95.471
PBVp20	4	37.226	21.207	19.308	65.087
NELp20	4	5.862	0.501	5.354	6.550
OE*	4	10.375	0.768	9.400	11.200
AAT*	4	69.500	1.915	67.000	71.000
PBV*	4	49.500	30.490	26.000	93.000
CI	4	9.650	2.918	6.700	13.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	70	412.800	112.816	277.000	584.500
Aska	70	73.271	13.740	64.000	86.000
OS smbh	70	77.503	3.789	72.050	80.350
Råprot	70	161.343	28.906	128.000	198.000
sRåprot	70	671.029	73.577	577.000	749.000
NH3-N	69	68.391	52.665	31.000	107.000
NDF	70	431.929	55.778	370.000	489.000
iNDF	70	129.025	39.995	91.000	191.352
nhNDF	70	4.676	0.755	3.976	5.203
Stä	2	24.500	10.607	17.000	32.000
TAF	70	74.866	34.981	27.250	114.000
Mjölksyra	70	57.786	31.425	16.000	96.000
Ättiksyra	69	15.290	7.221	6.000	22.000
Socker	70	74.314	33.939	31.000	116.000
PRF	50	1.260	2.406	0.000	2.500
BUF	69	0.559	2.224	0.000	1.400
AATp20	70	83.594	4.311	78.363	88.899
PBVp20	70	31.242	24.890	-0.567	64.443
NELp20	70	6.492	0.418	5.967	6.906
OE*	70	11.328	0.639	10.455	11.875
AAT*	19	71.895	2.470	67.000	74.000
PBV*	19	18.474	26.385	-15.000	59.000
Ca	65	5.340	1.308	4.100	7.300
P	65	3.020	0.419	2.500	3.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	65	1.772	0.374	1.400	2.300
K	65	24.402	3.421	20.400	28.100
Na	65	1.285	0.729	0.500	2.100
Cl	70	7.187	5.779	3.650	11.200
S	65	2.114	0.363	1.600	2.600
CAB	65	344.957	177.336	190.952	499.040
Fe	31	167.355	120.695	85.000	334.000
Mn	31	50.677	13.936	37.000	72.000
Zn	31	46.968	65.095	21.000	64.000
Cu	31	5.635	1.028	4.000	7.000
Se	4	0.050	0.000	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	31	459.355	126.158	309.000	626.000
Aska	31	74.258	8.493	66.000	83.000
OS smbh	31	74.706	2.570	71.900	77.100
Råprot	31	168.000	24.880	131.000	194.000
sRåprot	31	605.387	98.863	478.000	708.000
NH3-N	30	65.067	28.934	23.000	91.000
NDF	31	478.903	36.926	433.000	519.000
iNDF	31	155.310	32.315	124.000	211.501
nhNDF	31	4.488	0.352	4.158	4.835
TAF	31	65.071	28.258	24.400	101.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	31	48.903	24.475	16.000	80.000
Ättiksyra	29	13.862	6.507	5.000	22.000
Socker	31	58.935	32.272	29.000	108.000
PRF	21	1.571	1.287	0.000	3.000
BUF	29	0.628	1.724	0.000	1.400
AATp20	31	84.078	4.430	79.977	90.978
PBVp20	31	36.912	22.683	-5.270	63.556
NELp20	31	6.306	0.285	5.932	6.570
OE*	31	10.856	0.410	10.420	11.200
AAT*	8	70.875	2.031	68.000	73.000
PBV*	8	33.375	28.294	-13.000	63.000
Ca	31	5.832	1.313	4.500	7.600
P	31	3.119	0.320	2.700	3.500
Mg	31	2.103	0.306	1.700	2.500
K	31	25.316	3.772	21.000	29.400
Na	31	1.632	0.831	0.600	2.600
Cl	31	8.771	3.222	6.200	13.700
S	31	2.410	0.354	2.000	2.900
CAB	31	320.765	136.083	203.986	438.819
Fe	14	121.429	52.333	78.000	208.000
Mn	14	60.214	19.514	33.000	83.000
Zn	14	32.786	8.997	24.000	43.000
Cu	14	6.507	1.440	4.900	8.500
Se	1	0.014	.	0.014	0.014

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	459.333	123.265	317.000	678.000
Aska	6	77.667	17.512	62.000	110.000
OS smbh	6	76.417	2.264	74.100	80.400
Råprot	6	175.333	19.511	152.000	205.000
sRåprot	6	541.167	72.353	420.000	641.000
NH3-N	6	48.000	22.082	8.000	73.000
NDF	6	435.333	18.479	403.000	450.000
iNDF	6	150.805	27.316	124.000	197.000
nhNDF	6	4.692	1.251	3.729	7.118
TAF	6	63.450	24.815	36.000	105.000
Mjölksyra	6	50.167	29.471	16.000	102.000
Ättiksyra	5	11.400	5.367	3.000	16.000
Socker	6	58.667	29.663	20.000	107.000
PRF	4	0.000	0.000	0.000	0.000
BUF	5	0.340	0.760	0.000	1.700
AATp20	6	87.291	5.304	82.148	96.514
PBVp20	6	38.453	12.631	24.831	55.812
NELp20	6	6.429	0.235	6.148	6.797
OE*	6	11.083	0.271	10.640	11.350
AAT*	1	72.000	.	72.000	72.000
PBV*	1	43.000	.	43.000	43.000
Ca	6	7.267	1.483	5.600	9.500
P	6	2.850	0.579	2.400	4.000
Mg	6	2.300	0.253	2.000	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	6	23.500	3.426	20.000	28.700
Na	6	1.667	0.769	0.800	3.000
Cl	6	7.483	3.398	4.000	12.200
S	6	2.483	0.160	2.300	2.700
CAB	6	307.480	86.716	185.178	434.277
Fe	1	158.000	.	158.000	158.000
Mn	1	54.000	.	54.000	54.000
Zn	1	24.000	.	24.000	24.000
Cu	1	5.100	.	5.100	5.100

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	350.750	97.1301	212.000	438.000
Aska	4	99.250	15.5215	86.000	118.000
OS smbh	4	75.400	2.8856	73.600	79.700
Råprot	4	186.000	16.2481	166.000	202.000
sRåprot	4	622.250	30.4891	580.000	652.000
NH3-N	4	66.750	5.9090	59.000	73.000
NDF	4	410.750	43.2464	346.000	436.000
iNDF	4	198.500	34.4529	157.000	241.000
nhNDF	4	4.891	0.5156	4.488	5.579
TAF	4	106.750	26.7753	78.000	142.000
Mjölksyra	4	87.750	20.0728	62.000	111.000
Ättiksyra	4	15.750	8.1394	6.000	25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	4	43.750	27.1339	14.000	71.000
PRF	4	3.250	2.5000	0.000	6.000
BUF	4	0.000	0.0000	0.000	0.000
AATp20	4	79.289	3.5614	74.129	82.018
PBVp20	4	61.128	14.7885	39.534	71.433
NELp20	4	6.326	0.2170	6.055	6.581
OE*	4	10.673	0.3303	10.360	11.130
Ca	4	7.275	0.6292	6.400	7.900
P	4	3.425	0.1708	3.200	3.600
Mg	4	2.700	0.1155	2.600	2.800
K	4	23.025	0.7365	22.200	23.900
Na	4	1.900	0.3559	1.600	2.400
Cl	4	7.400	1.4071	6.000	9.300
S	4	2.775	0.2500	2.500	3.100
CAB	4	289.595	31.0128	259.879	329.212

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	367.500	26.163	349.000	386.000
Aska	2	49.000	5.657	45.000	53.000
OS smbh	2	67.050	2.475	65.300	68.800
Råprot	2	88.000	12.728	79.000	97.000
sRåprot	2	597.500	86.974	536.000	659.000
NH3-N	2	85.500	24.749	68.000	103.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	2	456.500	91.217	392.000	521.000
iNDF	2	263.577	14.741	253.154	274.000
nhNDF	2	2.506	0.568	2.104	2.908
Stä	2	120.500	142.128	20.000	221.000
TAF	2	46.850	21.425	31.700	62.000
Mjölksyra	2	30.000	15.556	19.000	41.000
Ättiksyra	2	15.000	5.657	11.000	19.000
Socker	2	95.000	73.539	43.000	147.000
PRF	1	1.000	.	1.000	1.000
BUF	1	1.000	.	1.000	1.000
AATp20	2	71.218	1.276	70.316	72.121
PBVp20	2	-24.671	8.764	-30.868	-18.474
NELp20	2	5.391	0.435	5.084	5.699
OE*	1	10.200	.	10.200	10.200
Ca	2	3.300	0.990	2.600	4.000
P	2	2.450	0.636	2.000	2.900
Mg	2	1.400	0.424	1.100	1.700
K	2	17.350	1.909	16.000	18.700
Na	2	1.300	0.000	1.300	1.300
Cl	2	8.750	7.000	3.800	13.700
S	2	1.500	0.141	1.400	1.600
CAB	2	160.027	157.204	48.867	271.187
Fe	1	48.000	.	48.000	48.000
Mn	1	22.000	.	22.000	22.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	21.000	.	21.000	21.000
Cu	1	5.500	.	5.500	5.500

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	300.000	.	300.000	300.000
Aska	1	78.000	.	78.000	78.000
OS smbh	2	70.850	11.6673	62.600	79.100
Råprot	1	173.000	.	173.000	173.000
sRåprot	1	706.000	.	706.000	706.000
NH3-N	1	72.000	.	72.000	72.000
NDF	1	239.000	.	239.000	239.000
iNDF	2	274.890	40.8570	246.000	303.781
nhNDF	2	2.554	0.4410	2.242	2.866
Stä	1	202.000	.	202.000	202.000
TAF	2	111.500	45.9619	79.000	144.000
Mjölksyra	1	106.000	.	106.000	106.000
Ättiksyra	1	33.000	.	33.000	33.000
Socker	1	36.000	.	36.000	36.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	69.691	1.4576	68.661	70.722
PBVp20	2	37.670	24.1658	20.582	54.758
NELp20	2	6.009	1.1426	5.201	6.817

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	11.530	.	11.530	11.530
Ca	1	9.800	.	9.800	9.800
P	1	4.600	.	4.600	4.600
Mg	1	2.100	.	2.100	2.100
K	1	20.800	.	20.800	20.800
Na	1	1.800	.	1.800	1.800
Cl	1	7.900	.	7.900	7.900
S	1	1.800	.	1.800	1.800
CAB	1	275.195	.	275.195	275.195

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	417.000	.	417.000	417.000
Aska	1	5.000	.	5.000	5.000
OS smbh	1	76.700	.	76.700	76.700
Råprot	1	64.000	.	64.000	64.000
sRåprot	1	588.000	.	588.000	588.000
NH3-N	1	67.000	.	67.000	67.000
NDF	1	342.000	.	342.000	342.000
iNDF	1	218.000	.	218.000	218.000
nhNDF	1	2.968	.	2.968	2.968
Stä	1	442.000	.	442.000	442.000
TAF	1	58.000	.	58.000	58.000
Mjölksyra	1	44.000	.	44.000	44.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	5.000	.	5.000	5.000
PRF	1	1.000	.	1.000	1.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	86.156	.	86.156	86.156
PBVp20	1	-69.630	.	-69.630	-69.630
NELp20	1	6.712	.	6.712	6.712
OE*	1	12.020	.	12.020	12.020
Ca	1	1.100	.	1.100	1.100
P	1	1.800	.	1.800	1.800
Mg	1	1.100	.	1.100	1.100
K	1	3.700	.	3.700	3.700
Na	1	0.400	.	0.400	0.400
S	1	0.700	.	0.700	0.700
CAB	1	35.876	.	35.876	35.876

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	358.857	98.620	203.000	474.000
Aska	7	49.000	15.979	19.000	64.000
OS smbh	7	69.129	5.430	59.700	75.400
Råprot	7	118.143	48.886	49.000	192.000
sRåprot	7	667.571	130.118	469.000	812.000
NH3-N	6	62.167	39.174	20.000	123.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	7	527.429	45.519	458.000	591.000
iNDF	7	221.143	81.687	130.000	380.000
nhNDF	7	3.804	0.394	3.052	4.210
Stä	6	35.000	46.772	1.000	129.000
TAF	7	67.000	40.166	20.000	142.000
Mjölksyra	7	42.429	32.526	0.000	94.000
Ättiksyra	7	21.571	10.845	10.000	44.000
Socker	7	81.143	28.246	28.000	117.000
PRF	7	2.429	2.225	0.000	6.000
BUF	7	0.571	1.512	0.000	4.000
AATp20	7	70.778	3.410	63.594	73.790
PBVp20	7	1.513	45.536	-57.866	77.173
NELp20	7	5.842	0.564	4.813	6.446
OE*	7	10.200	0.785	8.890	11.130
Ca	7	2.757	1.587	0.600	4.900
P	7	2.300	0.992	0.900	3.700
Mg	5	1.200	0.173	1.100	1.500
K	7	17.829	7.588	5.900	30.300
Na	7	0.429	0.330	0.100	1.000
Cl	5	3.880	1.866	1.700	6.700
S	7	1.457	0.602	0.700	2.400
CAB	7	269.331	183.858	-1.942	581.397
Fe	1	71.000	.	71.000	71.000
Mn	1	40.000	.	40.000	40.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	20.000	.	20.000	20.000
Cu	1	4.000	.	4.000	4.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	352.500	60.9615	267.000	439.000
Aska	6	26.000	7.3485	19.000	38.000
OS smbh	6	75.600	2.3503	72.900	78.200
Råprot	6	72.667	4.5898	68.000	79.000
sRåprot	6	597.833	84.7335	506.000	751.000
NH3-N	6	59.000	26.0615	24.000	102.000
NDF	6	383.333	49.3261	334.000	444.000
iNDF	6	216.740	34.2683	181.489	270.000
nhNDF	6	3.524	0.1592	3.238	3.687
Stä	6	302.000	62.8904	209.000	396.000
TAF	6	74.833	13.0295	53.000	89.000
Mjölksyra	6	54.500	10.8766	34.000	65.000
Ättiksyra	6	16.333	3.7771	11.000	21.000
Socker	6	9.167	5.7417	5.000	19.000
PRF	4	4.500	1.0000	4.000	6.000
BUF	4	0.000	0.0000	0.000	0.000
AATp20	6	80.752	2.9338	77.689	84.705
PBVp20	6	-53.718	7.9369	-64.274	-43.156

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	6	6.562	0.1677	6.338	6.729
OE*	4	11.410	0.3263	11.110	11.870
Ca	6	1.783	0.2563	1.500	2.100
P	6	1.850	0.2429	1.600	2.300
Mg	6	1.117	0.1472	0.900	1.300
K	6	8.983	0.7360	8.300	10.200
Na	6	0.183	0.1169	0.100	0.400
Cl	5	1.520	0.3962	1.200	2.200
S	6	0.917	0.0753	0.800	1.000
CAB	6	137.709	18.4535	120.321	169.531
Fe	5	82.400	29.3309	64.000	134.000
Mn	5	29.200	15.5145	15.000	55.000
Zn	5	27.600	7.5366	17.000	36.000
Cu	5	4.580	0.9654	3.500	6.000
Se	1	0.006	.	0.006	0.006

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	899.000	12.7279	890.000	908.000
Aska	2	44.000	4.2426	41.000	47.000
OS smbh	2	63.900	0.8485	63.300	64.500
Råprot	2	63.000	7.0711	58.000	68.000
NDF	2	615.500	2.1213	614.000	617.000
iNDF	2	229.335	8.0257	223.660	235.010

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	3.383	0.1455	3.280	3.486
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	134.000	11.3137	126.000	142.000
AATp20	2	80.689	1.3134	79.760	81.617
PBVp20	2	-55.497	4.3817	-58.595	-52.399
NELp20	2	4.919	0.1018	4.848	4.991
OE*	2	9.350	0.0707	9.300	9.400
AAT*	2	67.500	0.7071	67.000	68.000
PBV*	2	-51.000	5.6569	-55.000	-47.000
Ca	2	2.400	0.5657	2.000	2.800
P	2	1.850	0.0707	1.800	1.900
Mg	2	1.000	0.0000	1.000	1.000
K	2	13.450	2.7577	11.500	15.400
Na	2	0.100	0.0000	0.100	0.100
S	2	1.100	0.0000	1.100	1.100
CAB	2	138.743	70.5298	88.870	188.615
Fe	2	49.500	7.7782	44.000	55.000
Mn	2	43.500	2.1213	42.000	45.000
Zn	2	20.000	1.4142	19.000	21.000
Cu	2	3.050	0.0707	3.000	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	324.000	9.899	317.000	331.000
Aska	2	89.000	28.284	69.000	109.000
OS smbh	2	72.300	7.778	66.800	77.800
Råprot	2	172.000	15.556	161.000	183.000
sRåprot	2	681.000	86.267	620.000	742.000
NH3-N	2	88.000	35.355	63.000	113.000
NDF	2	410.500	37.477	384.000	437.000
iNDF	2	282.603	246.926	108.000	457.206
nhNDF	2	4.479	0.279	4.282	4.676
TAF	2	110.500	4.950	107.000	114.000
Mjölksyra	2	85.500	2.121	84.000	87.000
Ättiksyra	2	22.500	6.364	18.000	27.000
Socker	2	36.000	28.284	16.000	56.000
PRF	1	2.000	.	2.000	2.000
BUF	2	1.000	1.414	0.000	2.000
AATp20	2	72.572	8.626	66.473	78.671
PBVp20	2	63.478	0.854	62.874	64.081
NELp20	2	6.097	0.976	5.406	6.787
OE*	2	10.315	1.577	9.200	11.430
AAT*	1	66.000	.	66.000	66.000
PBV*	1	46.000	.	46.000	46.000
Ca	1	4.300	.	4.300	4.300
P	1	2.600	.	2.600	2.600
Mg	1	1.900	.	1.900	1.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	19.700	.	19.700	19.700
Na	1	1.200	.	1.200	1.200
Cl	2	7.900	0.849	7.300	8.500
S	1	2.200	.	2.200	2.200
CAB	1	179.074	.	179.074	179.074
Fe	1	88.000	.	88.000	88.000
Mn	1	41.000	.	41.000	41.000
Zn	1	26.000	.	26.000	26.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	434.750	60.742	384.000	507.000
Aska	4	67.750	13.574	48.000	79.000
OS smbh	4	72.950	2.306	70.800	76.000
Råprot	4	140.250	33.886	90.000	162.000
sRåprot	4	524.500	24.076	502.000	556.000
NH3-N	4	59.250	36.755	10.000	99.000
NDF	4	363.750	81.008	258.000	433.000
iNDF	4	254.000	29.541	224.000	289.000
nhNDF	4	3.182	1.395	1.112	4.139
Stä	4	192.250	119.019	116.000	369.000
TAF	4	52.750	21.407	34.000	82.000
Mjölksyra	4	31.000	20.688	8.000	56.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	4	16.750	5.679	11.000	23.000
Socker	4	33.750	10.874	25.000	49.000
PRF	4	4.000	1.414	3.000	6.000
BUF	4	1.000	1.414	0.000	3.000
AATp20	4	84.442	0.785	83.709	85.529
PBVp20	4	14.073	32.425	-34.210	33.584
NELp20	4	6.229	0.224	6.062	6.559
OE*	4	10.640	0.391	10.240	11.010
Ca	4	8.100	3.178	4.500	12.200
P	4	3.650	0.289	3.300	4.000
Mg	4	2.850	0.370	2.600	3.400
K	4	14.450	4.729	7.600	18.300
Na	4	3.700	1.958	2.000	6.300
Cl	3	11.133	1.365	10.200	12.700
S	4	2.275	0.330	1.800	2.500
CAB	4	140.360	59.347	88.817	225.693
Fe	3	372.333	4.726	367.000	376.000
Mn	3	116.000	26.058	99.000	146.000
Zn	3	90.000	12.124	79.000	103.000
Cu	3	18.667	2.517	16.000	21.000
Se	1	0.510	.	0.510	0.510

*= Parametrar från det gamla svenska fodervärderingssystemet