

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Grönmassa, gräs (0% baljv.) (161)	1	1	396	62	81.5	161			476	83	6.65		61.0000			140
Ensilage, gräs (0% klöver) (162)	1	3	345	93	72.1	142	589	90.0	457	176	4.45		79.8667	66.0	12.3	34
Ensilage, gräs (0% klöver) (162)	2	2	338	91	76.6	176	560	81.0	458	137	4.89		60.2500	45.0	13.5	25
Grönmassa blandvall (1-50 % baljväxter) (164)	1	14	352	72	76.1	163	364		503	128	5.16		84.0000			77
Grönmassa blandvall (1-50 % baljväxter) (164)	2	12	568	80	76.2	171	360		467	144	4.86		84.0000			94
Grönmassa blandvall (1-50 % baljväxter) (164)	3	1	509	74	75.9	188			468	148	4.70		84.0000			82
Ensilage, blandvall (1-50% klöver) (165)	1	16	373	68	76.9	146	647	92.8	471	131	4.96		66.7875	52.2	11.4	61
Ensilage, blandvall (1-50% klöver) (165)	2	5	520	71	74.0	165	535	45.0	483	170	4.45		41.1000	31.2	8.4	79
Ensilage, blandvall (1-50% klöver) (165)	4	1	319	84	76.0	189	603	103	453	148	4.63		80.7000	57.0	21.0	34
Korn, helsädesensilage (250)	1	3	427	69	69.1	128	480	60.3	505	232	3.73	42	44.8000	28.3	12.7	85
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	1	349	51	73.9	123	731	37.0	346	239	2.64	137	81.0000	63.0	18.0	106
Råg, helsädesensilage, axgång (311)	1	1	239	59	73.8	131	794	141	533	156	4.71	17	91.0000	68.0	23.0	22
Hö, blandvall, 0-50% baljväxter (383)	1	2	896	59	65.5	79			624	208	3.81		0.0000			111
Grunnblanding Middels ford.grovför (326)	1	2	406	50	76.2	162	487	30.0	294	224	2.33	208	75.0000	42.0	30.5	9

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Grönmassa, gräs (0% baljv.) (161)	1	1				94.5	10.1	6.78	12.1	82.0	20.0
Ensilage, gräs (0% klöver) (162)	1	3		0.53333		76.6	21.6	5.88	10.2	69.0	23.0
Ensilage, gräs (0% klöver) (162)	2	2		0.75000		85.5	38.4	6.37	11.0	71.5	52.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	14				87.6	25.8	6.39	11.1	75.9	25.2
Grönmassa blandvall (1-50 % baljväxter) (164)	2	12				86.5	36.0	6.33	11.0	76.2	39.5
Grönmassa blandvall (1-50 % baljväxter) (164)	3	1				87.1	50.8	6.41	11.1	76.0	57.0
Ensilage, blandvall (1-50% klöver) (165)	1	16	0.5	2.28750		84.4	15.5	6.41	11.3	72.4	14.9
Ensilage, blandvall (1-50% klöver) (165)	2	5	1.5	0.30000		87.3	29.1	6.19	10.7	71.0	36.3
Ensilage, blandvall (1-50% klöver) (165)	4	1		1.70000		84.1	56.5	6.42	11.0	71.0	66.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, helsädesensilage (250)	1	3	5.0	3.00000		75.1	2.3	5.59	9.8	60.0	-7.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	1	0.0	0.00000		73.3	6.0	6.23	11.0		
Råg, helsädesensilage, axgång (311)	1	1				69.2	15.7	6.22	9.9	60.0	10.0
Hö, blandvall, 0-50% baljväxter (383)	1	2				83.4	-45	5.09	9.5	68.0	-37
Grunnblanding Middels ford.grovför (326)	1	2	2.5	0.00000		88.5	28.6	6.69	11.4		

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, gräs (0% klöver) (162)	1	2	4.1	3.0	1.8	26.7	1.2	6.9	2.1	388	2	330.5	84.0	33.0	6.8	
Ensilage, gräs (0% klöver) (162)	2	2	5.1	3.1	2.3	31.4	1.6	17.0	2.7	224	2	122.5	94.5	33.0	8.7	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	12	4.7	2.7	1.9	21.9	1.1	6.7	2.2	322	11	132.4	64.7	31.4	5.6	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	2	9	6.3	2.7	2.9	20.5	0.8	13.3	2.4	250	9	271.0	77.1	35.0	11.9	0.1
Ensilage, blandvall (1-50% klöver) (165)	1	15	4.2	2.9	1.7	24.3	0.7	6.1	2.0	350	14	199.1	67.4	31.2	5.6	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	5	5.5	2.8	2.3	22.7	1.2	7.9	2.4	256	4	238.5	111.3	33.3	7.8	0.1
Ensilage, blandvall (1-50% klöver) (165)	4	1	6.6	3.7	2.6	24.1	1.2	5.6	3.0	323	1	171.0	132.0	34.0	7.6	
Korn, helsädesensilage (250)	1	2	6.2	3.3	3.1	18.4	1.9	7.9	2.3	168	2	330.0	138.5	106.0	22.1	
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	1	5.4	2.5	1.5	16.8	0.3	9.1	1.3	105	1	110.0	121.0	43.0	6.0	0.1
Hö, blandvall, 0-50% baljväxter (383)	1	2	2.7	2.5	1.4	22.2	0.2		1.2	361	2	58.0	41.0	23.0	4.3	
Grunnblanding Middels ford.grovför (326)	1	2	9.4	4.7	4.6	11.4	3.0	5.1	2.7	106	2	219.5	99.0	83.0	19.5	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	396.000	.	396.000	396.000
Aska	1	62.000	.	62.000	62.000
OS smbh	1	81.500	.	81.500	81.500
Råprot	1	161.000	.	161.000	161.000
NDF	1	476.000	.	476.000	476.000
iNDF	1	83.492	.	83.492	83.492
nhNDF	1	6.647	.	6.647	6.647
TAF	1	61.000	.	61.000	61.000
Socket	1	140.000	.	140.000	140.000
AATp20	1	94.543	.	94.543	94.543
PBVp20	1	10.133	.	10.133	10.133
NELp20	1	6.781	.	6.781	6.781
OE*	1	12.100	.	12.100	12.100
AAT*	1	82.000	.	82.000	82.000
PBV*	1	20.000	.	20.000	20.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	344.667	56.722	280.000	386.000
Aska	3	92.667	14.503	78.000	107.000
OS smbh	3	72.100	14.813	55.000	81.000
Råprot	3	141.667	40.526	95.000	168.000
sRåprot	3	589.333	113.676	459.000	668.000
NH3-N	3	90.000	15.716	73.000	104.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	3	456.667	80.984	405.000	550.000
iNDF	3	176.000	132.596	96.381	329.067
nhNDF	3	4.452	1.961	2.194	5.732
TAF	3	79.867	30.238	56.800	114.100
Mjölksyra	3	66.000	27.622	44.000	97.000
Ättiksyra	3	12.333	3.215	10.000	16.000
Socker	3	33.667	30.436	10.000	68.000
BUF	3	0.533	0.379	0.100	0.800
AATp20	3	76.620	12.643	62.305	86.260
PBVp20	3	21.624	17.589	2.798	37.636
NELp20	3	5.882	1.429	4.232	6.728
OE*	3	10.200	2.516	7.300	11.800
AAT*	3	69.000	7.810	60.000	74.000
PBV*	3	23.000	27.074	-8.000	42.000
Ca	2	4.050	0.212	3.900	4.200
P	2	3.000	0.000	3.000	3.000
Mg	2	1.750	0.212	1.600	1.900
K	2	26.700	2.263	25.100	28.300
Na	2	1.200	0.707	0.700	1.700
Cl	3	6.900	2.022	5.400	9.200
S	2	2.100	0.141	2.000	2.200
CAB	2	388.295	25.782	370.065	406.526
Fe	2	330.500	252.437	152.000	509.000
Mn	2	84.000	26.870	65.000	103.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	33.000	5.657	29.000	37.000
Cu	2	6.750	0.636	6.300	7.200

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	337.500	146.371	234.000	441.000
Aska	2	90.500	6.364	86.000	95.000
OS smbh	2	76.550	1.909	75.200	77.900
Råprot	2	175.500	10.607	168.000	183.000
sRåprot	2	560.000	41.012	531.000	589.000
NH3-N	2	81.000	12.728	72.000	90.000
NDF	2	457.500	16.263	446.000	469.000
iNDF	2	137.264	16.278	125.753	148.774
nhNDF	2	4.892	0.303	4.678	5.106
TAF	2	60.250	1.202	59.400	61.100
Mjölksyra	2	45.000	4.243	42.000	48.000
Ättiksyra	2	13.500	2.121	12.000	15.000
Socker	2	25.000	21.213	10.000	40.000
BUF	2	0.750	0.919	0.100	1.400
AATp20	2	85.460	1.723	84.242	86.679
PBVp20	2	38.428	6.940	33.521	43.336
NELp20	2	6.369	0.181	6.241	6.497
OE*	2	10.950	0.354	10.700	11.200
AAT*	2	71.500	0.707	71.000	72.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	2	52.000	8.485	46.000	58.000
Ca	2	5.100	0.283	4.900	5.300
P	2	3.100	0.000	3.100	3.100
Mg	2	2.250	0.354	2.000	2.500
K	2	31.400	1.273	30.500	32.300
Na	2	1.550	0.354	1.300	1.800
Cl	2	16.950	5.728	12.900	21.000
S	2	2.700	0.141	2.600	2.800
CAB	2	224.246	135.321	128.559	319.932
Fe	2	122.500	10.607	115.000	130.000
Mn	2	94.500	9.192	88.000	101.000
Zn	2	33.000	5.657	29.000	37.000
Cu	2	8.650	0.071	8.600	8.700

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	352.286	105.270	245.000	505.000
Aska	14	72.357	10.188	59.000	87.000
OS smbh	14	76.086	4.661	68.800	81.700
Råprot	14	162.500	27.276	144.000	202.000
sRåprot	3	364.000	91.537	301.000	469.000
NDF	14	503.214	65.269	415.000	602.000
iNDF	14	128.375	39.416	65.694	184.557
nhNDF	14	5.155	0.823	4.239	5.817

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	14	84.000	0.000	84.000	84.000
Socker	14	76.857	48.535	15.000	150.000
AATp20	14	87.643	6.538	78.847	98.908
PBVp20	14	25.829	17.961	7.801	51.450
NELp20	14	6.393	0.398	5.774	6.878
OE*	14	11.095	0.777	10.000	12.050
AAT*	11	75.909	4.134	71.000	79.000
PBV*	11	25.182	19.823	10.000	47.000
Ca	12	4.692	0.976	3.800	6.000
P	12	2.692	0.521	2.100	3.400
Mg	12	1.867	0.387	1.400	2.300
K	12	21.883	5.252	15.800	28.100
Na	12	1.108	0.983	0.200	2.400
Cl	3	6.733	1.617	5.000	8.200
S	12	2.225	0.325	1.800	2.600
CAB	12	322.088	104.345	191.167	472.417
Fe	11	132.364	45.054	69.000	163.000
Mn	11	64.727	21.242	50.000	94.000
Zn	11	31.364	2.335	29.000	35.000
Cu	11	5.627	0.803	5.000	6.800
Se	2	0.060	0.071	0.010	0.110

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	568.417	180.740	337.000	782.00
Aska	12	79.750	11.411	65.000	93.00
OS smbh	12	76.183	2.975	71.500	79.30
Råprot	12	171.333	20.624	143.000	196.00
sRåprot	1	360.000	.	360.000	360.00
NDF	12	466.917	43.481	431.000	492.00
iNDF	12	144.101	44.772	110.229	176.09
nhNDF	12	4.859	0.913	4.208	5.59
TAF	12	84.000	0.000	84.000	84.00
Socker	12	93.583	28.691	63.000	118.00
AATp20	12	86.499	3.376	82.818	89.90
PBVp20	12	35.998	19.502	11.453	65.56
NELp20	12	6.329	0.295	6.012	6.64
OE*	12	11.016	0.484	10.400	11.60
AAT*	11	76.182	2.639	73.000	78.00
PBV*	11	39.455	22.735	11.000	68.00
Ca	9	6.300	2.770	4.500	13.30
P	9	2.656	0.371	2.100	3.40
Mg	9	2.856	0.631	2.200	4.20
K	9	20.511	5.370	12.900	29.20
Na	9	0.811	0.562	0.100	1.70
Cl	1	13.300	.	13.300	13.30
S	9	2.411	0.355	1.900	3.00
CAB	9	249.841	160.938	58.127	504.63

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	9	271.000	508.988	56.000	1625.00
Mn	9	77.111	27.429	45.000	139.00
Zn	9	35.000	11.885	25.000	64.00
Cu	9	11.911	15.430	4.300	52.90
Se	1	0.050	.	0.050	0.05

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	509.000	.	509.000	509.000
Aska	1	74.000	.	74.000	74.000
OS smbh	1	75.900	.	75.900	75.900
Råprot	1	188.000	.	188.000	188.000
NDF	1	468.000	.	468.000	468.000
iNDF	1	147.850	.	147.850	147.850
nhNDF	1	4.697	.	4.697	4.697
TAF	1	84.000	.	84.000	84.000
Socker	1	82.000	.	82.000	82.000
AATp20	1	87.144	.	87.144	87.144
PBVp20	1	50.777	.	50.777	50.777
NELp20	1	6.413	.	6.413	6.413
OE*	1	11.100	.	11.100	11.100
AAT*	1	76.000	.	76.000	76.000
PBV*	1	57.000	.	57.000	57.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	373.000	115.296	258.000	531.000
Aska	16	68.000	8.656	50.000	78.000
OS smbh	16	76.938	3.642	71.500	80.400
Råprot	16	145.875	33.795	114.000	185.000
sRåprot	16	646.625	80.282	547.000	710.000
NH3-N	16	92.750	35.286	54.000	147.000
NDF	16	470.500	59.361	419.000	538.000
iNDF	16	130.599	30.242	93.000	181.506
nhNDF	16	4.964	0.652	4.162	5.747
TAF	16	66.788	31.409	21.400	118.000
Mjölksyra	16	52.188	27.908	13.000	100.000
Ättiksyra	16	11.375	4.500	6.000	17.000
Socker	16	61.313	29.714	20.000	109.000
PRF	2	0.500	0.707	0.000	1.000
BUF	16	2.288	4.116	0.000	6.200
AATp20	16	84.388	4.390	79.841	90.940
PBVp20	16	15.471	29.344	-12.063	55.943
NELp20	16	6.415	0.399	5.922	6.877
OE*	16	11.300	0.559	10.600	12.000
AAT*	14	72.429	1.505	71.000	74.000
PBV*	14	14.857	28.186	-8.000	53.000
Ca	15	4.193	0.847	3.100	5.100
P	15	2.900	0.391	2.200	3.300
Mg	15	1.693	0.255	1.400	2.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	15	24.273	4.485	19.800	28.200
Na	15	0.720	0.373	0.200	1.300
Cl	16	6.119	2.520	3.000	8.400
S	15	2.020	0.435	1.500	2.600
CAB	15	350.081	152.950	212.165	527.577
Fe	14	199.143	108.741	96.000	393.000
Mn	14	67.357	9.369	53.000	76.000
Zn	14	31.214	6.600	22.000	38.000
Cu	14	5.600	1.016	5.100	7.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	519.600	144.929	340.000	647.000
Aska	5	71.400	11.718	58.000	85.000
OS smbh	5	74.000	1.984	71.600	76.700
Råprot	5	165.000	9.772	151.000	176.000
sRåprot	5	535.200	90.555	460.000	655.000
NH3-N	5	45.000	9.083	31.000	54.000
NDF	5	482.600	22.210	457.000	517.000
iNDF	5	170.329	27.840	140.000	213.000
nhNDF	5	4.446	0.294	4.096	4.850
TAF	5	41.100	31.991	9.500	92.000
Mjölksyra	5	31.200	27.779	4.000	74.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	5	8.400	4.099	4.000	15.000
Socker	5	79.000	27.586	44.000	106.000
PRF	2	1.500	2.121	0.000	3.000
BUF	5	0.300	0.274	0.000	0.500
AATp20	5	87.272	4.777	81.037	91.693
PBVp20	5	29.087	16.256	9.023	49.633
NELp20	5	6.187	0.215	5.991	6.544
OE*	5	10.746	0.331	10.220	11.110
AAT*	3	71.000	0.000	71.000	71.000
PBV*	3	36.333	7.371	28.000	42.000
Ca	5	5.520	0.853	4.200	6.500
P	5	2.820	0.460	2.200	3.400
Mg	5	2.280	0.259	1.900	2.600
K	5	22.720	4.663	17.900	29.800
Na	5	1.160	0.445	0.600	1.700
Cl	5	7.900	3.343	4.600	12.500
S	5	2.440	0.114	2.300	2.600
CAB	5	256.474	124.662	66.174	406.327
Fe	4	238.500	185.041	71.000	494.000
Mn	4	111.250	18.892	85.000	126.000
Zn	4	33.250	6.752	27.000	42.000
Cu	4	7.825	1.729	6.200	10.000
Se	1	0.130	.	0.130	0.130

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	319.000	.	319.000	319.000
Aska	1	84.000	.	84.000	84.000
OS smbh	1	76.000	.	76.000	76.000
Råprot	1	189.000	.	189.000	189.000
sRåprot	1	603.000	.	603.000	603.000
NH3-N	1	103.000	.	103.000	103.000
NDF	1	453.000	.	453.000	453.000
iNDF	1	148.000	.	148.000	148.000
nhNDF	1	4.630	.	4.630	4.630
TAF	1	80.700	.	80.700	80.700
Mjölksyra	1	57.000	.	57.000	57.000
Ättiksyra	1	21.000	.	21.000	21.000
Socker	1	34.000	.	34.000	34.000
BUF	1	1.700	.	1.700	1.700
AATp20	1	84.058	.	84.058	84.058
PBVp20	1	56.505	.	56.505	56.505
NELp20	1	6.416	.	6.416	6.416
OE*	1	11.000	.	11.000	11.000
AAT*	1	71.000	.	71.000	71.000
PBV*	1	66.000	.	66.000	66.000
Ca	1	6.600	.	6.600	6.600
P	1	3.700	.	3.700	3.700
Mg	1	2.600	.	2.600	2.600
K	1	24.100	.	24.100	24.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.200	.	1.200	1.200
Cl	1	5.600	.	5.600	5.600
S	1	3.000	.	3.000	3.000
CAB	1	323.296	.	323.296	323.296
Fe	1	171.000	.	171.000	171.000
Mn	1	132.000	.	132.000	132.000
Zn	1	34.000	.	34.000	34.000
Cu	1	7.600	.	7.600	7.600

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	426.667	52.272	370.000	473.000
Aska	3	68.667	16.258	51.000	83.000
OS smbh	3	69.100	1.562	67.300	70.100
Råprot	3	128.000	16.093	113.000	145.000
sRåprot	3	479.667	107.435	356.000	550.000
NH3-N	3	60.333	43.016	14.000	99.000
NDF	3	505.333	77.138	431.000	585.000
iNDF	3	231.947	45.968	203.984	285.000
nhNDF	3	3.726	0.036	3.685	3.755
Stä	3	41.667	21.825	18.000	61.000
TAF	3	44.800	28.861	25.700	78.000
Mjölksyra	3	28.333	17.039	18.000	48.000
Ättiksyra	3	12.667	8.327	6.000	22.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	3	85.000	34.828	46.000	113.000
PRF	1	5.000	.	5.000	5.000
BUF	1	3.000	.	3.000	3.000
AATp20	3	75.131	5.238	69.592	80.004
PBVp20	3	2.282	11.556	-11.047	9.500
NELp20	3	5.587	0.148	5.416	5.677
OE*	2	9.835	0.191	9.700	9.970
AAT*	1	60.000	.	60.000	60.000
PBV*	1	-7.000	.	-7.000	-7.000
Ca	2	6.200	1.414	5.200	7.200
P	2	3.250	0.495	2.900	3.600
Mg	2	3.050	1.061	2.300	3.800
K	2	18.350	0.636	17.900	18.800
Na	2	1.900	1.131	1.100	2.700
Cl	3	7.933	1.401	6.500	9.300
S	2	2.250	0.071	2.200	2.300
CAB	2	167.631	95.780	99.905	235.358
Fe	2	330.000	100.409	259.000	401.000
Mn	2	138.500	109.602	61.000	216.000
Zn	2	106.000	83.439	47.000	165.000
Cu	2	22.050	19.728	8.100	36.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	349.000	.	349.000	349.000
Aska	1	51.000	.	51.000	51.000
OS smbh	1	73.900	.	73.900	73.900
Råprot	1	123.000	.	123.000	123.000
sRåprot	1	731.000	.	731.000	731.000
NH3-N	1	37.000	.	37.000	37.000
NDF	1	346.000	.	346.000	346.000
iNDF	1	239.000	.	239.000	239.000
nhNDF	1	2.642	.	2.642	2.642
Stä	1	137.000	.	137.000	137.000
TAF	1	81.000	.	81.000	81.000
Mjölksyra	1	63.000	.	63.000	63.000
Ättiksyra	1	18.000	.	18.000	18.000
Socker	1	106.000	.	106.000	106.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	73.337	.	73.337	73.337
PBVp20	1	6.049	.	6.049	6.049
NELp20	1	6.228	.	6.228	6.228
OE*	1	10.990	.	10.990	10.990
Ca	1	5.400	.	5.400	5.400
P	1	2.500	.	2.500	2.500
Mg	1	1.500	.	1.500	1.500
K	1	16.800	.	16.800	16.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.300	.	0.300	0.300
Cl	1	9.100	.	9.100	9.100
S	1	1.300	.	1.300	1.300
CAB	1	105.123	.	105.123	105.123
Fe	1	110.000	.	110.000	110.000
Mn	1	121.000	.	121.000	121.000
Zn	1	43.000	.	43.000	43.000
Cu	1	6.000	.	6.000	6.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	239.000	.	239.000	239.000
Aska	1	59.000	.	59.000	59.000
OS smbh	1	73.800	.	73.800	73.800
Råprot	1	131.000	.	131.000	131.000
sRåprot	1	794.000	.	794.000	794.000
NH3-N	1	141.000	.	141.000	141.000
NDF	1	533.000	.	533.000	533.000
iNDF	1	156.358	.	156.358	156.358
nhNDF	1	4.713	.	4.713	4.713
Stä	1	17.000	.	17.000	17.000
TAF	1	91.000	.	91.000	91.000
Mjölksyra	1	68.000	.	68.000	68.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	23.000	.	23.000	23.000
Socker	1	22.000	.	22.000	22.000
AATp20	1	69.186	.	69.186	69.186
PBVp20	1	15.670	.	15.670	15.670
NELp20	1	6.219	.	6.219	6.219
OE*	1	9.900	.	9.900	9.900
AAT*	1	60.000	.	60.000	60.000
PBV*	1	10.000	.	10.000	10.000
CI	1	0.800	.	0.800	0.800

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	896.000	9.8995	889.000	903.000
Aska	2	58.500	0.7071	58.000	59.000
OS smbh	2	65.500	0.0000	65.500	65.500
Råprot	2	79.000	2.8284	77.000	81.000
NDF	2	623.500	16.2635	612.000	635.000
iNDF	2	208.411	5.6165	204.439	212.382
nhNDF	2	3.808	0.1314	3.715	3.901
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	110.500	6.3640	106.000	115.000
AATp20	2	83.408	0.4886	83.063	83.754
PBVp20	2	-45.229	1.8302	-46.524	-43.935
NELp20	2	5.091	0.0439	5.060	5.123

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	2	9.500	0.0000	9.500	9.500
AAT*	2	68.000	0.0000	68.000	68.000
PBV*	2	-37.000	2.8284	-39.000	-35.000
Ca	2	2.700	1.5556	1.600	3.800
P	2	2.500	0.2828	2.300	2.700
Mg	2	1.350	0.4950	1.000	1.700
K	2	22.200	1.5556	21.100	23.300
Na	2	0.200	0.1414	0.100	0.300
S	2	1.200	0.0000	1.200	1.200
CAB	2	360.626	33.6373	336.840	384.411
Fe	2	58.000	29.6985	37.000	79.000
Mn	2	41.000	0.0000	41.000	41.000
Zn	2	23.000	1.4142	22.000	24.000
Cu	2	4.300	0.9899	3.600	5.000

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	406.000	5.6569	402.000	410.000
Aska	2	49.500	2.1213	48.000	51.000
OS smbh	2	76.150	0.6364	75.700	76.600
Råprot	2	162.000	1.4142	161.000	163.000
sRåprot	2	486.500	14.8492	476.000	497.000
NH3-N	2	30.000	9.8995	23.000	37.000
NDF	2	293.500	19.0919	280.000	307.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	2	223.500	7.7782	218.000	229.000
nhNDF	2	2.330	0.0583	2.289	2.371
Stä	2	208.000	8.4853	202.000	214.000
TAF	2	75.000	2.8284	73.000	77.000
Mjölksyra	2	42.000	0.0000	42.000	42.000
Ättiksyra	2	30.500	3.5355	28.000	33.000
Socker	2	8.500	4.9497	5.000	12.000
PRF	2	2.500	0.7071	2.000	3.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	2	88.500	1.0916	87.728	89.272
PBVp20	2	28.611	0.3747	28.346	28.876
NELp20	2	6.685	0.0426	6.655	6.715
OE*	2	11.390	0.0849	11.330	11.450
Ca	2	9.400	0.0000	9.400	9.400
P	2	4.700	0.1414	4.600	4.800
Mg	2	4.600	0.1414	4.500	4.700
K	2	11.350	0.3536	11.100	11.600
Na	2	2.950	0.2121	2.800	3.100
Cl	2	5.100	0.0000	5.100	5.100
S	2	2.700	0.0000	2.700	2.700
CAB	2	106.130	0.1808	106.002	106.258
Fe	2	219.500	3.5355	217.000	222.000
Mn	2	99.000	2.8284	97.000	101.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	83.000	1.4142	82.000	84.000
Cu	2	19.500	0.7071	19.000	20.000