

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	3	896	23	0.0	100	274		134	25	3.15	545	0.0000			5
Rågvete (015)	1	1	920	21	0.0	135	482		81	25	3.50	550	0.0000			5
Betmassa hårdpressad ensilerad (033)	1	1	265		89.0					90	9.60		94.0000			
Prognos, blandvall (1-50% baljv) (042)	1	1	155		73.2					170	4.32		0.0000			
Råg, helsäd, grönmassa (138)	1	2	384	47	68.8	90	784	105	513	222	3.37	27	68.5000	51.5	17.0	99
Grönmassa, gräs (0% baljv.) (161)	1	8	569	62	72.7	146	396		520	162	4.31		61.0000			106
Grönmassa, gräs (0% baljv.) (161)	2	3	678	64	75.2	161	438		507	135	4.71		61.0000			102
Ensilage, gräs (0% klöver) (162)	1	3	418	70	76.8	172	694	68.7	436	132	4.28		52.7000	39.0	13.0	71
Ensilage, gräs (0% klöver) (162)	2	4	326	65	73.6	166	651	107	486	172	4.25		77.4750	53.0	19.5	47
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	591	59	70.0	99			544	193	4.04		84.0000			117
Grönmassa blandvall (1-50 % baljväxter) (164)	1	71	467	67	75.3	146	456		498	137	4.95		84.0000			113
Grönmassa blandvall (1-50 % baljväxter) (164)	2	33	509	76	75.3	161	395		499	141	4.93		84.0000			94
Grönmassa blandvall (1-50 % baljväxter) (164)	3	6	519	80	76.6	172	368		441	152	4.84		84.0000			110
Ensilage, blandvall (1-50% klöver) (165)	0	2	541	69	77.2	134	603	69.0	415	150	4.50		35.3500	24.5	9.0	128
Ensilage, blandvall (1-50% klöver) (165)	1	93	409	68	76.7	161	630	79.1	458	138	4.76		59.3763	44.4	11.9	69
Ensilage, blandvall (1-50% klöver) (165)	2	37	470	72	73.8	159	541	65.2	479	173	4.40		52.4649	37.8	11.7	64
Ensilage, blandvall (1-50% klöver) (165)	3	7	374	82	74.3	177	585	89.0	447	182	4.37		71.5286	54.6	13.4	45
Ensilage, blandvall (1-50% klöver) (165)	4	6	381	84	75.9	175	588	79.8	423	168	4.48		79.7167	63.5	14.7	61
Korn, helsädesensilage (250)	1	12	417	53	70.7	110	601	54.9	478	212	3.50	64	46.7333	34.1	10.6	103
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	339	56	72.0	112	543	77.0	440	238	3.77	75	71.6667	49.0	20.3	98
Havre helsädesensilage degmognad (296)	1	3	362	72	66.1	134	695	110	537	250	3.66	28	66.0000	52.0	14.0	42
Vete, helsäd ensilage (299)	1	3	351	60	73.0	126	757	59.7	467	177	3.77	34	55.5000	38.0	16.3	95
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	2	527	57	71.9	124	548	38.5	444	209	3.33	55	53.0000	40.5	12.5	102
Majs, helsädesensilage (305)	1	2	344	32	74.1	78	638	61.0	429	185	3.41	197	71.5000	53.5	15.0	21
Råg, helsädesensilage, axgång (311)	1	1	407	65	70.2	123	782	106	536	191	3.99	18	68.0000	48.0	20.0	60

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Hö, blandvall, 0-50% baljväxter (383)	1	3	881	54	65.3	98			566	235	3.28		0.0000			122
Grunnblanding Middels ford.grovför (326)	1	4	408	68	71.6	154	501	50.5	403	272	3.58	132	54.7500	39.0	11.3	41
Fullfoder (TMR) ej kompletta data (1E3)	1	2	441	57	79.7	160	511	53.5	325	157	3.90	160				42

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	3				97.7	-46	7.38	13.4		
Rågvete (015)	1	1				111	-28	7.90	13.9		
Betmassa hårdpressad ensilerad (033)	1	1				86.7	-43	6.79			
Prognos, blandvall (1-50% baljv) (042)	1	1				96.4	-4.4	5.94	12.7		
Råg, helsäd, grönmassa (138)	1	2				66.1	-14	5.48	9.8	64.0	-48
Grönmassa, gräs (0% baljv.) (161)	1	8				85.9	10.6	5.95	10.7	73.0	6.8
Grönmassa, gräs (0% baljv.) (161)	2	3				88.4	20.8	6.23	11.1	76.5	39.5
Ensilage, gräs (0% klöver) (162)	1	3	0.50000	0.03333		83.4	39.1	6.38	11.3	72.0	9.0
Ensilage, gräs (0% klöver) (162)	2	4	4.50000	2.22500		80.4	38.5	6.19	10.8	71.5	20.5
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2				77.7	-18	5.66	10.3	72.5	-25
Grönmassa blandvall (1-50 % baljväxter) (164)	1	71				85.6	14.2	6.25	11.0	75.8	11.5
Grönmassa blandvall (1-50 % baljväxter) (164)	2	33				86.5	26.8	6.28	10.9	76.0	28.6
Grönmassa blandvall (1-50 % baljväxter) (164)	3	6				88.9	32.4	6.32	11.1	78.0	53.5
Ensilage, blandvall (1-50% klöver) (165)	0	2		0.85000		86.8	0.6	6.17	11.3	72.5	9.0
Ensilage, blandvall (1-50% klöver) (165)	1	93	1.51724	1.82609		85.8	27.7	6.42	11.3	72.2	29.7
Ensilage, blandvall (1-50% klöver) (165)	2	37	2.00000	1.36667		85.4	26.8	6.15	10.7	70.9	30.9
Ensilage, blandvall (1-50% klöver) (165)	3	7	2.25000	1.81429		83.2	46.3	6.21	10.7	70.7	36.7
Ensilage, blandvall (1-50% klöver) (165)	4	6	1.50000	0.38333		83.6	44.1	6.32	10.9	71.3	36.3
Korn, helsädesensilage (250)	1	12	0.87500	0.75000		74.6	-11	5.76	10.5		
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	2.33333	0.00000		75.6	-8.0	6.07	10.6		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Havre helsädesensilage degmognad (296)	1	3	0.00000	0.00000		70.7	17.7	5.49	9.4		
Vete, helsäd ensilage (299)	1	3	0.00000	0.50000		72.7	5.7	6.01	11.1		
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	2	0.00000	0.00000		78.8	-2.9	5.96	10.4	60.0	3.0
Majs, helsädesensilage (305)	1	2	3.00000	0.00000		78.6	-46	6.32	10.9		
Råg, helsädesensilage, axgång (311)	1	1				67.7	11.4	5.75			
Hö, blandvall, 0-50% baljväxter (383)	1	3				84.4	-29	5.08	9.5	68.0	-18
Grunnblanding Middels ford.grovför (326)	1	4	4.00000	0.50000		85.0	26.7	6.11	10.4		
Fullfoder (TMR) ej kompletta data (1E3)	1	2						0.00			
Råvarublandning - ej kompletta data (1E3)	1	0						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	2	0.5	2.8	0.9	5.3	0.1	1.2	1.2	30	2	62.5	9.5	25.5	4.5	
Råg, helsäd, grönmassa (138)	1	2	3.6	2.6	1.4	16.3	0.4	1.8	1.6	282	2	63.5	65.0	28.0	4.6	
Grönmassa, gräs (0% baljv.) (161)	1	8	4.9	2.3	1.8	17.2	0.7	11.0	1.9	145	8	138.1	61.5	29.1	5.3	0.0
Grönmassa, gräs (0% baljv.) (161)	2	3	5.2	3.0	2.1	19.8	1.7	6.4	2.5	253	2	110.5	74.0	33.0	7.9	0.0
Ensilage, gräs (0% klöver) (162)	1	3	6.4	3.4	2.4	22.0	1.2	6.3	2.4	291	1	144.0	112.0	55.0	7.7	
Ensilage, gräs (0% klöver) (162)	2	3	5.5	2.9	2.4	21.6	1.1	8.5	2.4	248	1	244.0	116.0	47.0	5.7	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	2	5.3	2.7	2.3	16.6	0.9		1.8	219	2	77.5	77.5	34.5	5.7	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	67	4.4	2.6	1.6	21.6	0.7	14.2	1.9	260	58	130.1	54.9	27.8	5.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	28	5.7	2.9	2.2	24.5	1.3	16.6	2.4	280	23	86.4	65.0	27.9	6.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	6	7.3	2.9	2.4	26.0	1.1	8.5	2.4	355	2	122.0	63.5	23.0	7.9	
Ensilage, blandvall (1-50% klöver) (165)	0	2	5.8	2.5	2.5	20.0	1.0	4.5	2.2	293	2	165.0	74.5	26.0	5.5	
Ensilage, blandvall (1-50% klöver) (165)	1	90	4.7	2.8	1.8	23.7	0.9	6.5	2.1	332	70	160.7	63.7	39.7	5.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	35	6.2	2.9	2.3	22.5	1.5	9.3	2.4	226	22	209.2	86.5	32.9	7.2	0.1
Ensilage, blandvall (1-50% klöver) (165)	3	6	7.5	3.3	2.9	22.3	2.1	10.6	2.8	164	4	148.8	119.5	38.5	9.4	0.1

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	4	5	6.4	3.2	2.8	24.4	1.9	8.7	2.9	252	3	190.3	103.7	31.7	7.5	
Korn, helsädesensilage (250)	1	12	3.7	2.6	1.5	17.3	1.2	6.5	1.7	205	4	77.5	63.0	25.5	4.9	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	4.2	2.6	1.2	18.0	1.1	1.4	1.5	361	0					
Havre helsädesensilage degmognad (296)	1	3	3.6	3.0	1.8	22.6	2.2	7.0	2.3	336	2	154.5	76.5	33.0	4.9	
Vete, helsäd ensilage (299)	1	3	3.3	2.7	1.3	20.8	0.6	5.8	1.8	284	1	59.0	56.0	27.0	4.5	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	2	6.1	2.8	2.1	18.9	1.3	3.8	1.5	338	1	82.0	87.0	27.0	7.1	
Majs, helsädesensilage (305)	1	2	1.7	1.9	1.3	9.2	0.4	2.2	1.0	133	2	118.0	23.5	23.0	4.6	
Råg, helsädesensilage, axgång (311)	1	1	1.4	1.7	0.6	14.7	0.1	5.2	0.6	196	1	57.0	49.0	14.0	2.5	
Hö, blandvall, 0-50% baljväxter (383)	1	2	4.5	2.4	1.8	15.0	0.4		1.9	141	2	94.5	85.0	24.0	5.0	0.0
Grunnblanding Middels ford.grovför (326)	1	4	7.1	4.0	3.8	14.0	5.5	11.0	3.5	71	4	336.3	126.5	109.5	23.0	0.3
Fullfoder (TMR) ej kompletta data (1E3)	1	1	6.0	3.5	3.6	14.9	2.2	3.6	2.2	170	1	249.0	83.0	63.0	12.2	0.3

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	895.667	12.6623	882.000	907.000
Aska	3	23.000	1.7321	22.000	25.000
OS smbh	3	0.000	0.0000	0.000	0.000
Råprot	3	100.000	1.7321	99.000	102.000
sRåprot	3	274.333	11.9304	266.000	288.000
NDF	3	134.333	1.5275	133.000	136.000
iNDF	3	25.000	0.0000	25.000	25.000
nhNDF	3	3.150	0.0000	3.150	3.150
Stä	3	544.667	10.2144	533.000	552.000
TAF	3	0.000	0.0000	0.000	0.000
Socker	3	5.000	0.0000	5.000	5.000
AATp20	3	97.682	0.3533	97.281	97.949
PBVp20	3	-46.195	2.2027	-47.572	-43.655
NELp20	3	7.378	0.0148	7.361	7.388
OE*	3	13.433	0.0577	13.400	13.500
Ca	2	0.500	0.0000	0.500	0.500
P	2	2.750	0.0707	2.700	2.800
Mg	2	0.900	0.0000	0.900	0.900
K	2	5.250	0.2121	5.100	5.400
Na	2	0.100	0.0000	0.100	0.100
Cl	2	1.200	0.1414	1.100	1.300
S	2	1.200	0.1414	1.100	1.300
CAB	2	29.816	7.3972	24.586	35.047
Fe	2	62.500	3.5355	60.000	65.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	2	9.500	0.7071	9.000	10.000
Zn	2	25.500	0.7071	25.000	26.000
Cu	2	4.500	0.7071	4.000	5.000

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	920.000	.	920.000	920.000
Aska	1	21.000	.	21.000	21.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	135.000	.	135.000	135.000
sRåprot	1	482.000	.	482.000	482.000
NDF	1	81.000	.	81.000	81.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	550.000	.	550.000	550.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	110.905	.	110.905	110.905
PBVp20	1	-28.258	.	-28.258	-28.258
NELp20	1	7.897	.	7.897	7.897
OE*	1	13.900	.	13.900	13.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Betmassa hårdpressad ensilerad (033) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	265.000	.	265.000	265.000
OS smbh	1	89.000	.	89.000	89.000
iNDF	1	90.000	.	90.000	90.000
nhNDF	1	9.600	.	9.600	9.600
TAF	1	94.000	.	94.000	94.000
AATp20	1	86.723	.	86.723	86.723
PBVp20	1	-43.272	.	-43.272	-43.272
NELp20	1	6.794	.	6.794	6.794

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	155.000	.	155.000	155.000
OS smbh	1	73.150	.	73.150	73.150
iNDF	1	170.460	.	170.460	170.460
nhNDF	1	4.315	.	4.315	4.315
TAF	1	0.000	.	0.000	0.000
AATp20	1	96.439	.	96.439	96.439
PBVp20	1	-4.418	.	-4.418	-4.418
NELp20	1	5.943	.	5.943	5.943
OE*	1	12.700	.	12.700	12.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	384.000	176.777	259.000	509.000
Aska	2	46.500	6.364	42.000	51.000
OS smbh	2	68.800	0.283	68.600	69.000
Råprot	2	89.500	26.163	71.000	108.000
sRåprot	2	784.000	12.728	775.000	793.000
NH3-N	2	105.000	48.083	71.000	139.000
NDF	2	513.000	41.012	484.000	542.000
iNDF	2	221.573	16.599	209.836	233.310
nhNDF	2	3.374	0.360	3.120	3.628
Stä	2	27.000	14.142	17.000	37.000
TAF	2	68.500	34.648	44.000	93.000
Mjölksyra	2	51.500	33.234	28.000	75.000
Ättiksyra	2	17.000	1.414	16.000	18.000
Socker	2	98.500	88.388	36.000	161.000
AATp20	2	66.136	2.600	64.297	67.975
PBVp20	2	-13.829	26.505	-32.571	4.913
NELp20	2	5.482	0.237	5.315	5.650
OE*	1	9.800	.	9.800	9.800
AAT*	1	64.000	.	64.000	64.000
PBV*	1	-48.000	.	-48.000	-48.000
Ca	2	3.550	0.495	3.200	3.900
P	2	2.550	0.778	2.000	3.100
Mg	2	1.400	0.283	1.200	1.600
K	2	16.250	2.758	14.300	18.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsäd, grönmassa (138) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.400	0.424	0.100	0.700
Cl	2	1.800	0.849	1.200	2.400
S	2	1.600	0.283	1.400	1.800
CAB	2	282.288	95.201	214.971	349.605
Fe	2	63.500	9.192	57.000	70.000
Mn	2	65.000	42.426	35.000	95.000
Zn	2	28.000	4.243	25.000	31.000
Cu	2	4.600	1.414	3.600	5.600

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	569.000	222.788	329.000	879.000
Aska	8	62.125	9.493	52.000	75.000
OS smbh	8	72.700	4.720	65.900	78.300
Råprot	8	145.750	39.384	77.000	188.000
sRåprot	3	396.333	38.397	352.000	419.000
NDF	8	519.500	46.043	457.000	596.000
iNDF	8	162.426	45.064	99.000	214.592
nhNDF	8	4.310	0.717	3.622	5.634
TAF	8	61.000	0.000	61.000	61.000
Socker	8	106.125	19.766	73.000	130.000
AATp20	8	85.927	6.776	76.417	93.977
PBVp20	8	10.646	26.329	-37.161	36.256
NELp20	8	5.952	0.478	5.284	6.481

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	8	10.659	0.709	9.600	11.450
AAT*	5	73.000	4.359	68.000	78.000
PBV*	5	6.800	36.731	-43.000	45.000
Ca	8	4.850	1.445	2.800	7.900
P	8	2.263	0.320	1.900	2.700
Mg	8	1.763	0.573	1.100	2.600
K	8	17.150	5.279	7.600	24.100
Na	8	0.725	0.665	0.100	2.000
Cl	3	11.033	3.188	7.600	13.900
S	8	1.925	0.477	1.200	2.700
CAB	8	145.251	147.117	-28.265	365.469
Fe	8	138.125	121.793	55.000	403.000
Mn	8	61.500	37.883	18.000	127.000
Zn	8	29.125	8.593	17.000	43.000
Cu	8	5.338	1.621	3.000	7.600
Se	2	0.016	0.006	0.011	0.020

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	678.333	54.3538	644.000	741.000
Aska	3	64.333	17.5594	46.000	81.000
OS smbh	3	75.200	3.4699	72.200	79.000
Råprot	3	161.333	18.7172	140.000	175.000
sRåprot	1	438.000	.	438.000	438.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	3	507.000	41.5812	467.000	550.000
iNDF	3	134.697	24.2233	108.610	156.480
nhNDF	3	4.712	0.9265	3.830	5.677
TAF	3	61.000	0.0000	61.000	61.000
Socker	3	102.000	12.5300	90.000	115.000
AATp20	3	88.446	2.2933	86.727	91.050
PBVp20	3	20.790	14.3517	4.221	29.359
NELp20	3	6.228	0.2535	6.018	6.509
OE*	3	11.053	0.3931	10.760	11.500
AAT*	2	76.500	2.1213	75.000	78.000
PBV*	2	39.500	0.7071	39.000	40.000
Ca	3	5.233	1.5948	3.400	6.300
P	3	2.967	0.4509	2.500	3.400
Mg	3	2.067	0.7095	1.300	2.700
K	3	19.767	2.5007	17.300	22.300
Na	2	1.650	0.0707	1.600	1.700
Cl	1	6.400	.	6.400	6.400
S	3	2.500	0.7000	1.700	3.000
CAB	3	253.272	55.7211	200.523	311.553
Fe	2	110.500	4.9497	107.000	114.000
Mn	2	74.000	5.6569	70.000	78.000
Zn	2	33.000	8.4853	27.000	39.000
Cu	2	7.900	0.9899	7.200	8.600
Se	1	0.039	.	0.039	0.039

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	418.000	89.2020	315.000	470.000
Aska	3	70.000	16.0000	54.000	86.000
OS smbh	3	76.800	2.3388	74.100	78.200
Råprot	3	172.333	37.8197	132.000	207.000
sRåprot	3	694.333	55.4286	631.000	734.000
NH3-N	3	68.667	20.5994	47.000	88.000
NDF	3	436.333	25.3246	409.000	459.000
iNDF	3	131.546	43.2076	96.000	179.638
nhNDF	3	4.282	0.5960	3.875	4.967
TAF	3	52.700	30.0694	18.000	71.100
Mjölksyra	3	39.000	24.3311	11.000	55.000
Ättiksyra	3	13.000	5.2915	7.000	17.000
Socker	3	71.000	12.5300	58.000	83.000
PRF	2	0.500	0.7071	0.000	1.000
BUF	3	0.033	0.0577	0.000	0.100
AATp20	3	83.450	2.8894	80.738	86.489
PBVp20	3	39.068	32.5858	6.336	71.505
NELp20	3	6.376	0.2588	6.121	6.639
OE*	3	11.250	0.2406	11.000	11.480
AAT*	1	72.000	.	72.000	72.000
PBV*	1	9.000	.	9.000	9.000
Ca	3	6.433	0.9074	5.600	7.400
P	3	3.367	0.4041	2.900	3.600
Mg	3	2.433	0.1528	2.300	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	3	22.033	7.9651	13.800	29.700
Na	3	1.200	0.5568	0.700	1.800
Cl	3	6.267	3.0501	3.200	9.300
S	3	2.367	0.5859	1.700	2.800
CAB	3	291.244	59.3044	234.811	353.054
Fe	1	144.000	.	144.000	144.000
Mn	1	112.000	.	112.000	112.000
Zn	1	55.000	.	55.000	55.000
Cu	1	7.700	.	7.700	7.700

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	326.000	29.314	304.000	369.000
Aska	4	64.750	9.605	55.000	73.000
OS smbh	4	73.575	2.241	70.900	76.000
Råprot	4	166.250	33.049	120.000	197.000
sRåprot	4	651.000	40.866	598.000	687.000
NH3-N	4	107.000	36.688	72.000	147.000
NDF	4	485.750	25.773	454.000	514.000
iNDF	4	171.557	27.083	143.000	205.000
nhNDF	4	4.245	0.148	4.095	4.438
TAF	4	77.475	5.824	72.100	83.000
Mjölksyra	4	53.000	9.487	39.000	60.000
Ättiksyra	4	19.500	9.747	11.000	33.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	4	47.250	11.413	36.000	61.000
PRF	2	4.500	2.121	3.000	6.000
BUF	4	2.225	2.533	0.000	4.800
AATp20	4	80.377	3.335	77.989	85.067
PBVp20	4	38.486	29.483	-0.267	66.635
NELp20	4	6.190	0.255	5.944	6.426
OE*	4	10.778	0.438	10.240	11.300
AAT*	2	71.500	0.707	71.000	72.000
PBV*	2	20.500	31.820	-2.000	43.000
Ca	3	5.533	0.252	5.300	5.800
P	3	2.933	0.503	2.400	3.400
Mg	3	2.400	0.436	2.100	2.900
K	3	21.633	5.350	15.600	25.800
Na	3	1.100	0.608	0.400	1.500
Cl	4	8.525	3.205	5.100	12.500
S	3	2.400	0.100	2.300	2.500
CAB	3	248.291	103.941	128.956	319.057
Fe	1	244.000	.	244.000	244.000
Mn	1	116.000	.	116.000	116.000
Zn	1	47.000	.	47.000	47.000
Cu	1	5.700	.	5.700	5.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	591.000	270.115	400.000	782.000
Aska	2	59.000	9.899	52.000	66.000
OS smbh	2	70.000	4.525	66.800	73.200
Råprot	2	98.500	26.163	80.000	117.000
NDF	2	544.000	21.213	529.000	559.000
iNDF	2	193.426	57.022	153.106	233.747
nhNDF	2	4.038	1.173	3.209	4.868
TAF	2	84.000	0.000	84.000	84.000
Socker	2	117.000	26.870	98.000	136.000
AATp20	2	77.730	6.151	73.380	82.079
PBVp20	2	-17.892	14.221	-27.948	-7.836
NELp20	2	5.662	0.534	5.284	6.040
OE*	2	10.250	0.636	9.800	10.700
AAT*	2	72.500	3.536	70.000	75.000
PBV*	2	-25.000	19.799	-39.000	-11.000
Ca	2	5.300	2.121	3.800	6.800
P	2	2.700	0.000	2.700	2.700
Mg	2	2.250	0.778	1.700	2.800
K	2	16.600	7.920	11.000	22.200
Na	2	0.900	0.000	0.900	0.900
S	2	1.800	0.283	1.600	2.000
CAB	2	218.788	184.870	88.066	349.511
Fe	2	77.500	23.335	61.000	94.000
Mn	2	77.500	24.749	60.000	95.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	34.500	2.121	33.000	36.000
Cu	2	5.700	0.141	5.600	5.800

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	71	467.155	163.276	266.000	664.000
Aska	71	67.338	12.049	49.000	81.000
OS smbh	71	75.287	6.446	66.700	82.100
Råprot	71	146.493	34.314	100.000	193.000
sRåprot	18	456.222	59.461	388.000	549.000
NDF	71	497.803	60.956	423.000	588.000
iNDF	71	137.282	59.515	71.570	225.893
nhNDF	71	4.949	1.147	3.570	6.350
TAF	71	84.000	0.000	84.000	84.000
Socker	71	113.338	39.180	65.000	163.000
AATp20	71	85.551	8.012	74.698	94.519
PBVp20	71	14.249	21.449	-16.140	43.058
NELp20	71	6.245	0.614	5.430	6.863
OE*	71	11.034	1.058	9.700	12.100
AAT*	53	75.792	6.128	66.000	82.000
PBV*	53	11.547	25.122	-23.000	48.000
Ca	67	4.391	1.027	3.400	5.800
P	67	2.603	0.537	1.900	3.300
Mg	67	1.627	0.336	1.200	2.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	67	21.564	5.608	14.600	28.300
Na	67	0.710	0.581	0.100	1.600
Cl	18	14.244	17.470	4.200	59.900
S	67	1.884	0.455	1.300	2.500
CAB	67	260.054	314.888	79.691	470.691
Fe	58	130.052	139.731	49.000	188.000
Mn	58	54.931	19.317	34.000	77.000
Zn	58	27.759	5.449	21.000	35.000
Cu	58	5.350	1.134	4.000	6.800
Se	20	0.014	0.016	0.005	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	33	509.030	156.392	322.000	796.000
Aska	33	75.848	12.767	62.000	93.000
OS smbh	33	75.321	3.673	70.900	79.300
Råprot	33	161.424	29.011	132.000	191.000
sRåprot	10	395.400	60.089	306.500	461.000
NDF	33	499.212	45.034	459.000	557.000
iNDF	33	140.731	30.747	102.019	174.000
nhNDF	33	4.926	0.615	4.139	5.802
TAF	33	84.000	0.000	84.000	84.000
Socket	33	94.485	35.445	48.000	134.000
AATp20	33	86.459	4.326	81.517	91.005

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	33	26.764	22.250	3.777	47.353
NELp20	33	6.283	0.327	5.909	6.644
OE*	33	10.947	0.586	10.180	11.600
AAT*	23	76.043	3.350	71.000	80.000
PBV*	23	28.565	29.886	-2.000	56.000
Ca	28	5.657	1.361	3.700	6.800
P	28	2.875	0.433	2.300	3.400
Mg	28	2.179	0.563	1.600	3.000
K	28	24.493	4.527	18.700	29.600
Na	28	1.304	1.065	0.400	3.100
Cl	10	16.580	17.380	7.850	44.900
S	28	2.414	0.562	1.900	2.900
CAB	28	280.288	350.229	130.228	515.368
Fe	23	86.391	18.987	61.000	109.000
Mn	23	64.957	21.310	36.000	86.000
Zn	23	27.913	6.619	20.000	37.000
Cu	23	6.352	1.344	5.000	8.000
Se	6	0.008	0.006	0.005	0.020

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	518.667	129.197	351.000	637.000
Aska	6	80.333	13.049	61.000	98.000
OS smbh	6	76.617	3.498	73.300	82.600
Råprot	6	171.667	23.939	139.000	199.000
sRåprot	4	368.000	27.031	330.000	394.000
NDF	6	440.500	35.804	377.000	482.000
iNDF	6	151.921	60.246	67.331	222.000
nhNDF	6	4.845	0.993	4.115	6.748
TAF	6	84.000	0.000	84.000	84.000
Socker	6	110.167	16.618	90.000	137.000
AATp20	6	88.883	4.434	85.092	95.863
PBVp20	6	32.380	17.754	5.151	50.631
NELp20	6	6.324	0.367	5.950	6.909
OE*	6	11.105	0.529	10.500	12.000
AAT*	2	78.000	2.828	76.000	80.000
PBV*	2	53.500	0.707	53.000	54.000
Ca	6	7.267	1.600	5.400	9.200
P	6	2.900	0.420	2.300	3.400
Mg	6	2.417	0.445	1.900	3.200
K	6	25.950	3.251	20.800	29.800
Na	6	1.050	0.274	0.600	1.400
Cl	4	8.525	2.339	6.500	10.600
S	6	2.400	0.460	1.800	3.000
CAB	6	355.110	64.675	263.545	464.057

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	122.000	5.657	118.000	126.000
Mn	2	63.500	6.364	59.000	68.000
Zn	2	23.000	0.000	23.000	23.000
Cu	2	7.850	0.636	7.400	8.300

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	541.000	4.2426	538.000	544.000
Aska	2	69.000	12.7279	60.000	78.000
OS smbh	2	77.200	4.1012	74.300	80.100
Råprot	2	134.000	28.2843	114.000	154.000
sRåprot	2	602.500	86.9741	541.000	664.000
NH3-N	2	69.000	11.3137	61.000	77.000
NDF	2	414.500	14.8492	404.000	425.000
iNDF	2	150.480	45.1353	118.564	182.395
nhNDF	2	4.499	0.9132	3.853	5.144
TAF	2	35.350	8.6974	29.200	41.500
Mjölksyra	2	24.500	7.7782	19.000	30.000
Ättiksyra	2	9.000	1.4142	8.000	10.000
Socker	2	128.000	25.4558	110.000	146.000
BUF	2	0.850	0.4950	0.500	1.200
AATp20	2	86.793	5.7196	82.749	90.838
PBVp20	2	0.588	17.3021	-11.647	12.822
NELp20	2	6.172	0.5299	5.797	6.546

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	2	11.300	0.8485	10.700	11.900
AAT*	2	72.500	2.1213	71.000	74.000
PBV*	2	9.000	24.0416	-8.000	26.000
Ca	2	5.750	1.9092	4.400	7.100
P	2	2.500	0.2828	2.300	2.700
Mg	2	2.450	0.7778	1.900	3.000
K	2	19.950	2.3335	18.300	21.600
Na	2	1.000	0.8485	0.400	1.600
Cl	2	4.500	1.4142	3.500	5.500
S	2	2.150	0.0707	2.100	2.200
CAB	2	292.573	21.4699	277.391	307.754
Fe	2	165.000	1.4142	164.000	166.000
Mn	2	74.500	28.9914	54.000	95.000
Zn	2	26.000	4.2426	23.000	29.000
Cu	2	5.450	0.7778	4.900	6.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	93	409.484	139.505	263.000	577.000
Aska	93	67.634	9.813	55.000	80.000
OS smbh	93	76.659	3.885	71.100	80.600
Råprot	93	161.215	28.811	119.000	196.000
sRåprot	93	629.720	87.763	506.000	730.000
NH3-N	93	79.129	39.992	33.000	126.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	93	457.656	54.094	405.000	538.000
iNDF	93	137.757	37.252	96.193	188.305
nhNDF	93	4.757	0.683	3.989	5.609
TAF	93	59.376	28.814	21.000	98.700
Mjölksyra	93	44.409	25.048	11.000	79.000
Ättiksyra	92	11.924	6.432	5.000	18.000
Socker	93	69.280	37.494	21.000	120.000
PRF	29	1.517	3.934	0.000	4.000
BUF	92	1.826	3.456	0.000	4.100
AATp20	93	85.789	5.299	78.461	92.364
PBVp20	93	27.740	24.730	-2.509	58.867
NELp20	93	6.420	0.368	5.838	6.811
OE*	93	11.254	0.635	10.400	11.900
AAT*	63	72.175	2.068	69.000	74.000
PBV*	63	29.730	26.374	-3.000	67.000
Ca	90	4.746	0.930	3.800	5.950
P	90	2.766	0.427	2.200	3.300
Mg	90	1.758	0.250	1.500	2.100
K	90	23.663	3.437	18.650	27.850
Na	90	0.942	0.784	0.200	1.700
Cl	93	6.513	2.491	3.300	9.500
S	90	2.129	0.314	1.750	2.600
CAB	90	332.235	106.765	190.116	472.712
Fe	70	160.700	136.877	74.500	297.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	70	63.729	19.312	42.000	86.500
Zn	70	39.686	72.547	24.500	39.000
Cu	70	5.549	1.129	4.400	7.300
Se	10	0.022	0.019	0.006	0.055

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	37	469.757	151.149	294.000	711.000
Aska	37	72.324	10.817	60.000	85.000
OS smbh	37	73.808	2.835	70.300	77.400
Råprot	37	159.405	27.759	123.000	197.000
sRåprot	37	540.730	96.446	406.000	654.000
NH3-N	37	65.162	32.787	32.000	101.000
NDF	37	479.135	43.083	416.000	526.000
iNDF	37	173.079	30.671	138.000	199.761
nhNDF	37	4.402	0.483	3.805	4.889
TAF	37	52.465	28.792	16.500	92.000
Mjölksyra	37	37.838	24.712	5.000	75.000
Ättiksyra	36	11.694	6.944	5.000	20.000
Socker	37	63.757	35.422	26.000	116.000
PRF	15	2.000	1.852	0.000	4.000
BUF	36	1.367	4.351	0.000	2.000
AATp20	37	85.406	5.274	79.165	94.570
PBVp20	37	26.792	24.133	-3.751	57.226

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	37	6.153	0.309	5.763	6.567
OE*	37	10.728	0.420	10.100	11.260
AAT*	21	70.857	1.153	69.000	72.000
PBV*	21	30.905	26.401	1.000	64.000
Ca	35	6.160	1.426	4.300	8.600
P	35	2.880	0.476	2.300	3.600
Mg	35	2.303	0.461	1.600	2.900
K	35	22.471	4.347	16.200	27.500
Na	35	1.534	0.886	0.400	3.100
Cl	37	9.281	7.751	4.300	14.100
S	35	2.400	0.354	2.000	2.800
CAB	35	225.992	220.388	155.741	376.497
Fe	22	209.227	257.317	80.000	284.000
Mn	22	86.455	27.644	60.000	119.000
Zn	22	32.864	7.046	24.000	44.000
Cu	22	7.186	1.322	5.800	9.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	374.000	56.680	275.000	426.000
Aska	7	81.714	9.123	71.000	97.000
OS smbh	7	74.329	1.956	70.700	77.000
Råprot	7	176.571	25.592	144.000	215.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	7	584.857	55.092	517.000	685.000
NH3-N	7	89.000	29.360	42.000	126.000
NDF	7	446.571	30.121	393.000	482.000
iNDF	7	182.488	16.425	156.786	204.299
nhNDF	7	4.370	0.563	3.603	5.041
TAF	7	71.529	30.787	31.400	118.000
Mjölksyra	7	54.571	24.589	22.000	94.000
Ättiksyra	7	13.429	6.133	6.000	21.000
Socker	7	45.000	29.252	10.000	88.000
PRF	4	2.250	0.500	2.000	3.000
BUF	7	1.814	1.910	0.000	4.900
AATp20	7	83.208	3.907	77.237	88.517
PBVp20	7	46.349	24.552	12.192	75.511
NELp20	7	6.211	0.245	5.907	6.627
OE*	7	10.714	0.371	10.100	11.240
AAT*	3	70.667	1.528	69.000	72.000
PBV*	3	36.667	13.577	21.000	45.000
Ca	6	7.483	1.396	5.600	9.900
P	6	3.267	0.480	2.600	3.800
Mg	6	2.933	0.532	2.100	3.500
K	6	22.300	4.323	17.500	27.700
Na	6	2.133	0.501	1.400	2.700
Cl	7	10.629	5.661	4.700	21.500
S	6	2.750	0.394	2.000	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	6	163.981	144.154	-55.953	343.565
Fe	4	148.750	45.383	104.000	212.000
Mn	4	119.500	36.208	73.000	160.000
Zn	4	38.500	7.047	30.000	47.000
Cu	4	9.400	1.890	8.000	12.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	380.833	131.398	287.000	622.000
Aska	6	83.833	12.465	65.000	99.000
OS smbh	6	75.917	3.082	70.300	79.300
Råprot	6	175.000	26.077	148.000	213.000
sRåprot	6	587.667	63.061	520.000	651.000
NH3-N	6	79.833	20.769	53.000	104.000
NDF	6	422.667	54.851	355.000	518.000
iNDF	6	167.502	35.253	130.797	220.000
nhNDF	6	4.478	0.463	3.841	4.942
TAF	6	79.717	42.059	28.500	131.100
Mjölksyra	6	63.500	37.453	17.000	108.000
Ättiksyra	6	14.667	6.532	6.000	22.000
Socker	6	61.167	38.613	22.000	125.000
PRF	2	1.500	2.121	0.000	3.000
BUF	6	0.383	0.534	0.000	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	6	83.574	2.972	77.861	86.272
PBVp20	6	44.093	22.556	21.425	76.798
NELp20	6	6.317	0.316	5.806	6.666
OE*	6	10.930	0.438	10.200	11.400
AAT*	4	71.250	1.500	69.000	72.000
PBV*	4	36.250	10.720	24.000	49.000
Ca	5	6.360	1.242	5.200	7.900
P	5	3.180	0.421	2.500	3.600
Mg	5	2.760	0.251	2.500	3.000
K	5	24.360	3.235	19.200	27.000
Na	5	1.860	0.288	1.400	2.100
Cl	6	8.683	3.670	3.900	14.800
S	5	2.880	0.370	2.400	3.300
CAB	5	252.338	101.280	85.368	326.188
Fe	3	190.333	37.820	150.000	225.000
Mn	3	103.667	39.716	69.000	147.000
Zn	3	31.667	5.859	25.000	36.000
Cu	3	7.467	2.136	5.900	9.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	416.583	117.828	321.000	628.000
Aska	12	53.333	16.805	36.000	73.000
OS smbh	12	70.667	4.608	64.300	76.300
Råprot	12	110.250	22.394	86.000	132.000
sRåprot	12	600.917	143.418	467.000	766.000
NH3-N	12	54.917	34.246	25.000	88.000
NDF	12	478.167	53.191	421.000	557.000
iNDF	12	212.075	57.428	157.000	279.704
nhNDF	12	3.504	0.605	2.539	4.007
Stä	12	63.667	50.336	20.000	123.000
TAF	12	46.733	24.306	15.700	78.000
Mjölksyra	12	34.083	21.627	7.000	61.000
Ättiksyra	11	10.636	5.644	6.000	17.000
Socker	12	103.083	49.081	37.000	157.000
PRF	8	0.875	1.727	0.000	5.000
BUF	8	0.750	1.165	0.000	3.000
AATp20	12	74.585	3.874	71.564	78.859
PBVp20	12	-11.469	19.845	-29.990	12.390
NELp20	12	5.765	0.413	5.211	6.155
OE*	9	10.524	0.652	9.520	11.560
Ca	12	3.708	1.317	2.600	5.900
P	12	2.575	0.485	2.100	3.000
Mg	12	1.525	0.407	1.100	1.900
K	12	17.325	5.529	10.400	24.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	12	1.208	0.427	0.800	1.900
Cl	12	6.483	4.687	2.500	11.500
S	12	1.733	0.242	1.500	2.000
CAB	12	204.668	148.958	90.533	348.636
Fe	4	77.500	27.148	45.000	111.000
Mn	4	63.000	39.319	21.000	116.000
Zn	4	25.500	3.109	23.000	30.000
Cu	4	4.875	0.660	4.000	5.600
Se	1	0.007	.	0.007	0.007

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	339.000	25.9422	318.000	368.000
Aska	3	56.333	3.5119	53.000	60.000
OS smbh	3	71.967	2.9939	69.900	75.400
Råprot	3	111.667	6.5064	105.000	118.000
sRåprot	3	542.667	82.9538	472.000	634.000
NH3-N	1	77.000	.	77.000	77.000
NDF	3	440.000	23.8118	413.000	458.000
iNDF	3	237.667	73.3235	153.000	280.000
nhNDF	3	3.775	0.4481	3.407	4.274
Stä	3	74.667	11.5036	63.000	86.000
TAF	3	71.667	46.2637	31.000	122.000
Mjölksyra	3	49.000	37.0000	16.000	89.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	3	20.333	5.5076	15.000	26.000
Socker	3	98.000	71.9236	31.000	174.000
PRF	3	2.333	4.0415	0.000	7.000
BUF	3	0.000	0.0000	0.000	0.000
AATp20	3	75.553	7.4616	68.298	83.205
PBVp20	3	-7.964	18.1130	-26.561	9.623
NELp20	3	6.074	0.1885	5.856	6.185
OE*	3	10.607	0.5327	10.260	11.220
Ca	3	4.233	1.5885	2.400	5.200
P	3	2.567	0.2309	2.300	2.700
Mg	3	1.200	0.4359	0.700	1.500
K	3	17.967	0.6028	17.400	18.600
Na	3	1.100	0.2646	0.800	1.300
Cl	2	1.400	1.8385	0.100	2.700
S	3	1.467	0.1155	1.400	1.600
CAB	3	361.205	56.1044	307.788	419.658

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	362.333	51.7816	323.000	421.000
Aska	3	72.000	6.5574	66.000	79.000
OS smbh	3	66.100	3.5029	63.000	69.900
Råprot	3	134.000	16.6433	115.000	146.000
sRåprot	3	695.333	28.5015	667.000	724.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	3	110.333	26.5016	80.000	129.000
NDF	3	537.333	24.8261	517.000	565.000
iNDF	3	249.702	44.2525	199.750	284.000
nhNDF	3	3.657	0.7682	2.828	4.345
Stä	3	27.667	8.5049	18.000	34.000
TAF	3	66.000	13.0000	51.000	74.000
Mjölksyra	3	52.000	13.7477	37.000	64.000
Ättiksyra	3	14.000	5.0000	9.000	19.000
Socker	3	42.000	21.3776	18.000	59.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	3	70.725	4.4164	65.668	73.820
PBVp20	3	17.706	7.7525	9.488	24.889
NELp20	3	5.493	0.3335	5.155	5.822
OE*	1	9.410	.	9.410	9.410
Ca	3	3.600	0.6083	3.200	4.300
P	3	2.967	0.1528	2.800	3.100
Mg	3	1.800	0.3000	1.500	2.100
K	3	22.633	0.8145	21.700	23.200
Na	3	2.233	1.1240	1.000	3.200
Cl	3	6.967	1.7898	5.000	8.500
S	3	2.300	0.6083	1.900	3.000
CAB	3	335.965	67.7049	269.994	405.280
Fe	2	154.500	53.0330	117.000	192.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	2	76.500	33.2340	53.000	100.000
Zn	2	33.000	2.8284	31.000	35.000
Cu	2	4.900	0.8485	4.300	5.500

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	350.667	57.770	284.000	386.000
Aska	3	59.667	15.948	42.000	73.000
OS smbh	3	72.967	4.488	67.800	75.900
Råprot	3	126.333	36.226	95.000	166.000
sRåprot	3	756.667	115.154	627.000	847.000
NH3-N	3	59.667	42.477	14.000	98.000
NDF	3	467.333	65.041	423.000	542.000
iNDF	3	176.914	39.518	144.000	220.742
nhNDF	3	3.770	0.359	3.420	4.137
Stä	3	33.667	11.060	22.000	44.000
TAF	3	55.500	1.323	54.000	56.500
Mjölksyra	3	38.000	8.544	30.000	47.000
Ättiksyra	3	16.333	8.021	8.000	24.000
Socker	3	94.667	24.987	73.000	122.000
PRF	2	0.000	0.000	0.000	0.000
BUF	2	0.500	0.707	0.000	1.000
AATp20	3	72.722	3.842	69.996	77.117
PBVp20	3	5.692	32.744	-15.955	43.361

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	3	6.007	0.391	5.556	6.237
OE*	2	11.060	0.156	10.950	11.170
Ca	3	3.267	1.266	2.300	4.700
P	3	2.733	0.351	2.400	3.100
Mg	3	1.300	0.100	1.200	1.400
K	3	20.833	6.863	13.100	26.200
Na	3	0.600	0.436	0.100	0.900
Cl	3	5.767	2.060	4.200	8.100
S	3	1.800	0.361	1.500	2.200
CAB	3	283.967	136.945	127.326	381.038
Fe	1	59.000	.	59.000	59.000
Mn	1	56.000	.	56.000	56.000
Zn	1	27.000	.	27.000	27.000
Cu	1	4.500	.	4.500	4.500

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	526.500	263.751	340.000	713.000
Aska	2	57.000	2.828	55.000	59.000
OS smbh	2	71.850	2.051	70.400	73.300
Råprot	2	124.000	1.414	123.000	125.000
sRåprot	2	548.000	219.203	393.000	703.000
NH3-N	2	38.500	10.607	31.000	46.000
NDF	2	444.000	5.657	440.000	448.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	2	208.840	33.715	185.000	232.680
nhNDF	2	3.327	0.367	3.068	3.587
Stä	2	55.000	1.414	54.000	56.000
TAF	2	53.000	49.497	18.000	88.000
Mjölksyra	2	40.500	41.719	11.000	70.000
Ättiksyra	2	12.500	7.778	7.000	18.000
Socker	2	101.500	17.678	89.000	114.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	78.815	7.433	73.559	84.071
PBVp20	2	-2.908	11.758	-11.222	5.407
NELp20	2	5.962	0.392	5.685	6.239
OE*	2	10.425	0.601	10.000	10.850
AAT*	1	60.000	.	60.000	60.000
PBV*	1	3.000	.	3.000	3.000
Ca	2	6.050	1.768	4.800	7.300
P	2	2.750	0.212	2.600	2.900
Mg	2	2.100	0.707	1.600	2.600
K	2	18.900	0.000	18.900	18.900
Na	2	1.250	0.071	1.200	1.300
Cl	2	3.750	1.202	2.900	4.600
S	2	1.500	0.141	1.400	1.600
CAB	2	338.340	39.626	310.320	366.360
Fe	1	82.000	.	82.000	82.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	87.000	.	87.000	87.000
Zn	1	27.000	.	27.000	27.000
Cu	1	7.100	.	7.100	7.100

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	343.500	14.849	333.000	354.000
Aska	2	31.500	0.707	31.000	32.000
OS smbh	2	74.100	3.253	71.800	76.400
Råprot	2	78.000	11.314	70.000	86.000
sRåprot	2	638.000	124.451	550.000	726.000
NH3-N	2	61.000	52.326	24.000	98.000
NDF	2	429.000	25.456	411.000	447.000
iNDF	2	185.089	9.774	178.178	192.000
nhNDF	2	3.411	0.700	2.916	3.906
Stä	2	196.500	13.435	187.000	206.000
TAF	2	71.500	23.335	55.000	88.000
Mjölksyra	2	53.500	16.263	42.000	65.000
Ättiksyra	2	15.000	7.071	10.000	20.000
Socker	2	21.000	18.385	8.000	34.000
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	78.602	1.215	77.743	79.461
PBVp20	2	-45.559	8.011	-51.223	-39.894

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	6.318	0.303	6.104	6.533
OE*	1	10.850	.	10.850	10.850
Ca	2	1.650	0.354	1.400	1.900
P	2	1.850	0.071	1.800	1.900
Mg	2	1.250	0.354	1.000	1.500
K	2	9.200	2.404	7.500	10.900
Na	2	0.400	0.141	0.300	0.500
Cl	2	2.150	0.212	2.000	2.300
S	2	0.950	0.071	0.900	1.000
CAB	2	132.747	44.944	100.967	164.527
Fe	2	118.000	86.267	57.000	179.000
Mn	2	23.500	16.263	12.000	35.000
Zn	2	23.000	5.657	19.000	27.000
Cu	2	4.600	0.566	4.200	5.000

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	407.000	.	407.000	407.000
Aska	1	65.000	.	65.000	65.000
OS smbh	1	70.200	.	70.200	70.200
Råprot	1	123.000	.	123.000	123.000
sRåprot	1	782.000	.	782.000	782.000
NH3-N	1	106.000	.	106.000	106.000
NDF	1	536.000	.	536.000	536.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	191.315	.	191.315	191.315
nhNDF	1	3.985	.	3.985	3.985
Stä	1	18.000	.	18.000	18.000
TAF	1	68.000	.	68.000	68.000
Mjölksyra	1	48.000	.	48.000	48.000
Ättiksyra	1	20.000	.	20.000	20.000
Socket	1	60.000	.	60.000	60.000
AATp20	1	67.748	.	67.748	67.748
PBVp20	1	11.390	.	11.390	11.390
NELp20	1	5.755	.	5.755	5.755
Ca	1	1.400	.	1.400	1.400
P	1	1.700	.	1.700	1.700
Mg	1	0.600	.	0.600	0.600
K	1	14.700	.	14.700	14.700
Na	1	0.100	.	0.100	0.100
Cl	1	5.200	.	5.200	5.200
S	1	0.600	.	0.600	0.600
CAB	1	196.328	.	196.328	196.328
Fe	1	57.000	.	57.000	57.000
Mn	1	49.000	.	49.000	49.000
Zn	1	14.000	.	14.000	14.000
Cu	1	2.500	.	2.500	2.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	881.333	20.502	869.000	905.000
Aska	3	54.333	6.351	47.000	58.000
OS smbh	3	65.267	1.079	64.500	66.500
Råprot	3	97.667	9.018	89.000	107.000
NDF	3	565.667	54.003	512.000	620.000
iNDF	3	235.165	32.377	200.610	264.801
nhNDF	3	3.281	0.612	2.745	3.949
TAF	3	0.000	0.000	0.000	0.000
Socker	3	122.000	20.421	99.000	138.000
AATp20	3	84.377	2.486	81.567	86.291
PBVp20	3	-29.187	6.416	-33.121	-21.783
NELp20	3	5.079	0.183	4.892	5.258
OE*	3	9.500	0.200	9.300	9.700
AAT*	3	68.000	1.000	67.000	69.000
PBV*	3	-18.333	8.327	-25.000	-9.000
Ca	2	4.500	0.990	3.800	5.200
P	2	2.350	0.354	2.100	2.600
Mg	2	1.750	0.636	1.300	2.200
K	2	14.950	3.889	12.200	17.700
Na	2	0.350	0.212	0.200	0.500
S	2	1.850	0.495	1.500	2.200
CAB	2	141.100	121.178	55.415	226.786
Fe	2	94.500	44.548	63.000	126.000
Mn	2	85.000	77.782	30.000	140.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	24.000	1.414	23.000	25.000
Cu	2	5.000	0.707	4.500	5.500
Se	1	0.008	.	0.008	0.008

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	407.750	70.509	363.000	513.000
Aska	4	67.750	4.787	62.000	73.000
OS smbh	4	71.550	5.790	66.700	78.400
Råprot	4	154.000	29.855	122.000	189.000
sRåprot	4	501.250	41.250	461.000	543.000
NH3-N	4	50.500	16.031	28.000	66.000
NDF	4	402.750	82.326	329.000	493.000
iNDF	4	272.000	62.695	198.000	326.000
nhNDF	4	3.580	0.635	2.848	4.178
Stä	4	132.000	30.768	96.000	170.000
TAF	4	54.750	32.561	21.000	92.000
Mjölksyra	4	39.000	25.126	14.000	71.000
Ättiksyra	4	11.250	9.430	0.000	20.000
Socker	4	41.250	11.615	27.000	55.000
PRF	4	4.000	1.414	3.000	6.000
BUF	4	0.500	0.577	0.000	1.000
AATp20	4	84.999	6.662	76.801	91.000
PBVp20	4	26.677	18.354	9.041	50.293

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	4	6.111	0.623	5.539	6.904
OE*	4	10.405	0.910	9.640	11.480
Ca	4	7.075	2.557	4.700	10.200
P	4	3.950	0.957	2.600	4.800
Mg	4	3.825	1.005	2.700	5.100
K	4	13.950	1.873	12.400	16.600
Na	4	5.525	2.994	3.700	10.000
Cl	4	10.975	5.547	5.700	17.500
S	4	3.475	1.360	2.300	5.400
CAB	4	70.652	179.467	-78.719	281.109
Fe	4	336.250	129.708	198.000	508.000
Mn	4	126.500	21.048	103.000	148.000
Zn	4	109.500	36.519	67.000	156.000
Cu	4	23.000	10.033	14.000	37.000
Se	1	0.320	.	0.320	0.320

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	440.500	34.6482	416.000	465.000
Aska	2	56.500	4.9497	53.000	60.000
OS smbh	2	79.650	0.0707	79.600	79.700
Råprot	2	159.500	7.7782	154.000	165.000
sRåprot	2	510.500	82.7315	452.000	569.000
NH3-N	2	53.500	13.4350	44.000	63.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	2	325.000	25.4558	307.000	343.000
iNDF	2	157.190	8.6721	151.058	163.322
nhNDF	2	3.900	0.3101	3.681	4.119
Stä	2	160.000	9.8995	153.000	167.000
Socker	2	42.000	8.4853	36.000	48.000
NELp20	2	0.000	0.0000	0.000	0.000
Ca	1	6.000	.	6.000	6.000
P	1	3.500	.	3.500	3.500
Mg	1	3.600	.	3.600	3.600
K	1	14.900	.	14.900	14.900
Na	1	2.200	.	2.200	2.200
Cl	2	3.600	3.3941	1.200	6.000
S	1	2.200	.	2.200	2.200
CAB	1	170.212	.	170.212	170.212
Fe	1	249.000	.	249.000	249.000
Mn	1	83.000	.	83.000	83.000
Zn	1	63.000	.	63.000	63.000
Cu	1	12.200	.	12.200	12.200
Se	1	0.308	.	0.308	0.308

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	0	.	0	0
TAF	1	0	.	0	0
NELp20	1	0	.	0	0

*= Parametrar från det gamla svenska fodervärderingssystemet