

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Grönmassa, gräs (0% baljv.) (161)	1	2	300	77	80.7	215	362		417	83	5.24		61.000			113
Grönmassa, gräs (0% baljv.) (161)	3	1	158	110	85.4	277	297		388	51	9.24		61.000			99
Ensilage, gräs (0% klöver) (162)	1	8	402	65	74.7	144	614	82.5	485	164	4.65		84.213	58.6	22.1	48
Ensilage, gräs (0% klöver) (162)	3	2	246	93	72.8	189	561	220	471	198	4.62		118.500	51.0	43.0	7
Ensilage, gräs (0% klöver) (162)	5	2	271	88	72.9	194	555	175	475	192	4.53		118.000	56.5	44.0	10
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	339	70	79.2	133			454	113	5.52		84.000			143
Grönmassa blandvall (1-50 % baljväxter) (164)	1	51	389	72	78.1	149	433		459	111	5.14		84.000			123
Grönmassa blandvall (1-50 % baljväxter) (164)	2	38	418	87	76.2	161	402		471	130	4.77		84.000			89
Grönmassa blandvall (1-50 % baljväxter) (164)	3	8	465	80	74.9	170	390		464	163	4.60		84.000			94
Ensilage, blandvall (1-50% klöver) (165)	0	6	346	90	71.2	130	594	101	441	213	3.47		74.417	55.7	12.8	61
Ensilage, blandvall (1-50% klöver) (165)	1	81	380	72	77.1	145	659	89.1	446	138	4.81		66.986	51.5	12.4	69
Ensilage, blandvall (1-50% klöver) (165)	2	41	473	83	75.3	144	543	71.6	446	160	4.38		52.271	38.2	11.2	74
Ensilage, blandvall (1-50% klöver) (165)	3	5	481	91	73.2	141	496	93.0	438	201	4.67		50.880	37.4	6.6	65
Ensilage, blandvall (1-50% klöver) (165)	4	4	399	91	74.0	141	554	87.5	442	174	4.03		70.975	58.8	10.8	45
Ensilage, blandvall (1-50% klöver) (165)	5	1	519	84	79.8	166	632	58.0	417	107	5.28		76.000	69.0	7.0	75
Korn, helsädesensilage (250)	1	2	484	63	65.9	87	595	50.5	449	284	2.41	71	51.200	32.0	17.5	114
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	455	78	68.4	98	491	44.3	449	249	2.94	80	46.667	30.0	14.7	75
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	429	61	64.4	116	456	47.0	484	279	2.55	54	56.500	35.5	21.0	59
Vete, helsäd ensilage (299)	1	1	292	70	65.7	95	763	137	580	219	3.59	17	74.500	61.0	11.0	16
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	352	51	71.7	111	501	37.3	390	235	2.59	188	26.500	17.8	6.5	71
Majs, helsädesensilage (305)	1	3	343	27	76.1	78	612	55.3	373	196	3.31	307	87.333	68.3	13.7	6
Råg, helsädesensilage, axgång (311)	1	1	333	85	76.8	77	829	107	440	142	4.71	17	64.000	40.0	24.0	149
Hö, blandvall, 0-50% baljväxter (383)	0	1	879	54	64.1	113			591	234	3.30		0.000			104
Hö, blandvall, 0-50% baljväxter (383)	1	3	818	54	66.5	83	414		583	218	3.70		0.000			116
Grunnblanding Middels ford.grovfôr (326)	1	3	435	62	73.9	147	500	53.0	341	249	2.83	196	46.667	31.7	9.3	47

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa, gräs (0% baljv.) (161)	1	2				99.8	51.5	6.75	11.8		
Grönmassa, gräs (0% baljv.) (161)	3	1				110	91.1	7.23	12.1		
Ensilage, gräs (0% klöver) (162)	1	8	4.66667	1.0875		80.3	18.1	6.26	11.0	72.0	-3.6
Ensilage, gräs (0% klöver) (162)	3	2	9.50000	15.0000		77.1	64.3	6.08	10.3		
Ensilage, gräs (0% klöver) (162)	5	2	7.50000	10.0000		78.3	67.1	6.17	10.4		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				87.4	-1.8	6.45	11.6	80.0	-4.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	51				88.1	12.0	6.44	11.4	78.6	9.2
Grönmassa blandvall (1-50 % baljväxter) (164)	2	38				86.5	26.0	6.28	11.0	74.6	28.5
Grönmassa blandvall (1-50 % baljväxter) (164)	3	8				86.9	31.7	6.20	10.8	73.0	41.5
Ensilage, blandvall (1-50% klöver) (165)	0	6		4.9167		76.5	13.2	5.68	10.1	68.8	11.0
Ensilage, blandvall (1-50% klöver) (165)	1	81	1.80000	1.9988		83.7	16.1	6.38	11.3	72.5	20.5
Ensilage, blandvall (1-50% klöver) (165)	2	41	1.50000	1.6525		84.7	13.3	6.13	10.9	71.2	21.2
Ensilage, blandvall (1-50% klöver) (165)	3	5	0.00000	6.0800		83.0	12.8	5.88	10.4	69.5	10.3
Ensilage, blandvall (1-50% klöver) (165)	4	4	0.00000	0.7250		80.6	17.0	6.02	10.6	69.3	19.0
Ensilage, blandvall (1-50% klöver) (165)	5	1	0.00000	0.0000		86.1	31.2	6.68	11.6		
Korn, helsädesensilage (250)	1	2				68.7	-22	5.18			
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3				74.5	-19	5.48	10.1	64.0	-21
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2				69.5	4.4	5.29			
Vete, helsäd ensilage (299)	1	1				65.3	-8.8	5.37			
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	1.33333	1.6667		81.7	-19	5.92	10.6		
Majs, helsädesensilage (305)	1	3	5.33333	0.0000		79.8	-48	6.71	11.7		
Råg, helsädesensilage, axgång (311)	1	1				73.0	-37	5.92			
Hö, blandvall, 0-50% baljväxter (383)	0	1				85.2	-16	5.07	9.3	67.0	-2.0
Hö, blandvall, 0-50% baljväxter (383)	1	3				85.7	-46	5.18	9.7	69.0	-43
Grunnblanding Middels ford.grovfôr (326)	1	3	5.66667	0.0000		87.1	16.8	6.28	10.9		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	2	6.1	2.8	2.2	26.5	1.1	10.1	2.6	345	1	65.0	53.0	28.0	9.0	
Grönmassa, gräs (0% baljv.) (161)	3	1	4.7	3.4	2.1	35.7	0.4	17.7	3.9	188	1	88.0	33.0	31.0	9.0	
Ensilage, gräs (0% klöver) (162)	1	8	5.2	2.5	1.9	20.8	0.7	5.8	1.9	282	8	159.8	81.4	26.3	6.3	0.0
Ensilage, gräs (0% klöver) (162)	3	2	7.3	3.2	2.6	23.8	1.3	5.6	3.0	322	1	334.0	110.0	28.0	11.0	0.1
Ensilage, gräs (0% klöver) (162)	5	2	6.1	3.6	2.3	28.2	1.1	8.1	3.2	344	1	188.0	60.0	25.0	10.0	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	1	48	4.9	2.7	1.7	25.9	0.6	7.7	1.9	399	39	108.5	54.9	25.8	6.1	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	35	6.5	2.9	2.3	27.6	1.0	9.9	2.3	402	27	103.1	61.1	29.6	8.0	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	6	6.3	2.9	2.3	25.7	1.0	7.1	2.5	352	1	106.0	61.0	23.0	5.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	6	7.4	2.6	2.3	23.8	0.6	5.7	1.5	376	6	497.2	80.7	24.0	7.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	80	5.2	2.6	1.8	25.1	0.6	5.8	1.9	387	71	176.6	57.3	26.3	6.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	41	6.6	2.8	2.2	27.2	0.9	8.6	2.1	358	37	148.5	68.2	28.5	7.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	5	8.7	2.9	2.5	24.3	1.3	10.7	2.3	230	4	191.3	72.8	23.3	6.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	4	7.8	2.6	2.6	24.1	0.8	11.0	2.3	197	4	267.8	68.0	25.0	7.4	
Ensilage, blandvall (1-50% klöver) (165)	5	1	6.6	3.6	1.7	25.4	0.8	14.8	3.0	80	1	88.0	122.0	18.0	8.0	
Korn, helsädesensilage (250)	1	1	3.1	2.2	1.5	17.1	0.4	3.9	1.2	304	1	83.0	43.0	18.0	3.9	
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	5.0	2.8	2.0	21.1	0.6	8.4	1.4	238	3	334.7	67.0	32.0	5.2	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	6.9	2.5	2.5	15.7	0.7	4.5	1.4	218	2	111.0	98.0	26.5	5.1	0.0
Vete, helsäd ensilage (299)	1	1	3.2	2.3	1.3	22.1	0.3	8.9	1.4	240	1	97.0	82.0	18.0	4.5	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	4	5.0	2.9	1.8	12.9	0.6	9.5	1.5	33	3	64.0	26.0	24.3	6.1	
Majs, helsädesensilage (305)	1	3	1.8	1.7	0.9	8.5	0.2	2.8	1.0	101	2	135.0	25.5	17.5	5.0	0.1
Hö, blandvall, 0-50% baljväxter (383)	0	1	4.7	2.4	1.7	8.3	2.0		1.9	40	1	63.0	62.0	23.0	5.9	
Hö, blandvall, 0-50% baljväxter (383)	1	2	2.7	2.1	1.2	15.5	0.7	5.9	1.2	199	1	52.0	91.0	21.0	3.9	
Grunnblanding Middels ford.grovför (326)	1	3	6.5	4.1	3.4	15.2	3.4	16.3	2.3	-62	2	251.0	65.0	31.5	12.0	0.1

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	299.500	116.673	217.000	382.000
Aska	2	77.000	8.485	71.000	83.000
OS smbh	2	80.650	0.212	80.500	80.800
Råprot	2	215.000	55.154	176.000	254.000
sRåprot	2	362.000	49.497	327.000	397.000
NDF	2	416.500	23.335	400.000	433.000
iNDF	2	82.500	50.205	47.000	118.000
nhNDF	2	5.239	1.137	4.435	6.043
TAF	2	61.000	0.000	61.000	61.000
Socker	2	112.500	4.950	109.000	116.000
AATp20	2	99.814	6.187	95.439	104.190
PBVp20	2	51.507	40.842	22.627	80.387
NELp20	2	6.751	0.131	6.658	6.843
OE*	2	11.800	0.071	11.750	11.850
Ca	2	6.050	2.616	4.200	7.900
P	2	2.800	0.707	2.300	3.300
Mg	2	2.200	1.131	1.400	3.000
K	2	26.500	1.980	25.100	27.900
Na	1	1.100	.	1.100	1.100
Cl	1	10.100	.	10.100	10.100
S	2	2.550	0.636	2.100	3.000
CAB	2	344.829	179.698	217.763	471.895
Fe	1	65.000	.	65.000	65.000
Mn	1	53.000	.	53.000	53.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	28.000	.	28.000	28.000
Cu	1	9.000	.	9.000	9.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	158.000	.	158.000	158.000
Aska	1	110.000	.	110.000	110.000
OS smbh	1	85.400	.	85.400	85.400
Råprot	1	277.000	.	277.000	277.000
sRåprot	1	297.000	.	297.000	297.000
NDF	1	388.000	.	388.000	388.000
iNDF	1	51.000	.	51.000	51.000
nhNDF	1	9.241	.	9.241	9.241
TAF	1	61.000	.	61.000	61.000
Socker	1	99.000	.	99.000	99.000
AATp20	1	110.336	.	110.336	110.336
PBVp20	1	91.054	.	91.054	91.054
NELp20	1	7.232	.	7.232	7.232
OE*	1	12.130	.	12.130	12.130
Ca	1	4.700	.	4.700	4.700
P	1	3.400	.	3.400	3.400
Mg	1	2.100	.	2.100	2.100
K	1	35.700	.	35.700	35.700
Na	1	0.400	.	0.400	0.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	17.700	.	17.700	17.700
S	1	3.900	.	3.900	3.900
CAB	1	188.093	.	188.093	188.093
Fe	1	88.000	.	88.000	88.000
Mn	1	33.000	.	33.000	33.000
Zn	1	31.000	.	31.000	31.000
Cu	1	9.000	.	9.000	9.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	402.375	180.340	258.000	831.000
Aska	8	65.375	12.794	46.000	83.000
OS smbh	8	74.688	3.790	69.500	79.900
Råprot	8	144.250	52.895	67.000	218.000
sRåprot	8	614.000	134.657	319.000	776.000
NH3-N	8	82.500	30.024	17.000	109.000
NDF	8	484.625	54.628	424.000	578.000
iNDF	8	163.626	57.720	112.613	287.000
nhNDF	8	4.653	0.571	3.715	5.504
TAF	8	84.213	31.303	17.500	111.100
Mjölksyra	8	58.625	24.313	8.000	91.000
Ättiksyra	8	22.125	8.839	8.000	34.000
Socker	8	47.500	51.133	18.000	172.000
PRF	3	4.667	1.155	4.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	8	1.088	1.097	0.100	3.000
AATp20	8	80.309	3.419	73.492	83.741
PBVp20	8	18.078	48.494	-58.194	85.052
NELp20	8	6.255	0.476	5.507	6.817
OE*	8	10.959	0.605	10.000	11.800
AAT*	5	72.000	1.871	70.000	74.000
PBV*	5	-3.600	35.641	-53.000	40.000
Ca	8	5.213	1.049	4.200	7.500
P	8	2.500	0.414	1.900	3.000
Mg	8	1.888	0.300	1.600	2.400
K	8	20.788	5.796	12.500	28.800
Na	8	0.725	0.506	0.300	1.800
Cl	8	5.750	1.773	2.600	8.300
S	8	1.913	0.610	1.000	2.800
CAB	8	281.668	108.117	86.070	424.968
Fe	8	159.750	67.209	87.000	285.000
Mn	8	81.375	33.835	47.000	147.000
Zn	8	26.250	4.496	19.000	35.000
Cu	8	6.325	1.694	4.200	9.000
Se	2	0.035	0.021	0.020	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	246.000	5.657	242.000	250.000
Aska	2	93.000	0.000	93.000	93.000
OS smbh	2	72.750	5.869	68.600	76.900
Råprot	2	189.000	29.698	168.000	210.000
sRåprot	2	560.500	89.803	497.000	624.000
NH3-N	2	220.000	171.120	99.000	341.000
NDF	2	470.500	64.347	425.000	516.000
iNDF	2	197.500	88.388	135.000	260.000
nhNDF	2	4.617	0.222	4.460	4.774
TAF	2	118.500	21.920	103.000	134.000
Mjölksyra	2	51.000	56.569	11.000	91.000
Ättiksyra	2	43.000	7.071	38.000	48.000
Socker	2	6.500	2.121	5.000	8.000
PRF	2	9.500	9.192	3.000	16.000
BUF	2	15.000	18.385	2.000	28.000
AATp20	2	77.149	2.197	75.595	78.702
PBVp20	2	64.313	23.346	47.805	80.821
NELp20	2	6.081	0.724	5.569	6.593
OE*	2	10.320	0.948	9.650	10.990
Ca	2	7.300	1.697	6.100	8.500
P	2	3.200	0.849	2.600	3.800
Mg	2	2.550	0.354	2.300	2.800
K	2	23.800	5.374	20.000	27.600
Na	2	1.250	0.636	0.800	1.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	2	5.550	0.495	5.200	5.900
S	2	2.950	0.071	2.900	3.000
CAB	2	322.330	146.750	218.563	426.098
Fe	1	334.000	.	334.000	334.000
Mn	1	110.000	.	110.000	110.000
Zn	1	28.000	.	28.000	28.000
Cu	1	11.000	.	11.000	11.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	270.500	4.950	267.000	274.000
Aska	2	88.000	1.414	87.000	89.000
OS smbh	2	72.900	4.950	69.400	76.400
Råprot	2	194.000	22.627	178.000	210.000
sRåprot	2	554.500	120.915	469.000	640.000
NH3-N	2	174.500	91.217	110.000	239.000
NDF	2	475.000	63.640	430.000	520.000
iNDF	2	191.500	65.761	145.000	238.000
nhNDF	2	4.529	0.137	4.432	4.625
TAF	2	118.000	15.556	107.000	129.000
Mjölksyra	2	56.500	31.820	34.000	79.000
Ättiksyra	2	44.000	0.000	44.000	44.000
Socker	2	9.500	2.121	8.000	11.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	7.500	6.364	3.000	12.000
BUF	2	10.000	9.899	3.000	17.000
AATp20	2	78.280	0.228	78.119	78.441
PBVp20	2	67.118	20.149	52.871	81.365
NELp20	2	6.166	0.535	5.787	6.544
OE*	2	10.405	0.785	9.850	10.960
Ca	2	6.050	0.071	6.000	6.100
P	2	3.550	0.354	3.300	3.800
Mg	2	2.300	0.424	2.000	2.600
K	2	28.200	4.101	25.300	31.100
Na	2	1.100	0.707	0.600	1.600
Cl	2	8.100	5.940	3.900	12.300
S	2	3.150	0.354	2.900	3.400
CAB	2	344.010	115.266	262.505	425.515
Fe	1	188.000	.	188.000	188.000
Mn	1	60.000	.	60.000	60.000
Zn	1	25.000	.	25.000	25.000
Cu	1	10.000	.	10.000	10.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	339.000	.	339.000	339.000
Aska	1	70.000	.	70.000	70.000
OS smbh	1	79.200	.	79.200	79.200
Råprot	1	133.000	.	133.000	133.000
NDF	1	454.000	.	454.000	454.000
iNDF	1	113.106	.	113.106	113.106
nhNDF	1	5.517	.	5.517	5.517
TAF	1	84.000	.	84.000	84.000
Socker	1	143.000	.	143.000	143.000
AATp20	1	87.430	.	87.430	87.430
PBVp20	1	-1.804	.	-1.804	-1.804
NELp20	1	6.452	.	6.452	6.452
OE*	1	11.600	.	11.600	11.600
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-4.000	.	-4.000	-4.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	51	388.667	88.001	280.000	497.000
Aska	51	71.902	11.885	57.000	89.000
OS smbh	51	78.114	3.972	72.900	82.600
Råprot	51	148.706	25.109	120.000	179.000
sRåprot	21	432.714	27.341	396.000	458.000
NDF	51	459.392	43.948	408.000	510.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	51	111.134	44.694	67.000	163.035
nhNDF	51	5.138	1.086	3.811	6.672
TAF	51	84.000	0.000	84.000	84.000
Socket	51	122.608	40.425	69.000	165.000
AATp20	51	88.080	4.998	81.450	92.948
PBVp20	51	12.010	18.262	-7.932	30.238
NELp20	51	6.440	0.384	5.963	6.850
OE*	51	11.447	0.659	10.540	12.200
AAT*	30	78.567	4.066	72.000	83.000
PBV*	30	9.167	22.896	-12.500	48.000
Ca	48	4.940	1.475	3.300	7.500
P	48	2.660	0.427	2.100	3.200
Mg	48	1.702	0.365	1.300	2.300
K	48	25.906	3.551	20.300	29.000
Na	44	0.616	0.384	0.200	1.100
Cl	21	7.748	3.269	4.300	12.200
S	48	1.931	0.304	1.600	2.300
CAB	48	398.629	108.073	241.857	547.915
Fe	39	108.462	43.946	66.000	176.000
Mn	39	54.872	23.544	32.000	80.000
Zn	39	25.795	4.131	21.000	33.000
Cu	39	6.131	1.279	4.700	8.000
Se	18	0.010	0.006	0.005	0.021

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	38	418.211	114.139	291.000	559.000
Aska	38	86.842	14.009	71.000	109.000
OS smbh	38	76.245	2.952	72.400	79.500
Råprot	38	160.842	19.746	130.000	189.000
sRåprot	17	401.941	61.005	354.000	450.000
NDF	38	470.658	50.393	394.000	531.000
iNDF	38	130.322	40.886	68.794	183.000
nhNDF	38	4.773	0.752	3.670	5.857
TAF	38	84.000	0.000	84.000	84.000
Socker	38	89.421	42.830	25.000	134.000
AATp20	38	86.491	5.143	80.299	93.183
PBVp20	38	26.012	15.701	-0.090	43.777
NELp20	38	6.285	0.317	5.917	6.740
OE*	38	10.968	0.557	10.200	11.700
AAT*	21	74.619	2.854	72.000	78.000
PBV*	21	28.524	18.848	5.000	49.000
Ca	35	6.474	2.686	3.900	11.300
P	35	2.931	0.440	2.400	3.600
Mg	35	2.320	0.638	1.600	3.100
K	35	27.617	4.611	22.100	34.100
Na	35	0.983	0.747	0.400	1.400
Cl	17	9.894	4.692	3.700	17.100
S	35	2.303	0.342	1.900	2.600
CAB	35	401.664	126.884	190.661	536.979

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	27	103.148	44.883	70.000	152.000
Mn	27	61.111	27.691	29.000	101.000
Zn	27	29.593	13.998	21.000	34.000
Cu	27	8.019	1.351	6.300	10.300
Se	6	0.130	0.265	0.009	0.669

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	464.875	95.625	326.000	558.000
Aska	7	79.714	9.250	64.000	93.000
OS smbh	8	74.863	1.607	71.800	77.200
Råprot	7	170.429	23.895	126.000	201.000
sRåprot	5	390.000	104.626	319.000	565.000
NDF	7	463.714	21.266	430.000	487.000
iNDF	8	163.037	35.344	117.000	234.000
nhNDF	8	4.599	0.420	4.061	5.407
TAF	8	84.000	0.000	84.000	84.000
Socker	7	94.286	31.690	53.000	135.000
AATp20	8	86.856	4.822	81.517	93.616
PBVp20	8	31.737	19.698	-5.577	53.399
NELp20	8	6.204	0.176	5.968	6.488
OE*	7	10.827	0.375	10.200	11.390
AAT*	2	73.000	1.414	72.000	74.000
PBV*	2	41.500	21.920	26.000	57.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	6	6.333	1.651	4.500	9.400
P	6	2.933	0.388	2.200	3.200
Mg	6	2.267	0.437	1.700	2.800
K	6	25.667	3.000	20.800	29.100
Na	6	0.967	0.175	0.700	1.200
Cl	5	7.100	1.214	5.900	8.800
S	6	2.517	0.366	1.900	3.000
CAB	6	352.441	91.625	228.631	468.710
Fe	1	106.000	.	106.000	106.000
Mn	1	61.000	.	61.000	61.000
Zn	1	23.000	.	23.000	23.000
Cu	1	5.800	.	5.800	5.800
Se	1	0.009	.	0.009	0.009

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	345.833	82.650	205.000	436.00
Aska	6	89.833	36.290	62.000	162.00
OS smbh	6	71.217	4.735	64.900	78.40
Råprot	6	129.667	26.250	80.000	153.00
sRåprot	6	593.833	90.932	470.000	668.00
NH3-N	6	100.500	51.454	56.000	198.00
NDF	6	440.833	105.704	366.000	646.00
iNDF	6	212.950	49.543	143.402	264.05

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	6	3.472	0.821	2.688	4.44
TAF	6	74.417	26.555	41.100	120.10
Mjölksyra	6	55.667	17.694	25.000	76.00
Ättiksyra	6	12.833	4.446	8.000	21.00
Socker	6	60.833	42.560	21.000	135.00
BUF	6	4.917	8.495	0.100	22.10
AATp20	6	76.471	6.464	69.679	85.93
PBVp20	6	13.195	25.050	-27.180	44.95
NELp20	6	5.675	0.426	5.098	6.23
OE*	6	10.117	0.937	8.900	11.50
AAT*	6	68.833	2.858	65.000	73.00
PBV*	6	11.000	24.795	-34.000	35.00
Ca	6	7.417	3.151	4.100	10.90
P	6	2.567	0.327	2.100	3.00
Mg	6	2.267	0.807	1.300	3.30
K	6	23.767	3.254	19.200	28.30
Na	6	0.550	0.243	0.200	0.90
Cl	6	5.700	1.968	2.400	8.30
S	6	1.517	0.232	1.200	1.90
CAB	6	376.401	102.518	286.272	571.13
Fe	6	497.167	750.956	65.000	2020.00
Mn	6	80.667	41.750	42.000	161.00
Zn	6	24.000	2.683	20.000	27.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	6	6.967	1.384	5.400	9.00
Se	1	0.023	.	0.023	0.02

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	81	380.272	80.828	271.000	482.000
Aska	81	72.222	6.995	64.000	82.000
OS smbh	81	77.099	3.236	72.200	80.100
Råprot	81	145.444	23.258	117.000	172.000
sRåprot	81	658.728	58.132	602.000	724.000
NH3-N	81	89.062	30.535	53.000	119.000
NDF	81	446.272	43.037	401.000	511.000
iNDF	81	137.580	36.900	104.230	183.350
nhNDF	81	4.805	0.655	4.091	5.595
TAF	81	66.986	25.312	28.000	98.100
Mjölksyra	81	51.469	21.785	22.000	81.000
Ättiksyra	81	12.370	4.635	7.000	19.000
Socker	81	68.531	39.855	22.000	127.000
PRF	15	1.800	1.699	0.000	5.000
BUF	81	1.999	3.366	0.000	4.400
AATp20	81	83.746	4.163	77.651	88.150
PBVp20	81	16.082	19.878	-5.121	41.317
NELp20	81	6.383	0.323	5.925	6.754
OE*	81	11.276	0.537	10.400	11.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	66	72.485	1.417	70.000	74.000
PBV*	66	20.545	21.721	-5.000	50.000
Ca	80	5.176	1.407	3.800	7.400
P	80	2.623	0.366	2.100	3.100
Mg	80	1.771	0.352	1.400	2.100
K	80	25.056	3.409	20.150	30.050
Na	80	0.640	0.536	0.200	1.450
Cl	81	5.780	2.613	3.000	8.900
S	80	1.906	0.345	1.450	2.350
CAB	80	386.553	80.500	282.592	475.099
Fe	71	176.634	100.568	92.000	358.000
Mn	71	57.296	21.141	40.000	77.000
Zn	71	26.310	6.735	21.000	32.000
Cu	71	5.980	1.004	4.800	7.200
Se	18	0.018	0.015	0.005	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	41	473.195	121.969	327.000	611.000
Aska	41	82.610	11.106	66.000	94.000
OS smbh	41	75.266	2.145	72.400	77.700
Råprot	41	144.098	23.032	117.000	171.000
sRåprot	41	542.732	86.401	430.000	646.000
NH3-N	39	71.641	27.112	42.000	119.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	41	445.878	37.719	386.000	503.000
iNDF	41	160.299	30.563	127.139	201.000
nhNDF	41	4.379	0.692	3.445	5.103
TAF	41	52.271	21.759	18.500	84.300
Mjölksyra	41	38.220	18.070	11.000	65.000
Ättiksyra	40	11.175	4.175	7.000	17.000
Socker	41	74.390	36.759	24.000	116.000
PRF	6	1.500	1.225	0.000	3.000
BUF	40	1.653	1.860	0.000	4.400
AATp20	41	84.695	4.054	79.899	90.353
PBVp20	41	13.345	21.852	-14.194	39.451
NELp20	41	6.128	0.241	5.803	6.374
OE*	41	10.850	0.355	10.400	11.300
AAT*	34	71.176	1.242	70.000	73.000
PBV*	34	21.176	22.340	-5.000	44.000
Ca	41	6.566	2.075	4.600	10.000
P	41	2.849	0.385	2.400	3.200
Mg	41	2.237	0.455	1.700	2.800
K	41	27.207	4.422	22.000	32.200
Na	41	0.885	0.937	0.200	1.600
Cl	41	8.615	7.788	3.300	12.700
S	41	2.146	0.377	1.700	2.600
CAB	41	357.521	169.747	217.368	494.170
Fe	37	148.514	93.661	76.000	269.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	37	68.162	22.275	41.000	107.000
Zn	37	28.459	13.773	21.000	31.000
Cu	37	7.459	1.380	5.300	9.200
Se	9	0.020	0.013	0.008	0.044

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	481.400	164.801	335.000	759.000
Aska	5	90.800	13.989	77.000	111.000
OS smbh	5	73.240	5.326	65.100	79.500
Råprot	5	140.600	27.006	108.000	183.000
sRåprot	5	496.200	128.085	288.000	609.000
NH3-N	5	93.000	66.854	29.000	182.000
NDF	5	438.000	58.297	346.000	496.000
iNDF	5	200.880	39.356	154.902	255.028
nhNDF	5	4.674	2.063	2.955	8.213
TAF	5	50.880	29.389	9.500	89.000
Mjölksyra	5	37.400	29.972	7.000	87.000
Ättiksyra	5	6.600	4.827	1.000	11.000
Socker	5	65.400	35.879	16.000	105.000
PRF	1	0.000	.	0.000	0.000
BUF	5	6.080	8.337	0.000	20.100
AATp20	5	83.019	7.441	71.685	90.502
PBVp20	5	12.828	23.290	-12.381	46.152

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	5	5.877	0.524	5.193	6.555
OE*	5	10.416	0.818	9.100	11.180
AAT*	4	69.500	2.517	66.000	72.000
PBV*	4	10.250	14.930	-12.000	20.000
Ca	5	8.660	2.752	5.400	12.700
P	5	2.940	0.662	2.000	3.800
Mg	5	2.500	0.158	2.300	2.700
K	5	24.320	2.873	19.800	27.400
Na	5	1.260	1.207	0.200	3.200
Cl	5	10.700	3.064	7.200	14.300
S	5	2.320	0.259	2.000	2.600
CAB	5	230.369	40.316	199.501	274.581
Fe	4	191.250	111.945	130.000	359.000
Mn	4	72.750	13.525	65.000	93.000
Zn	4	23.250	5.315	17.000	29.000
Cu	4	6.550	1.147	4.900	7.500
Se	2	0.045	0.016	0.033	0.056

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	399.250	65.632	308.000	450.000
Aska	4	90.500	4.123	85.000	95.000
OS smbh	4	73.950	3.719	70.900	79.200
Råprot	4	141.000	15.748	119.000	155.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	4	553.500	50.928	517.000	626.000
NH3-N	4	87.500	15.716	72.000	107.000
NDF	4	441.500	43.860	410.000	504.000
iNDF	4	174.352	61.614	97.000	229.347
nhNDF	4	4.031	1.007	3.093	5.062
TAF	4	70.975	16.193	58.000	94.100
Mjölksyra	4	58.750	10.689	50.000	74.000
Ättiksyra	4	10.750	5.909	5.000	19.000
Socker	4	45.250	37.107	10.000	90.000
PRF	1	0.000	.	0.000	0.000
BUF	4	0.725	0.881	0.000	1.900
AATp20	4	80.598	3.951	77.905	86.403
PBVp20	4	16.989	13.462	-0.340	31.718
NELp20	4	6.025	0.422	5.575	6.532
OE*	4	10.565	0.620	10.100	11.460
AAT*	3	69.333	0.577	69.000	70.000
PBV*	3	19.000	18.682	-1.000	36.000
Ca	4	7.775	1.417	6.100	9.000
P	4	2.600	0.374	2.200	3.100
Mg	4	2.550	0.493	1.900	3.100
K	4	24.125	3.045	21.500	28.400
Na	4	0.750	0.451	0.200	1.300
Cl	4	11.025	8.827	4.500	24.000
S	4	2.275	0.330	1.900	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	4	196.865	179.901	-61.942	354.553
Fe	4	267.750	119.762	140.000	426.000
Mn	4	68.000	22.920	52.000	102.000
Zn	4	25.000	4.546	19.000	30.000
Cu	4	7.375	1.066	6.000	8.600

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	519.000	.	519.000	519.000
Aska	1	84.000	.	84.000	84.000
OS smbh	1	79.800	.	79.800	79.800
Råprot	1	166.000	.	166.000	166.000
sRåprot	1	632.000	.	632.000	632.000
NH3-N	1	58.000	.	58.000	58.000
NDF	1	417.000	.	417.000	417.000
iNDF	1	107.000	.	107.000	107.000
nhNDF	1	5.278	.	5.278	5.278
TAF	1	76.000	.	76.000	76.000
Mjölksyra	1	69.000	.	69.000	69.000
Ättiksyra	1	7.000	.	7.000	7.000
Socker	1	75.000	.	75.000	75.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	86.115	.	86.115	86.115

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	31.239	.	31.239	31.239
NELp20	1	6.677	.	6.677	6.677
OE*	1	11.570	.	11.570	11.570
Ca	1	6.600	.	6.600	6.600
P	1	3.600	.	3.600	3.600
Mg	1	1.700	.	1.700	1.700
K	1	25.400	.	25.400	25.400
Na	1	0.800	.	0.800	0.800
Cl	1	14.800	.	14.800	14.800
S	1	3.000	.	3.000	3.000
CAB	1	79.998	.	79.998	79.998
Fe	1	88.000	.	88.000	88.000
Mn	1	122.000	.	122.000	122.000
Zn	1	18.000	.	18.000	18.000
Cu	1	8.000	.	8.000	8.000

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	483.500	61.518	440.000	527.000
Aska	2	62.500	0.707	62.000	63.000
OS smbh	2	65.850	1.344	64.900	66.800
Råprot	2	86.500	23.335	70.000	103.000
sRåprot	2	594.500	168.999	475.000	714.000
NH3-N	2	50.500	7.778	45.000	56.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	2	449.000	25.456	431.000	467.000
iNDF	2	283.512	0.432	283.206	283.818
nhNDF	2	2.414	0.040	2.386	2.443
Stä	2	71.000	5.657	67.000	75.000
TAF	2	51.200	13.435	41.700	60.700
Mjölksyra	2	32.000	12.728	23.000	41.000
Ättiksyra	2	17.500	0.707	17.000	18.000
Socker	2	113.500	10.607	106.000	121.000
AATp20	2	68.666	4.441	65.526	71.806
PBVp20	2	-21.935	12.340	-30.660	-13.209
NELp20	2	5.183	0.055	5.145	5.222
Ca	1	3.100	.	3.100	3.100
P	1	2.200	.	2.200	2.200
Mg	1	1.500	.	1.500	1.500
K	1	17.100	.	17.100	17.100
Na	1	0.400	.	0.400	0.400
Cl	2	3.850	1.626	2.700	5.000
S	1	1.200	.	1.200	1.200
CAB	1	303.675	.	303.675	303.675
Fe	1	83.000	.	83.000	83.000
Mn	1	43.000	.	43.000	43.000
Zn	1	18.000	.	18.000	18.000
Cu	1	3.900	.	3.900	3.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärtar (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	455.000	99.594	353.000	552.000
Aska	3	77.667	10.504	67.000	88.000
OS smbh	3	68.433	2.155	66.000	70.100
Råprot	3	97.667	17.039	80.000	114.000
sRåprot	3	491.000	154.632	361.000	662.000
NH3-N	3	44.333	3.786	40.000	47.000
NDF	3	449.000	43.035	407.000	493.000
iNDF	3	248.625	45.749	215.168	300.757
nhNDF	3	2.943	0.669	2.199	3.494
Stä	3	80.000	73.899	31.000	165.000
TAF	3	46.667	9.074	37.000	55.000
Mjölksyra	3	30.000	7.211	22.000	36.000
Ättiksyra	3	14.667	2.082	13.000	17.000
Socker	3	75.333	46.522	28.000	121.000
AATp20	3	74.501	3.567	72.439	78.619
PBVp20	3	-18.716	10.307	-30.453	-11.136
NELp20	3	5.483	0.092	5.379	5.551
OE*	1	10.100	.	10.100	10.100
AAT*	1	64.000	.	64.000	64.000
PBV*	1	-21.000	.	-21.000	-21.000
Ca	3	5.000	0.520	4.700	5.600
P	3	2.800	0.656	2.100	3.400
Mg	3	2.000	0.100	1.900	2.100
K	3	21.067	6.543	16.800	28.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	3	0.567	0.289	0.400	0.900
Cl	3	8.433	4.969	2.700	11.500
S	3	1.400	0.200	1.200	1.600
CAB	3	238.368	147.014	68.622	324.905
Fe	3	334.667	370.310	108.000	762.000
Mn	3	67.000	35.791	27.000	96.000
Zn	3	32.000	13.115	20.000	46.000
Cu	3	5.167	1.172	4.300	6.500

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	428.500	79.9031	372.000	485.000
Aska	2	60.500	9.1924	54.000	67.000
OS smbh	2	64.400	5.9397	60.200	68.600
Råprot	2	115.500	20.5061	101.000	130.000
sRåprot	2	455.500	20.5061	441.000	470.000
NH3-N	2	47.000	12.7279	38.000	56.000
NDF	2	484.000	21.2132	469.000	499.000
iNDF	2	279.284	53.4632	241.480	317.088
nhNDF	2	2.551	0.6216	2.112	2.991
Stä	2	53.500	26.1630	35.000	72.000
TAF	2	56.500	3.5355	54.000	59.000
Mjölksyra	2	35.500	0.7071	35.000	36.000
Ättiksyra	2	21.000	4.2426	18.000	24.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	58.500	40.3051	30.000	87.000
AATp20	2	69.547	5.7438	65.485	73.608
PBVp20	2	4.415	27.4644	-15.005	23.835
NELp20	2	5.292	0.3379	5.054	5.531
Ca	2	6.850	0.6364	6.400	7.300
P	2	2.450	0.3536	2.200	2.700
Mg	2	2.500	0.4243	2.200	2.800
K	2	15.650	2.4749	13.900	17.400
Na	2	0.700	0.0000	0.700	0.700
Cl	2	4.450	1.3435	3.500	5.400
S	2	1.400	0.1414	1.300	1.500
CAB	2	217.838	16.6120	206.092	229.585
Fe	2	111.000	41.0122	82.000	140.000
Mn	2	98.000	8.4853	92.000	104.000
Zn	2	26.500	3.5355	24.000	29.000
Cu	2	5.100	0.2828	4.900	5.300
Se	2	0.025	0.0000	0.025	0.025

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	292.000	.	292.000	292.000
Aska	1	70.000	.	70.000	70.000
OS smbh	1	65.700	.	65.700	65.700
Råprot	1	95.000	.	95.000	95.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	1	763.000	.	763.000	763.000
NH3-N	1	137.000	.	137.000	137.000
NDF	1	580.000	.	580.000	580.000
iNDF	1	218.879	.	218.879	218.879
nhNDF	1	3.585	.	3.585	3.585
Stä	1	17.000	.	17.000	17.000
TAF	1	74.500	.	74.500	74.500
Mjölksyra	1	61.000	.	61.000	61.000
Ättiksyra	1	11.000	.	11.000	11.000
Socker	1	16.000	.	16.000	16.000
AATp20	1	65.293	.	65.293	65.293
PBVp20	1	-8.798	.	-8.798	-8.798
NELp20	1	5.366	.	5.366	5.366
Ca	1	3.200	.	3.200	3.200
P	1	2.300	.	2.300	2.300
Mg	1	1.300	.	1.300	1.300
K	1	22.100	.	22.100	22.100
Na	1	0.300	.	0.300	0.300
Cl	1	8.900	.	8.900	8.900
S	1	1.400	.	1.400	1.400
CAB	1	240.057	.	240.057	240.057
Fe	1	97.000	.	97.000	97.000
Mn	1	82.000	.	82.000	82.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	18.000	.	18.000	18.000
Cu	1	4.500	.	4.500	4.500

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	351.500	82.193	229.000	405.000
Aska	4	50.500	11.121	40.000	62.000
OS smbh	4	71.650	2.938	67.500	74.400
Råprot	4	110.500	34.161	81.000	159.000
sRåprot	4	501.000	84.431	422.000	612.000
NH3-N	4	37.250	18.626	26.000	65.000
NDF	4	389.750	92.572	292.000	504.000
iNDF	4	234.739	67.231	152.000	313.000
nhNDF	4	2.593	1.499	1.312	4.423
Stä	4	187.500	151.282	4.000	340.000
TAF	4	26.500	26.652	8.000	66.000
Mjölksyra	4	17.750	25.953	0.000	55.000
Ättiksyra	4	6.500	4.655	0.000	11.000
Socker	4	71.250	39.178	31.000	111.000
PRF	3	1.333	1.155	0.000	2.000
BUF	3	1.667	2.887	0.000	5.000
AATp20	4	81.675	5.082	75.936	87.742
PBVp20	4	-19.426	25.350	-41.817	13.228
NELp20	4	5.919	0.280	5.558	6.242

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	3	10.637	0.545	10.010	11.000
Ca	4	4.950	0.777	4.400	6.100
P	4	2.925	0.299	2.500	3.200
Mg	4	1.825	0.525	1.500	2.600
K	4	12.850	6.808	5.700	21.300
Na	4	0.550	0.580	0.100	1.400
Cl	3	9.500	4.397	5.900	14.400
S	4	1.500	0.374	1.100	2.000
CAB	4	32.962	190.927	-229.627	201.815
Fe	3	64.000	16.523	45.000	75.000
Mn	3	26.000	14.526	11.000	40.000
Zn	3	24.333	4.509	20.000	29.000
Cu	3	6.067	1.007	5.000	7.000

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	343.000	13.0000	335.000	358.000
Aska	3	27.000	1.0000	26.000	28.000
OS smbh	3	76.133	2.1127	73.700	77.500
Råprot	3	77.667	4.1633	73.000	81.000
sRåprot	3	612.333	56.3678	549.000	657.000
NH3-N	3	55.333	15.9478	37.000	66.000
NDF	3	372.667	27.1539	356.000	404.000
iNDF	3	195.667	13.6137	185.000	211.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	3	3.309	0.2546	3.048	3.556
Stä	3	307.333	22.0303	282.000	322.000
TAF	3	87.333	10.0167	77.000	97.000
Mjölksyra	3	68.333	7.5056	61.000	76.000
Ättiksyra	3	13.667	2.5166	11.000	16.000
Socker	3	6.333	1.1547	5.000	7.000
PRF	3	5.333	0.5774	5.000	6.000
BUF	3	0.000	0.0000	0.000	0.000
AATp20	3	79.833	2.2915	77.432	81.997
PBVp20	3	-48.064	0.7235	-48.861	-47.450
NELp20	3	6.707	0.2393	6.434	6.883
OE*	3	11.660	0.3659	11.240	11.910
Ca	3	1.767	0.3215	1.400	2.000
P	3	1.733	0.1528	1.600	1.900
Mg	3	0.933	0.2082	0.700	1.100
K	3	8.467	0.6506	7.800	9.100
Na	3	0.233	0.1528	0.100	0.400
Cl	2	2.750	0.4950	2.400	3.100
S	3	0.967	0.0577	0.900	1.000
CAB	3	100.539	43.5678	58.360	145.374
Fe	2	135.000	91.9239	70.000	200.000
Mn	2	25.500	7.7782	20.000	31.000
Zn	2	17.500	2.1213	16.000	19.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	2	5.000	1.4142	4.000	6.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	333.000	.	333.000	333.000
Aska	1	85.000	.	85.000	85.000
OS smbh	1	76.800	.	76.800	76.800
Råprot	1	77.000	.	77.000	77.000
sRåprot	1	829.000	.	829.000	829.000
NH3-N	1	107.000	.	107.000	107.000
NDF	1	440.000	.	440.000	440.000
iNDF	1	141.830	.	141.830	141.830
nhNDF	1	4.708	.	4.708	4.708
Stä	1	17.000	.	17.000	17.000
TAF	1	64.000	.	64.000	64.000
Mjölksyra	1	40.000	.	40.000	40.000
Ättiksyra	1	24.000	.	24.000	24.000
Socker	1	149.000	.	149.000	149.000
AATp20	1	73.008	.	73.008	73.008
PBVp20	1	-37.271	.	-37.271	-37.271
NELp20	1	5.925	.	5.925	5.925
CI	1	3.900	.	3.900	3.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	879.000	.	879.000	879.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	64.100	.	64.100	64.100
Råprot	1	113.000	.	113.000	113.000
NDF	1	591.000	.	591.000	591.000
iNDF	1	234.271	.	234.271	234.271
nhNDF	1	3.298	.	3.298	3.298
TAF	1	0.000	.	0.000	0.000
Socket	1	104.000	.	104.000	104.000
AATp20	1	85.187	.	85.187	85.187
PBVp20	1	-16.082	.	-16.082	-16.082
NELp20	1	5.071	.	5.071	5.071
OE*	1	9.300	.	9.300	9.300
AAT*	1	67.000	.	67.000	67.000
PBV*	1	-2.000	.	-2.000	-2.000
Ca	1	4.700	.	4.700	4.700
P	1	2.400	.	2.400	2.400
Mg	1	1.700	.	1.700	1.700
K	1	8.300	.	8.300	8.300
Na	1	2.000	.	2.000	2.000
S	1	1.900	.	1.900	1.900
CAB	1	39.638	.	39.638	39.638
Fe	1	63.000	.	63.000	63.000
Mn	1	62.000	.	62.000	62.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	23.000	.	23.000	23.000
Cu	1	5.900	.	5.900	5.900

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	818.000	37.3631	784.000	858.000
Aska	3	53.667	3.5119	50.000	57.000
OS smbh	3	66.533	0.2082	66.300	66.700
Råprot	3	82.667	14.5029	68.000	97.000
sRåprot	1	414.000	.	414.000	414.000
NDF	3	583.333	7.3711	575.000	589.000
iNDF	3	218.335	7.9496	209.537	225.000
nhNDF	3	3.696	0.1876	3.494	3.865
TAF	3	0.000	0.0000	0.000	0.000
Socker	3	116.333	19.4251	95.000	133.000
AATp20	3	85.737	3.8026	82.715	90.007
PBVp20	3	-45.563	7.8525	-54.308	-39.116
NELp20	3	5.180	0.0951	5.083	5.273
OE*	3	9.710	0.0173	9.700	9.730
AAT*	2	69.000	0.0000	69.000	69.000
PBV*	2	-42.500	10.6066	-50.000	-35.000
Ca	2	2.700	0.4243	2.400	3.000
P	2	2.050	0.7778	1.500	2.600
Mg	2	1.200	0.1414	1.100	1.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	2	15.500	4.5255	12.300	18.700
Na	2	0.650	0.2121	0.500	0.800
Cl	1	5.900	.	5.900	5.900
S	2	1.150	0.0707	1.100	1.200
CAB	2	199.284	93.0109	133.516	265.053
Fe	1	52.000	.	52.000	52.000
Mn	1	91.000	.	91.000	91.000
Zn	1	21.000	.	21.000	21.000
Cu	1	3.900	.	3.900	3.900

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	435.000	54.443	395.000	497.000
Aska	3	61.667	3.512	58.000	65.000
OS smbh	3	73.900	4.419	68.800	76.600
Råprot	3	147.333	1.528	146.000	149.000
sRåprot	3	499.667	25.325	477.000	527.000
NH3-N	3	53.000	6.557	46.000	59.000
NDF	3	340.667	66.726	289.000	416.000
iNDF	3	248.667	73.419	199.000	333.000
nhNDF	3	2.831	0.425	2.485	3.305
Stä	3	195.667	24.705	173.000	222.000
TAF	3	46.667	28.024	24.000	78.000
Mjölksyra	3	31.667	16.166	17.000	49.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	3	9.333	11.846	2.000	23.000
Socker	3	46.667	29.297	25.000	80.000
PRF	3	5.667	0.577	5.000	6.000
BUF	3	0.000	0.000	0.000	0.000
AATp20	3	87.104	2.961	84.910	90.472
PBVp20	3	16.778	3.760	12.903	20.412
NELp20	3	6.280	0.442	5.775	6.594
OE*	3	10.867	0.742	10.010	11.310
Ca	3	6.500	2.339	5.100	9.200
P	3	4.100	0.693	3.700	4.900
Mg	3	3.433	0.808	2.700	4.300
K	3	15.233	2.312	12.800	17.400
Na	3	3.433	1.570	2.200	5.200
Cl	3	16.300	10.839	4.600	26.000
S	3	2.267	0.231	2.000	2.400
CAB	3	-61.947	282.117	-259.888	261.087
Fe	2	251.000	15.556	240.000	262.000
Mn	2	65.000	14.142	55.000	75.000
Zn	2	31.500	2.121	30.000	33.000
Cu	2	12.000	0.000	12.000	12.000
Se	2	0.110	0.000	0.110	0.110

*= Parametrar från det gamla svenska fodervärderingssystemet