

| Fodermedel                                         | Sk. nr. | Ant. | TS  | Aska | OS smbh | Rå-prot | sRå-prot | NH3-N | NDF | iNDF | nhNDF | Stä | TAF     | Mjölksyra | Ättiksyra | Socker |
|----------------------------------------------------|---------|------|-----|------|---------|---------|----------|-------|-----|------|-------|-----|---------|-----------|-----------|--------|
| Blandsäd, kärna, 50%havre/50%korn (096)            | 1       | 1    | 844 | 25   | 80.5    | 88      |          |       |     | 304  | 2.50  | 636 | 0.000   |           |           |        |
| Ensilage, gräs (0% klöver) (162)                   | 1       | 2    | 311 | 72   | 74.5    | 154     | 627      | 66.0  | 467 | 161  | 4.22  |     | 75.000  | 62.0      | 11.0      | 52     |
| Ensilage, gräs (0% klöver) (162)                   | 2       | 1    | 482 | 86   | 73.2    | 142     | 570      | 75.0  | 470 | 192  | 4.47  |     | 41.000  | 35.0      | 4.0       | 73     |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 1       | 29   | 459 | 71   | 75.3    | 130     | 476      |       | 513 | 140  | 5.24  |     | 84.000  |           |           | 102    |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 2       | 14   | 522 | 82   | 73.8    | 143     | 331      |       | 500 | 164  | 4.69  |     | 84.000  |           |           | 91     |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 3       | 1    | 300 | 84   | 70.5    | 143     |          |       | 512 | 191  | 3.97  |     | 84.000  |           |           | 50     |
| Ensilage, blandvall (1-50% klöver) (165)           | 0       | 1    | 342 | 113  | 78.5    | 173     | 676      | 101   | 384 | 126  | 4.70  |     | 111.600 | 93.0      | 17.0      | 37     |
| Ensilage, blandvall (1-50% klöver) (165)           | 1       | 51   | 341 | 68   | 76.0    | 146     | 613      | 89.3  | 477 | 141  | 4.87  |     | 72.894  | 56.5      | 14.1      | 47     |
| Ensilage, blandvall (1-50% klöver) (165)           | 2       | 29   | 442 | 77   | 75.0    | 141     | 524      | 69.0  | 460 | 161  | 4.42  |     | 54.528  | 41.6      | 11.1      | 66     |
| Ensilage, blandvall (1-50% klöver) (165)           | 3       | 2    | 533 | 90   | 73.7    | 145     | 496      | 70.5  | 431 | 205  | 4.41  |     | 32.700  | 25.0      | 6.5       | 95     |
| Ensilage, blandvall (1-50% klöver) (165)           | 5       | 1    | 432 | 85   | 72.0    | 130     | 471      | 86.0  | 421 | 212  | 3.36  |     | 85.900  | 71.0      | 13.0      | 74     |
| Vete-ärt, helsädesensilage, degmognad, 50% ärter ( | 1       | 2    | 425 | 67   | 70.3    | 141     | 721      | 80.0  | 442 | 253  | 3.48  | 71  | 76.000  | 57.0      | 19.0      | 62     |
| Vete, helsäd ensilage (299)                        | 1       | 1    | 399 | 63   | 64.5    | 103     | 486      | 71.0  | 532 | 253  | 2.95  | 48  | 54.500  | 44.0      | 8.0       | 71     |
| Korn-ärt helsädesensilage degmognad, 40% ärter (30 | 1       | 2    | 345 | 73   | 70.3    | 133     | 641      | 103   | 425 | 237  | 2.98  | 103 | 70.000  | 58.5      | 11.5      | 38     |
| Hö, blandvall, 0-50% baljväxter (383)              | 1       | 7    | 889 | 57   | 65.2    | 68      |          |       | 564 | 234  | 3.30  |     | 0.000   |           |           | 124    |
| Grönmassa, blandvall (51-100% baljväxter) (437)    | 1       | 1    | 652 | 64   | 64.8    | 118     | 456      |       | 519 | 360  | 4.71  |     | 72.000  |           |           | 92     |

| Fodermedel                                    | Sk. nr. | Ant. | PRF     | BUF     | FOF | AAT-p20 | PBV-p20 | NEL-p20 | OE*  | AAT* | PBV* |
|-----------------------------------------------|---------|------|---------|---------|-----|---------|---------|---------|------|------|------|
| Blandsäd, kärna, 50%havre/50%korn (096)       | 1       | 1    |         |         |     | 89.7    | -43     | 7.02    |      |      |      |
| Ensilage, gräs (0% klöver) (162)              | 1       | 2    | 1.00000 | 1.00000 |     | 81.0    | 26.0    | 6.22    | 10.9 |      |      |
| Ensilage, gräs (0% klöver) (162)              | 2       | 1    | 1.00000 | 1.00000 |     | 82.3    | 13.0    | 5.91    | 10.5 |      |      |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 1       | 29   |         |         |     | 84.2    | 1.2     | 6.20    | 11.0 | 76.9 | 2.4  |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 2       | 14   |         |         |     | 83.1    | 14.8    | 6.04    | 10.6 | 73.6 | 9.3  |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 3       | 1    |         |         |     | 78.7    | 22.2    | 5.79    | 10.1 | 71.0 | 21.0 |
| Ensilage, blandvall (1-50% klöver) (165)      | 0       | 1    |         | 0.60000 |     | 78.2    | 50.3    | 6.40    | 11.0 | 71.0 | 49.0 |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                                         | Sk.<br>nr. | Ant. | PRF     | BUF     | FOF | AAT-<br>p20 | PBV-<br>p20 | NEL-<br>p20 | OE*  | AAT* | PBV* |
|----------------------------------------------------|------------|------|---------|---------|-----|-------------|-------------|-------------|------|------|------|
| Ensilage, blandvall (1-50% klöver) (165)           | 1          | 51   | 0.14286 | 1.40392 |     | 83.8        | 16.8        | 6.38        | 11.1 | 72.3 | 20.5 |
| Ensilage, blandvall (1-50% klöver) (165)           | 2          | 29   | 1.00000 | 0.90690 |     | 85.1        | 9.8         | 6.15        | 10.9 | 71.4 | 18.7 |
| Ensilage, blandvall (1-50% klöver) (165)           | 3          | 2    | 0.00000 | 0.70000 |     | 85.0        | 13.5        | 5.84        | 10.5 | 70.0 | 0.0  |
| Ensilage, blandvall (1-50% klöver) (165)           | 5          | 1    |         | 0.90000 |     | 78.5        | 10.2        | 5.72        | 10.3 | 70.0 | 10.0 |
| Vete-ärt, helsädesensilage, degmognad, 50% ärter ( | 1          | 2    | 0.00000 | 0.00000 |     | 68.9        | 28.9        | 5.85        | 10.4 |      |      |
| Vete, helsäd ensilage (299)                        | 1          | 1    |         |         |     | 69.7        | -11         | 5.23        |      |      |      |
| Korn-ärt helsädesensilage degmognad, 40% ärter (30 | 1          | 2    |         |         |     | 73.4        | 13.9        | 5.78        |      |      |      |
| Hö, blandvall, 0-50% baljväxter (383)              | 1          | 7    |         |         |     | 81.0        | -51         | 4.96        | 9.5  | 67.6 | -47  |
| Grönmassa, blandvall (51-100% baljväxter) (437)    | 1          | 1    |         |         |     | 73.6        | 10.4        | 5.28        | 9.3  |      |      |

| Fodermedel                                         | Sk.<br>nr. | Ant.<br>Ca | Ca  | P   | Mg  | K    | Na  | Cl   | S   | CAB | Ant.<br>Fe | Fe    | Mn    | Zn   | Cu  | Se  |
|----------------------------------------------------|------------|------------|-----|-----|-----|------|-----|------|-----|-----|------------|-------|-------|------|-----|-----|
| Blandsäd, kärna, 50%havre/50%korn (096)            | 1          | 1          | 0.5 | 3.5 | 1.3 | 5.0  | 0.1 |      | 1.0 | 44  | 1          | 51.0  | 23.0  | 27.0 | 4.2 |     |
| Ensilage, gräs (0% klöver) (162)                   | 1          | 2          | 5.2 | 2.3 | 1.5 | 19.5 | 0.4 | 7.7  | 1.7 | 193 | 2          | 153.0 | 43.0  | 24.5 | 6.0 | 0.1 |
| Ensilage, gräs (0% klöver) (162)                   | 2          | 1          | 9.2 | 2.9 | 1.5 | 23.9 | 0.5 | 14.9 | 2.2 | 76  | 1          | 92.0  | 31.0  | 20.0 | 7.0 |     |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 1          | 25         | 4.0 | 2.5 | 1.5 | 23.4 | 0.2 | 4.5  | 1.7 | 368 | 25         | 118.8 | 50.4  | 28.6 | 5.5 | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 2          | 12         | 6.4 | 2.9 | 2.5 | 25.0 | 0.7 | 10.7 | 2.3 | 366 | 12         | 125.3 | 73.8  | 27.4 | 7.3 | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 3          | 1          | 7.6 | 2.9 | 3.3 | 14.5 | 0.5 |      | 3.2 | 60  | 1          | 170.0 | 78.0  | 35.0 | 7.9 |     |
| Ensilage, blandvall (1-50% klöver) (165)           | 1          | 50         | 4.9 | 2.6 | 1.8 | 22.7 | 0.4 | 4.6  | 2.0 | 342 | 49         | 207.7 | 61.1  | 28.0 | 6.6 | 0.0 |
| Ensilage, blandvall (1-50% klöver) (165)           | 2          | 27         | 6.4 | 2.8 | 2.3 | 24.1 | 0.8 | 6.4  | 2.1 | 326 | 25         | 113.4 | 61.7  | 26.4 | 7.3 |     |
| Ensilage, blandvall (1-50% klöver) (165)           | 3          | 2          | 9.7 | 3.4 | 2.2 | 26.7 | 0.3 | 9.0  | 2.3 | 293 | 2          | 147.5 | 60.5  | 23.5 | 7.4 |     |
| Ensilage, blandvall (1-50% klöver) (165)           | 5          | 1          | 5.8 | 2.5 | 2.5 | 16.0 | 2.0 | 6.5  | 2.3 | 169 | 1          | 405.0 | 268.0 | 36.0 | 6.9 |     |
| Vete-ärt, helsädesensilage, degmognad, 50% ärter ( | 1          | 1          | 4.6 | 3.1 | 1.1 | 19.6 | 1.1 | 7.9  | 1.6 | 134 | 1          | 80.0  | 13.0  | 27.0 | 6.0 |     |
| Korn-ärt helsädesensilage degmognad, 40% ärter (30 | 1          | 2          | 5.5 | 3.1 | 2.0 | 17.2 | 3.5 | 8.6  | 2.3 | 207 | 2          | 112.5 | 24.5  | 38.0 | 5.6 |     |
| Hö, blandvall, 0-50% baljväxter (383)              | 1          | 6          | 3.1 | 1.6 | 1.2 | 14.5 | 0.1 |      | 1.1 | 167 | 6          | 149.7 | 71.5  | 19.2 | 3.7 |     |
| Grönmassa, blandvall (51-100% baljväxter) (437)    | 1          | 1          | 6.2 | 1.7 | 1.9 | 18.3 | 0.2 | 7.7  | 1.2 | 185 | 1          | 42.0  | 17.0  | 15.0 | 7.0 | 0.1 |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 844.000    | .       | 844.000       | 844.000       |
| Aska      | 1     | 24.900     | .       | 24.900        | 24.900        |
| OS smbh   | 1     | 80.500     | .       | 80.500        | 80.500        |
| Råprot    | 1     | 87.700     | .       | 87.700        | 87.700        |
| iNDF      | 1     | 304.000    | .       | 304.000       | 304.000       |
| nhNDF     | 1     | 2.500      | .       | 2.500         | 2.500         |
| Stä       | 1     | 636.300    | .       | 636.300       | 636.300       |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 89.721     | .       | 89.721        | 89.721        |
| PBVp20    | 1     | -43.379    | .       | -43.379       | -43.379       |
| NELp20    | 1     | 7.019      | .       | 7.019         | 7.019         |
| Ca        | 1     | 0.500      | .       | 0.500         | 0.500         |
| P         | 1     | 3.500      | .       | 3.500         | 3.500         |
| Mg        | 1     | 1.300      | .       | 1.300         | 1.300         |
| K         | 1     | 5.000      | .       | 5.000         | 5.000         |
| Na        | 1     | 0.100      | .       | 0.100         | 0.100         |
| S         | 1     | 1.000      | .       | 1.000         | 1.000         |
| CAB       | 1     | 44.373     | .       | 44.373        | 44.373        |
| Fe        | 1     | 51.000     | .       | 51.000        | 51.000        |
| Mn        | 1     | 23.000     | .       | 23.000        | 23.000        |
| Zn        | 1     | 27.000     | .       | 27.000        | 27.000        |
| Cu        | 1     | 4.200      | .       | 4.200         | 4.200         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 310.500    | 40.3051 | 282.000       | 339.000       |
| Aska      | 2     | 72.000     | 5.6569  | 68.000        | 76.000        |
| OS smbh   | 2     | 74.500     | 0.7071  | 74.000        | 75.000        |
| Råprot    | 2     | 154.000    | 33.9411 | 130.000       | 178.000       |
| sRåprot   | 2     | 626.500    | 77.0746 | 572.000       | 681.000       |
| NH3-N     | 2     | 66.000     | 28.2843 | 46.000        | 86.000        |
| NDF       | 2     | 466.500    | 6.3640  | 462.000       | 471.000       |
| iNDF      | 2     | 161.000    | 5.6569  | 157.000       | 165.000       |
| nhNDF     | 2     | 4.220      | 0.2512  | 4.042         | 4.398         |
| TAF       | 2     | 75.000     | 28.2843 | 55.000        | 95.000        |
| Mjölksyra | 2     | 62.000     | 31.1127 | 40.000        | 84.000        |
| Ättiksyra | 2     | 11.000     | 0.0000  | 11.000        | 11.000        |
| Socker    | 2     | 52.000     | 32.5269 | 29.000        | 75.000        |
| PRF       | 2     | 1.000      | 1.4142  | 0.000         | 2.000         |
| BUF       | 2     | 1.000      | 1.4142  | 0.000         | 2.000         |
| AATp20    | 2     | 80.998     | 2.4290  | 79.281        | 82.716        |
| PBVp20    | 2     | 26.011     | 27.2151 | 6.767         | 45.255        |
| NELp20    | 2     | 6.221      | 0.3105  | 6.001         | 6.440         |
| OE*       | 2     | 10.850     | 0.1838  | 10.720        | 10.980        |
| Ca        | 2     | 5.150      | 0.7778  | 4.600         | 5.700         |
| P         | 2     | 2.350      | 0.0707  | 2.300         | 2.400         |
| Mg        | 2     | 1.450      | 0.6364  | 1.000         | 1.900         |
| K         | 2     | 19.500     | 1.9799  | 18.100        | 20.900        |
| Na        | 2     | 0.400      | 0.4243  | 0.100         | 0.700         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Cl        | 2     | 7.700      | 1.2728  | 6.800         | 8.600         |
| S         | 2     | 1.700      | 0.2828  | 1.500         | 1.900         |
| CAB       | 2     | 192.961    | 85.7215 | 132.347       | 253.575       |
| Fe        | 2     | 153.000    | 57.9828 | 112.000       | 194.000       |
| Mn        | 2     | 43.000     | 21.2132 | 28.000        | 58.000        |
| Zn        | 2     | 24.500     | 4.9497  | 21.000        | 28.000        |
| Cu        | 2     | 6.000      | 0.0000  | 6.000         | 6.000         |
| Se        | 1     | 0.050      | .       | 0.050         | 0.050         |

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 482.000    | .       | 482.000       | 482.000       |
| Aska      | 1     | 86.000     | .       | 86.000        | 86.000        |
| OS smbh   | 1     | 73.200     | .       | 73.200        | 73.200        |
| Råprot    | 1     | 142.000    | .       | 142.000       | 142.000       |
| sRåprot   | 1     | 570.000    | .       | 570.000       | 570.000       |
| NH3-N     | 1     | 75.000     | .       | 75.000        | 75.000        |
| NDF       | 1     | 470.000    | .       | 470.000       | 470.000       |
| iNDF      | 1     | 192.000    | .       | 192.000       | 192.000       |
| nhNDF     | 1     | 4.470      | .       | 4.470         | 4.470         |
| TAF       | 1     | 41.000     | .       | 41.000        | 41.000        |
| Mjölksyra | 1     | 35.000     | .       | 35.000        | 35.000        |
| Ättiksyra | 1     | 4.000      | .       | 4.000         | 4.000         |
| Socket    | 1     | 73.000     | .       | 73.000        | 73.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| PRF       | 1     | 1.000      | .       | 1.000         | 1.000         |
| BUF       | 1     | 1.000      | .       | 1.000         | 1.000         |
| AATp20    | 1     | 82.269     | .       | 82.269        | 82.269        |
| PBVp20    | 1     | 13.019     | .       | 13.019        | 13.019        |
| NELp20    | 1     | 5.913      | .       | 5.913         | 5.913         |
| OE*       | 1     | 10.470     | .       | 10.470        | 10.470        |
| Ca        | 1     | 9.200      | .       | 9.200         | 9.200         |
| P         | 1     | 2.900      | .       | 2.900         | 2.900         |
| Mg        | 1     | 1.500      | .       | 1.500         | 1.500         |
| K         | 1     | 23.900     | .       | 23.900        | 23.900        |
| Na        | 1     | 0.500      | .       | 0.500         | 0.500         |
| Cl        | 1     | 14.900     | .       | 14.900        | 14.900        |
| S         | 1     | 2.200      | .       | 2.200         | 2.200         |
| CAB       | 1     | 75.774     | .       | 75.774        | 75.774        |
| Fe        | 1     | 92.000     | .       | 92.000        | 92.000        |
| Mn        | 1     | 31.000     | .       | 31.000        | 31.000        |
| Zn        | 1     | 20.000     | .       | 20.000        | 20.000        |
| Cu        | 1     | 7.000      | .       | 7.000         | 7.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 29    | 458.759    | 139.769 | 289.000       | 582.000       |
| Aska      | 29    | 70.828     | 10.184  | 58.000        | 82.000        |
| OS smbh   | 29    | 75.314     | 5.542   | 66.800        | 82.400        |
| Råprot    | 29    | 130.414    | 33.486  | 89.000        | 186.000       |
| sRåprot   | 4     | 475.750    | 26.171  | 449.000       | 511.000       |
| NDF       | 29    | 512.828    | 57.011  | 444.000       | 602.000       |
| iNDF      | 29    | 140.343    | 52.436  | 69.950        | 222.808       |
| nhNDF     | 29    | 5.237      | 1.109   | 3.873         | 6.963         |
| TAF       | 29    | 84.000     | 0.000   | 84.000        | 84.000        |
| Socker    | 29    | 102.138    | 43.514  | 38.000        | 168.000       |
| AATp20    | 29    | 84.215     | 6.355   | 75.129        | 93.267        |
| PBVp20    | 29    | 1.194      | 23.138  | -29.164       | 38.398        |
| NELp20    | 29    | 6.204      | 0.530   | 5.359         | 6.921         |
| OE*       | 29    | 10.999     | 0.873   | 9.640         | 12.100        |
| AAT*      | 25    | 76.880     | 4.409   | 72.000        | 82.000        |
| PBV*      | 25    | 2.440      | 27.836  | -32.000       | 47.000        |
| Ca        | 25    | 4.044      | 1.168   | 2.500         | 5.400         |
| P         | 25    | 2.464      | 0.449   | 1.800         | 3.100         |
| Mg        | 25    | 1.480      | 0.389   | 0.900         | 1.900         |
| K         | 25    | 23.380     | 3.856   | 19.000        | 29.500        |
| Na        | 23    | 0.200      | 0.160   | 0.100         | 0.400         |
| Cl        | 4     | 4.525      | 3.089   | 2.400         | 9.100         |
| S         | 25    | 1.732      | 0.531   | 1.100         | 2.600         |
| CAB       | 25    | 368.185    | 91.134  | 278.235       | 544.348       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Fe        | 25    | 118.800    | 71.134  | 50.000        | 226.000       |
| Mn        | 25    | 50.360     | 16.145  | 31.000        | 78.000        |
| Zn        | 25    | 28.640     | 15.275  | 18.000        | 36.000        |
| Cu        | 25    | 5.524      | 1.101   | 4.000         | 7.000         |
| Se        | 9     | 0.027      | 0.022   | 0.005         | 0.050         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 14    | 521.929    | 164.737 | 307.000       | 735.000       |
| Aska      | 14    | 82.214     | 12.040  | 68.000        | 95.000        |
| OS smbh   | 14    | 73.814     | 1.756   | 71.800        | 75.800        |
| Råprot    | 14    | 142.857    | 29.312  | 104.000       | 160.000       |
| sRåprot   | 2     | 330.500    | 23.335  | 314.000       | 347.000       |
| NDF       | 14    | 499.786    | 43.178  | 479.000       | 534.000       |
| iNDF      | 14    | 164.101    | 25.924  | 135.000       | 180.553       |
| nhNDF     | 14    | 4.694      | 0.530   | 4.234         | 5.451         |
| TAF       | 14    | 84.000     | 0.000   | 84.000        | 84.000        |
| Socker    | 14    | 90.571     | 40.587  | 36.000        | 156.000       |
| AATp20    | 14    | 83.087     | 4.668   | 78.491        | 88.547        |
| PBVp20    | 14    | 14.767     | 22.130  | -19.515       | 33.954        |
| NELp20    | 14    | 6.039      | 0.215   | 5.795         | 6.330         |
| OE*       | 14    | 10.605     | 0.357   | 10.100        | 11.100        |
| AAT*      | 12    | 73.583     | 1.676   | 72.000        | 76.000        |
| PBV*      | 12    | 9.333      | 23.500  | -27.000       | 32.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet



Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Ca        | 12    | 6.408      | 1.774   | 5.200         | 8.200         |
| P         | 12    | 2.908      | 0.434   | 2.500         | 3.400         |
| Mg        | 12    | 2.475      | 0.499   | 1.900         | 3.000         |
| K         | 12    | 25.042     | 4.322   | 21.900        | 30.700        |
| Na        | 12    | 0.675      | 0.483   | 0.100         | 1.300         |
| Cl        | 2     | 10.700     | 9.758   | 3.800         | 17.600        |
| S         | 12    | 2.292      | 0.493   | 1.800         | 2.600         |
| CAB       | 12    | 366.007    | 147.647 | 205.042       | 540.384       |
| Fe        | 12    | 125.333    | 58.896  | 73.000        | 194.000       |
| Mn        | 12    | 73.750     | 31.139  | 27.000        | 114.000       |
| Zn        | 12    | 27.417     | 5.368   | 21.000        | 33.000        |
| Cu        | 12    | 7.267      | 1.429   | 5.600         | 8.500         |
| Se        | 6     | 0.022      | 0.022   | 0.005         | 0.050         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 300.000    | .       | 300.000       | 300.000       |
| Aska      | 1     | 84.000     | .       | 84.000        | 84.000        |
| OS smbh   | 1     | 70.500     | .       | 70.500        | 70.500        |
| Råprot    | 1     | 143.000    | .       | 143.000       | 143.000       |
| NDF       | 1     | 512.000    | .       | 512.000       | 512.000       |
| iNDF      | 1     | 191.102    | .       | 191.102       | 191.102       |
| nhNDF     | 1     | 3.968      | .       | 3.968         | 3.968         |
| TAF       | 1     | 84.000     | .       | 84.000        | 84.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Socket    | 1     | 50.000     | .       | 50.000        | 50.000        |
| AATp20    | 1     | 78.745     | .       | 78.745        | 78.745        |
| PBVp20    | 1     | 22.203     | .       | 22.203        | 22.203        |
| NELp20    | 1     | 5.794      | .       | 5.794         | 5.794         |
| OE*       | 1     | 10.100     | .       | 10.100        | 10.100        |
| AAT*      | 1     | 71.000     | .       | 71.000        | 71.000        |
| PBV*      | 1     | 21.000     | .       | 21.000        | 21.000        |
| Ca        | 1     | 7.600      | .       | 7.600         | 7.600         |
| P         | 1     | 2.900      | .       | 2.900         | 2.900         |
| Mg        | 1     | 3.300      | .       | 3.300         | 3.300         |
| K         | 1     | 14.500     | .       | 14.500        | 14.500        |
| Na        | 1     | 0.500      | .       | 0.500         | 0.500         |
| S         | 1     | 3.200      | .       | 3.200         | 3.200         |
| CAB       | 1     | 60.189     | .       | 60.189        | 60.189        |
| Fe        | 1     | 170.000    | .       | 170.000       | 170.000       |
| Mn        | 1     | 78.000     | .       | 78.000        | 78.000        |
| Zn        | 1     | 35.000     | .       | 35.000        | 35.000        |
| Cu        | 1     | 7.900      | .       | 7.900         | 7.900         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 342.000    | .       | 342.000       | 342.000       |
| Aska      | 1     | 113.000    | .       | 113.000       | 113.000       |
| OS smbh   | 1     | 78.500     | .       | 78.500        | 78.500        |
| Råprot    | 1     | 173.000    | .       | 173.000       | 173.000       |
| sRåprot   | 1     | 676.000    | .       | 676.000       | 676.000       |
| NH3-N     | 1     | 101.000    | .       | 101.000       | 101.000       |
| NDF       | 1     | 384.000    | .       | 384.000       | 384.000       |
| iNDF      | 1     | 126.128    | .       | 126.128       | 126.128       |
| nhNDF     | 1     | 4.701      | .       | 4.701         | 4.701         |
| TAF       | 1     | 111.600    | .       | 111.600       | 111.600       |
| Mjölksyra | 1     | 93.000     | .       | 93.000        | 93.000        |
| Ättiksyra | 1     | 17.000     | .       | 17.000        | 17.000        |
| Socker    | 1     | 37.000     | .       | 37.000        | 37.000        |
| BUF       | 1     | 0.600      | .       | 0.600         | 0.600         |
| AATp20    | 1     | 78.249     | .       | 78.249        | 78.249        |
| PBVp20    | 1     | 50.266     | .       | 50.266        | 50.266        |
| NELp20    | 1     | 6.400      | .       | 6.400         | 6.400         |
| OE*       | 1     | 11.000     | .       | 11.000        | 11.000        |
| AAT*      | 1     | 71.000     | .       | 71.000        | 71.000        |
| PBV*      | 1     | 49.000     | .       | 49.000        | 49.000        |
| CI        | 1     | 9.100      | .       | 9.100         | 9.100         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 51    | 340.765    | 89.217  | 252.000       | 462.000       |
| Aska      | 51    | 68.059     | 8.999   | 58.000        | 80.000        |
| OS smbh   | 51    | 76.049     | 4.421   | 71.400        | 80.000        |
| Råprot    | 51    | 146.353    | 26.936  | 109.000       | 178.000       |
| sRåprot   | 51    | 612.706    | 74.459  | 515.000       | 712.000       |
| NH3-N     | 51    | 89.275     | 29.500  | 58.000        | 120.000       |
| NDF       | 51    | 476.725    | 49.637  | 431.000       | 543.000       |
| iNDF      | 51    | 141.370    | 41.064  | 104.897       | 196.570       |
| nhNDF     | 51    | 4.874      | 0.745   | 4.008         | 5.684         |
| TAF       | 51    | 72.894     | 25.889  | 27.500        | 101.100       |
| Mjölksyra | 51    | 56.490     | 21.790  | 18.000        | 81.000        |
| Ättiksyra | 51    | 14.118     | 4.942   | 7.000         | 19.000        |
| Socker    | 51    | 46.608     | 27.630  | 18.000        | 89.000        |
| PRF       | 7     | 0.143      | 0.378   | 0.000         | 1.000         |
| BUF       | 51    | 1.404      | 2.030   | 0.000         | 3.900         |
| AATp20    | 51    | 83.843     | 3.944   | 79.703        | 87.125        |
| PBVp20    | 51    | 16.804     | 22.066  | -11.231       | 47.566        |
| NELp20    | 51    | 6.377      | 0.441   | 5.817         | 6.771         |
| OE*       | 51    | 11.144     | 0.700   | 10.350        | 11.800        |
| AAT*      | 44    | 72.250     | 1.857   | 70.000        | 74.000        |
| PBV*      | 44    | 20.477     | 23.146  | -13.000       | 48.000        |
| Ca        | 50    | 4.894      | 0.995   | 3.950         | 6.350         |
| P         | 50    | 2.566      | 0.481   | 2.000         | 3.200         |
| Mg        | 50    | 1.786      | 0.342   | 1.400         | 2.300         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| K         | 50    | 22.704     | 5.008   | 16.950        | 28.700        |
| Na        | 50    | 0.414      | 0.416   | 0.100         | 1.150         |
| Cl        | 51    | 4.622      | 4.230   | 0.800         | 9.100         |
| S         | 50    | 1.996      | 0.405   | 1.500         | 2.450         |
| CAB       | 50    | 341.577    | 150.921 | 183.058       | 480.391       |
| Fe        | 49    | 207.694    | 141.444 | 86.000        | 399.000       |
| Mn        | 49    | 61.061     | 18.447  | 35.000        | 91.000        |
| Zn        | 49    | 28.041     | 5.054   | 22.000        | 32.000        |
| Cu        | 49    | 6.616      | 1.122   | 5.200         | 8.000         |
| Se        | 2     | 0.029      | 0.030   | 0.007         | 0.050         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 29    | 442.448    | 122.595 | 312.000       | 666.000       |
| Aska      | 29    | 76.586     | 9.564   | 64.000        | 91.000        |
| OS smbh   | 29    | 74.962     | 2.526   | 71.300        | 78.700        |
| Råprot    | 29    | 140.931    | 19.282  | 114.000       | 173.000       |
| sRåprot   | 29    | 523.828    | 73.257  | 441.000       | 595.000       |
| NH3-N     | 29    | 69.034     | 20.434  | 43.000        | 101.000       |
| NDF       | 29    | 460.207    | 39.785  | 402.000       | 504.000       |
| iNDF      | 29    | 160.585    | 26.271  | 115.732       | 194.614       |
| nhNDF     | 29    | 4.425      | 0.513   | 3.748         | 5.228         |
| TAF       | 29    | 54.528     | 20.184  | 20.100        | 81.100        |
| Mjölksyra | 29    | 41.552     | 16.978  | 12.000        | 65.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Ättiksyra | 29    | 11.069     | 3.918   | 6.000         | 17.000        |
| Socker    | 29    | 66.241     | 31.297  | 30.000        | 114.000       |
| PRF       | 3     | 1.000      | 1.000   | 0.000         | 2.000         |
| BUF       | 29    | 0.907      | 1.079   | 0.000         | 2.400         |
| AATp20    | 29    | 85.055     | 3.765   | 80.764        | 90.129        |
| PBVp20    | 29    | 9.815      | 15.372  | -11.849       | 27.819        |
| NELp20    | 29    | 6.145      | 0.277   | 5.853         | 6.522         |
| OE*       | 29    | 10.866     | 0.407   | 10.180        | 11.400        |
| AAT*      | 26    | 71.423     | 1.172   | 70.000        | 73.000        |
| PBV*      | 26    | 18.731     | 19.195  | -8.000        | 47.000        |
| Ca        | 27    | 6.411      | 1.638   | 4.900         | 9.600         |
| P         | 27    | 2.833      | 0.355   | 2.400         | 3.200         |
| Mg        | 27    | 2.319      | 0.434   | 1.800         | 2.800         |
| K         | 27    | 24.052     | 4.816   | 17.900        | 29.200        |
| Na        | 27    | 0.763      | 0.448   | 0.200         | 1.400         |
| Cl        | 29    | 6.379      | 2.786   | 2.000         | 9.500         |
| S         | 27    | 2.137      | 0.371   | 1.700         | 2.600         |
| CAB       | 27    | 325.699    | 101.194 | 197.818       | 474.884       |
| Fe        | 25    | 113.360    | 34.988  | 69.000        | 164.000       |
| Mn        | 25    | 61.680     | 15.231  | 38.000        | 84.000        |
| Zn        | 25    | 26.440     | 4.114   | 21.000        | 32.000        |
| Cu        | 25    | 7.292      | 1.103   | 5.900         | 8.300         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 532.500    | 16.2635 | 521.000       | 544.000       |
| Aska      | 2     | 90.000     | 11.3137 | 82.000        | 98.000        |
| OS smbh   | 2     | 73.700     | 2.8284  | 71.700        | 75.700        |
| Råprot    | 2     | 144.500    | 36.0624 | 119.000       | 170.000       |
| sRåprot   | 2     | 495.500    | 96.8736 | 427.000       | 564.000       |
| NH3-N     | 2     | 70.500     | 10.6066 | 63.000        | 78.000        |
| NDF       | 2     | 430.500    | 17.6777 | 418.000       | 443.000       |
| iNDF      | 2     | 204.708    | 2.4150  | 203.000       | 206.415       |
| nhNDF     | 2     | 4.408      | 1.2676  | 3.512         | 5.304         |
| TAF       | 2     | 32.700     | 24.4659 | 15.400        | 50.000        |
| Mjölksyra | 2     | 25.000     | 25.4558 | 7.000         | 43.000        |
| Ättiksyra | 2     | 6.500      | 0.7071  | 6.000         | 7.000         |
| Socker    | 2     | 95.000     | 33.9411 | 71.000        | 119.000       |
| PRF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| BUF       | 2     | 0.700      | 0.9899  | 0.000         | 1.400         |
| AATp20    | 2     | 84.964     | 0.4684  | 84.633        | 85.295        |
| PBVp20    | 2     | 13.454     | 32.7795 | -9.724        | 36.633        |
| NELp20    | 2     | 5.842      | 0.4832  | 5.500         | 6.184         |
| OE*       | 2     | 10.520     | 0.3111  | 10.300        | 10.740        |
| AAT*      | 1     | 70.000     | .       | 70.000        | 70.000        |
| PBV*      | 1     | 0.000      | .       | 0.000         | 0.000         |
| Ca        | 2     | 9.650      | 2.3335  | 8.000         | 11.300        |
| P         | 2     | 3.350      | 0.4950  | 3.000         | 3.700         |
| Mg        | 2     | 2.200      | 0.9899  | 1.500         | 2.900         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| K         | 2     | 26.650     | 2.7577  | 24.700        | 28.600        |
| Na        | 2     | 0.250      | 0.2121  | 0.100         | 0.400         |
| Cl        | 2     | 8.950      | 2.6163  | 7.100         | 10.800        |
| S         | 2     | 2.350      | 0.6364  | 1.900         | 2.800         |
| CAB       | 2     | 293.468    | 52.1665 | 256.580       | 330.355       |
| Fe        | 2     | 147.500    | 44.5477 | 116.000       | 179.000       |
| Mn        | 2     | 60.500     | 61.5183 | 17.000        | 104.000       |
| Zn        | 2     | 23.500     | 6.3640  | 19.000        | 28.000        |
| Cu        | 2     | 7.350      | 0.9192  | 6.700         | 8.000         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 432.000    | .       | 432.000       | 432.000       |
| Aska      | 1     | 85.000     | .       | 85.000        | 85.000        |
| OS smbh   | 1     | 72.000     | .       | 72.000        | 72.000        |
| Råprot    | 1     | 130.000    | .       | 130.000       | 130.000       |
| sRåprot   | 1     | 471.000    | .       | 471.000       | 471.000       |
| NH3-N     | 1     | 86.000     | .       | 86.000        | 86.000        |
| NDF       | 1     | 421.000    | .       | 421.000       | 421.000       |
| iNDF      | 1     | 212.078    | .       | 212.078       | 212.078       |
| nhNDF     | 1     | 3.361      | .       | 3.361         | 3.361         |
| TAF       | 1     | 85.900     | .       | 85.900        | 85.900        |
| Mjölksyra | 1     | 71.000     | .       | 71.000        | 71.000        |
| Ättiksyra | 1     | 13.000     | .       | 13.000        | 13.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet



Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Socker    | 1     | 74.000     | .       | 74.000        | 74.000        |
| BUF       | 1     | 0.900      | .       | 0.900         | 0.900         |
| AATp20    | 1     | 78.453     | .       | 78.453        | 78.453        |
| PBVp20    | 1     | 10.170     | .       | 10.170        | 10.170        |
| NELp20    | 1     | 5.721      | .       | 5.721         | 5.721         |
| OE*       | 1     | 10.300     | .       | 10.300        | 10.300        |
| AAT*      | 1     | 70.000     | .       | 70.000        | 70.000        |
| PBV*      | 1     | 10.000     | .       | 10.000        | 10.000        |
| Ca        | 1     | 5.800      | .       | 5.800         | 5.800         |
| P         | 1     | 2.500      | .       | 2.500         | 2.500         |
| Mg        | 1     | 2.500      | .       | 2.500         | 2.500         |
| K         | 1     | 16.000     | .       | 16.000        | 16.000        |
| Na        | 1     | 2.000      | .       | 2.000         | 2.000         |
| Cl        | 1     | 6.500      | .       | 6.500         | 6.500         |
| S         | 1     | 2.300      | .       | 2.300         | 2.300         |
| CAB       | 1     | 169.315    | .       | 169.315       | 169.315       |
| Fe        | 1     | 405.000    | .       | 405.000       | 405.000       |
| Mn        | 1     | 268.000    | .       | 268.000       | 268.000       |
| Zn        | 1     | 36.000     | .       | 36.000        | 36.000        |
| Cu        | 1     | 6.900      | .       | 6.900         | 6.900         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar ( Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 425.000    | 100.409 | 354.000       | 496.000       |
| Aska      | 2     | 67.000     | 7.071   | 62.000        | 72.000        |
| OS smbh   | 2     | 70.300     | 1.980   | 68.900        | 71.700        |
| Råprot    | 2     | 140.500    | 31.820  | 118.000       | 163.000       |
| sRåprot   | 2     | 720.500    | 129.401 | 629.000       | 812.000       |
| NH3-N     | 2     | 80.000     | 14.142  | 70.000        | 90.000        |
| NDF       | 2     | 441.500    | 14.849  | 431.000       | 452.000       |
| iNDF      | 2     | 252.515    | 11.999  | 244.031       | 261.000       |
| nhNDF     | 2     | 3.475      | 0.763   | 2.936         | 4.015         |
| Stä       | 2     | 71.000     | 0.000   | 71.000        | 71.000        |
| TAF       | 2     | 76.000     | 29.698  | 55.000        | 97.000        |
| Mjölksyra | 2     | 57.000     | 25.456  | 39.000        | 75.000        |
| Ättiksyra | 2     | 19.000     | 4.243   | 16.000        | 22.000        |
| Socker    | 2     | 62.000     | 18.385  | 49.000        | 75.000        |
| PRF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| BUF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 2     | 68.938     | 3.763   | 66.277        | 71.599        |
| PBVp20    | 2     | 28.938     | 35.117  | 4.107         | 53.770        |
| NELp20    | 2     | 5.847      | 0.402   | 5.563         | 6.131         |
| OE*       | 1     | 10.390     | .       | 10.390        | 10.390        |
| Ca        | 1     | 4.600      | .       | 4.600         | 4.600         |
| P         | 1     | 3.100      | .       | 3.100         | 3.100         |
| Mg        | 1     | 1.100      | .       | 1.100         | 1.100         |
| K         | 1     | 19.600     | .       | 19.600        | 19.600        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter ( Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 1     | 1.100      | .       | 1.100         | 1.100         |
| Cl        | 2     | 7.900      | 4.667   | 4.600         | 11.200        |
| S         | 1     | 1.600      | .       | 1.600         | 1.600         |
| CAB       | 1     | 133.612    | .       | 133.612       | 133.612       |
| Fe        | 1     | 80.000     | .       | 80.000        | 80.000        |
| Mn        | 1     | 13.000     | .       | 13.000        | 13.000        |
| Zn        | 1     | 27.000     | .       | 27.000        | 27.000        |
| Cu        | 1     | 6.000      | .       | 6.000         | 6.000         |

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 399.000    | .       | 399.000       | 399.000       |
| Aska      | 1     | 63.000     | .       | 63.000        | 63.000        |
| OS smbh   | 1     | 64.500     | .       | 64.500        | 64.500        |
| Råprot    | 1     | 103.000    | .       | 103.000       | 103.000       |
| sRåprot   | 1     | 486.000    | .       | 486.000       | 486.000       |
| NH3-N     | 1     | 71.000     | .       | 71.000        | 71.000        |
| NDF       | 1     | 532.000    | .       | 532.000       | 532.000       |
| iNDF      | 1     | 253.352    | .       | 253.352       | 253.352       |
| nhNDF     | 1     | 2.949      | .       | 2.949         | 2.949         |
| Stä       | 1     | 48.000     | .       | 48.000        | 48.000        |
| TAF       | 1     | 54.500     | .       | 54.500        | 54.500        |
| Mjölksyra | 1     | 44.000     | .       | 44.000        | 44.000        |
| Ättiksyra | 1     | 8.000      | .       | 8.000         | 8.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Socker    | 1     | 71.000     | .       | 71.000        | 71.000        |
| AATp20    | 1     | 69.683     | .       | 69.683        | 69.683        |
| PBVp20    | 1     | -11.362    | .       | -11.362       | -11.362       |
| NELp20    | 1     | 5.226      | .       | 5.226         | 5.226         |
| CI        | 1     | 6.300      | .       | 6.300         | 6.300         |

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 344.500    | 94.045  | 278.000       | 411.000       |
| Aska      | 2     | 73.000     | 7.071   | 68.000        | 78.000        |
| OS smbh   | 2     | 70.300     | 3.394   | 67.900        | 72.700        |
| Råprot    | 2     | 132.500    | 30.406  | 111.000       | 154.000       |
| sRåprot   | 2     | 640.500    | 115.258 | 559.000       | 722.000       |
| NH3-N     | 2     | 102.500    | 12.021  | 94.000        | 111.000       |
| NDF       | 2     | 425.000    | 76.368  | 371.000       | 479.000       |
| iNDF      | 2     | 237.018    | 0.512   | 236.656       | 237.380       |
| nhNDF     | 2     | 2.982      | 0.213   | 2.832         | 3.133         |
| Stä       | 2     | 103.000    | 121.622 | 17.000        | 189.000       |
| TAF       | 2     | 70.000     | 15.556  | 59.000        | 81.000        |
| Mjölksyra | 2     | 58.500     | 17.678  | 46.000        | 71.000        |
| Ättiksyra | 2     | 11.500     | 2.121   | 10.000        | 13.000        |
| Socker    | 2     | 38.000     | 24.042  | 21.000        | 55.000        |
| AATp20    | 2     | 73.366     | 0.882   | 72.742        | 73.990        |
| PBVp20    | 2     | 13.895     | 27.677  | -5.676        | 33.466        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NELp20    | 2     | 5.782      | 0.214   | 5.630         | 5.933         |
| Ca        | 2     | 5.450      | 0.636   | 5.000         | 5.900         |
| P         | 2     | 3.100      | 0.424   | 2.800         | 3.400         |
| Mg        | 2     | 1.950      | 0.212   | 1.800         | 2.100         |
| K         | 2     | 17.200     | 2.404   | 15.500        | 18.900        |
| Na        | 2     | 3.500      | 0.424   | 3.200         | 3.800         |
| Cl        | 2     | 8.550      | 3.182   | 6.300         | 10.800        |
| S         | 2     | 2.300      | 0.424   | 2.000         | 2.600         |
| CAB       | 2     | 207.477    | 36.216  | 181.868       | 233.085       |
| Fe        | 2     | 112.500    | 19.092  | 99.000        | 126.000       |
| Mn        | 2     | 24.500     | 7.778   | 19.000        | 30.000        |
| Zn        | 2     | 38.000     | 14.142  | 28.000        | 48.000        |
| Cu        | 2     | 5.600      | 1.273   | 4.700         | 6.500         |

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 7     | 888.571    | 21.125  | 854.000       | 919.000       |
| Aska      | 7     | 56.857     | 10.854  | 45.000        | 77.000        |
| OS smbh   | 7     | 65.200     | 3.824   | 58.300        | 69.700        |
| Råprot    | 7     | 68.143     | 11.466  | 46.000        | 81.000        |
| NDF       | 7     | 563.571    | 40.902  | 497.000       | 612.000       |
| iNDF      | 7     | 233.897    | 32.034  | 187.357       | 281.642       |
| nhNDF     | 7     | 3.304      | 0.533   | 2.596         | 4.116         |
| TAF       | 7     | 0.000      | 0.000   | 0.000         | 0.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10%<br>percentil | 90%<br>percentil |
|-----------|-------|------------|---------|------------------|------------------|
| Socker    | 7     | 124.143    | 31.035  | 90.000           | 180.000          |
| AATp20    | 7     | 80.998     | 3.319   | 76.113           | 86.087           |
| PBVp20    | 7     | -51.363    | 13.379  | -70.255          | -34.530          |
| NELp20    | 7     | 4.958      | 0.285   | 4.510            | 5.365            |
| OE*       | 7     | 9.457      | 0.655   | 8.400            | 10.300           |
| AAT*      | 7     | 67.571     | 4.117   | 61.000           | 73.000           |
| PBV*      | 7     | -47.143    | 16.345  | -73.000          | -28.000          |
| Ca        | 6     | 3.100      | 0.764   | 2.100            | 4.400            |
| P         | 6     | 1.617      | 0.117   | 1.400            | 1.700            |
| Mg        | 6     | 1.200      | 0.237   | 0.900            | 1.500            |
| K         | 6     | 14.483     | 2.126   | 11.000           | 17.400           |
| Na        | 6     | 0.100      | 0.000   | 0.100            | 0.100            |
| S         | 6     | 1.067      | 0.103   | 0.900            | 1.200            |
| CAB       | 6     | 167.254    | 49.384  | 88.583           | 239.766          |
| Fe        | 6     | 149.667    | 170.516 | 49.000           | 495.000          |
| Mn        | 6     | 71.500     | 37.697  | 34.000           | 126.000          |
| Zn        | 6     | 19.167     | 2.858   | 16.000           | 24.000           |
| Cu        | 6     | 3.700      | 0.620   | 3.000            | 4.700            |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 652.000    | .       | 652.000       | 652.000       |
| Aska      | 1     | 64.000     | .       | 64.000        | 64.000        |
| OS smbh   | 1     | 64.800     | .       | 64.800        | 64.800        |
| Råprot    | 1     | 118.000    | .       | 118.000       | 118.000       |
| sRåprot   | 1     | 456.000    | .       | 456.000       | 456.000       |
| NDF       | 1     | 519.000    | .       | 519.000       | 519.000       |
| iNDF      | 1     | 360.000    | .       | 360.000       | 360.000       |
| nhNDF     | 1     | 4.713      | .       | 4.713         | 4.713         |
| TAF       | 1     | 72.000     | .       | 72.000        | 72.000        |
| Socket    | 1     | 92.000     | .       | 92.000        | 92.000        |
| AATp20    | 1     | 73.583     | .       | 73.583        | 73.583        |
| PBVp20    | 1     | 10.402     | .       | 10.402        | 10.402        |
| NELp20    | 1     | 5.277      | .       | 5.277         | 5.277         |
| OE*       | 1     | 9.330      | .       | 9.330         | 9.330         |
| Ca        | 1     | 6.200      | .       | 6.200         | 6.200         |
| P         | 1     | 1.700      | .       | 1.700         | 1.700         |
| Mg        | 1     | 1.900      | .       | 1.900         | 1.900         |
| K         | 1     | 18.300     | .       | 18.300        | 18.300        |
| Na        | 1     | 0.200      | .       | 0.200         | 0.200         |
| Cl        | 1     | 7.700      | .       | 7.700         | 7.700         |
| S         | 1     | 1.200      | .       | 1.200         | 1.200         |
| CAB       | 1     | 184.825    | .       | 184.825       | 184.825       |
| Fe        | 1     | 42.000     | .       | 42.000        | 42.000        |
| Mn        | 1     | 17.000     | .       | 17.000        | 17.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 1     | 15.000     | .       | 15.000        | 15.000        |
| Cu        | 1     | 7.000      | .       | 7.000         | 7.000         |
| Se        | 1     | 0.050      | .       | 0.050         | 0.050         |

\*= Parametrar från det gamla svenska fodervärderingssystemet