

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Grönmassa blandvall (1-50 % baljväxter) (164)	1	5	704	71	70.9	105			525	185	4.15		84.0000			113
Ensilage, blandvall (1-50% klöver) (165)	1	19	335	69	72.4	137	595	77.8	512	174	4.29		79.1526	57.1	18.1	40
Korn, helsädesensilage (250)	1	1	493	50	70.4	149	571	67.0	477	218	3.37	27	14.7000	6.0	7.0	41
Fullfoder (TMR) ej kompletta data (1E3)	1	1	364	70	77.4	146	622	76.0	346	178	3.62	154				50

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa blandvall (1-50 % baljväxter) (164)	1	5				78.0	-13	5.68	10.3	72.4	-19
Ensilage, blandvall (1-50% klöver) (165)	1	19	2.83333	1.78421		79.9	14.8	6.09	10.5	71.3	0.6
Korn, helsädesensilage (250)	1	1				78.4	15.4	5.71			
Fullfoder (TMR) ej kompletta data (1E3)	1	1						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa blandvall (1-50 % baljväxter) (164)	1	5	5.0	2.5	1.3	19.5	0.1		1.6	270	5	162.8	46.2	24.8	5.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	19	5.2	2.7	1.7	22.2	0.4	4.4	1.8	349	13	563.1	55.3	61.6	7.1	0.3
Korn, helsädesensilage (250)	1	1	5.6	2.8	2.0	15.9	0.1	2.0	2.1	223	1	209.0	91.0	43.0	6.5	
Fullfoder (TMR) ej kompletta data (1E3)	1	1	4.0	3.5	3.9	15.4	6.3	8.2	2.2	299	1	308.0	93.0	135.0	22.4	1.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	703.800	259.639	336.000	914.000
Aska	5	71.000	12.062	56.000	88.000
OS smbh	5	70.880	4.639	65.200	76.200
Råprot	5	104.600	35.893	61.000	134.000
NDF	5	525.000	32.101	497.000	567.000
iNDF	5	184.897	42.662	136.435	232.762
nhNDF	5	4.155	0.809	3.294	5.107
TAF	5	84.000	0.000	84.000	84.000
Socker	5	113.000	56.820	29.000	178.000
AATp20	5	77.998	6.081	71.568	85.060
PBVp20	5	-12.746	25.458	-45.262	11.613
NELp20	5	5.685	0.503	5.115	6.249
OE*	5	10.260	0.744	9.500	11.200
AAT*	5	72.400	3.912	68.000	77.000
PBV*	5	-19.000	30.879	-59.000	9.000
Ca	5	4.960	0.541	4.200	5.500
P	5	2.460	0.522	1.800	2.900
Mg	5	1.340	0.207	1.200	1.700
K	5	19.460	4.451	15.000	25.000
Na	5	0.100	0.000	0.100	0.100
S	5	1.600	0.235	1.300	1.800
CAB	5	269.652	101.499	168.085	398.840
Fe	5	162.800	196.087	42.000	505.000
Mn	5	46.200	11.032	31.000	60.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	5	24.800	7.120	16.000	34.000
Cu	5	5.280	1.226	3.900	6.700
Se	1	0.047	.	0.047	0.047

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	334.737	120.468	223.000	551.00
Aska	19	68.579	10.756	50.000	82.00
OS smbh	19	72.411	3.284	67.400	77.10
Råprot	19	137.158	28.304	106.000	189.00
sRåprot	19	595.211	57.102	509.000	675.00
NH3-N	19	77.842	31.243	42.000	141.00
NDF	19	511.947	42.821	461.000	580.00
iNDF	19	174.181	35.988	127.303	231.00
nhNDF	19	4.288	0.496	3.688	5.01
TAF	19	79.153	30.383	34.100	122.00
Mjölksyra	19	57.105	23.433	23.000	95.00
Ättiksyra	19	18.105	10.754	9.000	31.00
Socker	19	40.474	24.530	14.000	90.00
PRF	12	2.833	3.186	1.000	5.00
BUF	19	1.784	2.502	0.000	8.00
AATp20	19	79.866	3.673	75.902	84.67
PBVp20	19	14.769	28.361	-15.200	61.86
NELp20	19	6.087	0.304	5.782	6.49

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	19	10.541	0.493	9.860	11.30
AAT*	7	71.286	0.756	70.000	72.00
PBV*	7	0.571	11.487	-20.000	12.00
Ca	19	5.226	1.187	4.100	6.80
P	19	2.668	0.565	1.800	3.50
Mg	19	1.726	0.328	1.400	2.30
K	19	22.237	4.621	15.400	27.50
Na	18	0.417	0.378	0.100	0.90
Cl	19	4.426	2.790	0.800	7.90
S	19	1.816	0.480	1.200	2.40
CAB	19	349.310	131.237	126.644	495.75
Fe	13	563.077	653.641	133.000	1644.00
Mn	13	55.308	16.610	37.000	79.00
Zn	13	61.615	75.901	22.000	148.00
Cu	13	7.115	1.396	6.000	9.00
Se	1	0.320	.	0.320	0.32

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	493.000	.	493.000	493.000
Aska	1	50.000	.	50.000	50.000
OS smbh	1	70.400	.	70.400	70.400
Råprot	1	149.000	.	149.000	149.000
sRåprot	1	571.000	.	571.000	571.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	67.000	.	67.000	67.000
NDF	1	477.000	.	477.000	477.000
iNDF	1	217.631	.	217.631	217.631
nhNDF	1	3.368	.	3.368	3.368
Stä	1	27.000	.	27.000	27.000
TAF	1	14.700	.	14.700	14.700
Mjölksyra	1	6.000	.	6.000	6.000
Ättiksyra	1	7.000	.	7.000	7.000
Socker	1	41.000	.	41.000	41.000
AATp20	1	78.429	.	78.429	78.429
PBVp20	1	15.448	.	15.448	15.448
NELp20	1	5.712	.	5.712	5.712
Ca	1	5.600	.	5.600	5.600
P	1	2.800	.	2.800	2.800
Mg	1	2.000	.	2.000	2.000
K	1	15.900	.	15.900	15.900
Na	1	0.100	.	0.100	0.100
Cl	1	2.000	.	2.000	2.000
S	1	2.100	.	2.100	2.100
CAB	1	223.409	.	223.409	223.409
Fe	1	209.000	.	209.000	209.000
Mn	1	91.000	.	91.000	91.000
Zn	1	43.000	.	43.000	43.000
Cu	1	6.500	.	6.500	6.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	364.000	.	364.000	364.000
Aska	1	70.000	.	70.000	70.000
OS smbh	1	77.400	.	77.400	77.400
Råprot	1	146.000	.	146.000	146.000
sRåprot	1	622.000	.	622.000	622.000
NH3-N	1	76.000	.	76.000	76.000
NDF	1	346.000	.	346.000	346.000
iNDF	1	177.543	.	177.543	177.543
nhNDF	1	3.621	.	3.621	3.621
Stä	1	154.000	.	154.000	154.000
Socker	1	50.000	.	50.000	50.000
NELp20	1	0.000	.	0.000	0.000
Ca	1	4.000	.	4.000	4.000
P	1	3.500	.	3.500	3.500
Mg	1	3.900	.	3.900	3.900
K	1	15.400	.	15.400	15.400
Na	1	6.300	.	6.300	6.300
Cl	1	8.200	.	8.200	8.200
S	1	2.200	.	2.200	2.200
CAB	1	299.289	.	299.289	299.289
Fe	1	308.000	.	308.000	308.000
Mn	1	93.000	.	93.000	93.000
Zn	1	135.000	.	135.000	135.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	1	22.400	.	22.400	22.400
Se	1	1.030	.	1.030	1.030

*= Parametrar från det gamla svenska fodervärderingssystemet