

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök-syra	Ättik-syra	Socker
Korn, kärna (001)	1	1	750	19	86.0	111		8.0		162	3.15	573	0.000			
Ensilage, gräs (0% klöver) (162)	1	2	290	68	75.8	154	561	77.5	484	146	4.82		85.100	68.5	15.5	19
Ensilage, gräs (0% klöver) (162)	2	2	306	56	69.4	123	443	41.0	511	211	3.58		69.600	55.0	13.5	31
Grönmassa blandvall (1-50 % baljväxter) (164)	1	10	409	67	75.0	126	380		513	150	5.00		84.000			110
Grönmassa blandvall (1-50 % baljväxter) (164)	2	2	482	81	73.0	143			455	186	3.89		84.000			117
Ensilage, blandvall (1-50% klöver) (165)	1	11	328	64	74.2	153	617	86.0	482	162	4.32		61.973	44.6	14.3	54
Ensilage, blandvall (1-50% klöver) (165)	2	3	532	74	75.3	136	470	66.7	448	161	4.39		44.700	32.3	10.3	108
Ensilage, blandvall (1-50% klöver) (165)	3	1	326	89	72.1	157	633	113	440	200	3.61		126.000	103	21.0	18

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	1				95.9	-33	7.14			
Ensilage, gräs (0% klöver) (162)	1	2		0.10000		83.5	21.8	6.42	11.2	72.0	30.0
Ensilage, gräs (0% klöver) (162)	2	2		0.10000		79.9	-0.9	5.76	10.2	69.0	3.5
Grönmassa blandvall (1-50 % baljväxter) (164)	1	10				84.0	-2.2	6.15	11.0	76.9	-3.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	2				80.8	18.7	5.86	10.5	73.5	16.5
Ensilage, blandvall (1-50% klöver) (165)	1	11	2.2	1.51818		83.5	24.3	6.22	10.9	72.0	22.0
Ensilage, blandvall (1-50% klöver) (165)	2	3		1.03333		87.2	1.4	6.05	10.9	71.3	12.7
Ensilage, blandvall (1-50% klöver) (165)	3	1		1.00000		73.4	43.5	5.97	10.3	69.0	37.0

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	1	0.5	3.6	1.3	4.7	0.1		1.3	9	1	102.0	18.0	28.0	4.8	
Ensilage, gräs (0% klöver) (162)	1	2	4.5	2.2	1.9	19.4	0.6	2.5	2.0	330	2	518.0	87.0	31.5	7.5	
Ensilage, gräs (0% klöver) (162)	2	2	5.2	1.9	2.1	16.3	0.3	6.2	1.8	144	2	177.0	103.0	31.5	7.7	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	10	4.3	2.5	1.5	20.8	0.3	1.7	1.6	322	9	114.2	50.9	24.4	5.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	2	7.5	2.6	2.4	19.2	0.9		1.7	290	2	98.5	52.5	21.5	7.2	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	1	10	5.2	2.5	1.7	20.1	0.4	3.2	2.0	310	8	140.6	50.4	28.0	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	3	6.8	2.7	2.4	21.5	0.4	4.2	2.2	309	3	314.7	81.3	41.3	7.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	1	5.3	3.4	3.2	19.4	2.0	2.1	3.0	336	1	296.0	198.0	40.0	11.2	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	750.000	.	750.000	750.000
Aska	1	19.000	.	19.000	19.000
OS smbh	1	86.000	.	86.000	86.000
Råprot	1	111.000	.	111.000	111.000
NH3-N	1	8.000	.	8.000	8.000
iNDF	1	162.000	.	162.000	162.000
nhNDF	1	3.150	.	3.150	3.150
Stä	1	573.000	.	573.000	573.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	95.861	.	95.861	95.861
PBVp20	1	-32.511	.	-32.511	-32.511
NELp20	1	7.140	.	7.140	7.140
Ca	1	0.500	.	0.500	0.500
P	1	3.600	.	3.600	3.600
Mg	1	1.300	.	1.300	1.300
K	1	4.700	.	4.700	4.700
Na	1	0.100	.	0.100	0.100
S	1	1.300	.	1.300	1.300
CAB	1	9.500	.	9.500	9.500
Fe	1	102.000	.	102.000	102.000
Mn	1	18.000	.	18.000	18.000
Zn	1	28.000	.	28.000	28.000
Cu	1	4.800	.	4.800	4.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	290.000	15.556	279.000	301.000
Aska	2	68.000	2.828	66.000	70.000
OS smbh	2	75.800	2.404	74.100	77.500
Råprot	2	154.000	0.000	154.000	154.000
sRåprot	2	561.000	86.267	500.000	622.000
NH3-N	2	77.500	9.192	71.000	84.000
NDF	2	484.000	16.971	472.000	496.000
iNDF	2	145.676	23.638	128.962	162.391
nhNDF	2	4.823	0.496	4.472	5.173
TAF	2	85.100	19.799	71.100	99.100
Mjölksyra	2	68.500	16.263	57.000	80.000
Ättiksyra	2	15.500	3.536	13.000	18.000
Socker	2	18.500	4.950	15.000	22.000
BUF	2	0.100	0.000	0.100	0.100
AATp20	2	83.465	1.630	82.313	84.618
PBVp20	2	21.842	2.332	20.192	23.491
NELp20	2	6.423	0.221	6.267	6.580
OE*	2	11.150	0.354	10.900	11.400
AAT*	2	72.000	1.414	71.000	73.000
PBV*	2	30.000	1.414	29.000	31.000
Ca	2	4.450	0.495	4.100	4.800
P	2	2.200	0.424	1.900	2.500
Mg	2	1.850	0.071	1.800	1.900
K	2	19.400	1.556	18.300	20.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.600	0.000	0.600	0.600
Cl	2	2.500	2.546	0.700	4.300
S	2	1.950	0.071	1.900	2.000
CAB	2	329.953	107.073	254.241	405.665
Fe	2	518.000	179.605	391.000	645.000
Mn	2	87.000	32.527	64.000	110.000
Zn	2	31.500	0.707	31.000	32.000
Cu	2	7.500	0.849	6.900	8.100

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	306.000	29.698	285.000	327.000
Aska	2	56.000	0.000	56.000	56.000
OS smbh	2	69.400	4.808	66.000	72.800
Råprot	2	122.500	13.435	113.000	132.000
sRåprot	2	443.000	9.899	436.000	450.000
NH3-N	2	41.000	2.828	39.000	43.000
NDF	2	510.500	33.234	487.000	534.000
iNDF	2	211.181	38.998	183.606	238.757
nhNDF	2	3.577	0.605	3.149	4.005
TAF	2	69.600	7.778	64.100	75.100
Mjölksyra	2	55.000	7.071	50.000	60.000
Ättiksyra	2	13.500	0.707	13.000	14.000
Socker	2	31.000	1.414	30.000	32.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	2	0.100	0.000	0.100	0.100
AATp20	2	79.926	4.552	76.707	83.145
PBVp20	2	-0.911	4.660	-4.206	2.384
NELp20	2	5.763	0.487	5.418	6.108
OE*	2	10.150	0.778	9.600	10.700
AAT*	2	69.000	2.828	67.000	71.000
PBV*	2	3.500	9.192	-3.000	10.000
Ca	2	5.150	0.636	4.700	5.600
P	2	1.850	0.212	1.700	2.000
Mg	2	2.100	0.141	2.000	2.200
K	2	16.300	0.707	15.800	16.800
Na	2	0.250	0.212	0.100	0.400
Cl	2	6.200	7.071	1.200	11.200
S	2	1.750	0.354	1.500	2.000
CAB	2	143.726	168.226	24.772	262.681
Fe	2	177.000	1.414	176.000	178.000
Mn	2	103.000	15.556	92.000	114.000
Zn	2	31.500	2.121	30.000	33.000
Cu	2	7.650	1.061	6.900	8.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	409.400	159.128	259.000	644.500
Aska	10	67.000	12.737	47.000	79.500
OS smbh	10	74.950	3.542	70.250	79.900
Råprot	10	126.300	27.873	97.000	168.500
sRåprot	1	380.000	.	380.000	380.000
NDF	10	513.200	29.329	479.000	556.000
iNDF	10	150.123	47.595	97.730	222.075
nhNDF	10	5.003	0.822	3.818	6.154
TAF	10	84.000	0.000	84.000	84.000
Socker	10	110.100	43.956	40.500	160.500
AATp20	10	83.956	3.677	79.233	88.304
PBVp20	10	-2.205	22.476	-24.953	33.474
NELp20	10	6.154	0.345	5.662	6.546
OE*	10	10.975	0.513	10.325	11.750
AAT*	9	76.889	2.522	74.000	81.000
PBV*	9	-3.000	28.182	-41.000	47.000
Ca	10	4.290	0.984	3.300	5.950
P	10	2.450	0.363	2.000	2.950
Mg	10	1.530	0.327	1.200	2.050
K	10	20.840	4.917	12.950	25.600
Na	10	0.300	0.249	0.100	0.700
Cl	1	1.700	.	1.700	1.700
S	10	1.600	0.406	1.150	2.200
CAB	10	322.092	117.870	147.175	454.402

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	9	114.222	33.484	71.000	181.000
Mn	9	50.889	16.692	35.000	89.000
Zn	9	24.444	8.079	17.000	39.000
Cu	9	4.967	1.091	3.300	6.700
Se	3	0.015	0.008	0.007	0.023

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	481.500	44.5477	450.000	513.000
Aska	2	80.500	7.7782	75.000	86.000
OS smbh	2	73.000	0.1414	72.900	73.100
Råprot	2	143.000	11.3137	135.000	151.000
NDF	2	455.000	42.4264	425.000	485.000
iNDF	2	186.097	12.8939	176.979	195.214
nhNDF	2	3.893	0.3564	3.641	4.145
TAF	2	84.000	0.0000	84.000	84.000
Socker	2	116.500	19.0919	103.000	130.000
AATp20	2	80.816	0.3382	80.577	81.055
PBVp20	2	18.743	11.1843	10.834	26.651
NELp20	2	5.864	0.0428	5.834	5.895
OE*	2	10.450	0.0707	10.400	10.500
AAT*	2	73.500	0.7071	73.000	74.000
PBV*	2	16.500	12.0208	8.000	25.000
Ca	2	7.500	4.2426	4.500	10.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	2	2.600	0.4243	2.300	2.900
Mg	2	2.400	1.4142	1.400	3.400
K	2	19.150	0.4950	18.800	19.500
Na	2	0.900	0.0000	0.900	0.900
S	2	1.700	0.1414	1.600	1.800
CAB	2	290.256	3.8204	287.554	292.957
Fe	2	98.500	40.3051	70.000	127.000
Mn	2	52.500	40.3051	24.000	81.000
Zn	2	21.500	3.5355	19.000	24.000
Cu	2	7.200	1.1314	6.400	8.000
Se	1	0.018	.	0.018	0.018

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	328.273	104.181	240.000	431.000
Aska	11	63.727	8.463	53.000	73.000
OS smbh	11	74.173	3.148	70.900	78.500
Råprot	11	153.455	24.213	131.000	177.000
sRåprot	11	617.455	67.497	525.000	692.000
NH3-N	11	86.000	17.106	66.000	107.000
NDF	11	482.364	41.991	459.000	529.000
iNDF	11	162.323	24.405	127.246	184.000
nhNDF	11	4.323	0.501	3.744	4.923
TAF	11	61.973	23.595	36.000	93.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	11	44.636	17.339	26.000	64.000
Ättiksyra	11	14.273	7.322	5.000	22.000
Socker	11	53.909	37.182	14.000	106.000
PRF	5	2.200	2.049	0.000	4.000
BUF	11	1.518	1.711	0.000	3.400
AATp20	11	83.507	2.915	81.073	87.458
PBVp20	11	24.310	21.849	4.238	49.164
NELp20	11	6.218	0.291	5.881	6.575
OE*	11	10.886	0.528	10.380	11.600
AAT*	6	72.000	1.265	70.000	73.000
PBV*	6	22.000	26.359	-19.000	51.000
Ca	10	5.240	0.914	4.400	6.700
P	10	2.540	0.341	2.050	3.000
Mg	10	1.710	0.423	1.250	2.300
K	10	20.070	2.091	17.250	22.300
Na	10	0.380	0.329	0.100	0.850
Cl	11	3.164	1.730	1.300	5.900
S	10	2.010	0.370	1.450	2.350
CAB	10	309.830	77.847	221.936	425.689
Fe	8	140.625	103.902	72.000	385.000
Mn	8	50.375	15.033	34.000	82.000
Zn	8	28.000	4.567	23.000	34.000
Cu	8	6.438	0.863	5.300	7.700
Se	2	0.007	0.003	0.005	0.009

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	532.000	159.239	349.000	639.000
Aska	3	73.667	4.163	69.000	77.000
OS smbh	3	75.333	3.539	72.500	79.300
Råprot	3	135.667	24.583	120.000	164.000
sRåprot	3	469.667	124.585	369.000	609.000
NH3-N	3	66.667	45.938	33.000	119.000
NDF	3	447.667	17.954	434.000	468.000
iNDF	3	160.946	40.136	115.196	190.233
nhNDF	3	4.393	0.823	3.841	5.339
TAF	3	44.700	36.842	20.500	87.100
Mjölksyra	3	32.333	30.089	13.000	67.000
Ättiksyra	3	10.333	5.859	6.000	17.000
Socker	3	108.333	38.553	64.000	134.000
BUF	3	1.033	0.924	0.500	2.100
AATp20	3	87.201	8.878	78.347	96.102
PBVp20	3	1.414	11.824	-10.129	13.499
NELp20	3	6.047	0.379	5.739	6.470
OE*	3	10.933	0.586	10.500	11.600
AAT*	3	71.333	1.528	70.000	73.000
PBV*	3	12.667	22.030	-2.000	38.000
Ca	3	6.800	1.852	4.900	8.600
P	3	2.667	0.208	2.500	2.900
Mg	3	2.367	0.666	1.800	3.100
K	3	21.467	5.116	15.600	25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	3	0.400	0.300	0.100	0.700
Cl	3	4.167	1.007	3.100	5.100
S	3	2.233	0.115	2.100	2.300
CAB	3	309.457	119.141	172.251	386.754
Fe	3	314.667	287.935	140.000	647.000
Mn	3	81.333	32.578	44.000	104.000
Zn	3	41.333	21.733	25.000	66.000
Cu	3	7.900	0.624	7.200	8.400
Se	1	0.012	.	0.012	0.012

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	326.000	.	326.000	326.000
Aska	1	89.000	.	89.000	89.000
OS smbh	1	72.100	.	72.100	72.100
Råprot	1	157.000	.	157.000	157.000
sRåprot	1	633.000	.	633.000	633.000
NH3-N	1	113.000	.	113.000	113.000
NDF	1	440.000	.	440.000	440.000
iNDF	1	200.202	.	200.202	200.202
nhNDF	1	3.612	.	3.612	3.612
TAF	1	126.000	.	126.000	126.000
Mjölksyra	1	103.000	.	103.000	103.000
Ättiksyra	1	21.000	.	21.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	18.000	.	18.000	18.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	73.433	.	73.433	73.433
PBVp20	1	43.522	.	43.522	43.522
NELp20	1	5.969	.	5.969	5.969
OE*	1	10.300	.	10.300	10.300
AAT*	1	69.000	.	69.000	69.000
PBV*	1	37.000	.	37.000	37.000
Ca	1	5.300	.	5.300	5.300
P	1	3.400	.	3.400	3.400
Mg	1	3.200	.	3.200	3.200
K	1	19.400	.	19.400	19.400
Na	1	2.000	.	2.000	2.000
Cl	1	2.100	.	2.100	2.100
S	1	3.000	.	3.000	3.000
CAB	1	336.465	.	336.465	336.465
Fe	1	296.000	.	296.000	296.000
Mn	1	198.000	.	198.000	198.000
Zn	1	40.000	.	40.000	40.000
Cu	1	11.200	.	11.200	11.200
Se	1	0.016	.	0.016	0.016

*= Parametrar från det gamla svenska fodervärderingssystemet