

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Korn, kärna (001)	1	20	879	24	35.8	115	333	8.0	144	82	3.15	539	5			96.5	-30	7.35
Vete, kärna (005)	1	10	879	18	66.0	133	356		99	147	3.50	654	5			115	-38	8.02
Prognos, blandvall (1-50% baljv) (042)	0	13	245		73.2					170	4.32					96.4	-4.4	5.94
Grönmassa, gräs (0% baljv.) (161)	1	44	418	63	73.2	153	433		487	173	4.28	32	113			86.7	15.7	5.99
Ensilage, gräs (0% klöver) (162)	1	46	449	67	73.7	134	576	72.1	488	166	4.48		63	45.2	13.4	81.7	6.7	6.07
Ensilage, gräs (0% klöver) (162)	2	24	368	75	74.0	153	561	85.0	471	171	4.33		44	49.3	15.2	82.1	23.0	6.12
Grönmassa blandvall (1-50 % baljväxter) (164)	0	62	889	77	74.5	138			473	159	4.86		128			82.7	11.5	6.05
Grönmassa blandvall (1-50 % baljväxter) (164)	1	443	422	71	76.8	151	435		471	131	5.09		115			87.1	16.3	6.35
Grönmassa blandvall (1-50 % baljväxter) (164)	2	275	436	82	74.9	159	389		480	155	4.78		87			85.1	26.7	6.18
Grönmassa blandvall (1-50 % baljväxter) (164)	3	62	431	87	75.0	175	381		447	166	4.54		80			85.2	41.1	6.18
Ensilage, blandvall (1-50% klöver) (165)	0	58	455	82	73.7	148	581	88.1	462	173	4.27		66	42.1	12.1	82.5	20.7	6.02
Ensilage, blandvall (1-50% klöver) (165)	1	953	386	71	76.4	154	643	79.9	457	142	4.75	25	62	53.8	13.8	83.7	24.0	6.39
Ensilage, blandvall (1-50% klöver) (165)	2	497	440	78	74.5	155	558	70.7	461	169	4.43	35	61	45.0	13.0	84.1	24.4	6.17
Ensilage, blandvall (1-50% klöver) (165)	3	75	444	80	73.9	160	537	70.6	445	190	4.32		65	42.0	13.0	84.3	28.9	6.09
Ensilage, blandvall (1-50% klöver) (165)	4	22	356	91	75.1	173	585	79.6	418	188	4.47		47	71.0	15.8	81.2	45.7	6.23
Korn, helsädesensilage (250)	1	59	430	56	69.8	110	615	70.6	453	241	3.23	106	82	35.4	12.5	73.2	-9.6	5.68
Havre-ärt, helsädesensilage, 50% ärter (251)	1	15	387	70	67.7	111	632	76.6	438	264	2.70	90	61	51.5	16.5	69.8	2.9	5.53
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	11	333	66	68.6	123	588	75.3	481	313	5.17	53	56	43.4	17.0	73.0	6.7	5.78
Havre helsädesensilage degmognad (296)	1	12	394	67	67.2	117	653	82.7	521	236	3.47	35	67	46.5	12.2	73.3	-1.6	5.54
Vete, helsäd ensilage (299)	1	46	404	57	68.8	116	612	67.8	478	238	3.28	88	71	37.3	15.0	72.2	-3.5	5.71
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	25	377	61	71.6	123	614	67.6	411	239	3.19	127	60	45.2	13.3	76.2	0.6	5.96
Majs, helsädesensilage (305)	1	29	353	39	75.2	79	569	61.7	373	215	3.17	267	13	54.4	14.2	79.9	-47	6.42
Hö, blandvall, 0-50% baljväxter (383)	1	41	857	52	65.5	80	436		578	234	3.52		122			83.9	-45	5.07
Grunnblanding Middels ford.grovfôr (326)	1	27	422	64	73.2	149	518	58.1	362	255	3.10	171	35	36.2	19.0	84.9	21.7	6.27
Fullfoder (TMR) ej kompletta data (1E3)	1	13	417	68	69.8	151	562	68.3	346	207	3.27	163	37	56.0	24.0			0.00

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	12	2.1	3.7	1.4	5.8	0.6	2.5	1.5	16	12	116.0	25.3	44.3	8.7	0.3
Vete, kärna (005)	1	7	0.4	3.3	1.2	4.8	0.1	0.6	1.4	17	7	50.9	30.9	29.6	4.7	0.0
Grönmassa, gräs (0% baljv.) (161)	1	43	4.5	2.4	1.5	20.3	0.6	7.2	2.0	231	25	121.8	129.4	28.8	5.6	0.0
Ensilage, gräs (0% klöver) (162)	1	43	4.8	2.4	1.7	20.1	0.7	4.9	1.9	297	40	193.3	81.0	27.8	5.8	0.0
Ensilage, gräs (0% klöver) (162)	2	22	6.3	2.8	2.3	24.3	1.0	8.3	2.3	296	22	138.2	74.4	30.1	7.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	57	3.7	2.6	1.4	23.0	1.1		2.1	371	57	191.5	48.8	24.5	6.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	419	5.2	2.7	1.6	23.8	0.7	7.4	2.0	354	323	130.3	55.5	27.6	5.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	215	6.8	2.9	2.2	24.7	1.0	12.9	2.3	316	174	117.9	57.6	27.8	7.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	54	9.6	2.9	2.5	23.4	1.4	8.2	2.6	336	42	113.7	50.7	24.7	7.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	46	6.1	2.7	2.0	23.9	1.0	7.6	2.1	321	47	230.7	63.7	27.0	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	926	5.3	2.7	1.7	23.9	0.9	5.9	2.1	356	788	181.3	54.4	32.0	6.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	483	6.6	2.9	2.3	24.9	1.2	7.7	2.3	324	400	154.4	67.9	30.8	7.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	72	7.9	2.8	2.5	22.4	1.6	8.1	2.5	258	42	167.2	79.0	27.4	7.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	21	7.5	3.2	2.7	24.0	1.5	8.0	2.8	276	11	259.1	94.3	28.8	7.4	
Korn, helsädesensilage (250)	1	53	4.3	2.5	1.6	17.5	1.0	5.8	1.8	216	39	137.9	51.2	35.6	6.1	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	13	6.1	2.8	1.9	20.2	1.4	6.9	1.7	267	12	214.4	63.7	29.4	5.4	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	11	5.8	2.8	1.8	21.5	1.3	5.1	1.9	351	5	148.8	48.2	34.8	5.6	0.0
Havre helsädesensilage degmognad (296)	1	12	3.5	2.7	1.6	21.1	1.8	6.0	1.8	332	9	191.9	112.2	28.9	5.3	
Vete, helsäd ensilage (299)	1	44	3.6	2.4	1.3	17.4	0.7	5.1	1.7	229	26	136.4	54.3	26.0	5.2	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	24	5.1	2.8	1.8	17.5	1.1	5.9	1.6	228	17	140.5	38.4	30.6	5.8	0.0
Majs, helsädesensilage (305)	1	29	1.9	1.8	1.1	9.7	0.4	2.2	0.9	154	17	167.5	26.6	31.6	4.9	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	35	3.1	2.0	1.2	14.9	0.3	2.2	1.3	186	27	89.7	72.0	21.2	4.1	0.0
Grunnblanding Middels ford.grovför (326)	1	27	7.4	3.7	3.3	14.2	3.5	9.7	2.6	86	23	319.8	94.3	77.3	17.6	0.5
Fullfoder (TMR) ej kompletta data (1E3)	1	9	6.2	3.3	3.2	15.9	2.7	7.2	2.3	152	9	412.7	76.3	75.1	14.0	0.7

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Korn, kärna (001) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	20	879.150	40.7641	834.000	905.500
Aska	20	23.740	4.6744	19.000	31.500
OS smbh	24	35.833	43.3105	0.000	86.000
Råprot	20	114.900	17.8493	96.500	145.500
sRåprot	14	332.929	66.8666	269.000	436.000
NDF	14	143.571	25.5726	117.000	164.000
iNDF	24	82.083	68.9946	25.000	162.000
nhNDF	24	3.150	0.0000	3.150	3.150
Stä	20	539.450	64.0904	453.500	638.200
Socket	14	5.000	0.0000	5.000	5.000
TAF	24	0.000	0.0000	0.000	0.000
AAT20	24	96.453	1.7304	94.650	99.556
PBV20	24	-29.652	17.0721	-47.577	-0.193
NEL20	24	7.347	0.1361	7.211	7.606
Ca	12	2.125	2.9684	0.400	6.800
P	12	3.708	0.9120	2.800	5.000
Mg	12	1.433	0.5193	0.900	2.200
K	12	5.775	1.0226	4.800	7.300
Na	11	0.555	0.7299	0.100	1.600
S	12	1.542	0.4738	1.100	2.300
CAB	12	15.592	25.7699	-22.303	40.190
Fe	12	116.000	91.1293	49.000	260.000
Mn	12	25.333	17.1482	10.000	50.000
Zn	12	44.333	28.2210	25.000	86.000
Cu	12	8.717	6.4581	4.800	20.000

Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	10	878.500	16.5948	858.000	904.000
Aska	10	18.020	1.6672	15.550	20.300
OS smbh	12	66.000	39.7995	0.000	88.000
Råprot	10	132.810	15.3398	110.000	150.900
iNDF	12	146.500	73.2673	25.000	187.000
nhNDF	12	3.500	0.0000	3.500	3.500
Stä	10	654.090	60.3628	568.000	705.950
TAF	12	0.000	0.0000	0.000	0.000
AAT20	12	115.445	2.0749	112.203	117.468
PBV20	12	-38.114	12.0420	-47.824	-29.760
NEL20	12	8.023	0.0814	7.905	8.099

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	13	245.077	40.7359	201.000	296.000
OS smbh	13	73.150	0.0000	73.150	73.150
iNDF	13	170.460	0.0000	170.460	170.460
nhNDF	13	4.315	0.0000	4.315	4.315
TAF	13	0.000	0.0000	0.000	0.000
AAT20	13	96.439	0.0000	96.439	96.439
PBV20	13	-4.418	0.0000	-4.418	-4.418
NEL20	13	5.943	0.0000	5.943	5.943

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	44	417.977	192.565	217.000	750.000
Aska	44	63.023	11.097	51.000	75.000
OS smbh	44	73.177	5.922	65.300	80.900
Råprot	44	152.568	44.709	94.000	215.000
sRåprot	37	433.162	73.687	356.000	511.000
NDF	44	486.818	63.987	396.000	574.000
iNDF	44	172.875	74.346	83.492	285.000
nhNDF	44	4.283	0.887	3.444	5.634
Socket	44	112.909	25.978	85.000	148.000
TAF	44	61.000	0.000	61.000	61.000
AAT20	44	86.716	7.648	76.505	97.993
PBV20	44	15.666	29.725	-21.376	59.179
NEL20	44	5.988	0.571	5.284	6.818
Ca	43	4.505	1.835	2.500	7.900
P	43	2.384	0.567	1.800	3.100
Mg	43	1.528	0.548	0.900	2.200
K	43	20.251	5.978	12.500	27.900
Na	41	0.612	0.535	0.100	1.200
Cl	35	7.189	5.645	2.200	13.900
S	43	1.963	0.575	1.200	2.700
CAB	43	231.028	171.505	-13.531	427.943
Fe	25	121.760	107.409	56.000	228.000
Mn	25	129.400	145.365	20.000	258.000
Zn	25	28.840	8.335	21.000	42.000
Cu	25	5.624	1.947	3.000	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	46	448.696	178.468	279.000	735.000
Aska	46	66.717	12.947	48.000	80.000
OS smbh	46	73.739	6.029	64.100	80.300
Råprot	46	134.087	39.735	81.000	180.000
sRåprot	46	575.674	134.767	339.000	687.000
NH3-N	46	72.109	32.494	20.000	107.000
NDF	46	487.609	58.444	417.000	572.000
iNDF	46	165.524	59.439	99.320	247.144
nhNDF	46	4.480	0.861	3.410	5.685
Socker	46	63.022	37.559	18.000	112.000
TAF	46	60.976	34.418	15.400	110.900
Mjölksyra	46	45.196	28.606	7.000	84.000
Ättiksyra	45	13.422	7.694	4.000	24.000
BUF	45	1.042	1.091	0.100	2.700
AAT20	46	81.678	5.034	76.892	86.260
PBV20	46	6.655	33.090	-39.637	44.698
NEL20	46	6.069	0.627	5.068	6.728
Ca	43	4.767	1.175	3.600	6.600
P	43	2.444	0.514	1.800	3.100
Mg	43	1.740	0.327	1.400	2.200
K	43	20.109	6.021	12.500	28.000
Na	43	0.695	0.569	0.100	1.700
Cl	45	4.869	2.690	1.300	8.600
S	43	1.874	0.502	1.200	2.500
CAB	43	297.415	132.316	86.808	448.963
Fe	40	193.275	161.393	75.500	351.500
Mn	40	80.950	47.027	41.000	135.000
Zn	40	27.825	6.805	21.000	35.000
Cu	40	5.810	1.218	4.400	7.450

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	24	367.875	113.350	258.000	549.000
Aska	24	75.292	10.805	56.000	86.000
OS smbh	24	73.992	2.778	70.900	77.900
Råprot	24	152.625	25.387	119.000	183.000
sRåprot	24	560.750	81.144	436.000	667.000
NH3-N	24	84.958	34.468	43.000	147.000
NDF	24	470.833	30.548	434.000	511.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
iNDF	24	170.697	32.308	128.862	213.000
nhNDF	24	4.332	0.568	3.634	5.028
Socker	24	43.958	29.072	10.000	92.000
TAF	24	67.350	21.172	41.000	87.000
Mjölksyra	24	49.333	17.335	33.000	71.000
Ättiksyra	24	15.208	6.318	7.000	22.000
BUF	24	1.517	3.173	0.100	4.000
AAT20	24	82.108	3.045	78.000	85.387
PBV20	24	22.984	22.454	-4.206	55.132
NEL20	24	6.120	0.317	5.628	6.497
Ca	22	6.277	1.431	4.900	8.500
P	22	2.768	0.417	2.000	3.100
Mg	22	2.259	0.350	1.900	2.600
K	22	24.277	4.771	16.800	29.000
Na	22	1.014	0.854	0.300	2.600
Cl	24	8.333	4.445	3.500	12.900
S	22	2.314	0.492	1.800	2.800
CAB	22	295.659	120.573	128.559	440.667
Fe	22	138.227	46.806	83.000	194.000
Mn	22	74.409	25.976	36.000	114.000
Zn	22	30.136	7.193	21.000	38.000
Cu	22	7.491	1.204	5.900	8.900

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	62	888.903	249.854	369.000	1000.00
Aska	61	76.984	11.983	64.000	96.00
OS smbh	62	74.490	6.324	66.000	83.20
Råprot	61	138.492	37.007	91.000	186.00
NDF	61	473.000	59.865	400.000	544.00
iNDF	62	158.526	61.009	74.060	233.75
nhNDF	62	4.855	1.952	3.186	6.66
Socker	61	127.803	46.003	74.000	194.00
TAF	62	84.000	0.000	84.000	84.00
AAT20	62	82.679	7.841	73.380	92.94
PBV20	62	11.474	24.607	-15.682	46.12
NEL20	62	6.050	0.626	5.279	6.87
Ca	57	3.718	1.065	2.700	5.00
P	57	2.554	0.481	1.900	3.20

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
Mg	57	1.386	0.449	1.000	1.90
K	57	22.982	4.878	15.500	29.70
Na	57	1.058	3.034	0.100	1.30
S	57	2.088	0.401	1.600	2.60
CAB	57	370.905	168.845	203.843	518.23
Fe	57	191.491	216.377	52.000	393.00
Mn	57	48.789	17.769	34.000	72.00
Zn	57	24.491	4.664	20.000	33.00
Cu	57	6.816	1.966	5.000	9.30

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	443	421.549	153.038	245.000	618.000
Aska	443	71.014	11.121	57.000	86.000
OS smbh	443	76.776	5.353	69.000	82.400
Råprot	443	151.499	33.013	107.000	193.000
sRåprot	163	434.540	56.649	361.000	498.000
NDF	443	470.955	60.059	396.000	555.000
iNDF	443	130.671	60.365	69.950	213.652
nhNDF	443	5.093	1.161	3.775	6.518
Socker	443	114.874	41.222	59.000	165.000
TAF	443	84.000	0.000	84.000	84.000
AAT20	443	87.092	6.468	77.744	93.748
PBV20	443	16.344	23.552	-14.308	45.485
NEL20	443	6.349	0.502	5.617	6.871
Ca	419	5.160	2.247	3.300	7.400
P	419	2.696	0.504	2.100	3.300
Mg	419	1.642	0.369	1.200	2.200
K	419	23.844	5.194	17.300	30.200
Na	411	0.692	0.581	0.100	1.400
Cl	157	7.371	7.248	2.500	12.200
S	419	2.001	0.451	1.400	2.600
CAB	419	354.181	177.925	195.604	529.019
Fe	323	130.303	107.667	63.000	210.000
Mn	323	55.523	36.240	30.000	83.000
Zn	323	27.573	6.876	21.000	35.000
Cu	323	5.805	1.363	4.100	7.500
Se	93	0.020	0.019	0.005	0.050

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	275	435.895	172.115	211.000	673.000
Aska	275	82.382	13.444	65.000	102.000
OS smbh	275	74.932	3.724	70.100	79.500
Råprot	275	159.073	28.826	126.000	195.000
sRåprot	78	389.333	66.892	333.000	441.000
NDF	275	480.291	43.667	420.000	534.000
iNDF	275	154.822	54.512	94.446	229.426
nhNDF	275	4.780	0.955	3.670	5.946
Socker	275	87.458	35.342	38.000	131.000
TAF	275	84.000	0.000	84.000	84.000
AAT20	275	85.123	5.089	78.478	91.385
PBV20	275	26.699	22.135	-0.805	55.583
NEL20	275	6.183	0.387	5.668	6.656
Ca	215	6.789	2.837	3.900	10.900
P	215	2.879	0.416	2.400	3.400
Mg	215	2.200	0.530	1.600	2.900
K	215	24.737	5.098	18.100	30.700
Na	214	0.997	0.730	0.200	1.800
Cl	78	12.936	11.766	3.800	28.200
S	215	2.286	0.470	1.700	2.800
CAB	215	316.500	253.753	88.895	515.368
Fe	174	117.891	132.915	63.000	161.000
Mn	174	57.615	28.898	26.000	100.000
Zn	174	27.787	7.877	21.000	35.000
Cu	174	7.380	3.920	5.200	9.000
Se	44	0.030	0.099	0.005	0.050

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	62	430.806	143.157	266.000	619.000
Aska	61	87.049	11.522	74.000	102.000
OS smbh	62	74.974	4.124	68.300	80.000
Råprot	61	174.951	22.829	148.000	202.000
sRåprot	15	380.867	59.513	324.000	410.000
NDF	61	446.902	28.357	414.000	482.000
iNDF	62	166.225	59.874	99.771	260.991
nhNDF	62	4.544	1.005	2.793	5.735
Socker	61	80.361	35.606	25.000	121.000
TAF	62	84.000	0.000	84.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
AAT20	62	85.194	4.372	78.975	90.074
PBV20	62	41.119	23.489	16.025	77.780
NEL20	62	6.176	0.350	5.627	6.615
Ca	54	9.580	4.454	5.400	18.100
P	54	2.857	0.389	2.400	3.300
Mg	54	2.528	0.472	2.000	3.200
K	54	23.394	5.348	14.500	28.700
Na	54	1.359	0.786	0.600	2.100
Cl	15	8.167	2.082	5.900	10.600
S	54	2.594	0.394	2.200	3.200
CAB	54	335.749	140.793	117.430	507.919
Fe	42	113.714	44.989	74.000	188.000
Mn	42	50.667	21.153	31.000	86.000
Zn	42	24.714	3.884	21.000	30.000
Cu	42	7.417	1.084	6.000	8.600
Se	11	0.026	0.013	0.009	0.039

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	58	455.243	167.656	275.000	705.202
Aska	47	82.043	25.233	60.000	112.000
OS smbh	60	73.700	4.489	67.635	79.350
Råprot	55	147.827	29.129	114.000	185.000
sRåprot	53	581.267	106.240	443.000	692.000
NH3-N	55	88.140	33.895	46.000	127.000
NDF	53	461.981	60.235	384.000	545.000
iNDF	60	172.623	50.922	114.486	249.304
nhNDF	60	4.269	0.930	2.852	5.533
Socker	53	66.270	43.582	15.000	131.000
TAF	60	59.094	33.802	14.450	106.100
Mjölksyra	55	42.124	28.869	5.520	80.000
Ättiksyra	55	12.103	6.954	5.000	22.000
BUF	48	2.063	3.416	0.100	5.400
AAT20	60	82.461	5.677	75.633	90.692
PBV20	60	20.662	23.798	-11.262	49.591
NEL20	60	6.022	0.474	5.347	6.594
Ca	46	6.133	2.953	3.600	9.804
P	46	2.696	0.561	2.057	3.200
Mg	46	2.031	0.593	1.400	2.700

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
K	46	23.938	6.287	16.600	31.600
Na	46	0.961	0.945	0.065	2.700
Cl	46	7.646	3.813	2.800	13.500
S	46	2.119	0.592	1.400	2.700
CAB	46	321.015	141.245	132.159	505.377
Fe	47	230.666	335.412	74.000	341.000
Mn	46	63.687	28.979	29.684	102.000
Zn	46	26.973	5.744	20.000	35.000
Cu	46	6.402	1.493	4.900	8.300
Se	11	0.013	0.007	0.007	0.023

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	953	386.271	111.940	267.000	529.000
Aska	951	71.262	10.996	59.000	82.000
OS smbh	954	76.393	3.820	71.200	80.300
Råprot	951	153.716	28.430	116.000	189.000
sRåprot	951	643.021	83.353	544.000	730.000
NH3-N	947	79.857	33.691	39.000	116.000
NDF	951	457.036	54.249	396.000	530.000
iNDF	954	142.174	40.330	100.331	198.000
nhNDF	954	4.749	0.697	3.971	5.553
Socker	951	61.758	35.549	21.000	113.000
TAF	954	70.187	30.696	27.000	108.100
Mjölksyra	951	53.801	26.796	17.000	88.000
Ättiksyra	944	13.849	6.449	6.000	21.000
PRF	340	1.435	2.180	0.000	3.000
BUF	944	1.326	2.477	0.000	3.300
AAT20	954	83.651	4.324	78.396	88.982
PBV20	954	24.040	24.527	-8.477	55.378
NEL20	954	6.385	0.385	5.846	6.792
Ca	926	5.271	1.501	3.800	7.300
P	926	2.703	0.466	2.100	3.300
Mg	926	1.713	0.336	1.300	2.100
K	926	23.926	4.236	18.600	28.800
Na	925	0.893	0.762	0.100	1.900
Cl	949	5.910	3.581	2.200	10.000
S	926	2.055	0.390	1.500	2.600
CAB	926	356.047	124.859	205.503	496.527

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Fe	788	181.280	198.570	74.000	326.000
Mn	788	54.372	21.165	31.000	80.000
Zn	788	31.956	34.079	22.000	35.000
Cu	788	6.124	1.244	4.700	8.000
Se	149	0.032	0.031	0.007	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	497	439.883	128.795	301.000	633.000
Aska	496	78.478	10.678	66.000	92.000
OS smbh	497	74.535	2.645	71.200	77.600
Råprot	496	154.786	25.895	122.000	189.000
sRåprot	496	557.625	89.298	450.000	663.000
NH3-N	489	70.667	27.593	36.000	106.000
NDF	496	460.883	38.780	410.000	510.000
iNDF	497	168.790	35.452	131.000	209.138
nhNDF	497	4.428	0.593	3.758	5.007
Socker	496	61.103	33.247	22.000	108.000
TAF	497	60.359	27.144	21.000	94.100
Mjölksyra	496	44.998	22.887	13.000	74.000
Ättiksyra	490	12.990	6.548	6.000	21.000
PRF	163	1.650	1.720	0.000	4.000
BUF	490	1.060	1.819	0.000	3.000
AAT20	497	84.097	4.534	79.095	90.152
PBV20	497	24.411	23.529	-5.208	56.518
NEL20	497	6.172	0.292	5.796	6.541
Ca	483	6.609	1.839	4.600	9.100
P	483	2.861	0.404	2.400	3.400
Mg	483	2.259	0.412	1.800	2.800
K	483	24.851	4.751	18.500	31.000
Na	483	1.196	0.931	0.200	2.400
Cl	495	7.726	4.449	3.400	12.500
S	483	2.338	0.425	1.800	2.800
CAB	483	323.929	135.594	172.053	477.684
Fe	400	154.353	151.511	73.500	234.500
Mn	400	67.863	24.348	38.500	104.000
Zn	400	30.845	15.092	23.000	36.000
Cu	400	7.409	1.374	5.700	9.200
Se	58	0.030	0.023	0.008	0.050

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	75	444.320	115.124	323.000	628.000
Aska	75	79.680	11.632	66.000	94.000
OS smbh	75	73.915	3.710	69.400	78.300
Råprot	75	159.853	26.134	135.000	197.000
sRåprot	75	536.520	90.073	412.000	633.000
NH3-N	75	70.640	33.917	29.000	111.000
NDF	75	444.547	34.819	403.000	496.000
iNDF	75	189.574	59.770	129.000	262.043
nhNDF	75	4.318	0.843	3.455	5.041
Socker	75	64.920	35.416	20.000	107.000
TAF	75	57.545	31.099	16.500	99.000
Mjölksyra	75	41.987	26.596	8.000	81.000
Ättiksyra	73	13.027	8.028	4.000	23.000
PRF	40	1.150	1.657	0.000	3.500
BUF	73	1.327	2.816	0.000	2.800
AAT20	75	84.295	5.832	77.213	91.459
PBV20	75	28.932	23.111	1.932	62.802
NEL20	75	6.092	0.371	5.643	6.478
Ca	72	7.874	2.050	5.600	10.900
P	72	2.849	0.520	2.300	3.600
Mg	72	2.531	0.381	2.100	2.900
K	72	22.411	4.061	17.800	27.700
Na	72	1.589	0.867	0.400	2.700
Cl	75	8.131	4.179	3.700	12.600
S	72	2.547	0.411	2.000	3.000
CAB	72	257.781	120.896	121.171	389.061
Fe	42	167.238	130.419	78.000	332.000
Mn	42	79.000	40.711	33.000	130.000
Zn	42	27.429	6.485	21.000	37.000
Cu	42	7.529	1.451	5.900	9.300
Se	10	0.031	0.021	0.010	0.063

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	22	355.591	87.621	287.000	444.000
Aska	22	91.182	12.105	78.000	106.000
OS smbh	22	75.055	3.425	70.900	79.200
Råprot	22	172.682	24.741	141.000	202.000
sRåprot	22	584.818	55.363	517.000	650.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
NH3-N	22	79.636	20.497	55.000	106.000
NDF	22	418.091	44.344	366.000	472.000
iNDF	22	187.712	56.960	134.113	241.000
nhNDF	22	4.467	0.642	3.664	5.088
Socker	22	46.636	29.320	14.000	82.000
TAF	22	89.309	31.638	58.000	135.000
Mjölksyra	22	70.955	26.518	44.000	108.000
Ättiksyra	22	15.818	7.001	6.000	22.000
PRF	11	2.455	2.115	0.000	4.000
BUF	22	0.809	1.429	0.000	1.900
AAT20	22	81.167	3.840	75.204	86.272
PBV20	22	45.740	22.084	21.425	71.433
NEL20	22	6.232	0.341	5.806	6.581
Ca	21	7.500	1.548	5.600	9.700
P	21	3.205	0.471	2.500	3.700
Mg	21	2.662	0.265	2.500	3.000
K	21	23.962	2.985	20.600	28.400
Na	21	1.533	0.540	0.800	2.100
Cl	22	8.005	4.329	4.500	10.400
S	21	2.757	0.393	2.300	3.200
CAB	21	276.196	116.133	169.919	428.040
Fe	11	259.091	119.889	150.000	426.000
Mn	11	94.273	33.491	58.000	132.000
Zn	11	28.818	5.419	25.000	35.000
Cu	11	7.355	1.160	6.000	8.600

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	59	429.780	99.597	300.000	586.000
Aska	59	56.373	16.373	36.000	81.000
OS smbh	59	69.812	3.553	64.900	73.900
Råprot	59	109.763	30.482	70.000	147.000
sRåprot	59	614.644	117.652	467.000	745.000
NH3-N	59	70.644	29.259	27.000	104.000
NDF	59	453.373	59.196	377.000	535.000
iNDF	59	240.832	48.635	183.275	289.499
nhNDF	59	3.226	0.926	2.091	4.128
Stä	57	105.912	84.638	18.000	240.000
Socker	59	82.034	40.323	37.000	153.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	59	49.951	25.656	18.700	83.000
Mjölksyra	59	35.424	20.754	9.000	61.000
Ättiksyra	57	12.456	7.464	6.000	22.000
PRF	26	1.269	1.779	0.000	5.000
BUF	26	1.077	1.294	0.000	3.000
AAT20	59	73.214	3.727	68.402	78.169
PBV20	59	-9.632	26.005	-38.744	19.477
NEL20	59	5.681	0.356	5.211	6.155
Ca	53	4.300	2.261	2.500	6.700
P	54	2.487	0.584	1.900	3.400
Mg	54	1.628	0.564	1.100	2.300
K	54	17.467	7.191	10.400	24.600
Na	54	0.970	0.587	0.400	1.400
Cl	58	5.776	3.455	2.400	11.300
S	54	1.769	0.460	1.200	2.300
CAB	53	216.257	150.762	48.867	366.946
Fe	39	137.923	113.588	51.000	401.000
Mn	39	51.231	38.200	12.000	100.000
Zn	39	35.564	34.520	19.000	51.000
Cu	39	6.085	5.110	3.800	8.000

Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	15	387.267	66.870	305.000	460.000
Aska	15	70.000	11.269	59.000	88.000
OS smbh	16	67.663	3.912	62.900	70.100
Råprot	15	111.200	23.722	80.000	131.000
sRåprot	15	631.867	137.934	450.000	769.000
NH3-N	15	76.600	27.195	43.000	109.000
NDF	15	438.267	64.237	407.000	496.000
iNDF	16	264.307	28.933	227.004	300.757
nhNDF	16	2.696	0.395	2.242	3.198
Stä	15	90.067	59.886	32.000	202.000
Socker	15	60.733	34.177	27.000	121.000
TAF	16	70.688	28.168	37.000	101.000
Mjölksyra	15	51.467	23.787	22.000	80.000
Ättiksyra	15	16.467	8.017	9.000	30.000
AAT20	16	69.751	4.926	64.084	78.619
PBV20	16	2.867	24.064	-30.453	29.710

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NEL20	16	5.529	0.375	5.201	5.680
Ca	13	6.131	2.653	4.200	9.800
P	13	2.800	0.707	2.100	3.400
Mg	13	1.885	0.234	1.500	2.100
K	13	20.223	5.108	13.900	27.100
Na	13	1.400	1.372	0.300	2.500
Cl	15	6.947	4.719	2.700	11.500
S	13	1.685	0.498	1.400	2.000
CAB	13	266.728	169.751	59.360	470.661
Fe	12	214.417	224.330	103.000	610.000
Mn	12	63.667	32.032	27.000	101.000
Zn	12	29.417	6.201	25.000	32.000
Cu	12	5.425	0.837	4.500	6.500

Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	11	332.727	48.982	278.000	386.000
Aska	11	66.273	7.926	56.000	76.000
OS smbh	11	68.591	3.752	64.700	72.500
Råprot	11	123.000	19.026	105.000	151.000
sRåprot	11	588.182	84.724	483.000	687.000
NDF	11	480.727	40.625	436.000	528.000
iNDF	11	313.341	104.969	207.000	422.358
nhNDF	11	5.171	1.686	3.644	8.070
Stä	11	53.182	26.910	21.000	86.000
Socker	11	55.818	51.957	17.000	120.000
TAF	11	61.818	33.096	23.500	93.500
Mjölksyra	11	43.364	26.624	11.000	80.000
Ättiksyra	10	17.000	10.614	5.000	33.000
AAT20	11	72.976	6.518	65.567	81.710
PBV20	11	6.702	20.539	-17.231	22.999
NEL20	11	5.784	0.315	5.453	6.180
Ca	11	5.773	1.814	4.600	7.500
P	11	2.800	0.326	2.500	3.200
Mg	11	1.809	0.568	1.300	2.300
K	11	21.518	3.415	17.900	26.100
Na	11	1.309	0.619	0.600	1.800
Cl	10	5.080	3.526	1.100	10.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
S	11	1.891	0.367	1.400	2.400
CAB	11	351.300	78.870	289.509	431.943

Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	12	393.917	99.715	272.000	553.000
Aska	12	67.250	10.575	56.000	79.000
OS smbh	12	67.217	3.726	63.000	72.900
Råprot	12	116.917	14.909	103.000	141.000
sRåprot	12	652.917	95.085	529.000	764.000
NH3-N	12	82.667	27.164	48.000	122.000
NDF	12	521.000	40.281	498.000	565.000
iNDF	12	236.087	54.329	155.000	284.000
nhNDF	12	3.473	0.613	2.755	4.205
Stä	12	35.083	27.884	17.000	58.000
Socket	12	66.667	42.442	41.000	145.000
TAF	12	59.750	25.385	22.000	84.000
Mjölksyra	12	46.500	22.006	16.000	69.000
Ättiksyra	12	12.167	5.060	6.000	16.000
AAT20	12	73.319	6.385	65.668	81.352
PBV20	12	-1.622	16.535	-26.746	18.741
NEL20	12	5.542	0.350	5.155	5.854
Ca	12	3.525	1.082	2.000	4.600
P	12	2.675	0.463	2.100	3.200
Mg	12	1.583	0.428	1.000	2.000
K	12	21.067	4.258	16.400	25.300
Na	11	1.818	1.048	0.600	3.000
Cl	11	6.036	4.184	2.000	8.500
S	12	1.833	0.627	1.300	3.000
CAB	12	331.696	131.621	169.212	514.250

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	46	403.826	116.000	241.000	573.000
Aska	46	57.022	15.321	34.000	73.000
OS smbh	46	68.830	5.561	60.900	75.400
Råprot	46	115.913	33.397	74.000	166.000
sRåprot	46	611.609	134.529	444.000	788.000
NH3-N	45	67.778	38.743	20.000	123.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NDF	46	477.652	68.748	391.000	564.000
iNDF	46	237.599	75.907	144.000	320.000
nhNDF	46	3.280	0.937	2.212	4.555
Stä	45	88.356	90.478	16.000	236.000
Socker	46	71.413	43.386	21.000	135.000
TAF	46	55.249	32.375	19.500	91.500
Mjölksyra	46	37.261	27.608	7.000	71.000
Ättiksyra	45	15.044	7.877	5.000	23.000
PRF	26	2.308	2.379	0.000	7.000
BUF	26	1.115	1.395	0.000	3.000
AAT20	46	72.165	4.987	66.537	79.257
PBV20	46	-3.503	28.527	-39.641	36.022
NEL20	46	5.710	0.504	5.057	6.446
Ca	44	3.555	1.651	1.600	6.000
P	44	2.361	0.563	1.800	3.000
Mg	42	1.333	0.505	0.700	2.000
K	44	17.445	5.769	11.500	26.200
Na	44	0.661	0.507	0.100	1.400
Cl	43	5.091	3.043	1.600	8.900
S	44	1.677	0.431	1.100	2.200
CAB	44	229.275	153.736	76.729	430.190
Fe	26	136.385	115.500	53.000	291.000
Mn	26	54.308	37.601	17.000	98.000
Zn	26	26.038	7.882	18.000	37.000
Cu	26	5.212	1.266	4.000	7.300

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	25	376.680	122.407	273.000	524.000
Aska	25	61.080	13.901	42.000	79.000
OS smbh	25	71.588	4.045	67.500	76.200
Råprot	25	122.720	28.645	94.000	159.000
sRåprot	25	614.360	107.726	451.000	740.000
NH3-N	25	67.600	34.684	27.000	112.000
NDF	25	410.880	65.341	326.000	504.000
iNDF	25	239.081	54.338	164.000	298.642
nhNDF	25	3.193	1.127	2.094	4.699
Stä	25	126.800	94.670	19.000	278.000
Socker	25	60.040	36.162	21.000	111.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	25	59.560	29.552	18.000	94.000
Mjölksyra	25	45.240	23.111	11.000	73.000
Ättiksyra	25	13.280	9.095	4.000	22.000
PRF	13	1.385	1.850	0.000	5.000
BUF	13	0.615	1.446	0.000	2.000
AAT20	25	76.172	6.310	70.974	84.071
PBV20	25	0.637	23.713	-35.652	33.466
NEL20	25	5.956	0.392	5.558	6.470
Ca	24	5.100	1.230	3.700	6.700
P	24	2.783	0.438	2.200	3.300
Mg	24	1.817	0.474	1.400	2.600
K	24	17.513	5.757	9.400	22.400
Na	24	1.100	0.919	0.300	2.100
Cl	24	5.867	3.172	2.500	10.800
S	24	1.646	0.417	1.200	2.200
CAB	24	228.450	160.548	90.559	409.304
Fe	17	140.471	114.821	55.000	361.000
Mn	17	38.412	27.215	19.000	87.000
Zn	17	30.588	7.779	24.000	43.000
Cu	17	5.776	1.049	4.600	7.100

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	29	352.862	50.668	300.000	427.000
Aska	29	39.172	25.647	22.000	97.000
OS smbh	29	75.197	2.548	71.700	78.200
Råprot	29	78.724	7.869	69.000	89.000
sRåprot	29	568.862	109.869	378.000	706.000
NH3-N	25	61.680	26.890	24.000	101.000
NDF	29	372.724	79.918	211.000	446.000
iNDF	29	215.330	43.865	178.178	290.000
nhNDF	29	3.171	0.700	1.896	3.815
Stä	29	266.897	76.324	187.000	346.000
Socker	29	13.414	17.020	5.000	34.000
TAF	29	72.793	17.483	45.000	97.000
Mjölksyra	29	54.448	14.547	34.000	76.000
Ättiksyra	29	14.172	5.632	4.000	20.000
PRF	21	4.619	2.291	3.000	8.000
BUF	21	0.000	0.000	0.000	0.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
AAT20	29	79.949	2.602	76.210	84.009
PBV20	29	-47.309	6.967	-56.657	-37.847
NEL20	29	6.419	0.276	6.055	6.802
Ca	29	1.921	0.446	1.300	2.500
P	29	1.755	0.201	1.500	2.000
Mg	28	1.089	0.363	0.700	1.500
K	29	9.734	2.213	7.800	14.300
Na	28	0.379	0.305	0.100	0.800
Cl	17	2.235	1.130	1.200	4.400
S	29	0.921	0.098	0.800	1.000
CAB	29	153.517	75.958	64.851	319.000
Fe	17	167.471	243.753	64.000	200.000
Mn	17	26.647	11.011	15.000	41.000
Zn	17	31.647	27.246	17.000	36.000
Cu	17	4.900	1.322	3.500	6.000

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	41	857.244	62.171	768.000	912.000
Aska	41	52.024	10.591	41.000	59.000
OS smbh	41	65.478	3.335	62.000	69.700
Råprot	41	79.780	21.856	53.000	107.000
sRåprot	10	435.800	54.827	365.000	506.000
NDF	41	577.878	46.624	513.000	635.000
iNDF	41	233.511	35.746	194.130	289.450
nhNDF	41	3.520	0.458	2.872	4.076
Socker	41	121.732	31.019	94.000	155.000
TAF	41	0.000	0.000	0.000	0.000
AAT20	41	83.932	5.389	78.416	89.640
PBV20	41	-45.227	15.596	-63.679	-25.697
NEL20	41	5.066	0.299	4.711	5.413
Ca	35	3.109	1.329	1.700	4.700
P	35	1.960	0.382	1.500	2.600
Mg	35	1.249	0.443	0.800	1.800
K	35	14.940	3.699	11.000	19.400
Na	34	0.285	0.276	0.100	0.700
S	35	1.266	0.339	1.000	1.800
CAB	35	186.369	104.523	58.068	297.166
Fe	27	89.741	85.665	44.000	126.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mn	27	71.963	38.461	34.000	140.000
Zn	27	21.185	4.899	17.000	29.000
Cu	27	4.081	0.975	3.000	5.300

Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	27	421.630	43.030	372.000	497.000
Aska	27	63.741	7.940	51.000	73.000
OS smbh	27	73.200	3.857	66.800	77.000
Råprot	27	148.889	21.680	119.000	167.000
sRåprot	27	517.519	42.644	467.000	569.000
NH3-N	27	58.074	22.648	28.000	99.000
NDF	27	362.111	73.166	289.000	479.000
iNDF	27	255.444	43.194	208.000	326.000
nhNDF	27	3.100	0.718	2.289	4.083
Stä	26	170.885	55.595	110.000	214.000
Socker	27	35.111	15.754	12.000	53.000
TAF	27	60.111	23.466	24.000	90.000
Mjölksyra	27	36.185	16.177	14.000	56.000
Ättiksyra	27	18.963	10.268	3.000	30.000
PRF	27	4.556	1.649	3.000	6.000
BUF	27	0.407	0.797	0.000	2.000
AAT20	27	84.938	3.920	79.211	90.472
PBV20	27	21.664	16.727	0.699	36.894
NEL20	27	6.269	0.403	5.617	6.715
Ca	27	7.363	2.055	4.600	9.500
P	27	3.696	0.662	2.800	4.800
Mg	27	3.341	0.908	2.500	4.700
K	27	14.204	2.977	10.200	18.300
Na	27	3.500	1.724	1.900	5.200
Cl	26	9.719	5.489	4.600	18.300
S	27	2.619	0.885	2.000	3.400
CAB	27	86.264	157.394	-187.040	268.048
Fe	23	319.826	108.987	214.000	497.000
Mn	23	94.304	32.903	51.000	140.000
Zn	23	77.261	28.890	51.000	111.000
Cu	23	17.565	6.066	12.000	24.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	13	417.462	41.7425	364.000	465.000
Aska	12	67.667	10.0935	58.000	79.000
OS smbh	13	69.823	21.4168	68.100	79.600
Råprot	12	150.833	15.3495	134.000	166.000
sRåprot	12	561.583	61.7303	492.000	622.000
NH3-N	12	68.250	13.9878	48.000	82.000
NDF	12	346.167	47.4645	307.000	406.000
iNDF	12	207.108	55.1704	152.166	272.861
nhNDF	12	3.275	0.6971	2.498	4.118
Stä	12	163.250	46.1029	129.000	196.000
Socker	12	36.667	10.6287	23.000	50.000
NEL20	13	0.000	0.0000	0.000	0.000
CI	12	7.233	3.9656	1.600	13.000

*= Parametrar från det gamla svenska fodervärderingssystemet