

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socket
Vete, kärna (005)	1	1	911	18	0.0	132	348		92	25	3.50	565	0.000			5
Vete (121)	1	1	182	52	77.8	43	570		90	65	3.50	628	0.000			99
Ärter, kärna (006)	1	1	813	33	0.0	227	769		94	25	7.90	435	0.000			5
Grönmassa, gräs (0% baljv.) (161)	1	8	415	61	75.0	163	461		471	152	4.64		61.000			130
Ensilage, gräs (0% klöver) (162)	0	1	299	75	81.3	167	717	101	383	101	5.39		128.500	103	24.0	27
Ensilage, gräs (0% klöver) (162)	1	1	717	38	60.9	114	369	16.0	575	348	3.48		19.000	0.0		68
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	369		74.7					151	4.71		84.000			
Grönmassa blandvall (1-50 % baljväxter) (164)	1	58	410	68	79.0	159	443		437	109	5.10		84.000			134
Grönmassa blandvall (1-50 % baljväxter) (164)	2	31	544	78	75.3	160	374		489	149	4.91		84.000			98
Grönmassa blandvall (1-50 % baljväxter) (164)	3	1	505	76	74.5	148	358		485	140	4.18		84.000			100
Ensilage, blandvall (1-50% klöver) (165)	0	4	556	100	73.7	170	568	75.8	439	176	4.10		28.150	17.0	8.0	70
Ensilage, blandvall (1-50% klöver) (165)	1	82	407	73	77.5	162	672	67.0	431	129	4.66	25	76.593	59.5	15.3	74
Ensilage, blandvall (1-50% klöver) (165)	2	43	445	74	74.9	169	615	66.5	471	158	4.47		66.735	50.0	14.8	59
Ensilage, blandvall (1-50% klöver) (165)	3	10	449	75	75.6	171	570	55.1	442	166	4.55		65.310	51.7	11.8	63
Ensilage, blandvall (1-50% klöver) (165)	4	4	351	99	75.4	186	622	66.8	411	199	4.89		106.750	87.8	15.8	44
Korn, helsädesensilage (250)	1	4	412	43	68.9	87	631	65.8	419	240	2.32	189	49.675	35.0	12.3	100
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	300	78	70.9	173	706	72.0	239	275	2.55	202	111.500	106	33.0	36
Majskolv, ensilerad (257)	1	1	417	5	76.7	64	588	67.0	342	218	2.97	442	58.000	44.0	13.0	5
Vete, helsäd ensilage (299)	1	9	369	50	69.7	118	677	81.5	502	228	3.77	55	64.778	41.2	20.2	79
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	2	456	50	72.0	100	720	87.5	364	247	2.38	217	54.500	42.5	12.0	59
Majs, helsädesensilage (305)	1	8	361	46	76.1	75	542	59.0	334	231	2.98	306	72.000	54.3	13.0	8
Hö, blandvall, 0-50% baljväxter (383)	1	2	899	44	63.9	63			616	229	3.38		0.000			134
Ensilage, blandvall (51-100% klöver) (438)	1	2	324	89	72.3	172	681	88.0	411	283	4.48		110.500	85.5	22.5	36
Grunnblanding Middels ford.grovför (326)	1	4	435	68	73.0	140	525	59.3	364	254	3.18	192	52.750	31.0	16.8	34

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Vete, kärna (005)	1	1				115	-37	7.97	14.1		
Vete (121)	1	1				99.3	-103	7.30	11.6		
Ärter, kärna (006)	1	1				100	80.6	7.70	14.0		
Grönmassa, gräs (0% baljv.) (161)	1	8				89.0	21.9	6.18	11.1		
Ensilage, gräs (0% klöver) (162)	0	1	1.10000	0.40000		80.0	38.9	6.86	11.9	74.0	54.0
Ensilage, gräs (0% klöver) (162)	1	1				79.0	-6.2	4.90	8.9		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				83.3	17.4	6.11			
Grönmassa blandvall (1-50 % baljväxter) (164)	1	58				90.1	18.4	6.55	11.6	80.3	14.7
Grönmassa blandvall (1-50 % baljväxter) (164)	2	31				87.0	24.3	6.25	10.9	76.4	28.4
Grönmassa blandvall (1-50 % baljväxter) (164)	3	1				87.0	13.3	6.18	10.8		
Ensilage, blandvall (1-50% klöver) (165)	0	4		2.15000		85.1	37.2	5.86	10.4	69.5	49.5
Ensilage, blandvall (1-50% klöver) (165)	1	82	1.30645	0.50123		83.5	31.9	6.50	11.3	71.9	18.5
Ensilage, blandvall (1-50% klöver) (165)	2	43	1.38710	0.52683		83.8	37.9	6.32	10.9	71.0	31.4
Ensilage, blandvall (1-50% klöver) (165)	3	10	0.57143	0.45556		85.5	37.0	6.35	11.0	72.0	37.0
Ensilage, blandvall (1-50% klöver) (165)	4	4	3.25000	0.00000		79.3	61.1	6.33	10.7		
Korn, helsädesensilage (250)	1	4	0.66667	2.00000		72.4	-27	5.64	10.5		
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	5.00000	0.00000		69.7	37.7	6.01	11.5		
Majskolv, ensilerad (257)	1	1	1.00000	0.00000		86.2	-70	6.71	12.0		
Vete, helsäd ensilage (299)	1	9	2.11111	1.22222		71.2	0.3	5.86	10.3		
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	2	0.00000	0.00000		74.6	-17	5.96	10.6		
Majs, helsädesensilage (305)	1	8	5.33333	0.00000		80.5	-51	6.48	11.3		
Hö, blandvall, 0-50% baljväxter (383)	1	2				80.7	-55	4.92	9.4	67.5	-51
Ensilage, blandvall (51-100% klöver) (438)	1	2	2.00000	1.00000		72.6	63.5	6.10	10.3	66.0	46.0
Grunnblanding Middels ford.grovfôr (326)	1	4	4.00000	1.00000		84.4	14.1	6.23	10.6		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Vete (121)	1	1	9.1	3.2	2.3	12.6	1.5		1.0	305	0					
Grönmassa, gräs (0% baljv.) (161)	1	8	3.2	2.4	1.2	21.1	0.7	10.2	2.0	175	2	91.0	31.0	28.0	5.5	
Ensilage, gräs (0% klöver) (162)	0	1	6.5	2.9	1.8	23.9	1.0	7.4	2.1	315	1	245.0	56.0	26.0	6.1	
Ensilage, gräs (0% klöver) (162)	1	1	3.7	1.5	1.7	5.4	1.3		1.8	-64	0					
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	5.8	2.7	2.0	24.1	23.3		2.4	1E3	1	80.0	48.0	24.0	5.5	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	58	4.7	2.8	1.6	24.0	0.8	4.1	2.1	392	24	160.7	51.0	28.2	5.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	29	5.6	2.9	2.1	25.9	1.1	8.0	2.4	377	16	125.3	54.7	28.8	6.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	1	5.9	3.0	2.3	26.1	1.7	9.5	2.4	324	0					
Ensilage, blandvall (1-50% klöver) (165)	1	77	5.3	3.0	1.7	24.1	1.3	6.9	2.1	346	41	161.8	48.9	50.7	5.8	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	43	6.0	3.1	2.1	24.7	1.8	8.2	2.4	325	25	121.1	58.0	34.2	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	10	7.0	2.8	2.4	21.7	1.8	6.8	2.6	281	3	116.7	64.0	28.0	7.0	
Ensilage, blandvall (1-50% klöver) (165)	4	4	7.3	3.4	2.7	23.0	1.9	7.4	2.8	290	0					
Korn, helsädesensilage (250)	1	3	3.2	2.4	1.3	15.6	1.2	6.9	1.5	156	2	62.0	21.5	20.0	5.3	
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	9.8	4.6	2.1	20.8	1.8	7.9	1.8	275	0					
Majskolv, ensilerad (257)	1	1	1.1	1.8	1.1	3.7	0.4		0.7	36	0					
Vete, helsäd ensilage (299)	1	9	2.8	2.3	1.2	17.9	0.6	3.6	1.6	276	2	181.0	45.0	24.5	5.5	0.1
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	2	3.8	2.8	1.5	15.2	0.9	3.7	1.3	244	1	83.0	26.0	26.0	3.8	
Majs, helsädesensilage (305)	1	8	1.7	1.8	1.1	9.5	0.3	1.5	0.9	157	6	81.0	28.2	27.0	4.7	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	2	2.4	1.9	1.0	13.5	0.1		1.1	139	2	49.5	43.5	20.0	3.1	
Ensilage, blandvall (51-100% klöver) (438)	1	1	4.3	2.6	1.9	19.7	1.2	7.9	2.2	179	1	88.0	41.0	26.0	5.0	
Grunnblanding Middels ford.grovför (326)	1	4	8.1	3.7	2.9	14.5	3.7	11.1	2.3	140	3	372.3	116.0	90.0	18.7	0.5

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	911.000	.	911.000	911.000
Aska	1	18.000	.	18.000	18.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	132.000	.	132.000	132.000
sRåprot	1	348.000	.	348.000	348.000
NDF	1	92.000	.	92.000	92.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	565.000	.	565.000	565.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	115.306	.	115.306	115.306
PBVp20	1	-37.273	.	-37.273	-37.273
NELp20	1	7.969	.	7.969	7.969
OE*	1	14.100	.	14.100	14.100

Fodermedel=Vete (121) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	182.000	.	182.000	182.000
Aska	1	52.000	.	52.000	52.000
OS smbh	1	77.800	.	77.800	77.800
Råprot	1	43.000	.	43.000	43.000
sRåprot	1	570.000	.	570.000	570.000
NDF	1	90.000	.	90.000	90.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete (121) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	65.000	.	65.000	65.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	628.000	.	628.000	628.000
TAF	1	0.000	.	0.000	0.000
Socker	1	99.000	.	99.000	99.000
AATp20	1	99.295	.	99.295	99.295
PBVp20	1	-102.593	.	-102.593	-102.593
NELp20	1	7.298	.	7.298	7.298
OE*	1	11.640	.	11.640	11.640
Ca	1	9.100	.	9.100	9.100
P	1	3.200	.	3.200	3.200
Mg	1	2.300	.	2.300	2.300
K	1	12.600	.	12.600	12.600
Na	1	1.500	.	1.500	1.500
S	1	1.000	.	1.000	1.000
CAB	1	305.250	.	305.250	305.250

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	813.000	.	813.000	813.000
Aska	1	33.000	.	33.000	33.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	227.000	.	227.000	227.000
sRåprot	1	769.000	.	769.000	769.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	94.000	.	94.000	94.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	7.900	.	7.900	7.900
Stä	1	435.000	.	435.000	435.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	100.142	.	100.142	100.142
PBVp20	1	80.617	.	80.617	80.617
NELp20	1	7.696	.	7.696	7.696
OE*	1	14.000	.	14.000	14.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	415.250	262.183	196.000	791.000
Aska	8	60.500	13.448	45.000	78.000
OS smbh	8	75.038	8.477	63.900	83.800
Råprot	8	163.375	61.486	79.000	235.000
sRåprot	8	461.250	29.354	411.000	506.000
NDF	8	470.750	97.902	362.000	600.000
iNDF	8	151.625	103.236	45.000	285.000
nhNDF	8	4.638	0.692	3.909	5.815
TAF	8	61.000	0.000	61.000	61.000
Socker	8	130.250	31.640	77.000	158.000
AATp20	8	88.964	10.071	76.926	100.433

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	8	21.922	40.689	-35.935	68.850
NELp20	8	6.180	0.790	5.231	7.023
OE*	8	11.056	1.270	9.360	12.320
Ca	8	3.163	1.388	0.500	4.800
P	8	2.388	0.671	1.600	3.600
Mg	8	1.175	0.486	0.400	1.800
K	8	21.075	6.632	10.700	29.700
Na	8	0.688	0.517	0.100	1.400
Cl	7	10.214	10.224	2.100	27.800
S	8	2.000	0.682	0.900	2.900
CAB	8	174.528	234.582	-298.748	427.943
Fe	2	91.000	8.485	85.000	97.000
Mn	2	31.000	15.556	20.000	42.000
Zn	2	28.000	2.828	26.000	30.000
Cu	2	5.500	0.707	5.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	299.000	.	299.000	299.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	81.300	.	81.300	81.300
Råprot	1	167.000	.	167.000	167.000
sRåprot	1	717.000	.	717.000	717.000
NH3-N	1	101.000	.	101.000	101.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	383.000	.	383.000	383.000
iNDF	1	101.000	.	101.000	101.000
nhNDF	1	5.387	.	5.387	5.387
TAF	1	128.500	.	128.500	128.500
Mjölksyra	1	103.000	.	103.000	103.000
Ättiksyra	1	24.000	.	24.000	24.000
Socker	1	27.000	.	27.000	27.000
PRF	1	1.100	.	1.100	1.100
BUF	1	0.400	.	0.400	0.400
AATp20	1	79.997	.	79.997	79.997
PBVp20	1	38.866	.	38.866	38.866
NELp20	1	6.863	.	6.863	6.863
OE*	1	11.900	.	11.900	11.900
AAT*	1	74.000	.	74.000	74.000
PBV*	1	54.000	.	54.000	54.000
Ca	1	6.500	.	6.500	6.500
P	1	2.900	.	2.900	2.900
Mg	1	1.800	.	1.800	1.800
K	1	23.900	.	23.900	23.900
Na	1	1.000	.	1.000	1.000
Cl	1	7.400	.	7.400	7.400
S	1	2.100	.	2.100	2.100
CAB	1	315.031	.	315.031	315.031
Fe	1	245.000	.	245.000	245.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	56.000	.	56.000	56.000
Zn	1	26.000	.	26.000	26.000
Cu	1	6.100	.	6.100	6.100

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	717.000	.	717.000	717.000
Aska	1	38.000	.	38.000	38.000
OS smbh	1	60.900	.	60.900	60.900
Råprot	1	114.000	.	114.000	114.000
sRåprot	1	369.000	.	369.000	369.000
NH3-N	1	16.000	.	16.000	16.000
NDF	1	575.000	.	575.000	575.000
iNDF	1	348.000	.	348.000	348.000
nhNDF	1	3.475	.	3.475	3.475
TAF	1	19.000	.	19.000	19.000
Mjölksyra	1	0.000	.	0.000	0.000
Socker	1	68.000	.	68.000	68.000
AATp20	1	79.016	.	79.016	79.016
PBVp20	1	-6.249	.	-6.249	-6.249
NELp20	1	4.905	.	4.905	4.905
OE*	1	8.920	.	8.920	8.920
Ca	1	3.700	.	3.700	3.700
P	1	1.500	.	1.500	1.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	1	1.700	.	1.700	1.700
K	1	5.400	.	5.400	5.400
Na	1	1.300	.	1.300	1.300
S	1	1.800	.	1.800	1.800
CAB	1	-64.350	.	-64.350	-64.350

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	369.00	.	369.00	369.00
OS smbh	1	74.70	.	74.70	74.70
iNDF	1	151.40	.	151.40	151.40
nhNDF	1	4.71	.	4.71	4.71
TAF	1	84.00	.	84.00	84.00
AATp20	1	83.28	.	83.28	83.28
PBVp20	1	17.39	.	17.39	17.39
NELp20	1	6.11	.	6.11	6.11
Ca	1	5.80	.	5.80	5.80
P	1	2.70	.	2.70	2.70
Mg	1	2.00	.	2.00	2.00
K	1	24.10	.	24.10	24.10
Na	1	23.30	.	23.30	23.30
S	1	2.40	.	2.40	2.40
CAB	1	1347.02	.	1347.02	1347.02
Fe	1	80.00	.	80.00	80.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	48.00	.	48.00	48.00
Zn	1	24.00	.	24.00	24.00
Cu	1	5.50	.	5.50	5.50

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	58	409.603	126.001	225.000	606.000
Aska	58	67.879	10.291	57.000	83.000
OS smbh	58	79.047	3.103	76.200	81.700
Råprot	58	158.914	26.930	123.000	186.000
sRåprot	37	443.000	49.593	392.000	505.000
NDF	58	436.897	47.584	368.000	499.000
iNDF	58	109.379	43.992	72.000	157.000
nhNDF	58	5.100	0.933	3.997	6.289
TAF	58	84.000	0.000	84.000	84.000
Socker	58	133.552	31.113	97.000	171.000
AATp20	58	90.098	4.136	85.171	95.099
PBVp20	58	18.353	19.973	-7.261	40.670
NELp20	58	6.546	0.301	6.203	6.811
OE*	58	11.648	0.474	11.160	12.100
AAT*	21	80.286	1.554	79.000	82.000
PBV*	21	14.667	21.070	-14.000	36.000
Ca	58	4.697	1.202	3.700	6.500
P	58	2.764	0.414	2.300	3.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	58	1.598	0.327	1.200	2.000
K	58	24.022	4.686	19.800	30.300
Na	58	0.779	0.433	0.300	1.300
Cl	32	4.138	2.474	0.700	6.800
S	58	2.116	0.378	1.700	2.600
CAB	58	392.395	117.261	238.226	570.744
Fe	24	160.708	105.521	81.000	304.000
Mn	24	51.042	18.770	34.000	70.000
Zn	24	28.208	4.736	24.000	35.000
Cu	24	5.354	1.030	4.400	6.700
Se	2	0.010	0.001	0.009	0.010

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	31	543.516	143.236	360.000	733.000
Aska	31	78.097	12.265	64.000	98.000
OS smbh	31	75.287	3.657	70.900	79.800
Råprot	31	159.839	24.560	126.000	193.000
sRåprot	17	373.941	31.630	334.000	420.000
NDF	31	489.000	35.244	446.000	538.000
iNDF	31	148.778	58.879	97.000	194.421
nhNDF	31	4.915	0.841	3.991	5.946
TAF	31	84.000	0.000	84.000	84.000
Socket	31	98.419	28.123	59.000	130.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	31	87.035	4.171	82.168	91.087
PBVp20	31	24.302	17.914	-0.283	45.017
NELp20	31	6.253	0.362	5.774	6.685
OE*	31	10.900	0.524	10.300	11.600
AAT*	14	76.357	2.845	72.000	80.000
PBV*	14	28.357	31.089	-14.000	66.000
Ca	29	5.566	1.531	3.800	7.800
P	29	2.948	0.337	2.500	3.400
Mg	29	2.055	0.417	1.400	2.500
K	29	25.876	4.312	20.300	32.200
Na	29	1.138	0.566	0.400	1.900
Cl	17	7.982	3.629	3.200	12.500
S	29	2.362	0.360	1.900	2.900
CAB	29	377.037	120.053	248.415	561.691
Fe	16	125.250	69.455	69.000	208.000
Mn	16	54.688	19.622	28.000	75.000
Zn	16	28.813	5.659	23.000	39.000
Cu	16	6.713	0.761	5.800	8.000
Se	1	0.016	.	0.016	0.016

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	505.000	.	505.000	505.000
Aska	1	76.000	.	76.000	76.000
OS smbh	1	74.500	.	74.500	74.500
Råprot	1	148.000	.	148.000	148.000
sRåprot	1	358.000	.	358.000	358.000
NDF	1	485.000	.	485.000	485.000
iNDF	1	140.000	.	140.000	140.000
nhNDF	1	4.179	.	4.179	4.179
TAF	1	84.000	.	84.000	84.000
Socker	1	100.000	.	100.000	100.000
AATp20	1	86.975	.	86.975	86.975
PBVp20	1	13.298	.	13.298	13.298
NELp20	1	6.175	.	6.175	6.175
OE*	1	10.800	.	10.800	10.800
Ca	1	5.900	.	5.900	5.900
P	1	3.000	.	3.000	3.000
Mg	1	2.300	.	2.300	2.300
K	1	26.100	.	26.100	26.100
Na	1	1.700	.	1.700	1.700
Cl	1	9.500	.	9.500	9.500
S	1	2.400	.	2.400	2.400
CAB	1	323.827	.	323.827	323.827

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	555.500	160.612	393.000	715.000
Aska	4	99.500	13.304	87.000	111.000
OS smbh	4	73.650	4.796	68.300	79.600
Råprot	4	170.000	33.506	146.000	218.000
sRåprot	4	567.750	60.517	507.000	627.000
NH3-N	4	75.750	23.768	47.000	99.000
NDF	4	439.000	59.234	382.000	522.000
iNDF	4	176.293	52.606	98.819	213.983
nhNDF	4	4.102	1.047	3.335	5.639
TAF	4	28.150	10.018	19.500	41.500
Mjölksyra	4	17.000	8.485	9.000	27.000
Ättiksyra	4	8.000	2.708	4.000	10.000
Socker	4	69.750	24.061	52.000	104.000
BUF	4	2.150	1.921	0.500	4.100
AATp20	4	85.108	7.026	80.555	95.471
PBVp20	4	37.226	21.207	19.308	65.087
NELp20	4	5.862	0.501	5.354	6.550
OE*	4	10.375	0.768	9.400	11.200
AAT*	4	69.500	1.915	67.000	71.000
PBV*	4	49.500	30.490	26.000	93.000
CI	4	9.650	2.918	6.700	13.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	82	407.061	106.138	283.000	577.000
Aska	82	72.976	12.926	64.000	82.000
OS smbh	82	77.539	3.606	73.000	80.400
Råprot	82	161.902	27.276	131.000	194.000
sRåprot	82	671.915	74.922	577.000	751.000
NH3-N	81	66.963	49.118	32.000	99.000
NDF	82	431.146	53.639	369.000	488.000
iNDF	82	128.814	39.166	91.000	189.704
nhNDF	82	4.656	0.710	4.035	5.193
Stä	2	24.500	10.607	17.000	32.000
TAF	82	76.593	33.330	30.500	111.000
Mjölksyra	82	59.500	29.998	20.000	96.000
Ättiksyra	81	15.321	6.861	7.000	22.000
Socker	82	73.988	32.374	31.000	114.000
PRF	62	1.306	2.237	0.000	2.000
BUF	81	0.501	2.066	0.000	1.400
AATp20	82	83.501	4.067	78.909	87.958
PBVp20	82	31.910	23.614	1.598	63.280
NELp20	82	6.504	0.395	6.197	6.903
OE*	82	11.338	0.608	10.530	11.900
AAT*	19	71.895	2.470	67.000	74.000
PBV*	19	18.474	26.385	-15.000	59.000
Ca	77	5.260	1.337	4.000	7.300
P	77	2.977	0.421	2.400	3.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	77	1.747	0.395	1.300	2.300
K	77	24.100	3.510	19.700	28.100
Na	77	1.314	0.700	0.500	2.100
Cl	82	6.918	5.501	3.100	10.800
S	77	2.131	0.347	1.700	2.600
CAB	77	345.581	166.449	215.955	499.040
Fe	41	161.829	107.133	85.000	287.000
Mn	41	48.927	12.935	34.000	64.000
Zn	41	50.683	76.989	21.000	64.000
Cu	41	5.822	1.124	5.000	7.200
Se	6	0.050	0.000	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	43	445.256	117.696	308.000	625.000
Aska	43	73.907	8.103	66.000	83.000
OS smbh	43	74.867	2.474	71.900	77.200
Råprot	43	168.628	24.016	131.000	194.000
sRåprot	43	614.977	91.661	527.000	712.000
NH3-N	42	66.452	24.991	30.000	89.000
NDF	43	471.186	34.865	432.000	505.000
iNDF	43	158.357	38.749	127.000	211.501
nhNDF	43	4.472	0.331	4.028	4.832
TAF	43	66.735	25.621	33.000	101.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	43	50.000	22.404	17.000	80.000
Ättiksyra	41	14.756	6.115	7.000	22.000
Socker	43	59.279	29.895	29.000	99.000
PRF	31	1.387	1.202	0.000	2.000
BUF	41	0.527	1.475	0.000	1.200
AATp20	43	83.832	4.072	79.977	90.485
PBVp20	43	37.897	22.158	4.895	63.556
NELp20	43	6.316	0.276	5.932	6.598
OE*	43	10.886	0.391	10.420	11.260
AAT*	10	71.000	1.826	68.000	73.000
PBV*	10	31.400	25.299	-8.000	62.000
Ca	43	5.986	1.538	4.500	8.000
P	43	3.053	0.367	2.500	3.500
Mg	43	2.135	0.370	1.700	2.600
K	43	24.665	3.982	20.500	29.400
Na	43	1.760	0.854	0.800	2.800
Cl	43	8.153	3.288	4.700	12.200
S	43	2.444	0.339	2.000	2.900
CAB	43	324.926	121.466	203.986	412.720
Fe	25	121.080	44.997	78.000	193.000
Mn	25	58.040	15.725	41.000	82.000
Zn	25	34.240	14.976	24.000	43.000
Cu	25	6.792	1.437	5.000	9.000
Se	3	0.038	0.021	0.014	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	449.300	101.351	344.500	591.500
Aska	10	75.200	13.807	64.000	97.000
OS smbh	10	75.560	2.508	72.300	79.000
Råprot	10	170.700	17.082	153.500	198.500
sRåprot	10	570.100	72.321	468.500	660.000
NH3-N	10	55.100	20.245	26.500	76.500
NDF	10	442.400	28.254	413.000	480.500
iNDF	10	165.593	42.218	129.049	230.500
nhNDF	10	4.553	0.979	3.826	6.020
TAF	10	65.310	29.986	30.700	113.000
Mjölksyra	10	51.700	29.605	15.500	100.000
Ättiksyra	9	11.778	5.974	3.000	20.000
Socker	10	62.800	29.649	25.500	105.000
PRF	7	0.571	1.134	0.000	3.000
BUF	9	0.456	0.706	0.000	1.700
AATp20	10	85.549	5.936	77.386	93.429
PBVp20	10	37.001	12.438	20.167	53.732
NELp20	10	6.349	0.239	6.026	6.695
OE*	10	10.973	0.346	10.480	11.345
AAT*	2	72.000	0.000	72.000	72.000
PBV*	2	37.000	8.485	31.000	43.000
Ca	10	7.000	1.556	5.200	9.400
P	10	2.790	0.458	2.450	3.500
Mg	10	2.380	0.294	2.000	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	10	21.690	3.138	18.400	26.500
Na	10	1.780	0.611	1.000	2.650
Cl	10	6.790	3.207	3.350	11.700
S	10	2.550	0.314	2.250	3.000
CAB	10	281.480	66.519	193.793	379.527
Fe	3	116.667	46.069	67.000	158.000
Mn	3	64.000	26.458	44.000	94.000
Zn	3	28.000	4.000	24.000	32.000
Cu	3	6.967	1.850	5.100	8.800

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	350.750	97.1301	212.000	438.000
Aska	4	99.250	15.5215	86.000	118.000
OS smbh	4	75.400	2.8856	73.600	79.700
Råprot	4	186.000	16.2481	166.000	202.000
sRåprot	4	622.250	30.4891	580.000	652.000
NH3-N	4	66.750	5.9090	59.000	73.000
NDF	4	410.750	43.2464	346.000	436.000
iNDF	4	198.500	34.4529	157.000	241.000
nhNDF	4	4.891	0.5156	4.488	5.579
TAF	4	106.750	26.7753	78.000	142.000
Mjölksyra	4	87.750	20.0728	62.000	111.000
Ättiksyra	4	15.750	8.1394	6.000	25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	4	43.750	27.1339	14.000	71.000
PRF	4	3.250	2.5000	0.000	6.000
BUF	4	0.000	0.0000	0.000	0.000
AATp20	4	79.289	3.5614	74.129	82.018
PBVp20	4	61.128	14.7885	39.534	71.433
NELp20	4	6.326	0.2170	6.055	6.581
OE*	4	10.673	0.3303	10.360	11.130
Ca	4	7.275	0.6292	6.400	7.900
P	4	3.425	0.1708	3.200	3.600
Mg	4	2.700	0.1155	2.600	2.800
K	4	23.025	0.7365	22.200	23.900
Na	4	1.900	0.3559	1.600	2.400
Cl	4	7.400	1.4071	6.000	9.300
S	4	2.775	0.2500	2.500	3.100
CAB	4	289.595	31.0128	259.879	329.212

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	411.500	85.074	349.000	537.000
Aska	4	43.250	7.676	35.000	53.000
OS smbh	4	68.900	3.257	65.300	73.200
Råprot	4	87.250	20.565	63.000	110.000
sRåprot	4	630.750	79.475	536.000	723.000
NH3-N	4	65.750	31.063	27.000	103.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	4	418.500	79.994	330.000	521.000
iNDF	4	240.038	34.341	193.000	274.000
nhNDF	4	2.324	0.966	1.060	3.226
Stä	3	188.667	155.049	20.000	325.000
TAF	4	49.675	26.555	24.000	81.000
Mjölksyra	4	35.000	23.763	14.000	66.000
Ättiksyra	4	12.250	5.377	6.000	19.000
Socker	4	99.500	49.702	43.000	147.000
PRF	3	0.667	0.577	0.000	1.000
BUF	3	2.000	1.732	1.000	4.000
AATp20	4	72.415	1.602	70.316	74.026
PBVp20	4	-27.254	17.674	-50.254	-9.421
NELp20	4	5.642	0.446	5.084	6.171
OE*	3	10.473	0.456	10.200	11.000
Ca	3	3.200	0.721	2.600	4.000
P	4	2.400	0.648	1.700	3.000
Mg	4	1.300	0.316	1.000	1.700
K	4	15.575	2.329	13.700	18.700
Na	4	1.200	0.271	0.800	1.400
Cl	4	6.925	4.565	3.800	13.700
S	4	1.450	0.265	1.100	1.700
CAB	3	156.291	111.348	48.867	271.187
Fe	2	62.000	19.799	48.000	76.000
Mn	2	21.500	0.707	21.000	22.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	20.000	1.414	19.000	21.000
Cu	2	5.250	0.354	5.000	5.500

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	300.000	.	300.000	300.000
Aska	1	78.000	.	78.000	78.000
OS smbh	2	70.850	11.6673	62.600	79.100
Råprot	1	173.000	.	173.000	173.000
sRåprot	1	706.000	.	706.000	706.000
NH3-N	1	72.000	.	72.000	72.000
NDF	1	239.000	.	239.000	239.000
iNDF	2	274.890	40.8570	246.000	303.781
nhNDF	2	2.554	0.4410	2.242	2.866
Stä	1	202.000	.	202.000	202.000
TAF	2	111.500	45.9619	79.000	144.000
Mjölksyra	1	106.000	.	106.000	106.000
Ättiksyra	1	33.000	.	33.000	33.000
Socker	1	36.000	.	36.000	36.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	69.691	1.4576	68.661	70.722
PBVp20	2	37.670	24.1658	20.582	54.758
NELp20	2	6.009	1.1426	5.201	6.817

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	11.530	.	11.530	11.530
Ca	1	9.800	.	9.800	9.800
P	1	4.600	.	4.600	4.600
Mg	1	2.100	.	2.100	2.100
K	1	20.800	.	20.800	20.800
Na	1	1.800	.	1.800	1.800
Cl	1	7.900	.	7.900	7.900
S	1	1.800	.	1.800	1.800
CAB	1	275.195	.	275.195	275.195

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	417.000	.	417.000	417.000
Aska	1	5.000	.	5.000	5.000
OS smbh	1	76.700	.	76.700	76.700
Råprot	1	64.000	.	64.000	64.000
sRåprot	1	588.000	.	588.000	588.000
NH3-N	1	67.000	.	67.000	67.000
NDF	1	342.000	.	342.000	342.000
iNDF	1	218.000	.	218.000	218.000
nhNDF	1	2.968	.	2.968	2.968
Stä	1	442.000	.	442.000	442.000
TAF	1	58.000	.	58.000	58.000
Mjölksyra	1	44.000	.	44.000	44.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	5.000	.	5.000	5.000
PRF	1	1.000	.	1.000	1.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	86.156	.	86.156	86.156
PBVp20	1	-69.630	.	-69.630	-69.630
NELp20	1	6.712	.	6.712	6.712
OE*	1	12.020	.	12.020	12.020
Ca	1	1.100	.	1.100	1.100
P	1	1.800	.	1.800	1.800
Mg	1	1.100	.	1.100	1.100
K	1	3.700	.	3.700	3.700
Na	1	0.400	.	0.400	0.400
S	1	0.700	.	0.700	0.700
CAB	1	35.876	.	35.876	35.876

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	369.222	88.566	203.000	474.000
Aska	9	50.111	16.389	19.000	71.000
OS smbh	9	69.722	6.514	59.700	80.500
Råprot	9	117.556	47.162	49.000	192.000
sRåprot	9	677.222	116.793	469.000	812.000
NH3-N	8	81.500	54.253	20.000	184.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	9	502.000	67.233	372.000	591.000
iNDF	9	228.111	97.902	120.000	385.000
nhNDF	9	3.771	0.743	2.344	4.971
Stä	8	55.125	68.317	1.000	193.000
TAF	9	64.778	35.351	20.000	142.000
Mjölksyra	9	41.222	28.800	0.000	94.000
Ättiksyra	9	20.222	9.770	10.000	44.000
Socker	9	79.444	32.577	28.000	117.000
PRF	9	2.111	2.028	0.000	6.000
BUF	9	1.222	1.986	0.000	5.000
AATp20	9	71.228	3.744	63.594	77.048
PBVp20	9	0.327	41.943	-57.866	77.173
NELp20	9	5.863	0.604	4.813	6.640
OE*	9	10.284	0.945	8.890	11.850
Ca	9	2.800	1.512	0.600	4.900
P	9	2.333	0.879	0.900	3.700
Mg	7	1.243	0.162	1.100	1.500
K	9	17.878	7.923	5.900	30.300
Na	9	0.567	0.433	0.100	1.400
Cl	7	3.643	1.651	1.700	6.700
S	9	1.567	0.592	0.700	2.400
CAB	9	276.035	192.075	-1.942	581.397
Fe	2	181.000	155.563	71.000	291.000
Mn	2	45.000	7.071	40.000	50.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	24.500	6.364	20.000	29.000
Cu	2	5.500	2.121	4.000	7.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	456.000	96.1665	388.000	524.000
Aska	2	49.500	6.3640	45.000	54.000
OS smbh	2	71.950	0.0707	71.900	72.000
Råprot	2	99.500	2.1213	98.000	101.000
sRåprot	2	719.500	43.1335	689.000	750.000
NH3-N	2	87.500	24.7487	70.000	105.000
NDF	2	364.000	12.7279	355.000	373.000
iNDF	2	246.961	15.5014	236.000	257.922
nhNDF	2	2.384	0.2385	2.215	2.552
Stä	2	217.000	8.4853	211.000	223.000
TAF	2	54.500	30.4056	33.000	76.000
Mjölksyra	2	42.500	23.3345	26.000	59.000
Ättiksyra	2	12.000	7.0711	7.000	17.000
Socker	2	59.000	42.4264	29.000	89.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	74.618	2.5417	72.821	76.415
PBVp20	2	-16.715	2.2976	-18.339	-15.090

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	5.958	0.0748	5.905	6.011
OE*	1	10.640	.	10.640	10.640
Ca	2	3.750	1.7678	2.500	5.000
P	2	2.750	0.3536	2.500	3.000
Mg	2	1.500	0.0000	1.500	1.500
K	2	15.200	0.4243	14.900	15.500
Na	2	0.900	0.8485	0.300	1.500
Cl	2	3.650	1.2021	2.800	4.500
S	2	1.300	0.4243	1.000	1.600
CAB	2	243.810	12.6347	234.876	252.744
Fe	1	83.000	.	83.000	83.000
Mn	1	26.000	.	26.000	26.000
Zn	1	26.000	.	26.000	26.000
Cu	1	3.800	.	3.800	3.800

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	360.625	57.775	267.000	439.000
Aska	8	46.000	37.584	19.000	109.000
OS smbh	8	76.075	2.204	72.900	78.200
Råprot	8	75.250	6.182	68.000	84.000
sRåprot	8	541.500	126.560	367.000	751.000
NH3-N	6	59.000	26.061	24.000	102.000
NDF	8	334.250	100.231	174.000	444.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	8	231.430	41.835	181.489	300.000
nhNDF	8	2.984	1.031	0.959	3.687
Stä	8	305.500	54.066	209.000	396.000
TAF	8	72.000	12.201	53.000	89.000
Mjölksyra	8	54.250	9.392	34.000	65.000
Ättiksyra	8	13.000	7.131	0.000	21.000
Socker	8	8.125	5.222	5.000	19.000
PRF	6	5.333	1.633	4.000	8.000
BUF	6	0.000	0.000	0.000	0.000
AATp20	8	80.454	2.609	77.689	84.705
PBVp20	8	-51.221	8.164	-64.274	-42.737
NELp20	8	6.476	0.214	6.172	6.729
OE*	6	11.250	0.366	10.780	11.870
Ca	8	1.650	0.330	1.200	2.100
P	8	1.775	0.249	1.500	2.300
Mg	7	1.086	0.157	0.900	1.300
K	8	9.488	2.090	7.700	14.300
Na	8	0.338	0.481	0.100	1.500
Cl	6	1.533	0.356	1.200	2.200
S	8	0.913	0.064	0.800	1.000
CAB	8	157.332	73.648	99.958	332.443
Fe	6	81.000	26.458	64.000	134.000
Mn	6	28.167	14.106	15.000	55.000
Zn	6	27.000	6.899	17.000	36.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	6	4.650	0.880	3.500	6.000
Se	1	0.006	.	0.006	0.006

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	899.000	12.7279	890.000	908.000
Aska	2	44.000	4.2426	41.000	47.000
OS smbh	2	63.900	0.8485	63.300	64.500
Råprot	2	63.000	7.0711	58.000	68.000
NDF	2	615.500	2.1213	614.000	617.000
iNDF	2	229.335	8.0257	223.660	235.010
nhNDF	2	3.383	0.1455	3.280	3.486
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	134.000	11.3137	126.000	142.000
AATp20	2	80.689	1.3134	79.760	81.617
PBVp20	2	-55.497	4.3817	-58.595	-52.399
NELp20	2	4.919	0.1018	4.848	4.991
OE*	2	9.350	0.0707	9.300	9.400
AAT*	2	67.500	0.7071	67.000	68.000
PBV*	2	-51.000	5.6569	-55.000	-47.000
Ca	2	2.400	0.5657	2.000	2.800
P	2	1.850	0.0707	1.800	1.900
Mg	2	1.000	0.0000	1.000	1.000
K	2	13.450	2.7577	11.500	15.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.100	0.0000	0.100	0.100
S	2	1.100	0.0000	1.100	1.100
CAB	2	138.743	70.5298	88.870	188.615
Fe	2	49.500	7.7782	44.000	55.000
Mn	2	43.500	2.1213	42.000	45.000
Zn	2	20.000	1.4142	19.000	21.000
Cu	2	3.050	0.0707	3.000	3.100

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	324.000	9.899	317.000	331.000
Aska	2	89.000	28.284	69.000	109.000
OS smbh	2	72.300	7.778	66.800	77.800
Råprot	2	172.000	15.556	161.000	183.000
sRåprot	2	681.000	86.267	620.000	742.000
NH3-N	2	88.000	35.355	63.000	113.000
NDF	2	410.500	37.477	384.000	437.000
iNDF	2	282.603	246.926	108.000	457.206
nhNDF	2	4.479	0.279	4.282	4.676
TAF	2	110.500	4.950	107.000	114.000
Mjölksyra	2	85.500	2.121	84.000	87.000
Ättiksyra	2	22.500	6.364	18.000	27.000
Socker	2	36.000	28.284	16.000	56.000
PRF	1	2.000	.	2.000	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	2	1.000	1.414	0.000	2.000
AATp20	2	72.572	8.626	66.473	78.671
PBVp20	2	63.478	0.854	62.874	64.081
NELp20	2	6.097	0.976	5.406	6.787
OE*	2	10.315	1.577	9.200	11.430
AAT*	1	66.000	.	66.000	66.000
PBV*	1	46.000	.	46.000	46.000
Ca	1	4.300	.	4.300	4.300
P	1	2.600	.	2.600	2.600
Mg	1	1.900	.	1.900	1.900
K	1	19.700	.	19.700	19.700
Na	1	1.200	.	1.200	1.200
Cl	2	7.900	0.849	7.300	8.500
S	1	2.200	.	2.200	2.200
CAB	1	179.074	.	179.074	179.074
Fe	1	88.000	.	88.000	88.000
Mn	1	41.000	.	41.000	41.000
Zn	1	26.000	.	26.000	26.000
Cu	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	434.750	60.742	384.000	507.000
Aska	4	67.750	13.574	48.000	79.000
OS smbh	4	72.950	2.306	70.800	76.000
Råprot	4	140.250	33.886	90.000	162.000
sRåprot	4	524.500	24.076	502.000	556.000
NH3-N	4	59.250	36.755	10.000	99.000
NDF	4	363.750	81.008	258.000	433.000
iNDF	4	254.000	29.541	224.000	289.000
nhNDF	4	3.182	1.395	1.112	4.139
Stä	4	192.250	119.019	116.000	369.000
TAF	4	52.750	21.407	34.000	82.000
Mjölksyra	4	31.000	20.688	8.000	56.000
Ättiksyra	4	16.750	5.679	11.000	23.000
Socker	4	33.750	10.874	25.000	49.000
PRF	4	4.000	1.414	3.000	6.000
BUF	4	1.000	1.414	0.000	3.000
AATp20	4	84.442	0.785	83.709	85.529
PBVp20	4	14.073	32.425	-34.210	33.584
NELp20	4	6.229	0.224	6.062	6.559
OE*	4	10.640	0.391	10.240	11.010
Ca	4	8.100	3.178	4.500	12.200
P	4	3.650	0.289	3.300	4.000
Mg	4	2.850	0.370	2.600	3.400
K	4	14.450	4.729	7.600	18.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	3.700	1.958	2.000	6.300
Cl	3	11.133	1.365	10.200	12.700
S	4	2.275	0.330	1.800	2.500
CAB	4	140.360	59.347	88.817	225.693
Fe	3	372.333	4.726	367.000	376.000
Mn	3	116.000	26.058	99.000	146.000
Zn	3	90.000	12.124	79.000	103.000
Cu	3	18.667	2.517	16.000	21.000
Se	1	0.510	.	0.510	0.510

*= Parametrar från det gamla svenska fodervärderingssystemet