

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socket
Korn, kärna (001)	1	6	880	20	43.0	113	323		129	94	3.15	563	0.0000			5
Havre, kärna, hög NDF (002)	1	1	864	28	75.0	133				392	2.00	488	0.0000			
Vete, kärna (005)	1	4	870	17	88.0	142				187	3.50	691	0.0000			
Majs, finmald kärna (014)	1	1	607	27	0.0	91	368		68	25	3.70	660	0.0000			5
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	804	21	81.6	154				324	2.50	582	0.0000			
Betfiber melasserad, Danisco - Betfor (024)	1	1	300	36	0.0	103	698		250	25	9.60	352	0.0000			5
Prognos, blandvall (1-50% baljv) (042)	0	9	236		73.2					170	4.32		0.0000			
Prognos, blandvall (51-100% baljv.) (043)	0	1	261		73.2					262	6.38		0.0000			
Grönmassa, gräs (0% baljv.) (161)	1	4	353	66	75.7	163	562		465	140	4.32	32	61.0000			115
Ensilage, gräs (0% klöver) (162)	1	3	607	70	78.0	168	566	48.7	455	128	5.17		28.1667	17.3	8.7	109
Ensilage, gräs (0% klöver) (162)	2	1	667	75	74.3	145	426	41.0	507	154	4.70		14.4000	6.0	6.0	94
Grönmassa blandvall (1-50 % baljväxter) (164)	1	54	454	71	76.3	156	446		464	130	4.71		84.0000			123
Grönmassa blandvall (1-50 % baljväxter) (164)	2	13	446	71	73.4	162	415		484	177	4.34		84.0000			93
Grönmassa blandvall (1-50 % baljväxter) (164)	3	4	477	71	73.5	166	382		465	213	4.70		84.0000			96
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1	447	44	78.4	96	558		394	92	3.45	71	84.0000			21
Ensilage, blandvall (1-50% klöver) (165)	0	5	392	69	76.8	144	693	82.6	462	141	4.86		83.6400	67.4	14.4	53
Ensilage, blandvall (1-50% klöver) (165)	1	173	399	72	76.9	159	668	78.3	445	144	4.84		75.7249	58.5	15.4	64
Ensilage, blandvall (1-50% klöver) (165)	2	67	418	79	74.0	161	589	73.5	465	180	4.52	35	65.6821	49.8	13.7	54
Ensilage, blandvall (1-50% klöver) (165)	3	16	420	78	71.9	166	557	72.6	459	227	4.36		62.1125	40.9	19.1	46
Ensilage, blandvall (1-50% klöver) (165)	4	1	300	113	73.6	141	612	106	400	190	3.66		96.3000	80.0	15.0	33
Korn, helsädesensilage (250)	1	6	394	65	72.6	141	642	73.2	384	257	3.63	163	73.1167	48.2	22.7	53
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	404	95	66.1	126	572	76.0	409	295	2.28	32	91.0000	61.0	28.0	53
Havre helsädesensilage degmognad (296)	1	1	553	67	72.9	110	504	43.0	521	155	4.20	3	18.0000	14.0	0.0	145
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	374	83	65.6	153	494	84.5	449	280	2.55	63	38.0000	27.0	11.0	38
Vete, helsäd ensilage (299)	1	4	426	60	70.6	134	637	33.0	474	219	3.75	63	67.5000	54.3	11.3	71

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk-syra	Ättik-syra	Socker
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	1	315	74	82.8	206	534	14.0	383	82	6.10	19	37.0000	36.0	1.0	136
Majs, helsädesensilage (305)	1	9	366	44	75.9	78	569	76.7	349	222	3.12	292	74.2222	56.4	13.8	10
Råg, helsädesensilage, axgång (311)	1	1	323	70	76.6	182	672	106	470	140	4.89	17	86.0000	64.0	22.0	26
Hö, blandvall, 0-50% baljväxter (383)	1	3	845	50	67.2	93	441		553	237	3.71		0.0000			114
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	595	63	80.6	177	396		385	107	4.88		72.0000			151
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	437	62	69.7	202	681		339	429	2.87		72.0000			36
Ensilage, blandvall (51-100% klöver) (438)	1	1	530	94	77.2	233	580	79.0	311	277	4.84		54.0000	39.0	12.0	74
Grunnblanding Middels ford.grovför (326)	1	7	437	64	73.1	149	532	68.7	375	258	3.29	157	72.5714	41.7	25.1	30
Fullfoder (TMR) ej kompletta data (1E3)	1	6	442	66	62.0	156	563	71.2	367	219	3.26	140	86.0000	56.0	24.0	41

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	6				97.1	-33	7.44	13.5		
Havre, kärna, hög NDF (002)	1	1				83.1	14.7	6.40			
Vete, kärna (005)	1	4				117	-29	8.10			
Majs, finmald kärna (014)	1	1				106	-61	7.82	13.5		
Blandsäd, kärna, 50%havre/50%vete (115)	1	1				104	3.3	7.61			
Betfiber melasserad, Danisco - Betfor (024)	1	1				63.0	2.2	7.14	12.4		
Prognos, blandvall (1-50% baljv) (042)	0	9				96.4	-4.4	5.94	12.1		
Prognos, blandvall (51-100% baljv.) (043)	0	1				93.0	14.4	5.95	11.2		
Grönmassa, gräs (0% baljv.) (161)	1	4				86.4	25.2	6.25	11.1		
Ensilage, gräs (0% klöver) (162)	1	3		1.16667		90.8	23.3	6.43	11.4	72.7	42.7
Ensilage, gräs (0% klöver) (162)	2	1		1.40000		90.5	2.6	6.07	10.8	71.0	23.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	54				87.3	20.2	6.32	11.2	73.6	7.8
Grönmassa blandvall (1-50 % baljväxter) (164)	2	13				86.2	27.4	6.12	10.7	73.0	-13
Grönmassa blandvall (1-50 % baljväxter) (164)	3	4				87.6	29.4	6.11	10.7		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1				84.8	-32	6.37	11.8		
Ensilage, blandvall (1-50% klöver) (165)	0	5		0.84000		81.9	17.5	6.44	11.3	72.4	19.2
Ensilage, blandvall (1-50% klöver) (165)	1	173	1.01449	0.85029		83.3	29.9	6.45	11.2	72.3	27.9
Ensilage, blandvall (1-50% klöver) (165)	2	67	1.42857	0.76818		83.0	32.1	6.18	10.7	70.5	35.4
Ensilage, blandvall (1-50% klöver) (165)	3	16	1.30769	0.85333		82.3	38.2	5.99	10.4	68.0	23.5
Ensilage, blandvall (1-50% klöver) (165)	4	1		0.30000		74.7	26.2	5.89	10.2	69.0	22.0
Korn, helsädesensilage (250)	1	6	2.00000	0.40000		72.6	17.5	6.05	10.5		
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1				65.9	20.7	5.35			
Havre helsädesensilage degmognad (296)	1	1	3.00000	1.00000		86.7	-30	5.85	10.6		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2				71.0	34.9	5.31			
Vete, helsäd ensilage (299)	1	4	1.75000	0.25000		71.6	12.6	5.93	10.3		
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	1	0.00000	0.00000		94.0	43.7	7.00	12.2		
Majs, helsädesensilage (305)	1	9	4.50000	0.00000		80.1	-48	6.48	11.3	79.5	-72
Råg, helsädesensilage, axgång (311)	1	1				72.9	52.8	6.49			
Hö, blandvall, 0-50% baljväxter (383)	1	3				88.1	-39	5.29	9.9	69.0	-30
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1				91.4	37.7	6.81	12.0		
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1				74.8	89.7	5.86	10.2		
Ensilage, blandvall (51-100% klöver) (438)	1	1	1.00000	2.00000		85.0	102	6.44	11.0		
Grunnblanding Middels ford.grovför (326)	1	7	5.42857	0.28571		83.5	24.3	6.30	10.7		
Fullfoder (TMR) ej kompletta data (1E3)	1	6	5.00000	1.00000				0.00	10.4		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	2	0.5	3.3	1.3	5.0	0.3		1.5	13	2	63.5	13.5	32.5	5.4	
Havre, kärna, hög NDF (002)	1	1	0.7	4.1	1.3	4.8	0.2		1.9	-7	1	131.0	61.0	65.0	6.3	
Vete, kärna (005)	1	3	0.4	3.2	1.2	4.6	0.1		1.4	7	3	36.7	34.3	31.7	4.3	
Blandsäd, kärna, 50%havre/50%vete (115)	1	1	1.0	3.8	1.5	4.9	0.3		1.9	-3	1	130.0	64.0	55.0	6.3	
Grönmassa, gräs (0% baljv.) (161)	1	4	3.7	2.6	1.1	20.6	1.1	10.0	2.0	169	2	108.0	37.0	21.5	4.5	0.1
Ensilage, gräs (0% klöver) (162)	1	3	5.9	2.6	1.6	25.2	1.9	6.4	2.6	384	3	86.0	39.3	28.7	5.7	
Ensilage, gräs (0% klöver) (162)	2	1	6.2	2.3	2.1	25.4	3.0	9.9	3.6	276	1	64.0	28.0	25.0	5.9	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	54	5.1	2.7	1.6	24.8	0.9	8.0	2.1	351	27	120.2	46.5	25.9	5.2	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	12	7.0	2.9	2.1	23.0	1.5	11.7	2.5	170	4	70.8	28.8	23.5	7.0	
Grönmassa blandvall (1-50 % baljväxter) (164)	3	4	8.7	2.8	2.2	22.2	1.6	9.5	2.5	215	2	114.0	31.5	19.5	7.5	
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1	2.3	2.0	1.3	14.9			0.8	225	0					
Ensilage, blandvall (1-50% klöver) (165)	0	5	5.1	2.8	1.9	24.1	1.7	8.4	2.0	333	5	146.2	56.4	26.8	5.7	
Ensilage, blandvall (1-50% klöver) (165)	1	169	6.4	2.8	1.7	23.9	1.7	7.2	2.2	344	145	132.5	39.5	31.5	5.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	64	7.3	2.9	2.2	23.8	2.2	10.2	2.6	253	47	209.3	54.2	40.2	6.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	15	8.5	3.0	2.4	22.4	1.9	9.0	2.5	266	2	105.0	59.0	23.0	6.7	
Ensilage, blandvall (1-50% klöver) (165)	4	1	6.9	2.9	2.5	20.6	2.1	9.7	2.8	170	1	479.0	114.0	28.0	6.7	
Korn, helsädesensilage (250)	1	6	6.8	2.7	2.1	21.2	1.4	6.8	2.2	288	4	99.3	23.3	67.5	6.1	0.1
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	13.6	2.6	2.0	27.1	1.4	7.4	3.2	346	1	109.0	29.0	31.0	5.2	
Havre helsädesensilage degmognad (296)	1	1	1.4	2.3	0.6	24.1			1.2	432	0					
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	11.3	2.8	2.6	21.1	1.0	12.5	3.4	-41	1	188.0	23.0	39.0	5.0	
Vete, helsäd ensilage (299)	1	4	4.4	2.6	1.1	16.7	1.2	3.9	2.0	246	1	91.0	11.0	16.0	5.0	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	1	4.0	4.0	1.0	29.6	0.7	4.8	2.4	502	0					
Majs, helsädesensilage (305)	1	9	2.0	1.7	0.9	10.2	0.4	3.0	0.9	156	5	313.0	22.2	49.2	5.2	0.0
Råg, helsädesensilage, axgång (311)	1	1	5.8	3.5	1.6	25.5	2.2	5.0	2.6	444	1	104.0	32.0	30.0	5.7	
Hö, blandvall, 0-50% baljväxter (383)	1	3	3.5	2.1	1.3	15.9	0.7	0.8	1.5	241	1	68.0	61.0	19.0	3.7	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	4.8	2.1	1.3	18.4	1.5	5.7	2.2	238	1	66.0	34.0	17.0	6.0	
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	13.9	3.2	2.6	16.9	1.2	2.5	2.4	264	0					
Ensilage, blandvall (51-100% klöver) (438)	1	1	12.7	4.0	2.9	23.6	1.6	7.0	2.8	301	0					
Grunnblanding Middels ford.grovför (326)	1	7	7.2	3.3	3.2	14.9	2.6	7.1	2.6	126	6	287.3	66.5	61.5	14.5	0.6
Fullfoder (TMR) ej kompletta data (1E3)	1	3	7.2	3.5	2.3	15.4	2.8	7.3	2.3	142	3	263.7	51.7	49.0	9.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	879.833	21.6649	841.000	904.000
Aska	6	20.433	1.1776	19.000	22.000
OS smbh	6	43.000	47.1041	0.000	86.000
Råprot	6	112.517	12.1215	99.000	127.900
sRåprot	3	323.000	11.1355	311.000	333.000
NDF	3	129.000	15.1327	117.000	146.000
iNDF	6	93.500	75.0380	25.000	162.000
nhNDF	6	3.150	0.0000	3.150	3.150
Stä	6	563.467	45.5559	505.700	627.800
TAF	6	0.000	0.0000	0.000	0.000
Socker	3	5.000	0.0000	5.000	5.000
AATp20	6	97.068	2.1141	95.032	99.820
PBVp20	6	-33.451	14.8269	-47.577	-14.689
NELp20	6	7.436	0.1529	7.286	7.643
OE*	3	13.500	0.1000	13.400	13.600
Ca	2	0.450	0.0707	0.400	0.500
P	2	3.250	0.4950	2.900	3.600
Mg	2	1.250	0.0707	1.200	1.300
K	2	4.950	0.0707	4.900	5.000
Na	2	0.250	0.0707	0.200	0.300
S	2	1.450	0.0707	1.400	1.500
CAB	2	13.040	9.3023	6.463	19.618
Fe	2	63.500	20.5061	49.000	78.000
Mn	2	13.500	0.7071	13.000	14.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	32.500	2.1213	31.000	34.000
Cu	2	5.350	0.4950	5.000	5.700

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	864.000	.	864.000	864.000
Aska	1	27.800	.	27.800	27.800
OS smbh	1	75.000	.	75.000	75.000
Råprot	1	133.100	.	133.100	133.100
iNDF	1	392.000	.	392.000	392.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	488.400	.	488.400	488.400
TAF	1	0.000	.	0.000	0.000
AATp20	1	83.102	.	83.102	83.102
PBVp20	1	14.707	.	14.707	14.707
NELp20	1	6.397	.	6.397	6.397
Ca	1	0.700	.	0.700	0.700
P	1	4.100	.	4.100	4.100
Mg	1	1.300	.	1.300	1.300
K	1	4.800	.	4.800	4.800
Na	1	0.200	.	0.200	0.200
S	1	1.900	.	1.900	1.900
CAB	1	-7.011	.	-7.011	-7.011
Fe	1	131.000	.	131.000	131.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	61.000	.	61.000	61.000
Zn	1	65.000	.	65.000	65.000
Cu	1	6.300	.	6.300	6.300

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	870.250	14.1510	858.000	883.000
Aska	4	17.250	2.1016	15.200	19.800
OS smbh	4	88.000	0.0000	88.000	88.000
Råprot	4	142.025	13.2440	130.400	160.800
iNDF	4	187.000	0.0000	187.000	187.000
nhNDF	4	3.500	0.0000	3.500	3.500
Stä	4	690.675	25.0364	653.800	708.600
TAF	4	0.000	0.0000	0.000	0.000
AATp20	4	117.198	1.1699	116.127	118.731
PBVp20	4	-29.390	11.7629	-39.595	-12.580
NELp20	4	8.097	0.0053	8.090	8.102
Ca	3	0.400	0.0000	0.400	0.400
P	3	3.233	0.6429	2.500	3.700
Mg	3	1.233	0.1155	1.100	1.300
K	3	4.600	0.1000	4.500	4.700
Na	3	0.100	0.0000	0.100	0.100
S	3	1.433	0.0577	1.400	1.500
CAB	3	7.059	5.9621	0.335	11.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	3	36.667	4.0415	32.000	39.000
Mn	3	34.333	3.5119	31.000	38.000
Zn	3	31.667	2.5166	29.000	34.000
Cu	3	4.333	0.1528	4.200	4.500

Fodermedel=Majs, finmald kärna (014) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	607.000	.	607.000	607.000
Aska	1	27.000	.	27.000	27.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	91.000	.	91.000	91.000
sRåprot	1	368.000	.	368.000	368.000
NDF	1	68.000	.	68.000	68.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	3.700	.	3.700	3.700
Stä	1	660.000	.	660.000	660.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	105.656	.	105.656	105.656
PBVp20	1	-61.068	.	-61.068	-61.068
NELp20	1	7.824	.	7.824	7.824
OE*	1	13.500	.	13.500	13.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	804.000	.	804.000	804.000
Aska	1	21.100	.	21.100	21.100
OS smbh	1	81.600	.	81.600	81.600
Råprot	1	154.200	.	154.200	154.200
iNDF	1	324.000	.	324.000	324.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	582.100	.	582.100	582.100
TAF	1	0.000	.	0.000	0.000
AATp20	1	103.992	.	103.992	103.992
PBVp20	1	3.345	.	3.345	3.345
NELp20	1	7.609	.	7.609	7.609
Ca	1	1.000	.	1.000	1.000
P	1	3.800	.	3.800	3.800
Mg	1	1.500	.	1.500	1.500
K	1	4.900	.	4.900	4.900
Na	1	0.300	.	0.300	0.300
S	1	1.900	.	1.900	1.900
CAB	1	-2.922	.	-2.922	-2.922
Fe	1	130.000	.	130.000	130.000
Mn	1	64.000	.	64.000	64.000
Zn	1	55.000	.	55.000	55.000
Cu	1	6.300	.	6.300	6.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Betfiber melasserad, Danisco - Betfor (024) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	300.000	.	300.000	300.000
Aska	1	36.000	.	36.000	36.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	103.000	.	103.000	103.000
sRåprot	1	698.000	.	698.000	698.000
NDF	1	250.000	.	250.000	250.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	9.600	.	9.600	9.600
Stä	1	352.000	.	352.000	352.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	62.997	.	62.997	62.997
PBVp20	1	2.196	.	2.196	2.196
NELp20	1	7.145	.	7.145	7.145
OE*	1	12.400	.	12.400	12.400

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	235.667	43.4569	194.000	330.000
OS smbh	9	73.150	0.0000	73.150	73.150
iNDF	9	170.460	0.0000	170.460	170.460
nhNDF	9	4.315	0.0000	4.315	4.315
TAF	9	0.000	0.0000	0.000	0.000
AATp20	9	96.439	0.0000	96.439	96.439

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	9	-4.418	0.0000	-4.418	-4.418
NELp20	9	5.943	0.0000	5.943	5.943
OE*	9	12.067	1.1057	9.500	13.100

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	261.000	.	261.000	261.000
OS smbh	1	73.158	.	73.158	73.158
iNDF	1	262.131	.	262.131	262.131
nhNDF	1	6.377	.	6.377	6.377
TAF	1	0.000	.	0.000	0.000
AATp20	1	92.987	.	92.987	92.987
PBVp20	1	14.357	.	14.357	14.357
NELp20	1	5.951	.	5.951	5.951
OE*	1	11.200	.	11.200	11.200

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	352.750	98.629	242.000	459.000
Aska	4	66.000	6.325	60.000	74.000
OS smbh	4	75.725	1.882	73.400	78.000
Råprot	4	162.500	34.375	126.000	209.000
sRåprot	4	561.750	110.440	441.000	707.000
NDF	4	464.750	32.674	442.000	513.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	4	139.500	9.983	126.000	150.000
nhNDF	4	4.320	0.576	3.960	5.173
Stä	2	31.500	0.707	31.000	32.000
TAF	4	61.000	0.000	61.000	61.000
Socker	4	115.250	51.409	52.000	173.000
AATp20	4	86.439	4.281	81.956	91.815
PBVp20	4	25.151	26.664	-5.132	59.179
NELp20	4	6.251	0.207	6.104	6.544
OE*	4	11.120	0.251	10.800	11.400
Ca	4	3.650	1.162	2.500	5.200
P	4	2.550	0.351	2.200	2.900
Mg	4	1.125	0.457	0.800	1.800
K	4	20.550	6.604	12.200	27.600
Na	4	1.075	0.932	0.100	2.100
Cl	4	10.000	4.738	6.800	16.900
S	4	1.950	0.661	1.200	2.800
CAB	4	168.749	176.280	-35.615	338.822
Fe	2	108.000	73.539	56.000	160.000
Mn	2	37.000	32.527	14.000	60.000
Zn	2	21.500	16.263	10.000	33.000
Cu	2	4.500	2.121	3.000	6.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	606.667	88.636	539.000	707.000
Aska	3	70.000	4.583	65.000	74.000
OS smbh	3	77.967	2.173	76.000	80.300
Råprot	3	168.333	12.503	156.000	181.000
sRåprot	3	566.333	101.692	449.000	629.000
NH3-N	3	48.667	10.017	39.000	59.000
NDF	3	455.000	14.731	438.000	464.000
iNDF	3	128.169	25.779	99.320	148.946
nhNDF	3	5.166	0.727	4.659	5.999
TAF	3	28.167	13.388	15.400	42.100
Mjölksyra	3	17.333	11.060	7.000	29.000
Ättiksyra	3	8.667	2.517	6.000	11.000
Socker	3	108.667	17.474	94.000	128.000
BUF	3	1.167	0.208	1.000	1.400
AATp20	3	90.845	4.594	85.584	94.060
PBVp20	3	23.349	7.297	17.880	31.634
NELp20	3	6.427	0.255	6.258	6.721
OE*	3	11.433	0.416	11.100	11.900
AAT*	3	72.667	1.155	72.000	74.000
PBV*	3	42.667	10.504	32.000	53.000
Ca	3	5.867	1.060	4.900	7.000
P	3	2.600	0.173	2.500	2.800
Mg	3	1.600	0.100	1.500	1.700
K	3	25.167	2.511	22.800	27.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	3	1.933	0.404	1.700	2.400
Cl	3	6.433	1.955	4.800	8.600
S	3	2.600	0.361	2.200	2.900
CAB	3	383.986	47.014	352.521	438.030
Fe	3	86.000	18.028	66.000	101.000
Mn	3	39.333	3.055	36.000	42.000
Zn	3	28.667	4.163	24.000	32.000
Cu	3	5.667	0.643	5.200	6.400

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	667.000	.	667.000	667.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	74.300	.	74.300	74.300
Råprot	1	145.000	.	145.000	145.000
sRåprot	1	426.000	.	426.000	426.000
NH3-N	1	41.000	.	41.000	41.000
NDF	1	507.000	.	507.000	507.000
iNDF	1	153.836	.	153.836	153.836
nhNDF	1	4.700	.	4.700	4.700
TAF	1	14.400	.	14.400	14.400
Mjölksyra	1	6.000	.	6.000	6.000
Ättiksyra	1	6.000	.	6.000	6.000
Socket	1	94.000	.	94.000	94.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	1	1.400	.	1.400	1.400
AATp20	1	90.463	.	90.463	90.463
PBVp20	1	2.616	.	2.616	2.616
NELp20	1	6.066	.	6.066	6.066
OE*	1	10.800	.	10.800	10.800
AAT*	1	71.000	.	71.000	71.000
PBV*	1	23.000	.	23.000	23.000
Ca	1	6.200	.	6.200	6.200
P	1	2.300	.	2.300	2.300
Mg	1	2.100	.	2.100	2.100
K	1	25.400	.	25.400	25.400
Na	1	3.000	.	3.000	3.000
Cl	1	9.900	.	9.900	9.900
S	1	3.600	.	3.600	3.600
CAB	1	276.178	.	276.178	276.178
Fe	1	64.000	.	64.000	64.000
Mn	1	28.000	.	28.000	28.000
Zn	1	25.000	.	25.000	25.000
Cu	1	5.900	.	5.900	5.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	54	454.148	178.361	214.000	645.000
Aska	54	70.519	8.709	59.000	81.000
OS smbh	54	76.296	6.046	66.100	82.000
Råprot	54	155.759	32.593	108.000	195.000
sRåprot	34	445.765	35.279	394.000	488.000
NDF	54	464.370	67.520	380.000	550.000
iNDF	54	129.548	59.457	59.000	225.357
nhNDF	54	4.712	0.978	3.512	5.958
TAF	54	84.000	0.000	84.000	84.000
Socker	54	123.389	38.461	67.000	166.000
AATp20	54	87.250	7.553	74.705	95.037
PBVp20	54	20.154	20.602	-5.800	43.889
NELp20	54	6.319	0.554	5.372	6.845
OE*	54	11.160	0.974	9.500	12.000
AAT*	20	73.600	6.916	64.000	82.000
PBV*	20	7.800	30.497	-26.500	50.500
Ca	54	5.135	1.590	3.200	7.500
P	54	2.707	0.512	1.900	3.300
Mg	54	1.615	0.348	1.200	2.000
K	54	24.844	5.016	17.400	31.600
Na	53	0.900	0.685	0.200	1.600
Cl	34	8.038	4.919	3.100	13.600
S	54	2.100	0.410	1.500	2.700
CAB	54	351.445	157.374	189.268	539.840

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	27	120.185	173.540	56.000	180.000
Mn	27	46.481	26.283	12.000	85.000
Zn	27	25.926	5.602	19.000	32.000
Cu	27	5.193	1.671	3.600	7.300
Se	12	0.025	0.019	0.008	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	13	445.846	103.618	343.000	557.000
Aska	13	71.308	7.216	62.000	79.000
OS smbh	13	73.377	2.979	70.200	76.600
Råprot	13	161.538	25.689	132.000	193.000
sRåprot	12	415.000	94.268	356.000	441.000
NDF	13	484.077	39.986	433.000	529.000
iNDF	13	176.945	48.355	130.000	261.000
nhNDF	13	4.338	0.392	3.875	4.843
TAF	13	84.000	0.000	84.000	84.000
Socker	13	92.615	20.090	63.000	115.000
AATp20	13	86.221	4.651	81.538	92.876
PBVp20	13	27.436	17.581	7.305	46.967
NELp20	13	6.116	0.310	5.722	6.486
OE*	13	10.670	0.474	10.140	11.150
AAT*	1	73.000	.	73.000	73.000
PBV*	1	-13.000	.	-13.000	-13.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	12	6.950	1.850	4.700	9.100
P	12	2.892	0.387	2.600	3.100
Mg	12	2.117	0.395	1.700	2.600
K	12	23.042	4.998	13.600	27.300
Na	12	1.492	0.830	0.700	2.300
Cl	12	11.717	6.927	6.600	19.300
S	12	2.467	0.308	2.200	2.900
CAB	12	169.942	181.642	6.705	351.384
Fe	4	70.750	8.342	63.000	81.000
Mn	4	28.750	18.264	17.000	56.000
Zn	4	23.500	3.512	20.000	27.000
Cu	4	7.000	0.816	6.000	8.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	477.000	157.675	335.000	701.000
Aska	4	71.250	2.500	68.000	74.000
OS smbh	4	73.500	1.857	71.400	75.300
Råprot	4	166.000	6.831	157.000	173.000
sRåprot	4	382.250	22.081	355.000	409.000
NDF	4	465.000	28.437	424.000	489.000
iNDF	4	213.250	61.168	161.000	294.000
nhNDF	4	4.697	0.245	4.331	4.849
TAF	4	84.000	0.000	84.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	4	95.750	29.067	59.000	121.000
AATp20	4	87.579	1.732	85.289	89.355
PBVp20	4	29.412	8.789	17.932	36.437
NELp20	4	6.107	0.197	5.837	6.277
OE*	4	10.693	0.312	10.350	11.030
Ca	4	8.725	2.368	5.200	10.300
P	4	2.775	0.427	2.300	3.300
Mg	4	2.175	0.450	1.600	2.700
K	4	22.225	4.691	17.600	28.700
Na	4	1.625	0.954	0.800	3.000
Cl	4	9.500	2.285	7.400	12.700
S	4	2.500	0.294	2.200	2.900
CAB	4	215.211	40.125	159.876	254.801
Fe	2	114.000	32.527	91.000	137.000
Mn	2	31.500	2.121	30.000	33.000
Zn	2	19.500	3.536	17.000	22.000
Cu	2	7.500	0.707	7.000	8.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	447.000	.	447.000	447.000
Aska	1	44.000	.	44.000	44.000
OS smbh	1	78.400	.	78.400	78.400
Råprot	1	96.000	.	96.000	96.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	1	558.000	.	558.000	558.000
NDF	1	394.000	.	394.000	394.000
iNDF	1	92.000	.	92.000	92.000
nhNDF	1	3.450	.	3.450	3.450
Stä	1	71.000	.	71.000	71.000
TAF	1	84.000	.	84.000	84.000
Socker	1	21.000	.	21.000	21.000
AATp20	1	84.753	.	84.753	84.753
PBVp20	1	-31.958	.	-31.958	-31.958
NELp20	1	6.374	.	6.374	6.374
OE*	1	11.840	.	11.840	11.840
Ca	1	2.300	.	2.300	2.300
P	1	2.000	.	2.000	2.000
Mg	1	1.300	.	1.300	1.300
K	1	14.900	.	14.900	14.900
S	1	0.800	.	0.800	0.800
CAB	1	224.767	.	224.767	224.767

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	391.800	104.485	241.000	515.000
Aska	5	68.800	12.795	54.000	88.000
OS smbh	5	76.800	1.829	74.600	78.900
Råprot	5	143.800	10.895	133.000	157.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	5	692.800	95.756	537.000	787.000
NH3-N	5	82.600	15.274	59.000	100.000
NDF	5	462.200	40.493	402.000	515.000
iNDF	5	140.751	18.929	113.946	159.139
nhNDF	5	4.862	0.497	4.222	5.540
TAF	5	83.640	37.966	50.700	142.100
Mjölksyra	5	67.400	32.761	38.000	119.000
Ättiksyra	5	14.400	6.693	6.000	22.000
Socker	5	53.200	39.379	16.000	115.000
BUF	5	0.840	0.932	0.100	2.000
AATp20	5	81.873	4.798	73.768	85.308
PBVp20	5	17.501	10.531	2.610	26.986
NELp20	5	6.439	0.182	6.168	6.633
OE*	5	11.260	0.344	10.800	11.600
AAT*	5	72.400	0.894	71.000	73.000
PBV*	5	19.200	10.134	8.000	31.000
Ca	5	5.100	1.901	3.200	8.000
P	5	2.760	0.219	2.500	3.100
Mg	5	1.880	0.295	1.600	2.300
K	5	24.120	5.127	16.600	30.400
Na	5	1.740	1.133	0.500	3.000
Cl	5	8.420	4.550	4.900	16.200
S	5	1.960	0.467	1.300	2.600
CAB	5	332.849	78.659	235.709	430.589

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	5	146.200	78.716	74.000	256.000
Mn	5	56.400	20.416	32.000	82.000
Zn	5	26.800	3.962	20.000	30.000
Cu	5	5.660	1.718	2.700	6.900

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	173	398.942	101.502	301.000	516.000
Aska	173	72.191	8.393	62.000	82.000
OS smbh	173	76.950	3.058	73.700	79.800
Råprot	173	159.301	23.278	134.000	189.000
sRåprot	173	668.104	70.474	595.000	732.000
NH3-N	172	78.279	26.322	46.000	108.000
NDF	173	444.832	45.406	394.000	496.000
iNDF	173	144.335	36.501	109.964	190.000
nhNDF	173	4.841	0.575	4.254	5.415
TAF	173	75.725	30.678	38.000	117.000
Mjölksyra	173	58.451	26.850	25.000	94.000
Ättiksyra	171	15.386	6.189	8.000	23.000
Socker	173	64.399	34.263	29.000	116.000
PRF	69	1.014	1.450	0.000	2.000
BUF	171	0.850	1.269	0.000	2.500
AATp20	173	83.282	3.552	79.067	87.274
PBVp20	173	29.853	21.451	6.595	58.027

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	173	6.449	0.311	6.167	6.776
OE*	173	11.247	0.485	10.800	11.700
AAT*	102	72.304	1.461	71.000	73.000
PBV*	102	27.912	20.658	10.000	49.000
Ca	169	6.389	1.779	4.400	8.900
P	169	2.762	0.483	2.200	3.500
Mg	169	1.692	0.334	1.300	2.100
K	169	23.888	3.589	19.100	28.200
Na	169	1.693	0.814	0.700	2.700
Cl	172	7.184	3.001	4.100	11.300
S	169	2.226	0.342	1.800	2.700
CAB	169	343.687	109.136	205.503	470.217
Fe	145	132.510	149.504	65.000	221.000
Mn	145	39.462	17.790	21.000	65.000
Zn	145	31.497	21.714	21.000	37.000
Cu	145	5.692	1.088	4.600	7.000
Se	31	0.040	0.019	0.010	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	67	417.672	122.692	316.000	530.000
Aska	66	78.561	10.124	66.000	92.000
OS smbh	67	74.039	2.724	70.500	77.300
Råprot	66	161.167	25.362	125.000	195.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	66	588.894	86.856	482.000	672.000
NH3-N	64	73.453	23.490	44.000	100.000
NDF	66	464.864	38.374	421.000	519.000
iNDF	67	180.286	45.921	143.169	218.000
nhNDF	67	4.525	0.686	3.842	5.060
Stä	1	35.000	.	35.000	35.000
TAF	67	65.682	25.162	26.000	98.000
Mjölksyra	66	49.788	21.215	22.000	75.000
Ättiksyra	66	13.742	6.887	6.000	21.000
Socker	66	53.894	26.767	22.000	88.000
PRF	28	1.429	1.597	0.000	3.000
BUF	66	0.768	1.080	0.000	2.200
AATp20	67	82.995	4.757	77.858	87.041
PBVp20	67	32.061	22.225	0.542	65.377
NELp20	67	6.177	0.269	5.752	6.545
OE*	66	10.696	0.426	10.100	11.200
AAT*	38	70.526	0.922	69.000	72.000
PBV*	38	35.447	21.187	7.000	64.000
Ca	64	7.313	1.815	5.100	9.500
P	64	2.866	0.373	2.400	3.400
Mg	64	2.239	0.344	1.800	2.600
K	64	23.820	4.189	18.400	29.200
Na	64	2.200	1.115	0.800	3.700
Cl	66	10.247	3.324	6.300	14.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	64	2.580	0.398	2.000	3.000
CAB	64	253.452	96.051	141.613	363.994
Fe	47	209.255	291.261	68.000	461.000
Mn	47	54.191	25.537	32.000	94.000
Zn	47	40.191	32.005	23.000	81.000
Cu	47	6.900	1.159	5.300	8.400
Se	9	0.034	0.019	0.010	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	420.313	106.508	278.000	577.000
Aska	16	77.938	13.684	60.000	99.000
OS smbh	16	71.944	4.880	63.400	75.800
Råprot	16	166.188	30.887	136.000	210.000
sRåprot	16	556.563	65.770	448.000	634.000
NH3-N	16	72.625	27.837	29.000	109.000
NDF	16	459.375	40.164	402.000	522.000
iNDF	16	227.231	96.192	130.000	392.000
nhNDF	16	4.363	0.832	3.438	5.384
TAF	16	62.113	28.656	23.000	95.000
Mjölksyra	16	40.938	22.436	9.000	67.000
Ättiksyra	15	19.133	10.562	8.000	35.000
Socker	16	45.500	24.089	19.000	82.000
PRF	13	1.308	1.548	0.000	3.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	15	0.853	1.380	0.000	3.000
AATp20	16	82.349	4.980	77.185	87.770
PBVp20	16	38.182	26.988	6.041	75.939
NELp20	16	5.989	0.469	5.202	6.461
OE*	16	10.359	0.714	9.050	11.010
AAT*	2	68.000	4.243	65.000	71.000
PBV*	2	23.500	3.536	21.000	26.000
Ca	15	8.520	2.736	5.300	13.000
P	15	3.047	0.396	2.600	3.500
Mg	15	2.440	0.264	2.100	2.900
K	15	22.407	4.633	16.900	26.700
Na	15	1.873	0.640	1.200	2.400
Cl	16	9.006	4.942	4.000	19.000
S	15	2.513	0.327	2.000	3.000
CAB	15	265.877	145.624	42.410	389.061
Fe	2	105.000	8.485	99.000	111.000
Mn	2	59.000	42.426	29.000	89.000
Zn	2	23.000	0.000	23.000	23.000
Cu	2	6.700	0.990	6.000	7.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	300.000	.	300.000	300.000
Aska	1	113.000	.	113.000	113.000
OS smbh	1	73.600	.	73.600	73.600
Råprot	1	141.000	.	141.000	141.000
sRåprot	1	612.000	.	612.000	612.000
NH3-N	1	106.000	.	106.000	106.000
NDF	1	400.000	.	400.000	400.000
iNDF	1	189.683	.	189.683	189.683
nhNDF	1	3.664	.	3.664	3.664
TAF	1	96.300	.	96.300	96.300
Mjölksyra	1	80.000	.	80.000	80.000
Ättiksyra	1	15.000	.	15.000	15.000
Socker	1	33.000	.	33.000	33.000
BUF	1	0.300	.	0.300	0.300
AATp20	1	74.748	.	74.748	74.748
PBVp20	1	26.188	.	26.188	26.188
NELp20	1	5.889	.	5.889	5.889
OE*	1	10.200	.	10.200	10.200
AAT*	1	69.000	.	69.000	69.000
PBV*	1	22.000	.	22.000	22.000
Ca	1	6.900	.	6.900	6.900
P	1	2.900	.	2.900	2.900
Mg	1	2.500	.	2.500	2.500
K	1	20.600	.	20.600	20.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	2.100	.	2.100	2.100
Cl	1	9.700	.	9.700	9.700
S	1	2.800	.	2.800	2.800
CAB	1	169.919	.	169.919	169.919
Fe	1	479.000	.	479.000	479.000
Mn	1	114.000	.	114.000	114.000
Zn	1	28.000	.	28.000	28.000
Cu	1	6.700	.	6.700	6.700

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	393.500	138.218	222.000	586.000
Aska	6	65.167	31.619	29.000	104.000
OS smbh	6	72.633	5.316	65.700	79.100
Råprot	6	140.833	58.400	69.000	210.000
sRåprot	6	642.167	55.937	579.000	745.000
NH3-N	6	73.167	24.178	36.000	111.000
NDF	6	383.667	22.214	347.000	411.000
iNDF	6	257.359	84.468	183.000	377.000
nhNDF	6	3.635	1.983	1.674	6.300
Stä	5	163.000	105.095	16.000	294.000
TAF	6	73.117	30.027	27.700	114.000
Mjölksyra	6	48.167	21.757	25.000	86.000
Ättiksyra	6	22.667	12.160	1.000	38.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	6	53.167	21.330	31.000	86.000
PRF	5	2.000	2.000	0.000	5.000
BUF	5	0.400	0.548	0.000	1.000
AATp20	6	72.613	4.023	67.493	79.314
PBVp20	6	17.489	49.032	-38.744	73.576
NELp20	6	6.048	0.513	5.355	6.632
OE*	5	10.514	0.674	9.760	11.240
Ca	6	6.833	4.991	2.100	15.000
P	6	2.667	1.029	1.900	4.700
Mg	6	2.067	0.843	1.100	3.100
K	6	21.200	15.771	6.100	46.700
Na	6	1.367	0.958	0.600	3.200
Cl	5	6.840	5.241	2.400	15.700
S	6	2.167	0.668	1.300	2.900
CAB	6	287.799	269.302	16.088	624.402
Fe	4	99.250	80.222	50.000	218.000
Mn	4	23.250	22.292	7.000	56.000
Zn	4	67.500	79.768	22.000	187.000
Cu	4	6.100	2.289	3.400	9.000
Se	2	0.054	0.005	0.050	0.057

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	404.000	.	404.000	404.000
Aska	1	95.000	.	95.000	95.000
OS smbh	1	66.100	.	66.100	66.100
Råprot	1	126.000	.	126.000	126.000
sRåprot	1	572.000	.	572.000	572.000
NH3-N	1	76.000	.	76.000	76.000
NDF	1	409.000	.	409.000	409.000
iNDF	1	295.196	.	295.196	295.196
nhNDF	1	2.282	.	2.282	2.282
Stä	1	32.000	.	32.000	32.000
TAF	1	91.000	.	91.000	91.000
Mjölksyra	1	61.000	.	61.000	61.000
Ättiksyra	1	28.000	.	28.000	28.000
Socket	1	53.000	.	53.000	53.000
AATp20	1	65.906	.	65.906	65.906
PBVp20	1	20.660	.	20.660	20.660
NELp20	1	5.350	.	5.350	5.350
Ca	1	13.600	.	13.600	13.600
P	1	2.600	.	2.600	2.600
Mg	1	2.000	.	2.000	2.000
K	1	27.100	.	27.100	27.100
Na	1	1.400	.	1.400	1.400
Cl	1	7.400	.	7.400	7.400
S	1	3.200	.	3.200	3.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	345.513	.	345.513	345.513
Fe	1	109.000	.	109.000	109.000
Mn	1	29.000	.	29.000	29.000
Zn	1	31.000	.	31.000	31.000
Cu	1	5.200	.	5.200	5.200

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	553.000	.	553.000	553.000
Aska	1	67.000	.	67.000	67.000
OS smbh	1	72.900	.	72.900	72.900
Råprot	1	110.000	.	110.000	110.000
sRåprot	1	504.000	.	504.000	504.000
NH3-N	1	43.000	.	43.000	43.000
NDF	1	521.000	.	521.000	521.000
iNDF	1	155.000	.	155.000	155.000
nhNDF	1	4.205	.	4.205	4.205
Stä	1	3.000	.	3.000	3.000
TAF	1	18.000	.	18.000	18.000
Mjölksyra	1	14.000	.	14.000	14.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	1	145.000	.	145.000	145.000
PRF	1	3.000	.	3.000	3.000
BUF	1	1.000	.	1.000	1.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	86.740	.	86.740	86.740
PBVp20	1	-30.291	.	-30.291	-30.291
NELp20	1	5.854	.	5.854	5.854
OE*	1	10.640	.	10.640	10.640
Ca	1	1.400	.	1.400	1.400
P	1	2.300	.	2.300	2.300
Mg	1	0.600	.	0.600	0.600
K	1	24.100	.	24.100	24.100
S	1	1.200	.	1.200	1.200
CAB	1	432.109	.	432.109	432.109

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	374.000	33.9411	350.000	398.000
Aska	2	83.000	0.0000	83.000	83.000
OS smbh	2	65.600	5.0912	62.000	69.200
Råprot	2	152.500	24.7487	135.000	170.000
sRåprot	2	493.500	65.7609	447.000	540.000
NH3-N	2	84.500	26.1630	66.000	103.000
NDF	2	448.500	2.1213	447.000	450.000
iNDF	2	279.547	62.2465	235.532	323.562
nhNDF	2	2.553	0.7533	2.021	3.086
Stä	2	62.500	62.9325	18.000	107.000
TAF	2	38.000	9.8995	31.000	45.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	2	27.000	2.8284	25.000	29.000
Ättiksyra	2	11.000	7.0711	6.000	16.000
Socker	2	37.500	14.8492	27.000	48.000
AATp20	2	70.969	5.1721	67.312	74.626
PBVp20	2	34.864	13.7020	25.175	44.552
NELp20	2	5.306	0.3630	5.049	5.562
Ca	1	11.300	.	11.300	11.300
P	1	2.800	.	2.800	2.800
Mg	1	2.600	.	2.600	2.600
K	1	21.100	.	21.100	21.100
Na	1	1.000	.	1.000	1.000
Cl	2	12.450	3.0406	10.300	14.600
S	1	3.400	.	3.400	3.400
CAB	1	-40.647	.	-40.647	-40.647
Fe	1	188.000	.	188.000	188.000
Mn	1	23.000	.	23.000	23.000
Zn	1	39.000	.	39.000	39.000
Cu	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	426.000	228.394	241.000	757.000
Aska	4	60.000	21.985	34.000	86.000
OS smbh	4	70.625	8.488	57.900	75.200
Råprot	4	133.750	38.664	82.000	168.000
sRåprot	4	637.000	144.210	421.000	720.000
NH3-N	4	33.000	31.123	9.000	78.000
NDF	4	474.250	68.869	424.000	576.000
iNDF	4	218.750	101.135	149.000	367.000
nhNDF	4	3.746	0.764	2.758	4.575
Stä	4	63.250	57.841	33.000	150.000
TAF	4	67.500	49.514	2.000	114.000
Mjölksyra	4	54.250	43.454	0.000	102.000
Ättiksyra	4	11.250	8.139	2.000	21.000
Socker	4	70.500	48.377	44.000	143.000
PRF	4	1.750	2.062	0.000	4.000
BUF	4	0.250	0.500	0.000	1.000
AATp20	4	71.624	2.483	69.436	75.009
PBVp20	4	12.639	35.157	-32.011	45.498
NELp20	4	5.927	0.808	4.730	6.502
OE*	4	10.320	1.261	8.440	11.070
Ca	4	4.350	1.593	2.700	6.200
P	4	2.575	0.704	2.000	3.600
Mg	4	1.050	0.705	0.600	2.100
K	4	16.700	5.254	11.500	22.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	1.175	0.640	0.500	2.000
Cl	4	3.925	2.133	2.500	7.100
S	4	1.950	0.404	1.600	2.500
CAB	4	245.759	159.531	56.074	401.442
Fe	1	91.000	.	91.000	91.000
Mn	1	11.000	.	11.000	11.000
Zn	1	16.000	.	16.000	16.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	315.000	.	315.000	315.000
Aska	1	74.000	.	74.000	74.000
OS smbh	1	82.800	.	82.800	82.800
Råprot	1	206.000	.	206.000	206.000
sRåprot	1	534.000	.	534.000	534.000
NH3-N	1	14.000	.	14.000	14.000
NDF	1	383.000	.	383.000	383.000
iNDF	1	82.000	.	82.000	82.000
nhNDF	1	6.097	.	6.097	6.097
Stä	1	19.000	.	19.000	19.000
TAF	1	37.000	.	37.000	37.000
Mjölksyra	1	36.000	.	36.000	36.000
Ättiksyra	1	1.000	.	1.000	1.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	136.000	.	136.000	136.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	94.048	.	94.048	94.048
PBVp20	1	43.710	.	43.710	43.710
NELp20	1	6.999	.	6.999	6.999
OE*	1	12.190	.	12.190	12.190
Ca	1	4.000	.	4.000	4.000
P	1	4.000	.	4.000	4.000
Mg	1	1.000	.	1.000	1.000
K	1	29.600	.	29.600	29.600
Na	1	0.700	.	0.700	0.700
Cl	1	4.800	.	4.800	4.800
S	1	2.400	.	2.400	2.400
CAB	1	502.257	.	502.257	502.257

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	366.444	42.323	300.000	428.00
Aska	9	43.778	29.038	23.000	97.00
OS smbh	9	75.911	2.568	71.400	78.30
Råprot	9	78.444	8.762	68.000	92.00
sRåprot	9	568.667	137.698	291.000	706.00
NH3-N	7	76.714	27.572	33.000	106.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	9	348.778	82.327	211.000	444.00
iNDF	9	221.843	44.256	174.137	296.00
nhNDF	9	3.116	0.724	1.896	4.08
Stä	9	291.556	49.384	208.000	359.00
TAF	9	74.222	20.819	43.000	98.00
Mjölksyra	9	56.444	15.331	39.000	79.00
Ättiksyra	9	13.778	7.225	1.000	22.00
Socker	9	9.778	5.869	5.000	21.00
PRF	6	4.500	3.391	0.000	9.00
BUF	6	0.000	0.000	0.000	0.00
AATp20	9	80.071	3.191	75.100	84.01
PBVp20	9	-47.841	7.500	-56.657	-37.59
NELp20	9	6.476	0.258	6.102	6.93
OE*	8	11.278	0.381	10.820	12.08
AAT*	2	79.500	0.707	79.000	80.00
PBV*	2	-72.000	0.000	-72.000	-72.00
Ca	9	2.011	0.513	1.200	2.70
P	9	1.678	0.148	1.500	2.00
Mg	9	0.900	0.487	0.100	1.50
K	9	10.233	2.524	8.200	15.30
Na	9	0.422	0.291	0.100	0.90
Cl	5	3.020	1.509	1.400	4.70
S	9	0.933	0.150	0.700	1.20
CAB	9	155.706	97.166	52.964	331.93

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	5	313.000	437.794	104.000	1096.00
Mn	5	22.200	7.497	15.000	32.00
Zn	5	49.200	48.158	21.000	135.00
Cu	5	5.240	2.268	3.100	9.00
Se	1	0.008	.	0.008	0.01

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	323.000	.	323.000	323.000
Aska	1	70.000	.	70.000	70.000
OS smbh	1	76.600	.	76.600	76.600
Råprot	1	182.000	.	182.000	182.000
sRåprot	1	672.000	.	672.000	672.000
NH3-N	1	106.000	.	106.000	106.000
NDF	1	470.000	.	470.000	470.000
iNDF	1	140.234	.	140.234	140.234
nhNDF	1	4.885	.	4.885	4.885
Stä	1	17.000	.	17.000	17.000
TAF	1	86.000	.	86.000	86.000
Mjölksyra	1	64.000	.	64.000	64.000
Ättiksyra	1	22.000	.	22.000	22.000
Socker	1	26.000	.	26.000	26.000
AATp20	1	72.860	.	72.860	72.860
PBVp20	1	52.829	.	52.829	52.829

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	6.494	.	6.494	6.494
Ca	1	5.800	.	5.800	5.800
P	1	3.500	.	3.500	3.500
Mg	1	1.600	.	1.600	1.600
K	1	25.500	.	25.500	25.500
Na	1	2.200	.	2.200	2.200
Cl	1	5.000	.	5.000	5.000
S	1	2.600	.	2.600	2.600
CAB	1	444.481	.	444.481	444.481
Fe	1	104.000	.	104.000	104.000
Mn	1	32.000	.	32.000	32.000
Zn	1	30.000	.	30.000	30.000
Cu	1	5.700	.	5.700	5.700

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	845.000	57.236	785.000	899.000
Aska	3	49.667	5.859	43.000	54.000
OS smbh	3	67.167	4.535	63.400	72.200
Råprot	3	93.333	6.506	87.000	100.000
sRåprot	2	440.500	6.364	436.000	445.000
NDF	3	553.000	29.816	526.000	585.000
iNDF	3	236.814	71.110	176.000	315.000
nhNDF	3	3.712	0.418	3.409	4.189

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	3	0.000	0.000	0.000	0.000
Socker	3	113.667	30.436	79.000	136.000
AATp20	3	88.147	4.946	84.212	93.698
PBVp20	3	-39.461	9.468	-49.164	-30.247
NELp20	3	5.286	0.378	5.021	5.719
OE*	3	9.863	0.731	9.300	10.690
AAT*	1	69.000	.	69.000	69.000
PBV*	1	-30.000	.	-30.000	-30.000
Ca	3	3.467	0.451	3.000	3.900
P	3	2.133	0.451	1.700	2.600
Mg	3	1.300	0.300	1.000	1.600
K	3	15.900	4.331	11.300	19.900
Na	3	0.733	0.153	0.600	0.900
Cl	1	0.800	.	0.800	0.800
S	3	1.533	0.208	1.300	1.700
CAB	3	241.292	177.620	87.288	435.601
Fe	1	68.000	.	68.000	68.000
Mn	1	61.000	.	61.000	61.000
Zn	1	19.000	.	19.000	19.000
Cu	1	3.700	.	3.700	3.700
Se	1	0.006	.	0.006	0.006

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	595.000	.	595.000	595.000
Aska	1	63.000	.	63.000	63.000
OS smbh	1	80.600	.	80.600	80.600
Råprot	1	177.000	.	177.000	177.000
sRåprot	1	396.000	.	396.000	396.000
NDF	1	385.000	.	385.000	385.000
iNDF	1	107.000	.	107.000	107.000
nhNDF	1	4.875	.	4.875	4.875
TAF	1	72.000	.	72.000	72.000
Socket	1	151.000	.	151.000	151.000
AATp20	1	91.352	.	91.352	91.352
PBVp20	1	37.662	.	37.662	37.662
NELp20	1	6.813	.	6.813	6.813
OE*	1	11.970	.	11.970	11.970
Ca	1	4.800	.	4.800	4.800
P	1	2.100	.	2.100	2.100
Mg	1	1.300	.	1.300	1.300
K	1	18.400	.	18.400	18.400
Na	1	1.500	.	1.500	1.500
Cl	1	5.700	.	5.700	5.700
S	1	2.200	.	2.200	2.200
CAB	1	237.742	.	237.742	237.742
Fe	1	66.000	.	66.000	66.000
Mn	1	34.000	.	34.000	34.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	17.000	.	17.000	17.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	437.000	.	437.000	437.000
Aska	1	62.000	.	62.000	62.000
OS smbh	1	69.700	.	69.700	69.700
Råprot	1	202.000	.	202.000	202.000
sRåprot	1	681.000	.	681.000	681.000
NDF	1	339.000	.	339.000	339.000
iNDF	1	429.000	.	429.000	429.000
nhNDF	1	2.872	.	2.872	2.872
TAF	1	72.000	.	72.000	72.000
Socker	1	36.000	.	36.000	36.000
AATp20	1	74.844	.	74.844	74.844
PBVp20	1	89.664	.	89.664	89.664
NELp20	1	5.861	.	5.861	5.861
OE*	1	10.160	.	10.160	10.160
Ca	1	13.900	.	13.900	13.900
P	1	3.200	.	3.200	3.200
Mg	1	2.600	.	2.600	2.600
K	1	16.900	.	16.900	16.900
Na	1	1.200	.	1.200	1.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CI	1	2.500	.	2.500	2.500
S	1	2.400	.	2.400	2.400
CAB	1	263.976	.	263.976	263.976

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	530.000	.	530.000	530.000
Aska	1	94.000	.	94.000	94.000
OS smbh	1	77.200	.	77.200	77.200
Råprot	1	233.000	.	233.000	233.000
sRåprot	1	580.000	.	580.000	580.000
NH3-N	1	79.000	.	79.000	79.000
NDF	1	311.000	.	311.000	311.000
iNDF	1	277.000	.	277.000	277.000
nhNDF	1	4.841	.	4.841	4.841
TAF	1	54.000	.	54.000	54.000
Mjölksyra	1	39.000	.	39.000	39.000
Ättiksyra	1	12.000	.	12.000	12.000
Socker	1	74.000	.	74.000	74.000
PRF	1	1.000	.	1.000	1.000
BUF	1	2.000	.	2.000	2.000
AATp20	1	84.993	.	84.993	84.993
PBVp20	1	102.417	.	102.417	102.417
NELp20	1	6.436	.	6.436	6.436

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	11.030	.	11.030	11.030
Ca	1	12.700	.	12.700	12.700
P	1	4.000	.	4.000	4.000
Mg	1	2.900	.	2.900	2.900
K	1	23.600	.	23.600	23.600
Na	1	1.600	.	1.600	1.600
Cl	1	7.000	.	7.000	7.000
S	1	2.800	.	2.800	2.800
CAB	1	300.963	.	300.963	300.963

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	437.143	20.449	410.000	464.000
Aska	7	64.000	4.041	59.000	70.000
OS smbh	7	73.114	4.054	66.800	77.300
Råprot	7	149.429	15.382	126.000	165.000
sRåprot	7	532.286	42.417	467.000	588.000
NH3-N	7	68.714	20.910	40.000	108.000
NDF	7	375.000	74.815	306.000	479.000
iNDF	7	257.857	41.229	208.000	320.000
nhNDF	7	3.289	0.283	2.905	3.690
Stä	7	156.857	35.914	106.000	197.000
TAF	7	72.571	14.943	54.000	91.000
Mjölksyra	7	41.714	10.704	31.000	56.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	7	25.143	7.819	13.000	38.000
Socker	7	29.714	13.450	5.000	43.000
PRF	7	5.429	1.902	3.000	8.000
BUF	7	0.286	0.756	0.000	2.000
AATp20	7	83.531	3.881	78.704	89.327
PBVp20	7	24.330	9.008	9.220	35.133
NELp20	7	6.299	0.424	5.617	6.755
OE*	7	10.713	0.675	9.690	11.460
Ca	7	7.200	1.695	4.600	9.300
P	7	3.343	0.461	2.800	4.100
Mg	7	3.171	1.209	1.900	5.400
K	7	14.857	2.210	12.300	18.500
Na	7	2.586	0.729	1.500	3.500
Cl	7	7.143	1.892	4.400	9.000
S	7	2.643	1.274	1.800	5.500
CAB	7	126.015	133.707	-73.735	335.343
Fe	6	287.333	86.611	185.000	408.000
Mn	6	66.500	34.098	42.000	134.000
Zn	6	61.500	15.162	51.000	92.000
Cu	6	14.500	4.764	11.000	24.000
Se	3	0.647	0.571	0.200	1.290

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	442.000	32.243	407.000	494.000
Aska	5	65.600	4.722	60.000	71.000
OS smbh	6	61.967	30.632	0.000	78.500
Råprot	5	156.200	13.682	143.000	176.000
sRåprot	5	563.200	36.259	516.000	604.000
NH3-N	5	71.200	7.950	63.000	82.000
NDF	5	367.400	33.828	321.000	416.000
iNDF	5	218.947	63.080	161.670	300.000
nhNDF	5	3.258	0.661	2.498	4.034
Stä	5	140.200	15.418	129.000	166.000
TAF	1	86.000	.	86.000	86.000
Mjölksyra	1	56.000	.	56.000	56.000
Ättiksyra	1	24.000	.	24.000	24.000
Socker	5	41.400	7.197	32.000	50.000
PRF	1	5.000	.	5.000	5.000
BUF	1	1.000	.	1.000	1.000
NELp20	6	0.000	0.000	0.000	0.000
OE*	1	10.360	.	10.360	10.360
Ca	3	7.200	0.436	6.700	7.500
P	3	3.467	0.643	3.000	4.200
Mg	3	2.267	0.643	1.800	3.000
K	3	15.433	1.692	14.000	17.300
Na	3	2.800	1.114	1.800	4.000
Cl	5	7.340	3.353	4.600	13.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	3	2.333	0.416	2.000	2.800
CAB	3	142.451	143.914	-20.097	253.639
Fe	3	263.667	109.965	160.000	379.000
Mn	3	51.667	11.846	38.000	59.000
Zn	3	49.000	19.925	26.000	61.000
Cu	3	9.800	3.081	7.000	13.100

*= Parametrar från det gamla svenska fodervärderingssystemet