

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Grönmassa, gräs (0% baljv.) (161)	1	1	396	62	81.5	161			476	83	6.65		61.0000			140
Ensilage, gräs (0% klöver) (162)	1	5	375	87	74.3	151	593	95.0	461	156	4.74		61.2000	46.2	12.8	45
Ensilage, gräs (0% klöver) (162)	2	5	327	79	74.8	164	587	87.8	478	156	4.56		66.2000	49.2	15.4	25
Grönmassa blandvall (1-50 % baljväxter) (164)	1	14	352	72	76.1	163	364		503	128	5.16		84.0000			77
Grönmassa blandvall (1-50 % baljväxter) (164)	2	14	546	81	76.2	174	360		470	143	4.90		84.0000			88
Grönmassa blandvall (1-50 % baljväxter) (164)	3	3	609	80	78.2	193			452	122	5.26		84.0000			92
Ensilage, blandvall (1-50% klöver) (165)	0	1	340	61	71.3	141	679	125	498	195	3.83		53.8000	37.0	10.0	51
Ensilage, blandvall (1-50% klöver) (165)	1	19	371	66	76.5	144	652	94.6	477	135	4.92		66.9526	52.5	11.3	60
Ensilage, blandvall (1-50% klöver) (165)	2	8	556	70	74.5	168	496	47.1	476	166	4.45		34.1375	25.3	7.1	83
Ensilage, blandvall (1-50% klöver) (165)	4	1	319	84	76.0	189	603	103	453	148	4.63		80.7000	57.0	21.0	34
Korn, helsädesensilage (250)	1	4	427	65	68.7	122	547	71.0	493	240	3.46	56	49.5250	33.0	13.3	85
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	1	349	51	73.9	123	731	37.0	346	239	2.64	137	81.0000	63.0	18.0	106
Råg, helsädesensilage, axgång (311)	1	1	239	59	73.8	131	794	141	533	156	4.71	17	91.0000	68.0	23.0	22
Hö, blandvall, 0-50% baljväxter (383)	1	2	896	59	65.5	79			624	208	3.81		0.0000			111
Grunnblanding Middels ford.grovför (326)	1	2	406	50	76.2	162	487	30.0	294	224	2.33	208	75.0000	42.0	30.5	9

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Grönmassa, gräs (0% baljv.) (161)	1	1				94.5	10.1	6.78	12.1	82.0	20.0
Ensilage, gräs (0% klöver) (162)	1	5		1.20000		81.3	22.5	6.08	10.6	70.4	29.6
Ensilage, gräs (0% klöver) (162)	2	5		0.60000		83.0	32.0	6.24	10.8	70.8	41.4
Grönmassa blandvall (1-50 % baljväxter) (164)	1	14				87.6	25.8	6.39	11.1	75.9	25.2
Grönmassa blandvall (1-50 % baljväxter) (164)	2	14				86.5	38.0	6.34	11.0	76.0	42.2
Grönmassa blandvall (1-50 % baljväxter) (164)	3	3				89.3	51.4	6.57	11.4	77.3	59.0
Ensilage, blandvall (1-50% klöver) (165)	0	1		5.80000		79.7	19.1	5.90	10.4	70.0	20.0
Ensilage, blandvall (1-50% klöver) (165)	1	19	0.5	2.21579		84.0	14.6	6.38	11.2	72.2	14.4

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	2	8	1.5	0.63750		89.4	28.3	6.21	10.9	71.3	42.7
Ensilage, blandvall (1-50% klöver) (165)	4	1		1.70000		84.1	56.5	6.42	11.0	71.0	66.0
Korn, helsädesensilage (250)	1	4	5.0	3.00000		73.4	-0.3	5.55	9.8	60.0	-7.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	1	0.0	0.00000		73.3	6.0	6.23	11.0		
Råg, helsädesensilage, axgång (311)	1	1				69.2	15.7	6.22	9.9	60.0	10.0
Hö, blandvall, 0-50% baljväxter (383)	1	2				83.4	-45	5.09	9.5	68.0	-37
Grunnblanding Middels ford.grovfôr (326)	1	2	2.5	0.00000		88.5	28.6	6.69	11.4		

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, gräs (0% klöver) (162)	1	2	4.1	3.0	1.8	26.7	1.2	8.2	2.1	388	2	330.5	84.0	33.0	6.8	
Ensilage, gräs (0% klöver) (162)	2	4	4.9	3.1	2.2	29.6	1.4	13.3	2.6	275	4	136.5	91.8	34.8	8.3	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	12	4.7	2.6	1.9	21.7	1.2	6.0	2.2	326	12	130.7	64.2	31.0	5.9	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11	6.2	2.7	2.8	21.9	0.9	13.3	2.5	289	11	248.5	78.8	34.1	11.3	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2	6.5	2.6	3.0	24.5	1.0		2.8	361	2	80.5	65.5	28.0	7.5	
Ensilage, blandvall (1-50% klöver) (165)	0	1	5.0	2.3	2.3	19.3	0.5	8.5	2.3	132	1	293.0	57.0	29.0	7.2	
Ensilage, blandvall (1-50% klöver) (165)	1	17	4.1	2.8	1.7	24.0	0.7	6.3	2.0	334	16	201.8	69.1	31.4	5.6	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	7	5.5	2.8	2.4	23.6	1.1	8.1	2.5	254	6	200.7	102.8	34.7	7.4	0.1
Ensilage, blandvall (1-50% klöver) (165)	4	1	6.6	3.7	2.6	24.1	1.2	5.6	3.0	323	1	171.0	132.0	34.0	7.6	
Korn, helsädesensilage (250)	1	3	5.1	2.8	2.6	17.8	1.7	7.4	2.1	178	3	259.7	125.7	80.3	16.2	
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	1	5.4	2.5	1.5	16.8	0.3	9.1	1.3	105	1	110.0	121.0	43.0	6.0	0.1
Hö, blandvall, 0-50% baljväxter (383)	1	2	2.7	2.5	1.4	22.2	0.2		1.2	361	2	58.0	41.0	23.0	4.3	
Grunnblanding Middels ford.grovfôr (326)	1	2	9.4	4.7	4.6	11.4	3.0	5.1	2.7	106	2	219.5	99.0	83.0	19.5	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	396.000	.	396.000	396.000
Aska	1	62.000	.	62.000	62.000
OS smbh	1	81.500	.	81.500	81.500
Råprot	1	161.000	.	161.000	161.000
NDF	1	476.000	.	476.000	476.000
iNDF	1	83.492	.	83.492	83.492
nhNDF	1	6.647	.	6.647	6.647
TAF	1	61.000	.	61.000	61.000
Socket	1	140.000	.	140.000	140.000
AATp20	1	94.543	.	94.543	94.543
PBVp20	1	10.133	.	10.133	10.133
NELp20	1	6.781	.	6.781	6.781
OE*	1	12.100	.	12.100	12.100
AAT*	1	82.000	.	82.000	82.000
PBV*	1	20.000	.	20.000	20.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	375.000	148.509	227.000	614.000
Aska	5	86.600	13.315	75.000	107.000
OS smbh	5	74.280	10.947	55.000	81.000
Råprot	5	150.800	31.316	95.000	168.000
sRåprot	5	592.800	92.367	459.000	668.000
NH3-N	5	95.000	35.377	56.000	149.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	5	461.000	67.746	405.000	550.000
iNDF	5	156.172	97.696	96.381	329.067
nhNDF	5	4.743	1.444	2.194	5.732
TAF	5	61.200	35.597	15.500	114.100
Mjölksyra	5	46.200	33.951	8.000	97.000
Ättiksyra	5	12.800	5.805	6.000	21.000
Socker	5	44.800	44.393	10.000	112.000
BUF	5	1.200	1.533	0.100	3.900
AATp20	5	81.286	11.323	62.305	92.148
PBVp20	5	22.541	13.900	2.798	37.636
NELp20	5	6.081	1.047	4.232	6.728
OE*	5	10.640	1.884	7.300	11.800
AAT*	5	70.400	5.857	60.000	74.000
PBV*	5	29.600	21.314	-8.000	43.000
Ca	2	4.050	0.212	3.900	4.200
P	2	3.000	0.000	3.000	3.000
Mg	2	1.750	0.212	1.600	1.900
K	2	26.700	2.263	25.100	28.300
Na	2	1.200	0.707	0.700	1.700
Cl	5	8.240	2.329	5.400	10.400
S	2	2.100	0.141	2.000	2.200
CAB	2	388.295	25.782	370.065	406.526
Fe	2	330.500	252.437	152.000	509.000
Mn	2	84.000	26.870	65.000	103.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	33.000	5.657	29.000	37.000
Cu	2	6.750	0.636	6.300	7.200

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	326.600	75.484	234.000	441.000
Aska	5	79.200	10.918	69.000	95.000
OS smbh	5	74.780	1.959	73.000	77.900
Råprot	5	164.000	12.470	152.000	183.000
sRåprot	5	587.400	35.374	531.000	622.000
NH3-N	5	87.800	10.257	72.000	97.000
NDF	5	477.600	27.080	446.000	511.000
iNDF	5	155.663	18.668	125.753	168.461
nhNDF	5	4.561	0.344	4.238	5.106
TAF	5	66.200	11.533	53.900	81.100
Mjölksyra	5	49.200	9.731	38.000	61.000
Ättiksyra	5	15.400	2.702	12.000	19.000
Socker	5	25.000	19.144	10.000	51.000
BUF	5	0.600	0.557	0.100	1.400
AATp20	5	82.962	2.642	80.101	86.679
PBVp20	5	32.035	8.247	21.284	43.336
NELp20	5	6.242	0.149	6.138	6.497
OE*	5	10.800	0.255	10.600	11.200
AAT*	5	70.800	0.837	70.000	72.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	5	41.400	11.610	29.000	58.000
Ca	4	4.925	0.287	4.600	5.300
P	4	3.050	0.058	3.000	3.100
Mg	4	2.175	0.236	2.000	2.500
K	4	29.575	2.421	26.600	32.300
Na	4	1.400	0.337	1.000	1.800
Cl	5	13.280	4.476	9.800	21.000
S	4	2.550	0.191	2.400	2.800
CAB	4	274.790	100.796	128.559	356.552
Fe	4	136.500	18.339	115.000	158.000
Mn	4	91.750	8.995	81.000	101.000
Zn	4	34.750	3.862	29.000	37.000
Cu	4	8.325	0.450	7.700	8.700

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	352.286	105.270	245.000	505.000
Aska	14	72.357	10.188	59.000	87.000
OS smbh	14	76.086	4.661	68.800	81.700
Råprot	14	162.500	27.276	144.000	202.000
sRåprot	3	364.000	91.537	301.000	469.000
NDF	14	503.214	65.269	415.000	602.000
iNDF	14	128.375	39.416	65.694	184.557
nhNDF	14	5.155	0.823	4.239	5.817

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	14	84.000	0.000	84.000	84.000
Socker	14	76.857	48.535	15.000	150.000
AATp20	14	87.643	6.538	78.847	98.908
PBVp20	14	25.829	17.961	7.801	51.450
NELp20	14	6.393	0.398	5.774	6.878
OE*	14	11.095	0.777	10.000	12.050
AAT*	11	75.909	4.134	71.000	79.000
PBV*	11	25.182	19.823	10.000	47.000
Ca	12	4.667	0.919	3.800	6.000
P	12	2.608	0.436	2.100	3.100
Mg	12	1.867	0.387	1.400	2.300
K	12	21.683	5.104	15.800	28.100
Na	12	1.158	1.003	0.200	2.400
Cl	3	6.033	1.002	5.000	7.000
S	12	2.200	0.286	1.800	2.500
CAB	12	325.639	105.136	191.167	472.417
Fe	12	130.667	43.358	69.000	163.000
Mn	12	64.167	20.346	50.000	94.000
Zn	12	31.000	2.558	28.000	35.000
Cu	12	5.908	1.238	5.000	7.400
Se	2	0.060	0.071	0.010	0.110

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	545.857	176.771	337.000	782.000
Aska	14	81.429	11.332	65.000	93.000
OS smbh	14	76.164	2.822	71.500	79.300
Råprot	14	173.500	19.763	143.000	196.000
sRåprot	1	360.000	.	360.000	360.000
NDF	14	470.286	41.476	431.000	508.000
iNDF	14	142.536	41.796	110.229	176.091
nhNDF	14	4.898	0.853	4.208	5.590
TAF	14	84.000	0.000	84.000	84.000
Socker	14	88.214	30.539	38.000	118.000
AATp20	14	86.495	3.158	82.818	89.898
PBVp20	14	38.031	18.731	11.453	65.557
NELp20	14	6.337	0.276	6.012	6.638
OE*	14	10.999	0.463	10.400	11.600
AAT*	13	76.000	2.483	73.000	78.000
PBV*	13	42.154	21.836	11.000	68.000
Ca	11	6.164	2.508	4.500	7.300
P	11	2.727	0.369	2.400	3.100
Mg	11	2.755	0.633	2.200	3.500
K	11	21.900	5.771	13.700	29.200
Na	11	0.891	0.538	0.200	1.500
Cl	1	13.300	.	13.300	13.300
S	11	2.491	0.365	2.100	2.900
CAB	11	288.738	168.802	60.924	501.445

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	11	248.455	458.510	72.000	195.000
Mn	11	78.818	24.827	54.000	93.000
Zn	11	34.091	10.830	25.000	40.000
Cu	11	11.336	13.883	5.000	10.500
Se	1	0.050	.	0.050	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	609.000	105.929	509.000	720.000
Aska	3	80.000	7.211	74.000	88.000
OS smbh	3	78.233	2.023	75.900	79.500
Råprot	3	192.667	23.352	172.000	218.000
NDF	3	452.000	33.045	414.000	474.000
iNDF	3	122.070	24.642	98.751	147.850
nhNDF	3	5.263	0.657	4.697	5.984
TAF	3	84.000	0.000	84.000	84.000
Socker	3	92.000	9.165	82.000	100.000
AATp20	3	89.330	2.262	87.144	91.662
PBVp20	3	51.402	19.793	31.928	71.500
NELp20	3	6.570	0.139	6.413	6.676
OE*	3	11.400	0.265	11.100	11.600
AAT*	3	77.333	1.155	76.000	78.000
PBV*	3	59.000	23.065	37.000	83.000
Ca	2	6.500	0.141	6.400	6.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	2	2.550	0.212	2.400	2.700
Mg	2	3.000	0.990	2.300	3.700
K	2	24.500	4.950	21.000	28.000
Na	2	0.950	0.495	0.600	1.300
S	2	2.800	0.141	2.700	2.900
CAB	2	360.508	139.274	262.027	458.990
Fe	2	80.500	0.707	80.000	81.000
Mn	2	65.500	28.991	45.000	86.000
Zn	2	28.000	2.828	26.000	30.000
Cu	2	7.450	0.495	7.100	7.800

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	340.000	.	340.000	340.000
Aska	1	61.000	.	61.000	61.000
OS smbh	1	71.300	.	71.300	71.300
Råprot	1	141.000	.	141.000	141.000
sRåprot	1	679.000	.	679.000	679.000
NH3-N	1	125.000	.	125.000	125.000
NDF	1	498.000	.	498.000	498.000
iNDF	1	194.821	.	194.821	194.821
nhNDF	1	3.826	.	3.826	3.826
TAF	1	53.800	.	53.800	53.800
Mjölksyra	1	37.000	.	37.000	37.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	51.000	.	51.000	51.000
BUF	1	5.800	.	5.800	5.800
AATp20	1	79.681	.	79.681	79.681
PBVp20	1	19.121	.	19.121	19.121
NELp20	1	5.902	.	5.902	5.902
OE*	1	10.400	.	10.400	10.400
AAT*	1	70.000	.	70.000	70.000
PBV*	1	20.000	.	20.000	20.000
Ca	1	5.000	.	5.000	5.000
P	1	2.300	.	2.300	2.300
Mg	1	2.300	.	2.300	2.300
K	1	19.300	.	19.300	19.300
Na	1	0.500	.	0.500	0.500
Cl	1	8.500	.	8.500	8.500
S	1	2.300	.	2.300	2.300
CAB	1	132.159	.	132.159	132.159
Fe	1	293.000	.	293.000	293.000
Mn	1	57.000	.	57.000	57.000
Zn	1	29.000	.	29.000	29.000
Cu	1	7.200	.	7.200	7.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	19	371.421	106.939	258.000	531.000
Aska	19	66.368	9.148	50.000	78.000
OS smbh	19	76.463	4.260	67.800	80.400
Råprot	19	144.105	34.715	90.000	185.000
sRåprot	19	652.105	77.813	547.000	758.000
NH3-N	19	94.579	33.457	54.000	147.000
NDF	19	476.895	61.974	419.000	593.000
iNDF	19	134.775	33.921	93.000	185.824
nhNDF	19	4.921	0.675	4.158	5.747
TAF	19	66.953	28.790	21.400	118.000
Mjölksyra	19	52.474	25.648	13.000	100.000
Ättiksyra	19	11.316	4.321	6.000	17.000
Socker	19	59.684	28.331	20.000	109.000
PRF	2	0.500	0.707	0.000	1.000
BUF	19	2.216	3.827	0.000	6.200
AATp20	19	83.952	4.983	78.503	90.940
PBVp20	19	14.556	28.656	-17.695	55.943
NELp20	19	6.380	0.448	5.429	6.877
OE*	19	11.242	0.673	10.000	12.000
AAT*	17	72.176	1.912	69.000	74.000
PBV*	17	14.353	29.157	-25.000	55.000
Ca	17	4.118	0.887	2.600	5.100
P	17	2.835	0.427	2.100	3.300
Mg	17	1.700	0.255	1.400	2.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	17	24.006	4.429	18.600	28.200
Na	17	0.724	0.383	0.200	1.300
Cl	19	6.311	2.968	3.000	13.200
S	17	2.012	0.437	1.500	2.600
CAB	17	334.100	150.352	185.811	527.577
Fe	16	201.813	104.110	96.000	393.000
Mn	16	69.063	9.889	53.000	81.000
Zn	16	31.438	6.186	22.000	38.000
Cu	16	5.569	1.165	3.500	7.200
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	556.375	153.934	340.000	823.000
Aska	8	70.000	11.613	52.000	85.000
OS smbh	8	74.463	1.732	71.600	76.700
Råprot	8	167.875	13.695	150.000	189.000
sRåprot	8	496.125	117.797	269.000	655.000
NH3-N	8	47.125	20.427	10.000	76.000
NDF	8	476.375	21.791	443.000	517.000
iNDF	8	166.141	23.769	140.000	213.000
nhNDF	8	4.453	0.321	3.966	4.850
TAF	8	34.138	26.837	8.500	92.000
Mjölksyra	8	25.250	23.014	4.000	74.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	8	7.125	4.051	1.000	15.000
Socker	8	82.750	29.937	44.000	134.000
PRF	2	1.500	2.121	0.000	3.000
BUF	8	0.638	0.619	0.000	1.800
AATp20	8	89.422	5.338	81.037	98.577
PBVp20	8	28.321	18.852	-3.310	49.633
NELp20	8	6.205	0.180	5.991	6.544
OE*	8	10.854	0.346	10.220	11.400
AAT*	6	71.333	0.816	71.000	73.000
PBV*	6	42.667	15.782	25.000	65.000
Ca	7	5.529	0.711	4.200	6.500
P	7	2.814	0.380	2.200	3.400
Mg	7	2.429	0.403	1.900	3.200
K	7	23.614	4.156	17.900	29.800
Na	7	1.086	0.402	0.600	1.700
Cl	8	8.138	3.426	4.600	13.300
S	7	2.486	0.121	2.300	2.600
CAB	7	253.943	108.331	66.174	406.327
Fe	6	200.667	154.936	71.000	494.000
Mn	6	102.833	19.692	83.000	126.000
Zn	6	34.667	5.750	27.000	42.000
Cu	6	7.350	1.533	6.200	10.000
Se	1	0.130	.	0.130	0.130

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	319.000	.	319.000	319.000
Aska	1	84.000	.	84.000	84.000
OS smbh	1	76.000	.	76.000	76.000
Råprot	1	189.000	.	189.000	189.000
sRåprot	1	603.000	.	603.000	603.000
NH3-N	1	103.000	.	103.000	103.000
NDF	1	453.000	.	453.000	453.000
iNDF	1	148.000	.	148.000	148.000
nhNDF	1	4.630	.	4.630	4.630
TAF	1	80.700	.	80.700	80.700
Mjölksyra	1	57.000	.	57.000	57.000
Ättiksyra	1	21.000	.	21.000	21.000
Socker	1	34.000	.	34.000	34.000
BUF	1	1.700	.	1.700	1.700
AATp20	1	84.058	.	84.058	84.058
PBVp20	1	56.505	.	56.505	56.505
NELp20	1	6.416	.	6.416	6.416
OE*	1	11.000	.	11.000	11.000
AAT*	1	71.000	.	71.000	71.000
PBV*	1	66.000	.	66.000	66.000
Ca	1	6.600	.	6.600	6.600
P	1	3.700	.	3.700	3.700
Mg	1	2.600	.	2.600	2.600
K	1	24.100	.	24.100	24.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.200	.	1.200	1.200
Cl	1	5.600	.	5.600	5.600
S	1	3.000	.	3.000	3.000
CAB	1	323.296	.	323.296	323.296
Fe	1	171.000	.	171.000	171.000
Mn	1	132.000	.	132.000	132.000
Zn	1	34.000	.	34.000	34.000
Cu	1	7.600	.	7.600	7.600

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	426.750	42.680	370.000	473.000
Aska	4	64.750	15.414	51.000	83.000
OS smbh	4	68.700	1.506	67.300	70.100
Råprot	4	121.500	18.484	102.000	145.000
sRåprot	4	546.500	159.880	356.000	747.000
NH3-N	4	71.000	41.093	14.000	103.000
NDF	4	492.750	67.825	431.000	585.000
iNDF	4	239.660	40.579	203.984	285.000
nhNDF	4	3.462	0.530	2.667	3.755
Stä	4	55.750	33.330	18.000	98.000
TAF	4	49.525	25.389	25.700	78.000
Mjölksyra	4	33.000	16.753	18.000	48.000
Ättiksyra	4	13.250	6.898	6.000	22.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	4	84.500	28.455	46.000	113.000
PRF	1	5.000	.	5.000	5.000
BUF	1	3.000	.	3.000	3.000
AATp20	4	73.449	5.441	68.402	80.004
PBVp20	4	-0.291	10.748	-11.047	9.500
NELp20	4	5.547	0.144	5.416	5.677
OE*	2	9.835	0.191	9.700	9.970
AAT*	1	60.000	.	60.000	60.000
PBV*	1	-7.000	.	-7.000	-7.000
Ca	3	5.133	2.101	3.000	7.200
P	3	2.833	0.802	2.000	3.600
Mg	3	2.600	1.082	1.700	3.800
K	3	17.767	1.106	16.600	18.800
Na	3	1.667	0.896	1.100	2.700
Cl	4	7.350	1.634	5.600	9.300
S	3	2.133	0.208	1.900	2.300
CAB	3	178.497	70.293	99.905	235.358
Fe	3	259.667	141.001	119.000	401.000
Mn	3	125.667	80.625	61.000	216.000
Zn	3	80.333	73.874	29.000	165.000
Cu	3	16.200	17.242	4.500	36.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	349.000	.	349.000	349.000
Aska	1	51.000	.	51.000	51.000
OS smbh	1	73.900	.	73.900	73.900
Råprot	1	123.000	.	123.000	123.000
sRåprot	1	731.000	.	731.000	731.000
NH3-N	1	37.000	.	37.000	37.000
NDF	1	346.000	.	346.000	346.000
iNDF	1	239.000	.	239.000	239.000
nhNDF	1	2.642	.	2.642	2.642
Stä	1	137.000	.	137.000	137.000
TAF	1	81.000	.	81.000	81.000
Mjölksyra	1	63.000	.	63.000	63.000
Ättiksyra	1	18.000	.	18.000	18.000
Socket	1	106.000	.	106.000	106.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	73.337	.	73.337	73.337
PBVp20	1	6.049	.	6.049	6.049
NELp20	1	6.228	.	6.228	6.228
OE*	1	10.990	.	10.990	10.990
Ca	1	5.400	.	5.400	5.400
P	1	2.500	.	2.500	2.500
Mg	1	1.500	.	1.500	1.500
K	1	16.800	.	16.800	16.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.300	.	0.300	0.300
Cl	1	9.100	.	9.100	9.100
S	1	1.300	.	1.300	1.300
CAB	1	105.123	.	105.123	105.123
Fe	1	110.000	.	110.000	110.000
Mn	1	121.000	.	121.000	121.000
Zn	1	43.000	.	43.000	43.000
Cu	1	6.000	.	6.000	6.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	239.000	.	239.000	239.000
Aska	1	59.000	.	59.000	59.000
OS smbh	1	73.800	.	73.800	73.800
Råprot	1	131.000	.	131.000	131.000
sRåprot	1	794.000	.	794.000	794.000
NH3-N	1	141.000	.	141.000	141.000
NDF	1	533.000	.	533.000	533.000
iNDF	1	156.358	.	156.358	156.358
nhNDF	1	4.713	.	4.713	4.713
Stä	1	17.000	.	17.000	17.000
TAF	1	91.000	.	91.000	91.000
Mjölksyra	1	68.000	.	68.000	68.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	23.000	.	23.000	23.000
Socker	1	22.000	.	22.000	22.000
AATp20	1	69.186	.	69.186	69.186
PBVp20	1	15.670	.	15.670	15.670
NELp20	1	6.219	.	6.219	6.219
OE*	1	9.900	.	9.900	9.900
AAT*	1	60.000	.	60.000	60.000
PBV*	1	10.000	.	10.000	10.000
CI	1	0.800	.	0.800	0.800

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	896.000	9.8995	889.000	903.000
Aska	2	58.500	0.7071	58.000	59.000
OS smbh	2	65.500	0.0000	65.500	65.500
Råprot	2	79.000	2.8284	77.000	81.000
NDF	2	623.500	16.2635	612.000	635.000
iNDF	2	208.411	5.6165	204.439	212.382
nhNDF	2	3.808	0.1314	3.715	3.901
TAF	2	0.000	0.0000	0.000	0.000
Socker	2	110.500	6.3640	106.000	115.000
AATp20	2	83.408	0.4886	83.063	83.754
PBVp20	2	-45.229	1.8302	-46.524	-43.935
NELp20	2	5.091	0.0439	5.060	5.123

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	2	9.500	0.0000	9.500	9.500
AAT*	2	68.000	0.0000	68.000	68.000
PBV*	2	-37.000	2.8284	-39.000	-35.000
Ca	2	2.700	1.5556	1.600	3.800
P	2	2.500	0.2828	2.300	2.700
Mg	2	1.350	0.4950	1.000	1.700
K	2	22.200	1.5556	21.100	23.300
Na	2	0.200	0.1414	0.100	0.300
S	2	1.200	0.0000	1.200	1.200
CAB	2	360.626	33.6373	336.840	384.411
Fe	2	58.000	29.6985	37.000	79.000
Mn	2	41.000	0.0000	41.000	41.000
Zn	2	23.000	1.4142	22.000	24.000
Cu	2	4.300	0.9899	3.600	5.000

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	406.000	5.6569	402.000	410.000
Aska	2	49.500	2.1213	48.000	51.000
OS smbh	2	76.150	0.6364	75.700	76.600
Råprot	2	162.000	1.4142	161.000	163.000
sRåprot	2	486.500	14.8492	476.000	497.000
NH3-N	2	30.000	9.8995	23.000	37.000
NDF	2	293.500	19.0919	280.000	307.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	2	223.500	7.7782	218.000	229.000
nhNDF	2	2.330	0.0583	2.289	2.371
Stä	2	208.000	8.4853	202.000	214.000
TAF	2	75.000	2.8284	73.000	77.000
Mjölksyra	2	42.000	0.0000	42.000	42.000
Ättiksyra	2	30.500	3.5355	28.000	33.000
Socker	2	8.500	4.9497	5.000	12.000
PRF	2	2.500	0.7071	2.000	3.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	2	88.500	1.0916	87.728	89.272
PBVp20	2	28.611	0.3747	28.346	28.876
NELp20	2	6.685	0.0426	6.655	6.715
OE*	2	11.390	0.0849	11.330	11.450
Ca	2	9.400	0.0000	9.400	9.400
P	2	4.700	0.1414	4.600	4.800
Mg	2	4.600	0.1414	4.500	4.700
K	2	11.350	0.3536	11.100	11.600
Na	2	2.950	0.2121	2.800	3.100
Cl	2	5.100	0.0000	5.100	5.100
S	2	2.700	0.0000	2.700	2.700
CAB	2	106.130	0.1808	106.002	106.258
Fe	2	219.500	3.5355	217.000	222.000
Mn	2	99.000	2.8284	97.000	101.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	83.000	1.4142	82.000	84.000
Cu	2	19.500	0.7071	19.000	20.000

*= Parametrar från det gamla svenska fodervärderingssystemet