

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socket
Grönmassa, gräs (0% baljv.) (161)	1	2	300	77	80.7	215	362		417	83	5.24		61.000			113
Grönmassa, gräs (0% baljv.) (161)	3	1	158	110	85.4	277	297		388	51	9.24		61.000			99
Ensilage, gräs (0% klöver) (162)	1	15	401	66	74.9	131	600	79.9	479	159	4.65		78.533	57.9	17.9	58
Ensilage, gräs (0% klöver) (162)	2	4	329	81	75.2	141	537	83.0	434	168	4.19		83.375	65.8	16.5	45
Ensilage, gräs (0% klöver) (162)	3	2	246	93	72.8	189	561	220	471	198	4.62		118.500	51.0	43.0	7
Ensilage, gräs (0% klöver) (162)	5	2	271	88	72.9	194	555	175	475	192	4.53		118.000	56.5	44.0	10
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	339	70	79.2	133			454	113	5.52		84.000			143
Grönmassa blandvall (1-50 % baljväxter) (164)	1	52	387	72	78.1	149	433		457	112	5.12		84.000			122
Grönmassa blandvall (1-50 % baljväxter) (164)	2	41	419	87	76.2	159	402		471	132	4.77		84.000			89
Grönmassa blandvall (1-50 % baljväxter) (164)	3	10	431	84	75.3	169	390		460	157	4.68		84.000			87
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1	835	64	80.4	137			429	106	5.60		84.000			194
Ensilage, blandvall (1-50% klöver) (165)	0	7	360	89	71.9	130	588	97.1	439	205	3.60		71.943	53.3	13.1	59
Ensilage, blandvall (1-50% klöver) (165)	1	100	383	72	76.9	144	661	89.4	451	137	4.79		66.817	51.3	12.3	68
Ensilage, blandvall (1-50% klöver) (165)	2	73	466	83	75.0	146	544	74.3	451	163	4.38		55.016	40.4	12.1	68
Ensilage, blandvall (1-50% klöver) (165)	3	10	468	84	75.5	155	516	79.0	429	168	4.68		46.460	34.3	7.6	81
Ensilage, blandvall (1-50% klöver) (165)	4	4	399	91	74.0	141	554	87.5	442	174	4.03		70.975	58.8	10.8	45
Ensilage, blandvall (1-50% klöver) (165)	5	1	519	84	79.8	166	632	58.0	417	107	5.28		76.000	69.0	7.0	75
Korn, helsädesensilage (250)	1	7	463	60	68.9	94	594	67.3	446	249	2.87	111	40.557	27.9	11.0	94
Havre-ärt, helsädesensilage, 50% ärter (251)	1	6	413	72	67.6	98	574	69.2	444	263	2.71	105	58.000	41.7	14.3	55
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	429	61	64.4	116	456	47.0	484	279	2.55	54	56.500	35.5	21.0	59
Vete, helsäd ensilage (299)	1	2	350	70	66.5	96	719	111	530	233	3.27	56	80.000	61.0	16.5	23
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	6	384	50	71.5	107	561	56.8	380	248	2.50	211	34.833	25.7	7.7	58
Majs, helsädesensilage (305)	1	3	343	27	76.1	78	612	55.3	373	196	3.31	307	87.333	68.3	13.7	6
Råg, helsädesensilage, axgång (311)	1	1	333	85	76.8	77	829	107	440	142	4.71	17	64.000	40.0	24.0	149
Hö, blandvall, 0-50% baljväxter (383)	0	1	879	54	64.1	113			591	234	3.30		0.000			104

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Hö, blandvall, 0-50% baljväxter (383)	1	4	806	53	65.9	75	414		592	220	3.64		0.000			118
Grunnblanding Middels ford.grovför (326)	1	3	435	62	73.9	147	500	53.0	341	249	2.83	196	46.667	31.7	9.3	47
Råvarublandning - ej kompletta data (1E3)	1	1	849	19	0.0	131		6.0	151			614	0.000			

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Grönmassa, gräs (0% baljv.) (161)	1	2				99.8	51.5	6.75	11.8		
Grönmassa, gräs (0% baljv.) (161)	3	1				110	91.1	7.23	12.1		
Ensilage, gräs (0% klöver) (162)	1	15	4.66667	1.0000		80.7	4.9	6.20	11.0	71.9	-6.0
Ensilage, gräs (0% klöver) (162)	2	4		0.1250		81.0	13.4	6.15	10.9	71.0	18.0
Ensilage, gräs (0% klöver) (162)	3	2	9.50000	15.0000		77.1	64.3	6.08	10.3		
Ensilage, gräs (0% klöver) (162)	5	2	7.50000	10.0000		78.3	67.1	6.17	10.4		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				87.4	-1.8	6.45	11.6	80.0	-4.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	52				88.0	12.3	6.44	11.4	78.5	9.6
Grönmassa blandvall (1-50 % baljväxter) (164)	2	41				86.2	24.9	6.27	10.9	74.6	26.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	10				86.5	31.9	6.22	10.9	74.3	38.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1				89.0	-0.6	6.54	11.9	81.0	-3.0
Ensilage, blandvall (1-50% klöver) (165)	0	7		4.5143		77.5	11.4	5.74	10.2	69.3	10.3
Ensilage, blandvall (1-50% klöver) (165)	1	100	1.78947	2.0570		83.5	15.2	6.37	11.2	72.3	19.0
Ensilage, blandvall (1-50% klöver) (165)	2	73	1.10000	1.4056		84.3	16.0	6.12	10.8	71.1	25.4
Ensilage, blandvall (1-50% klöver) (165)	3	10	0.00000	3.7600		86.6	20.1	6.14	10.9	71.1	21.4
Ensilage, blandvall (1-50% klöver) (165)	4	4	0.00000	0.7250		80.6	17.0	6.02	10.6	69.3	19.0
Ensilage, blandvall (1-50% klöver) (165)	5	1	0.00000	0.0000		86.1	31.2	6.68	11.6		
Korn, helsädesensilage (250)	1	7				73.1	-23	5.48			
Havre-ärt, helsädesensilage, 50% ärter (251)	1	6				71.2	-12	5.48	10.1	62.5	-14
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2				69.5	4.4	5.29			

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Vete, helsäd ensilage (299)	1	2				65.9	-9.4	5.45			
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	6	1.33333	1.6667		79.5	-19	5.93	10.6		
Majs, helsädesensilage (305)	1	3	5.33333	0.0000		79.8	-48	6.71	11.7		
Råg, helsädesensilage, axgång (311)	1	1				73.0	-37	5.92			
Hö, blandvall, 0-50% baljväxter (383)	0	1				85.2	-16	5.07	9.3	67.0	-2.0
Hö, blandvall, 0-50% baljväxter (383)	1	4				84.2	-50	5.11	9.6	68.3	-48
Grunnblanding Middels ford.grovfôr (326)	1	3	5.66667	0.0000		87.1	16.8	6.28	10.9		
Råvarublandning - ej kompletta data (1E3)	1	1						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	1	2	6.1	2.8	2.2	26.5	1.1	10.1	2.6	345	1	65.0	53.0	28.0	9.0	
Grönmassa, gräs (0% baljv.) (161)	3	1	4.7	3.4	2.1	35.7	0.4	17.7	3.9	188	1	88.0	33.0	31.0	9.0	
Ensilage, gräs (0% klöver) (162)	1	15	5.0	2.5	1.8	21.2	0.5	4.5	1.8	326	15	175.6	85.8	24.9	5.8	0.0
Ensilage, gräs (0% klöver) (162)	2	4	7.4	2.9	2.3	24.6	0.6	4.3	2.1	405	4	132.3	60.0	24.0	7.3	
Ensilage, gräs (0% klöver) (162)	3	2	7.3	3.2	2.6	23.8	1.3	5.6	3.0	322	1	334.0	110.0	28.0	11.0	0.1
Ensilage, gräs (0% klöver) (162)	5	2	6.1	3.6	2.3	28.2	1.1	8.1	3.2	344	1	188.0	60.0	25.0	10.0	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	1	49	5.1	2.6	1.7	25.9	0.6	7.7	1.9	400	40	107.8	54.9	25.7	6.1	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	38	6.5	2.9	2.3	27.7	1.0	9.9	2.3	409	31	103.0	61.2	28.9	7.9	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	8	6.8	2.9	2.5	25.6	1.1	7.1	2.5	371	3	121.3	62.3	24.7	7.2	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1	7.1	2.0	2.9	16.1	2.3		3.4	167	1	70.0	50.0	48.0	5.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	7	7.3	2.6	2.3	24.0	0.8	5.9	1.6	385	7	457.0	83.7	24.1	6.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	99	5.1	2.6	1.8	25.0	0.6	5.9	1.9	382	87	167.3	57.3	26.3	5.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	72	6.6	2.8	2.3	27.1	0.9	8.5	2.2	360	64	153.4	66.4	28.3	7.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	10	7.8	2.7	2.5	23.7	1.4	10.0	2.5	227	8	158.6	64.9	24.3	6.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	4	7.8	2.6	2.6	24.1	0.8	11.0	2.3	197	4	267.8	68.0	25.0	7.4	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	5	1	6.6	3.6	1.7	25.4	0.8	14.8	3.0	80	1	88.0	122.0	18.0	8.0	
Korn, helsädesensilage (250)	1	5	3.5	2.1	1.6	16.0	0.8	5.3	1.4	203	5	98.6	37.8	20.6	5.0	
Havre-ärt, helsädesensilage, 50% ärter (251)	1	5	5.2	2.6	2.0	18.9	0.9	7.4	1.4	214	5	344.0	75.4	30.4	5.3	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	6.9	2.5	2.5	15.7	0.7	4.5	1.4	218	2	111.0	98.0	26.5	5.1	0.0
Vete, helsäd ensilage (299)	1	1	3.2	2.3	1.3	22.1	0.3	7.5	1.4	240	1	97.0	82.0	18.0	4.5	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	6	4.4	2.7	1.7	12.7	0.6	7.2	1.5	72	5	66.8	24.6	27.6	5.7	0.0
Majs, helsädesensilage (305)	1	3	1.8	1.7	0.9	8.5	0.2	2.8	1.0	101	2	135.0	25.5	17.5	5.0	0.1
Hö, blandvall, 0-50% baljväxter (383)	0	1	4.7	2.4	1.7	8.3	2.0		1.9	40	1	63.0	62.0	23.0	5.9	
Hö, blandvall, 0-50% baljväxter (383)	1	3	2.5	1.9	1.1	15.1	0.5	5.9	1.1	188	2	74.5	83.0	19.0	4.6	
Grunnblanding Middels ford.grovför (326)	1	3	6.5	4.1	3.4	15.2	3.4	16.3	2.3	-62	2	251.0	65.0	31.5	12.0	0.1
Råvarublandning - ej kompletta data (1E3)	1	1	0.5	3.2	1.3	5.7	0.1		1.6		1	58.0	31.0	36.0	4.7	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	299.500	116.673	217.000	382.000
Aska	2	77.000	8.485	71.000	83.000
OS smbh	2	80.650	0.212	80.500	80.800
Råprot	2	215.000	55.154	176.000	254.000
sRåprot	2	362.000	49.497	327.000	397.000
NDF	2	416.500	23.335	400.000	433.000
iNDF	2	82.500	50.205	47.000	118.000
nhNDF	2	5.239	1.137	4.435	6.043
TAF	2	61.000	0.000	61.000	61.000
Socker	2	112.500	4.950	109.000	116.000
AATp20	2	99.814	6.187	95.439	104.190
PBVp20	2	51.507	40.842	22.627	80.387
NELp20	2	6.751	0.131	6.658	6.843
OE*	2	11.800	0.071	11.750	11.850
Ca	2	6.050	2.616	4.200	7.900
P	2	2.800	0.707	2.300	3.300
Mg	2	2.200	1.131	1.400	3.000
K	2	26.500	1.980	25.100	27.900
Na	1	1.100	.	1.100	1.100
Cl	1	10.100	.	10.100	10.100
S	2	2.550	0.636	2.100	3.000
CAB	2	344.829	179.698	217.763	471.895
Fe	1	65.000	.	65.000	65.000
Mn	1	53.000	.	53.000	53.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	28.000	.	28.000	28.000
Cu	1	9.000	.	9.000	9.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	158.000	.	158.000	158.000
Aska	1	110.000	.	110.000	110.000
OS smbh	1	85.400	.	85.400	85.400
Råprot	1	277.000	.	277.000	277.000
sRåprot	1	297.000	.	297.000	297.000
NDF	1	388.000	.	388.000	388.000
iNDF	1	51.000	.	51.000	51.000
nhNDF	1	9.241	.	9.241	9.241
TAF	1	61.000	.	61.000	61.000
Socker	1	99.000	.	99.000	99.000
AATp20	1	110.336	.	110.336	110.336
PBVp20	1	91.054	.	91.054	91.054
NELp20	1	7.232	.	7.232	7.232
OE*	1	12.130	.	12.130	12.130
Ca	1	4.700	.	4.700	4.700
P	1	3.400	.	3.400	3.400
Mg	1	2.100	.	2.100	2.100
K	1	35.700	.	35.700	35.700
Na	1	0.400	.	0.400	0.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	17.700	.	17.700	17.700
S	1	3.900	.	3.900	3.900
CAB	1	188.093	.	188.093	188.093
Fe	1	88.000	.	88.000	88.000
Mn	1	33.000	.	33.000	33.000
Zn	1	31.000	.	31.000	31.000
Cu	1	9.000	.	9.000	9.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	401.333	163.364	264.000	735.000
Aska	15	66.400	9.898	52.000	78.000
OS smbh	15	74.933	4.414	69.500	79.900
Råprot	15	130.667	44.526	80.000	213.000
sRåprot	15	600.000	126.668	319.000	687.000
NH3-N	15	79.867	28.056	27.000	105.000
NDF	15	479.200	54.684	424.000	572.000
iNDF	15	158.584	49.893	112.613	222.219
nhNDF	15	4.654	0.679	3.715	5.504
TAF	15	78.533	33.166	17.500	111.100
Mjölksyra	15	57.933	26.491	8.000	91.000
Ättiksyra	15	17.867	9.094	8.000	31.000
Socker	15	58.000	44.665	21.000	131.000
PRF	3	4.667	1.155	4.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	15	1.000	0.963	0.100	2.600
AATp20	15	80.659	3.393	76.737	85.101
PBVp20	15	4.949	40.010	-40.052	81.682
NELp20	15	6.199	0.513	5.507	6.810
OE*	15	10.978	0.709	10.000	11.800
AAT*	12	71.917	2.193	70.000	74.000
PBV*	12	-6.000	28.329	-38.000	34.000
Ca	15	5.027	0.988	3.900	6.600
P	15	2.467	0.425	1.900	3.000
Mg	15	1.787	0.275	1.500	2.200
K	15	21.160	5.475	12.900	28.500
Na	15	0.513	0.442	0.200	1.100
Cl	15	4.467	2.243	0.900	7.300
S	15	1.780	0.517	1.200	2.400
CAB	15	326.424	113.801	215.923	465.501
Fe	15	175.600	86.177	82.000	294.000
Mn	15	85.800	61.279	48.000	147.000
Zn	15	24.867	3.907	21.000	28.000
Cu	15	5.787	1.373	4.700	8.000
Se	2	0.035	0.021	0.020	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	328.500	27.5015	292.000	353.000
Aska	4	80.500	5.1962	73.000	85.000
OS smbh	4	75.150	1.4107	73.500	76.600
Råprot	4	140.500	9.6090	129.000	152.000
sRåprot	4	537.250	34.9416	487.000	562.000
NH3-N	4	83.000	6.0000	76.000	88.000
NDF	4	433.750	21.4534	418.000	464.000
iNDF	4	167.725	26.2034	137.935	194.181
nhNDF	4	4.187	0.5873	3.634	4.903
TAF	4	83.375	15.9803	60.200	96.100
Mjölksyra	4	65.750	12.5266	47.000	73.000
Ättiksyra	4	16.500	4.4347	12.000	22.000
Socker	4	44.750	15.3921	26.000	62.000
BUF	4	0.125	0.0500	0.100	0.200
AATp20	4	80.992	1.0647	79.759	81.929
PBVp20	4	13.358	7.6224	5.016	22.235
NELp20	4	6.151	0.2415	5.846	6.419
OE*	4	10.850	0.2082	10.600	11.100
AAT*	4	71.000	0.8165	70.000	72.000
PBV*	4	18.000	8.5245	8.000	28.000
Ca	4	7.375	1.3376	5.800	8.800
P	4	2.850	0.0577	2.800	2.900
Mg	4	2.300	0.1826	2.100	2.500
K	4	24.625	2.3315	21.200	26.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	0.575	0.2217	0.300	0.800
Cl	4	4.275	1.7017	3.100	6.800
S	4	2.075	0.2500	1.800	2.400
CAB	4	404.685	36.4997	358.408	440.667
Fe	4	132.250	54.6466	83.000	202.000
Mn	4	60.000	2.9439	57.000	64.000
Zn	4	24.000	2.1602	21.000	26.000
Cu	4	7.275	0.6344	6.500	8.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	246.000	5.657	242.000	250.000
Aska	2	93.000	0.000	93.000	93.000
OS smbh	2	72.750	5.869	68.600	76.900
Råprot	2	189.000	29.698	168.000	210.000
sRåprot	2	560.500	89.803	497.000	624.000
NH3-N	2	220.000	171.120	99.000	341.000
NDF	2	470.500	64.347	425.000	516.000
iNDF	2	197.500	88.388	135.000	260.000
nhNDF	2	4.617	0.222	4.460	4.774
TAF	2	118.500	21.920	103.000	134.000
Mjölksyra	2	51.000	56.569	11.000	91.000
Ättiksyra	2	43.000	7.071	38.000	48.000
Socker	2	6.500	2.121	5.000	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	2	9.500	9.192	3.000	16.000
BUF	2	15.000	18.385	2.000	28.000
AATp20	2	77.149	2.197	75.595	78.702
PBVp20	2	64.313	23.346	47.805	80.821
NELp20	2	6.081	0.724	5.569	6.593
OE*	2	10.320	0.948	9.650	10.990
Ca	2	7.300	1.697	6.100	8.500
P	2	3.200	0.849	2.600	3.800
Mg	2	2.550	0.354	2.300	2.800
K	2	23.800	5.374	20.000	27.600
Na	2	1.250	0.636	0.800	1.700
Cl	2	5.550	0.495	5.200	5.900
S	2	2.950	0.071	2.900	3.000
CAB	2	322.330	146.750	218.563	426.098
Fe	1	334.000	.	334.000	334.000
Mn	1	110.000	.	110.000	110.000
Zn	1	28.000	.	28.000	28.000
Cu	1	11.000	.	11.000	11.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	270.500	4.950	267.000	274.000
Aska	2	88.000	1.414	87.000	89.000
OS smbh	2	72.900	4.950	69.400	76.400
Råprot	2	194.000	22.627	178.000	210.000
sRåprot	2	554.500	120.915	469.000	640.000
NH3-N	2	174.500	91.217	110.000	239.000
NDF	2	475.000	63.640	430.000	520.000
iNDF	2	191.500	65.761	145.000	238.000
nhNDF	2	4.529	0.137	4.432	4.625
TAF	2	118.000	15.556	107.000	129.000
Mjölksyra	2	56.500	31.820	34.000	79.000
Ättiksyra	2	44.000	0.000	44.000	44.000
Socker	2	9.500	2.121	8.000	11.000
PRF	2	7.500	6.364	3.000	12.000
BUF	2	10.000	9.899	3.000	17.000
AATp20	2	78.280	0.228	78.119	78.441
PBVp20	2	67.118	20.149	52.871	81.365
NELp20	2	6.166	0.535	5.787	6.544
OE*	2	10.405	0.785	9.850	10.960
Ca	2	6.050	0.071	6.000	6.100
P	2	3.550	0.354	3.300	3.800
Mg	2	2.300	0.424	2.000	2.600
K	2	28.200	4.101	25.300	31.100
Na	2	1.100	0.707	0.600	1.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	2	8.100	5.940	3.900	12.300
S	2	3.150	0.354	2.900	3.400
CAB	2	344.010	115.266	262.505	425.515
Fe	1	188.000	.	188.000	188.000
Mn	1	60.000	.	60.000	60.000
Zn	1	25.000	.	25.000	25.000
Cu	1	10.000	.	10.000	10.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	339.000	.	339.000	339.000
Aska	1	70.000	.	70.000	70.000
OS smbh	1	79.200	.	79.200	79.200
Råprot	1	133.000	.	133.000	133.000
NDF	1	454.000	.	454.000	454.000
iNDF	1	113.106	.	113.106	113.106
nhNDF	1	5.517	.	5.517	5.517
TAF	1	84.000	.	84.000	84.000
Socker	1	143.000	.	143.000	143.000
AATp20	1	87.430	.	87.430	87.430
PBVp20	1	-1.804	.	-1.804	-1.804
NELp20	1	6.452	.	6.452	6.452
OE*	1	11.600	.	11.600	11.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	1	80.000	.	80.000	80.000
PBV*	1	-4.000	.	-4.000	-4.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	52	387.096	87.867	280.000	497.000
Aska	52	72.288	12.093	57.000	90.000
OS smbh	52	78.115	3.933	72.900	82.600
Råprot	52	148.846	24.882	120.000	179.000
sRåprot	21	432.714	27.341	396.000	458.000
NDF	52	457.481	45.645	405.000	510.000
iNDF	52	111.852	44.556	67.000	163.035
nhNDF	52	5.119	1.084	3.811	6.672
TAF	52	84.000	0.000	84.000	84.000
Socker	52	122.481	40.037	69.000	165.000
AATp20	52	88.013	4.973	81.450	92.948
PBVp20	52	12.250	18.165	-7.932	30.238
NELp20	52	6.435	0.382	5.963	6.850
OE*	52	11.442	0.653	10.540	12.200
AAT*	31	78.516	4.007	73.000	83.000
PBV*	31	9.613	22.648	-12.000	47.000
Ca	49	5.059	1.682	3.300	7.600
P	49	2.649	0.430	2.100	3.200
Mg	49	1.724	0.394	1.300	2.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	49	25.892	3.516	20.300	29.000
Na	45	0.620	0.381	0.200	1.100
Cl	21	7.748	3.269	4.300	12.200
S	49	1.920	0.310	1.600	2.300
CAB	49	399.869	107.293	241.857	547.915
Fe	40	107.800	43.580	67.500	164.500
Mn	40	54.850	23.241	33.000	74.500
Zn	40	25.700	4.121	21.000	32.000
Cu	40	6.123	1.264	4.800	8.000
Se	19	0.010	0.005	0.005	0.021

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	41	418.634	110.243	299.000	547.000
Aska	41	87.146	13.540	72.000	105.000
OS smbh	41	76.159	2.858	72.800	79.400
Råprot	41	159.122	19.985	132.000	188.000
sRåprot	17	401.941	61.005	354.000	450.000
NDF	41	471.073	48.573	399.000	514.000
iNDF	41	131.719	39.666	70.000	182.205
nhNDF	41	4.767	0.724	3.951	5.697
TAF	41	84.000	0.000	84.000	84.000
Socket	41	89.463	41.510	25.000	130.000
AATp20	41	86.176	5.078	80.908	92.811

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	41	24.906	15.620	5.135	43.569
NELp20	41	6.268	0.311	5.934	6.622
OE*	41	10.948	0.540	10.280	11.650
AAT*	24	74.625	2.667	72.000	78.000
PBV*	24	26.042	18.823	5.000	49.000
Ca	38	6.453	2.606	3.900	11.300
P	38	2.911	0.420	2.400	3.600
Mg	38	2.305	0.628	1.600	3.100
K	38	27.713	4.444	22.100	34.100
Na	38	0.961	0.728	0.400	1.400
Cl	17	9.912	4.685	3.700	17.100
S	38	2.292	0.333	1.900	2.600
CAB	38	409.209	125.608	190.661	536.979
Fe	31	102.968	42.198	74.000	139.000
Mn	31	61.226	26.318	32.000	84.000
Zn	31	28.903	13.187	21.000	33.000
Cu	31	7.874	1.318	6.600	10.000
Se	10	0.086	0.205	0.009	0.360

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	430.700	111.701	294.000	558.000
Aska	9	83.889	11.656	64.000	102.000
OS smbh	10	75.280	2.265	72.750	78.700
Råprot	9	169.222	20.981	126.000	201.000
sRåprot	5	390.000	104.626	319.000	565.000
NDF	9	460.222	22.543	426.000	487.000
iNDF	10	156.632	37.352	107.532	208.512
nhNDF	10	4.685	0.514	4.157	5.544
TAF	10	84.000	0.000	84.000	84.000
Socker	9	87.444	36.987	22.000	135.000
AATp20	10	86.452	4.655	81.383	93.392
PBVp20	10	31.891	17.385	5.905	53.271
NELp20	10	6.220	0.203	5.991	6.520
OE*	9	10.854	0.429	10.200	11.500
AAT*	4	74.250	2.630	72.000	78.000
PBV*	4	38.000	13.292	26.000	57.000
Ca	8	6.838	1.696	4.500	9.400
P	8	2.863	0.378	2.200	3.200
Mg	8	2.488	0.567	1.700	3.400
K	8	25.625	2.796	20.800	29.100
Na	8	1.063	0.233	0.700	1.400
Cl	5	7.100	1.214	5.900	8.800
S	8	2.500	0.321	1.900	3.000
CAB	8	370.669	88.450	228.631	474.415

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	3	121.333	56.580	74.000	184.000
Mn	3	62.333	6.110	57.000	69.000
Zn	3	24.667	2.082	23.000	27.000
Cu	3	7.200	1.400	5.800	8.600
Se	3	0.013	0.005	0.009	0.019

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	835.000	.	835.000	835.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	80.400	.	80.400	80.400
Råprot	1	137.000	.	137.000	137.000
NDF	1	429.000	.	429.000	429.000
iNDF	1	106.256	.	106.256	106.256
nhNDF	1	5.602	.	5.602	5.602
TAF	1	84.000	.	84.000	84.000
Socker	1	194.000	.	194.000	194.000
AATp20	1	89.005	.	89.005	89.005
PBVp20	1	-0.593	.	-0.593	-0.593
NELp20	1	6.537	.	6.537	6.537
OE*	1	11.900	.	11.900	11.900
AAT*	1	81.000	.	81.000	81.000
PBV*	1	-3.000	.	-3.000	-3.000
Ca	1	7.100	.	7.100	7.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	2.000	.	2.000	2.000
Mg	1	2.900	.	2.900	2.900
K	1	16.100	.	16.100	16.100
Na	1	2.300	.	2.300	2.300
S	1	3.400	.	3.400	3.400
CAB	1	166.870	.	166.870	166.870
Fe	1	70.000	.	70.000	70.000
Mn	1	50.000	.	50.000	50.000
Zn	1	48.000	.	48.000	48.000
Cu	1	5.700	.	5.700	5.700
Se	1	0.010	.	0.010	0.010

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	359.714	83.912	205.000	443.00
Aska	7	89.143	33.178	62.000	162.00
OS smbh	7	71.929	4.715	64.900	78.40
Råprot	7	129.571	23.964	80.000	153.00
sRåprot	7	587.571	84.646	470.000	668.00
NH3-N	7	97.143	47.803	56.000	198.00
NDF	7	438.714	96.657	366.000	646.00
iNDF	7	204.583	50.354	143.402	264.05
nhNDF	7	3.602	0.825	2.688	4.44
TAF	7	71.943	25.109	41.100	120.10

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	7	53.286	17.337	25.000	76.00
Ättiksyra	7	13.143	4.140	8.000	21.00
Socker	7	59.429	39.029	21.000	135.00
BUF	7	4.514	7.828	0.100	22.10
AATp20	7	77.492	6.489	69.679	85.93
PBVp20	7	11.420	23.344	-27.180	44.95
NELp20	7	5.743	0.428	5.098	6.23
OE*	7	10.243	0.918	8.900	11.50
AAT*	7	69.286	2.870	65.000	73.00
PBV*	7	10.286	22.714	-34.000	35.00
Ca	7	7.300	2.893	4.100	10.90
P	7	2.629	0.340	2.100	3.00
Mg	7	2.257	0.737	1.300	3.30
K	7	24.000	3.034	19.200	28.30
Na	7	0.843	0.806	0.200	2.60
Cl	7	5.914	1.884	2.400	8.30
S	7	1.586	0.279	1.200	2.00
CAB	7	384.750	96.157	286.272	571.13
Fe	7	457.000	693.714	65.000	2020.00
Mn	7	83.714	38.956	42.000	161.00
Zn	7	24.143	2.478	20.000	27.00
Cu	7	6.900	1.275	5.400	9.00
Se	1	0.023	.	0.023	0.02

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	100	383.100	86.0638	273.000	489.500
Aska	100	71.880	7.1397	64.000	79.500
OS smbh	100	76.902	3.4055	71.300	80.100
Råprot	100	144.130	23.9594	115.000	172.500
sRåprot	100	660.570	60.0002	593.500	733.500
NH3-N	100	89.420	30.9010	52.500	120.000
NDF	100	451.350	46.9322	401.000	514.500
iNDF	100	137.476	36.4363	103.816	186.711
nhNDF	100	4.791	0.6583	4.000	5.617
TAF	100	66.817	26.4865	27.400	101.800
Mjölksyra	100	51.270	23.0037	18.000	82.500
Ättiksyra	100	12.340	4.7380	7.000	19.000
Socker	100	67.730	38.3919	21.000	122.500
PRF	19	1.789	1.6186	0.000	5.000
BUF	100	2.057	3.3300	0.000	4.600
AATp20	100	83.544	4.0694	77.802	88.322
PBVp20	100	15.187	20.2124	-7.360	40.408
NELp20	100	6.368	0.3443	5.861	6.748
OE*	100	11.247	0.5624	10.400	11.800
AAT*	81	72.346	1.5505	70.000	74.000
PBV*	81	18.988	22.5347	-7.000	47.000
Ca	99	5.062	1.3080	3.800	7.000
P	99	2.613	0.3708	2.100	3.100
Mg	99	1.752	0.3357	1.400	2.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	99	24.972	3.4909	20.000	29.100
Na	99	0.622	0.4944	0.200	1.300
Cl	100	5.862	2.5671	2.950	9.500
S	99	1.896	0.3543	1.400	2.300
CAB	99	381.960	85.5553	275.051	482.600
Fe	87	167.345	96.9931	79.000	339.000
Mn	87	57.253	20.8317	39.000	77.000
Zn	87	26.264	6.4311	21.000	32.000
Cu	87	5.870	1.0386	4.500	7.200
Se	26	0.017	0.0132	0.006	0.039

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	73	465.904	133.898	303.000	649.000
Aska	73	82.630	10.298	66.000	94.000
OS smbh	73	74.975	2.300	72.100	77.800
Råprot	73	146.247	24.022	113.000	174.000
sRåprot	73	543.699	85.699	430.000	645.000
NH3-N	70	74.343	26.864	44.500	115.000
NDF	73	450.685	41.875	381.000	507.000
iNDF	73	163.497	33.778	127.207	212.573
nhNDF	73	4.378	0.693	3.445	5.103
TAF	73	55.016	23.850	18.500	88.300
Mjölksyra	73	40.425	19.891	11.000	66.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	72	12.097	5.094	7.000	19.000
Socker	73	68.452	35.852	21.000	114.000
PRF	10	1.100	1.101	0.000	3.000
BUF	72	1.406	1.657	0.000	3.800
AATp20	73	84.318	4.062	80.279	89.796
PBVp20	73	15.982	22.275	-14.816	43.464
NELp20	73	6.124	0.269	5.760	6.484
OE*	73	10.804	0.363	10.300	11.300
AAT*	62	71.065	1.143	70.000	72.000
PBV*	62	25.355	22.476	-5.000	56.000
Ca	72	6.625	2.212	4.400	10.400
P	72	2.831	0.368	2.400	3.200
Mg	72	2.315	0.485	1.800	2.900
K	72	27.075	4.602	21.200	32.200
Na	72	0.917	0.814	0.200	1.800
Cl	72	8.518	6.220	3.900	12.700
S	72	2.161	0.438	1.600	2.700
CAB	72	360.034	144.204	206.771	493.302
Fe	64	153.422	159.001	72.000	229.000
Mn	64	66.375	24.634	39.000	113.000
Zn	64	28.250	12.145	22.000	32.000
Cu	64	7.528	1.507	5.300	9.500
Se	19	0.019	0.010	0.010	0.038

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	467.800	122.624	356.500	662.500
Aska	10	84.200	13.506	68.000	102.500
OS smbh	10	75.540	4.431	68.900	79.400
Råprot	10	154.500	29.699	121.000	197.500
sRåprot	10	516.200	120.946	354.000	671.500
NH3-N	10	79.000	48.516	33.000	162.000
NDF	10	429.400	41.363	374.500	487.500
iNDF	10	167.548	45.675	119.161	237.514
nhNDF	10	4.683	1.397	3.249	6.683
TAF	10	46.460	27.297	13.450	86.500
Mjölksyra	10	34.300	26.145	8.000	78.500
Ättiksyra	10	7.600	4.222	1.500	12.500
Socker	10	81.100	44.346	27.500	141.000
PRF	2	0.000	0.000	0.000	0.000
BUF	10	3.760	6.105	0.000	13.650
AATp20	10	86.598	6.708	75.683	93.852
PBVp20	10	20.062	22.876	-7.374	55.180
NELp20	10	6.144	0.470	5.449	6.644
OE*	10	10.871	0.755	9.700	11.600
AAT*	8	71.125	2.475	66.000	74.000
PBV*	8	21.375	18.314	-12.000	48.000
Ca	10	7.760	2.121	5.850	11.200
P	10	2.660	0.591	2.000	3.500
Mg	10	2.480	0.253	2.200	2.850

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	10	23.720	2.912	19.100	27.150
Na	10	1.380	1.011	0.150	2.900
Cl	10	10.030	3.327	5.550	14.400
S	10	2.520	0.316	2.050	2.850
CAB	10	226.614	88.025	112.940	343.654
Fe	8	158.625	83.586	85.000	359.000
Mn	8	64.875	15.505	44.000	93.000
Zn	8	24.250	5.148	17.000	32.000
Cu	8	6.675	1.107	4.900	8.000
Se	5	0.025	0.020	0.006	0.056

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	399.250	65.632	308.000	450.000
Aska	4	90.500	4.123	85.000	95.000
OS smbh	4	73.950	3.719	70.900	79.200
Råprot	4	141.000	15.748	119.000	155.000
sRåprot	4	553.500	50.928	517.000	626.000
NH3-N	4	87.500	15.716	72.000	107.000
NDF	4	441.500	43.860	410.000	504.000
iNDF	4	174.352	61.614	97.000	229.347
nhNDF	4	4.031	1.007	3.093	5.062
TAF	4	70.975	16.193	58.000	94.100
Mjölksyra	4	58.750	10.689	50.000	74.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	4	10.750	5.909	5.000	19.000
Socker	4	45.250	37.107	10.000	90.000
PRF	1	0.000	.	0.000	0.000
BUF	4	0.725	0.881	0.000	1.900
AATp20	4	80.598	3.951	77.905	86.403
PBVp20	4	16.989	13.462	-0.340	31.718
NELp20	4	6.025	0.422	5.575	6.532
OE*	4	10.565	0.620	10.100	11.460
AAT*	3	69.333	0.577	69.000	70.000
PBV*	3	19.000	18.682	-1.000	36.000
Ca	4	7.775	1.417	6.100	9.000
P	4	2.600	0.374	2.200	3.100
Mg	4	2.550	0.493	1.900	3.100
K	4	24.125	3.045	21.500	28.400
Na	4	0.750	0.451	0.200	1.300
Cl	4	11.025	8.827	4.500	24.000
S	4	2.275	0.330	1.900	2.700
CAB	4	196.865	179.901	-61.942	354.553
Fe	4	267.750	119.762	140.000	426.000
Mn	4	68.000	22.920	52.000	102.000
Zn	4	25.000	4.546	19.000	30.000
Cu	4	7.375	1.066	6.000	8.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	519.000	.	519.000	519.000
Aska	1	84.000	.	84.000	84.000
OS smbh	1	79.800	.	79.800	79.800
Råprot	1	166.000	.	166.000	166.000
sRåprot	1	632.000	.	632.000	632.000
NH3-N	1	58.000	.	58.000	58.000
NDF	1	417.000	.	417.000	417.000
iNDF	1	107.000	.	107.000	107.000
nhNDF	1	5.278	.	5.278	5.278
TAF	1	76.000	.	76.000	76.000
Mjölksyra	1	69.000	.	69.000	69.000
Ättiksyra	1	7.000	.	7.000	7.000
Socker	1	75.000	.	75.000	75.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	86.115	.	86.115	86.115
PBVp20	1	31.239	.	31.239	31.239
NELp20	1	6.677	.	6.677	6.677
OE*	1	11.570	.	11.570	11.570
Ca	1	6.600	.	6.600	6.600
P	1	3.600	.	3.600	3.600
Mg	1	1.700	.	1.700	1.700
K	1	25.400	.	25.400	25.400
Na	1	0.800	.	0.800	0.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	14.800	.	14.800	14.800
S	1	3.000	.	3.000	3.000
CAB	1	79.998	.	79.998	79.998
Fe	1	88.000	.	88.000	88.000
Mn	1	122.000	.	122.000	122.000
Zn	1	18.000	.	18.000	18.000
Cu	1	8.000	.	8.000	8.000

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	463.286	46.732	424.000	533.000
Aska	7	60.286	12.244	43.000	80.000
OS smbh	7	68.871	2.641	64.900	72.500
Råprot	7	93.857	19.937	69.000	123.000
sRåprot	7	593.714	148.898	369.000	723.000
NH3-N	7	67.286	27.152	45.000	106.000
NDF	7	446.000	51.839	377.000	501.000
iNDF	7	249.452	28.162	207.745	283.818
nhNDF	7	2.865	0.469	2.386	3.640
Stä	7	111.429	96.244	18.000	257.000
TAF	7	40.557	15.572	18.700	60.700
Mjölksyra	7	27.857	13.837	9.000	44.000
Ättiksyra	7	11.000	4.546	7.000	18.000
Socker	7	94.429	31.495	48.000	123.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	7	73.148	4.027	65.526	77.075
PBVp20	7	-23.084	13.723	-46.535	-5.149
NELp20	7	5.483	0.294	5.145	5.921
Ca	5	3.480	1.297	2.300	5.000
P	5	2.100	0.224	1.800	2.400
Mg	5	1.640	0.581	1.100	2.300
K	5	15.960	4.579	12.100	23.300
Na	5	0.760	0.251	0.400	1.100
Cl	7	5.329	3.772	2.400	13.400
S	5	1.440	0.351	1.100	2.000
CAB	5	203.059	73.082	128.226	303.675
Fe	5	98.600	40.845	67.000	170.000
Mn	5	37.800	17.796	11.000	58.000
Zn	5	20.600	2.702	18.000	24.000
Cu	5	5.000	1.061	3.900	6.200

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	413.000	89.100	305.000	552.000
Aska	6	71.667	10.113	59.000	88.000
OS smbh	6	67.567	1.866	65.200	70.100
Råprot	6	98.333	16.836	76.000	115.000
sRåprot	6	574.333	153.844	361.000	729.000
NH3-N	6	69.167	30.089	40.000	107.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	6	444.167	27.773	407.000	493.000
iNDF	6	263.183	34.615	215.168	300.757
nhNDF	6	2.711	0.510	2.199	3.494
Stä	6	105.000	71.075	31.000	214.000
TAF	6	58.000	22.199	37.000	101.000
Mjölksyra	6	41.667	20.096	22.000	80.000
Ättiksyra	6	14.333	3.077	11.000	19.000
Socker	6	55.333	38.412	23.000	121.000
AATp20	6	71.164	4.541	65.143	78.619
PBVp20	6	-12.190	16.659	-30.453	13.134
NELp20	6	5.481	0.091	5.379	5.603
OE*	2	10.100	0.000	10.100	10.100
AAT*	2	62.500	2.121	61.000	64.000
PBV*	2	-14.000	9.899	-21.000	-7.000
Ca	5	5.240	0.537	4.700	5.900
P	5	2.620	0.536	2.100	3.400
Mg	5	2.040	0.114	1.900	2.200
K	5	18.940	5.621	13.900	28.600
Na	5	0.920	0.526	0.400	1.500
Cl	6	7.433	3.733	2.700	11.500
S	5	1.420	0.148	1.200	1.600
CAB	5	213.677	137.211	59.360	324.905
Fe	5	344.000	316.986	106.000	762.000
Mn	5	75.400	30.013	27.000	104.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	5	30.400	9.529	20.000	46.000
Cu	5	5.280	0.879	4.300	6.500

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	428.500	79.9031	372.000	485.000
Aska	2	60.500	9.1924	54.000	67.000
OS smbh	2	64.400	5.9397	60.200	68.600
Råprot	2	115.500	20.5061	101.000	130.000
sRåprot	2	455.500	20.5061	441.000	470.000
NH3-N	2	47.000	12.7279	38.000	56.000
NDF	2	484.000	21.2132	469.000	499.000
iNDF	2	279.284	53.4632	241.480	317.088
nhNDF	2	2.551	0.6216	2.112	2.991
Stä	2	53.500	26.1630	35.000	72.000
TAF	2	56.500	3.5355	54.000	59.000
Mjölksyra	2	35.500	0.7071	35.000	36.000
Ättiksyra	2	21.000	4.2426	18.000	24.000
Socker	2	58.500	40.3051	30.000	87.000
AATp20	2	69.547	5.7438	65.485	73.608
PBVp20	2	4.415	27.4644	-15.005	23.835
NELp20	2	5.292	0.3379	5.054	5.531
Ca	2	6.850	0.6364	6.400	7.300
P	2	2.450	0.3536	2.200	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	2	2.500	0.4243	2.200	2.800
K	2	15.650	2.4749	13.900	17.400
Na	2	0.700	0.0000	0.700	0.700
Cl	2	4.450	1.3435	3.500	5.400
S	2	1.400	0.1414	1.300	1.500
CAB	2	217.838	16.6120	206.092	229.585
Fe	2	111.000	41.0122	82.000	140.000
Mn	2	98.000	8.4853	92.000	104.000
Zn	2	26.500	3.5355	24.000	29.000
Cu	2	5.100	0.2828	4.900	5.300
Se	2	0.025	0.0000	0.025	0.025

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	350.000	82.0244	292.000	408.000
Aska	2	69.500	0.7071	69.000	70.000
OS smbh	2	66.450	1.0607	65.700	67.200
Råprot	2	96.000	1.4142	95.000	97.000
sRåprot	2	719.000	62.2254	675.000	763.000
NH3-N	2	110.500	37.4767	84.000	137.000
NDF	2	530.000	70.7107	480.000	580.000
iNDF	2	233.095	20.1038	218.879	247.310
nhNDF	2	3.273	0.4419	2.960	3.585
Stä	2	56.000	55.1543	17.000	95.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	2	80.000	7.7782	74.500	85.500
Mjölksyra	2	61.000	0.0000	61.000	61.000
Ättiksyra	2	16.500	7.7782	11.000	22.000
Socker	2	23.000	9.8995	16.000	30.000
AATp20	2	65.915	0.8796	65.293	66.537
PBVp20	2	-9.449	0.9204	-10.100	-8.798
NELp20	2	5.452	0.1221	5.366	5.539
Ca	1	3.200	.	3.200	3.200
P	1	2.300	.	2.300	2.300
Mg	1	1.300	.	1.300	1.300
K	1	22.100	.	22.100	22.100
Na	1	0.300	.	0.300	0.300
Cl	2	7.500	1.9799	6.100	8.900
S	1	1.400	.	1.400	1.400
CAB	1	240.057	.	240.057	240.057
Fe	1	97.000	.	97.000	97.000
Mn	1	82.000	.	82.000	82.000
Zn	1	18.000	.	18.000	18.000
Cu	1	4.500	.	4.500	4.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	384.333	95.588	229.000	529.000
Aska	6	49.833	9.888	40.000	62.000
OS smbh	6	71.533	2.406	67.500	74.400
Råprot	6	106.500	28.304	81.000	159.000
sRåprot	6	560.833	119.521	422.000	740.000
NH3-N	6	56.833	35.897	26.000	116.000
NDF	6	380.167	76.499	292.000	504.000
iNDF	6	248.281	56.604	152.000	313.000
nhNDF	6	2.501	1.178	1.312	4.423
Stä	6	210.500	132.885	4.000	340.000
TAF	6	34.833	25.600	8.000	66.000
Mjölksyra	6	25.667	23.905	0.000	55.000
Ättiksyra	6	7.667	5.538	0.000	16.000
Socker	6	58.000	36.802	26.000	111.000
PRF	3	1.333	1.155	0.000	2.000
BUF	3	1.667	2.887	0.000	5.000
AATp20	6	79.463	5.704	71.399	87.742
PBVp20	6	-19.073	22.481	-41.817	13.228
NELp20	6	5.927	0.230	5.558	6.242
OE*	3	10.637	0.545	10.010	11.000
Ca	6	4.417	1.155	2.500	6.100
P	6	2.733	0.388	2.200	3.200
Mg	6	1.717	0.445	1.400	2.600
K	6	12.700	5.800	5.700	21.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	6	0.550	0.476	0.100	1.400
Cl	5	7.220	4.501	2.500	14.400
S	6	1.450	0.315	1.100	2.000
CAB	6	71.852	164.004	-229.627	208.704
Fe	5	66.800	16.709	45.000	87.000
Mn	5	24.600	10.502	11.000	40.000
Zn	5	27.600	8.142	20.000	41.000
Cu	5	5.680	0.931	4.700	7.000
Se	1	0.012	.	0.012	0.012

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	343.000	13.0000	335.000	358.000
Aska	3	27.000	1.0000	26.000	28.000
OS smbh	3	76.133	2.1127	73.700	77.500
Råprot	3	77.667	4.1633	73.000	81.000
sRåprot	3	612.333	56.3678	549.000	657.000
NH3-N	3	55.333	15.9478	37.000	66.000
NDF	3	372.667	27.1539	356.000	404.000
iNDF	3	195.667	13.6137	185.000	211.000
nhNDF	3	3.309	0.2546	3.048	3.556
Stä	3	307.333	22.0303	282.000	322.000
TAF	3	87.333	10.0167	77.000	97.000
Mjölksyra	3	68.333	7.5056	61.000	76.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	3	13.667	2.5166	11.000	16.000
Socker	3	6.333	1.1547	5.000	7.000
PRF	3	5.333	0.5774	5.000	6.000
BUF	3	0.000	0.0000	0.000	0.000
AATp20	3	79.833	2.2915	77.432	81.997
PBVp20	3	-48.064	0.7235	-48.861	-47.450
NELp20	3	6.707	0.2393	6.434	6.883
OE*	3	11.660	0.3659	11.240	11.910
Ca	3	1.767	0.3215	1.400	2.000
P	3	1.733	0.1528	1.600	1.900
Mg	3	0.933	0.2082	0.700	1.100
K	3	8.467	0.6506	7.800	9.100
Na	3	0.233	0.1528	0.100	0.400
Cl	2	2.750	0.4950	2.400	3.100
S	3	0.967	0.0577	0.900	1.000
CAB	3	100.539	43.5678	58.360	145.374
Fe	2	135.000	91.9239	70.000	200.000
Mn	2	25.500	7.7782	20.000	31.000
Zn	2	17.500	2.1213	16.000	19.000
Cu	2	5.000	1.4142	4.000	6.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	333.000	.	333.000	333.000
Aska	1	85.000	.	85.000	85.000
OS smbh	1	76.800	.	76.800	76.800
Råprot	1	77.000	.	77.000	77.000
sRåprot	1	829.000	.	829.000	829.000
NH3-N	1	107.000	.	107.000	107.000
NDF	1	440.000	.	440.000	440.000
iNDF	1	141.830	.	141.830	141.830
nhNDF	1	4.708	.	4.708	4.708
Stä	1	17.000	.	17.000	17.000
TAF	1	64.000	.	64.000	64.000
Mjölksyra	1	40.000	.	40.000	40.000
Ättiksyra	1	24.000	.	24.000	24.000
Socker	1	149.000	.	149.000	149.000
AATp20	1	73.008	.	73.008	73.008
PBVp20	1	-37.271	.	-37.271	-37.271
NELp20	1	5.925	.	5.925	5.925
CI	1	3.900	.	3.900	3.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	879.000	.	879.000	879.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	64.100	.	64.100	64.100
Råprot	1	113.000	.	113.000	113.000
NDF	1	591.000	.	591.000	591.000
iNDF	1	234.271	.	234.271	234.271
nhNDF	1	3.298	.	3.298	3.298
TAF	1	0.000	.	0.000	0.000
Socket	1	104.000	.	104.000	104.000
AATp20	1	85.187	.	85.187	85.187
PBVp20	1	-16.082	.	-16.082	-16.082
NELp20	1	5.071	.	5.071	5.071
OE*	1	9.300	.	9.300	9.300
AAT*	1	67.000	.	67.000	67.000
PBV*	1	-2.000	.	-2.000	-2.000
Ca	1	4.700	.	4.700	4.700
P	1	2.400	.	2.400	2.400
Mg	1	1.700	.	1.700	1.700
K	1	8.300	.	8.300	8.300
Na	1	2.000	.	2.000	2.000
S	1	1.900	.	1.900	1.900
CAB	1	39.638	.	39.638	39.638
Fe	1	63.000	.	63.000	63.000
Mn	1	62.000	.	62.000	62.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	23.000	.	23.000	23.000
Cu	1	5.900	.	5.900	5.900

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	805.500	39.4419	768.000	858.000
Aska	4	52.750	3.4034	50.000	57.000
OS smbh	4	65.900	1.2780	64.000	66.700
Råprot	4	75.250	18.9803	53.000	97.000
sRåprot	1	414.000	.	414.000	414.000
NDF	4	592.000	18.3485	575.000	618.000
iNDF	4	220.244	7.5303	209.537	225.971
nhNDF	4	3.637	0.1933	3.460	3.865
TAF	4	0.000	0.0000	0.000	0.000
Socker	4	117.750	16.1116	95.000	133.000
AATp20	4	84.157	4.4300	79.417	90.007
PBVp20	4	-49.890	10.7707	-62.871	-39.116
NELp20	4	5.107	0.1659	4.887	5.273
OE*	4	9.608	0.2055	9.300	9.730
AAT*	3	68.333	1.1547	67.000	69.000
PBV*	3	-48.333	12.5831	-60.000	-35.000
Ca	3	2.500	0.4583	2.100	3.000
P	3	1.933	0.5859	1.500	2.600
Mg	3	1.133	0.1528	1.000	1.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	3	15.100	3.2741	12.300	18.700
Na	3	0.467	0.3512	0.100	0.800
Cl	1	5.900	.	5.900	5.900
S	3	1.100	0.1000	1.000	1.200
CAB	3	188.433	68.4013	133.516	265.053
Fe	2	74.500	31.8198	52.000	97.000
Mn	2	83.000	11.3137	75.000	91.000
Zn	2	19.000	2.8284	17.000	21.000
Cu	2	4.600	0.9899	3.900	5.300

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	435.000	54.443	395.000	497.000
Aska	3	61.667	3.512	58.000	65.000
OS smbh	3	73.900	4.419	68.800	76.600
Råprot	3	147.333	1.528	146.000	149.000
sRåprot	3	499.667	25.325	477.000	527.000
NH3-N	3	53.000	6.557	46.000	59.000
NDF	3	340.667	66.726	289.000	416.000
iNDF	3	248.667	73.419	199.000	333.000
nhNDF	3	2.831	0.425	2.485	3.305
Stä	3	195.667	24.705	173.000	222.000
TAF	3	46.667	28.024	24.000	78.000
Mjölksyra	3	31.667	16.166	17.000	49.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	3	9.333	11.846	2.000	23.000
Socker	3	46.667	29.297	25.000	80.000
PRF	3	5.667	0.577	5.000	6.000
BUF	3	0.000	0.000	0.000	0.000
AATp20	3	87.104	2.961	84.910	90.472
PBVp20	3	16.778	3.760	12.903	20.412
NELp20	3	6.280	0.442	5.775	6.594
OE*	3	10.867	0.742	10.010	11.310
Ca	3	6.500	2.339	5.100	9.200
P	3	4.100	0.693	3.700	4.900
Mg	3	3.433	0.808	2.700	4.300
K	3	15.233	2.312	12.800	17.400
Na	3	3.433	1.570	2.200	5.200
Cl	3	16.300	10.839	4.600	26.000
S	3	2.267	0.231	2.000	2.400
CAB	3	-61.947	282.117	-259.888	261.087
Fe	2	251.000	15.556	240.000	262.000
Mn	2	65.000	14.142	55.000	75.000
Zn	2	31.500	2.121	30.000	33.000
Cu	2	12.000	0.000	12.000	12.000
Se	2	0.110	0.000	0.110	0.110

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	849.000	.	849.000	849.000
Aska	1	19.000	.	19.000	19.000
OS smbh	2	0.000	0	0.000	0.000
Råprot	1	131.000	.	131.000	131.000
NH3-N	1	6.000	.	6.000	6.000
NDF	1	151.000	.	151.000	151.000
Stä	1	614.000	.	614.000	614.000
TAF	2	0.000	0	0.000	0.000
NELp20	2	0.000	0	0.000	0.000
Ca	1	0.500	.	0.500	0.500
P	1	3.200	.	3.200	3.200
Mg	1	1.300	.	1.300	1.300
K	1	5.700	.	5.700	5.700
Na	1	0.100	.	0.100	0.100
S	1	1.600	.	1.600	1.600
Fe	1	58.000	.	58.000	58.000
Mn	1	31.000	.	31.000	31.000
Zn	1	36.000	.	36.000	36.000
Cu	1	4.700	.	4.700	4.700
Se	1	0.005	.	0.005	0.005

*= Parametrar från det gamla svenska fodervärderingssystemet