

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	1	828	29	86.0	103				162	3.15	649	0.000			
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	844	25	80.5	88				304	2.50	636	0.000			
Ensilage, gräs (0% klöver) (162)	1	6	346	64	74.7	132	602	76.0	477	161	4.42		75.267	58.2	14.5	56
Ensilage, gräs (0% klöver) (162)	2	4	387	82	72.8	143	541	112	469	187	4.12		57.950	38.0	13.8	46
Grönmassa blandvall (1-50 % baljväxter) (164)	1	32	463	71	75.2	131	476		513	141	5.20		84.000			101
Grönmassa blandvall (1-50 % baljväxter) (164)	2	15	531	81	74.0	142	331		498	162	4.71		84.000			93
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2	545	81	70.9	140	404		484	241	4.65		84.000			76
Ensilage, blandvall (1-50% klöver) (165)	0	3	334	91	78.6	181	691	110	409	123	5.05		73.633	57.3	13.0	61
Ensilage, blandvall (1-50% klöver) (165)	1	78	348	69	75.2	143	609	87.6	483	149	4.75		71.841	55.7	13.7	48
Ensilage, blandvall (1-50% klöver) (165)	2	57	428	77	75.2	142	524	68.4	456	160	4.47		60.196	46.4	11.9	62
Ensilage, blandvall (1-50% klöver) (165)	3	3	494	90	72.7	133	505	72.7	439	207	4.10		57.100	43.7	12.0	73
Ensilage, blandvall (1-50% klöver) (165)	5	1	432	85	72.0	130	471	86.0	421	212	3.36		85.900	71.0	13.0	74
Ensilage, blandvall (1-50% klöver) (165)	*	1	311	67	72.9	117	644	49.0	506	143	3.80		84.000	69.0	14.0	45
Korn, helsädesensilage (250)	1	1	300	61	69.3	123	702	95.0	443	244	2.91	40	109.700	92.0	16.0	36
Havre helsädesensilage degmognad (296)	1	2	400	68	68.3	103	733	89.0	460	246	2.93	68	59.000	45.0	14.0	71
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	425	67	70.3	141	721	80.0	442	253	3.48	71	76.000	57.0	19.0	62
Vete, helsäd ensilage (299)	1	1	399	63	64.5	103	486	71.0	532	253	2.95	48	54.500	44.0	8.0	71
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	2	345	73	70.3	133	641	103	425	237	2.98	103	70.000	58.5	11.5	38
Hö, blandvall, 0-50% baljväxter (383)	1	8	890	56	65.0	65	534		567	243	3.40		0.000			127
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	652	64	64.8	118	456		519	360	4.71		72.000			92
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	820	104	76.4	217	381		354	340	15.0		72.000			65

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	1				95.1	-29	7.23			
Blandsäd, kärna, 50%havre/50%korn (096)	1	1				89.7	-43	7.02			
Blandsäd, kärna, 50%korn/50%vete (114)	1	0				106	-36	7.58			
Ensilage, gräs (0% klöver) (162)	1	6	1.00000	1.60000		81.0	5.7	6.19	11.0	71.8	-2.3
Ensilage, gräs (0% klöver) (162)	2	4	1.00000	5.20000		80.9	15.9	5.91	10.5	70.0	22.3
Grönmassa blandvall (1-50 % baljväxter) (164)	1	32				84.2	2.2	6.20	11.0	76.7	3.4
Grönmassa blandvall (1-50 % baljväxter) (164)	2	15				83.2	14.0	6.05	10.6	73.9	8.7
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2				80.6	16.4	5.75	10.2	71.0	21.0
Ensilage, blandvall (1-50% klöver) (165)	0	3		2.30000		83.6	49.2	6.49	11.3	72.0	55.7
Ensilage, blandvall (1-50% klöver) (165)	1	78	0.78571	1.52051		83.0	15.0	6.29	11.0	71.9	16.5
Ensilage, blandvall (1-50% klöver) (165)	2	57	0.71429	0.84561		84.8	11.5	6.18	10.9	71.5	19.6
Ensilage, blandvall (1-50% klöver) (165)	3	3	0.00000	0.76667		81.0	8.6	5.80	10.3	69.5	-4.5
Ensilage, blandvall (1-50% klöver) (165)	5	1		0.90000		78.5	10.2	5.72	10.3	70.0	10.0
Ensilage, blandvall (1-50% klöver) (165)	*	1	1.00000	0.00000		77.9	-1.0	6.11	10.6		
Korn, helsädesensilage (250)	1	1				65.9	13.3	5.67			
Havre helsädesensilage degmognad (296)	1	2				70.7	-9.6	5.56			
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	0.00000	0.00000		68.9	28.9	5.85	10.4		
Vete, helsäd ensilage (299)	1	1				69.7	-11	5.23			
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	2				73.4	13.9	5.78			
Hö, blandvall, 0-50% baljväxter (383)	1	8				80.7	-54	4.93	9.4	67.6	-47
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1				73.6	10.4	5.28	9.3		
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1				88.5	80.8	6.33	10.8		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Blandsäd, kärna, 50%havre/50%korn (096)	1	1	0.5	3.5	1.3	5.0	0.1		1.0	44	1	51.0	23.0	27.0	4.2	
Ensilage, gräs (0% klöver) (162)	1	6	5.5	2.3	1.7	19.5	0.4	5.3	1.7	265	6	146.8	79.3	25.0	5.8	0.1
Ensilage, gräs (0% klöver) (162)	2	4	7.9	2.7	2.3	24.7	0.5	9.1	2.1	268	4	122.8	73.5	25.8	7.7	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	28	4.1	2.5	1.5	23.3	0.2	4.5	1.7	365	28	120.3	50.5	28.5	5.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	13	6.5	2.9	2.5	25.0	0.6	10.7	2.3	368	13	127.1	72.8	27.2	7.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2	7.7	2.8	2.8	20.3	0.6	5.4	2.6	238	2	122.0	58.0	29.5	8.0	0.1
Ensilage, blandvall (1-50% klöver) (165)	0	2	5.2	2.7	2.0	32.0	0.5	11.8	2.4	316	2	122.5	72.5	26.5	5.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	77	4.8	2.5	1.7	21.7	0.4	4.1	2.0	334	76	259.7	62.4	28.1	6.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	55	6.5	2.8	2.3	23.7	0.7	5.8	2.2	334	54	131.8	67.7	26.6	7.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	3	8.9	3.0	2.4	24.3	0.2	6.8	2.3	296	3	307.0	86.3	25.3	7.2	
Ensilage, blandvall (1-50% klöver) (165)	5	1	5.8	2.5	2.5	16.0	2.0	6.5	2.3	169	1	405.0	268.0	36.0	6.9	
Ensilage, blandvall (1-50% klöver) (165)	*	1	3.9	2.6	1.5	24.1	0.7	3.9	1.6	437	0					
Korn, helsädesensilage (250)	1	1	6.4	2.5	2.1	18.8	0.4	4.0	1.2	311	1	175.0	42.0	30.0	7.2	
Havre helsädesensilage degmognad (296)	1	2	4.7	2.4	2.0	18.1	1.0	5.0	1.7	264	2	268.0	116.5	27.0	5.0	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	4.6	3.1	1.1	19.6	1.1	7.9	1.6	134	1	80.0	13.0	27.0	6.0	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	2	5.5	3.1	2.0	17.2	3.5	8.6	2.3	207	2	112.5	24.5	38.0	5.6	
Hö, blandvall, 0-50% baljväxter (383)	1	7	2.8	1.6	1.1	14.5	0.1	1.9	1.1	183	7	134.7	67.9	18.4	3.9	
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	6.2	1.7	1.9	18.3	0.2	7.7	1.2	185	1	42.0	17.0	15.0	7.0	0.1
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	11.1	2.2	2.2	23.0	0.2	4.2	2.1	347	1	63.0	32.0	26.0	9.0	0.1

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	828.000	.	828.000	828.000
Aska	1	29.000	.	29.000	29.000
OS smbh	4	86.000	0.00000	86.000	86.000
Råprot	1	102.700	.	102.700	102.700
iNDF	4	162.000	0.00000	162.000	162.000
nhNDF	4	3.150	0.00000	3.150	3.150
Stä	1	648.600	.	648.600	648.600
TAF	4	0.000	0.00000	0.000	0.000
AATp20	4	95.114	0.67321	94.104	95.450
PBVp20	4	-28.953	5.85015	-37.728	-26.028
NELp20	4	7.230	0.03633	7.211	7.284

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	844.000	.	844.000	844.000
Aska	1	24.900	.	24.900	24.900
OS smbh	1	80.500	.	80.500	80.500
Råprot	1	87.700	.	87.700	87.700
iNDF	1	304.000	.	304.000	304.000
nhNDF	1	2.500	.	2.500	2.500
Stä	1	636.300	.	636.300	636.300
TAF	1	0.000	.	0.000	0.000
AATp20	1	89.721	.	89.721	89.721
PBVp20	1	-43.379	.	-43.379	-43.379

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%korn (096) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	7.019	.	7.019	7.019
Ca	1	0.500	.	0.500	0.500
P	1	3.500	.	3.500	3.500
Mg	1	1.300	.	1.300	1.300
K	1	5.000	.	5.000	5.000
Na	1	0.100	.	0.100	0.100
S	1	1.000	.	1.000	1.000
CAB	1	44.373	.	44.373	44.373
Fe	1	51.000	.	51.000	51.000
Mn	1	23.000	.	23.000	23.000
Zn	1	27.000	.	27.000	27.000
Cu	1	4.200	.	4.200	4.200

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	87.000	.	87.000	87.000
iNDF	1	173.000	.	173.000	173.000
nhNDF	1	3.300	.	3.300	3.300
TAF	1	0.000	.	0.000	0.000
AATp20	1	105.637	.	105.637	105.637
PBVp20	1	-36.086	.	-36.086	-36.086
NELp20	1	7.582	.	7.582	7.582

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	346.000	59.659	270.000	411.000
Aska	6	64.167	9.988	49.000	76.000
OS smbh	6	74.683	2.981	70.500	78.100
Råprot	6	132.000	36.381	81.000	178.000
sRåprot	6	601.833	91.633	447.000	681.000
NH3-N	6	76.000	32.851	41.000	119.000
NDF	6	476.500	33.171	454.000	542.000
iNDF	6	160.564	32.150	128.425	215.360
nhNDF	6	4.419	0.652	3.410	5.119
TAF	6	75.267	22.440	55.000	110.900
Mjölksyra	6	58.167	19.167	40.000	84.000
Ättiksyra	6	14.500	5.857	11.000	26.000
Socker	6	56.000	28.969	12.000	84.000
PRF	2	1.000	1.414	0.000	2.000
BUF	6	1.600	1.547	0.000	3.900
AATp20	6	81.024	2.268	79.099	84.824
PBVp20	6	5.662	31.596	-39.637	45.255
NELp20	6	6.186	0.366	5.671	6.623
OE*	6	10.967	0.420	10.400	11.500
AAT*	4	71.750	1.500	70.000	73.000
PBV*	4	-2.250	34.355	-41.000	34.000
Ca	6	5.467	1.311	4.500	8.000
P	6	2.333	0.234	2.000	2.700
Mg	6	1.667	0.489	1.000	2.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	6	19.517	4.626	14.300	24.700
Na	6	0.433	0.273	0.100	0.700
Cl	6	5.333	2.732	1.900	8.600
S	6	1.650	0.409	1.100	2.100
CAB	6	264.628	108.664	132.347	448.963
Fe	6	146.833	45.876	77.000	194.000
Mn	6	79.333	44.603	28.000	159.000
Zn	6	25.000	4.648	18.000	30.000
Cu	6	5.750	0.692	4.400	6.400
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	386.500	151.447	257.000	549.000
Aska	4	81.500	7.188	72.000	88.000
OS smbh	4	72.825	2.423	69.800	75.700
Råprot	4	142.750	28.710	103.000	169.000
sRåprot	4	540.500	107.562	389.000	643.000
NH3-N	4	112.000	54.595	56.000	166.000
NDF	4	468.500	19.279	448.000	494.000
iNDF	4	186.583	35.108	147.377	231.411
nhNDF	4	4.120	0.690	3.126	4.679
TAF	4	57.950	21.606	41.000	87.000
Mjölksyra	4	38.000	6.218	33.000	47.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	4	13.750	9.743	4.000	24.000
Socker	4	46.250	42.571	10.000	92.000
PRF	1	1.000	.	1.000	1.000
BUF	4	5.200	6.665	1.000	15.000
AATp20	4	80.891	1.125	79.731	82.269
PBVp20	4	15.933	26.341	-19.455	41.693
NELp20	4	5.907	0.362	5.420	6.291
OE*	4	10.468	0.330	10.100	10.900
AAT*	3	70.000	1.000	69.000	71.000
PBV*	3	22.333	32.716	-15.000	46.000
Ca	4	7.850	1.196	6.700	9.200
P	4	2.675	0.457	2.000	3.000
Mg	4	2.300	0.535	1.500	2.600
K	4	24.675	4.443	18.800	29.000
Na	4	0.525	0.126	0.400	0.700
Cl	4	9.050	4.593	5.000	14.900
S	4	2.100	0.622	1.200	2.600
CAB	4	267.721	160.552	75.774	468.778
Fe	4	122.750	42.169	90.000	180.000
Mn	4	73.500	34.453	31.000	114.000
Zn	4	25.750	9.032	18.000	38.000
Cu	4	7.725	1.682	5.700	9.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	32	463.219	136.320	299.000	582.000
Aska	32	70.875	10.357	58.000	82.000
OS smbh	32	75.225	5.279	67.400	82.400
Råprot	32	131.375	32.601	92.000	184.000
sRåprot	4	475.750	26.171	449.000	511.000
NDF	32	513.406	56.091	454.000	597.000
iNDF	32	141.471	50.308	73.080	199.000
nhNDF	32	5.197	1.076	3.898	6.906
TAF	32	84.000	0.000	84.000	84.000
Socker	32	100.813	41.594	40.000	157.000
AATp20	32	84.173	6.050	76.270	92.533
PBVp20	32	2.176	23.154	-26.501	38.398
NELp20	32	6.200	0.505	5.564	6.869
OE*	32	10.984	0.835	9.700	12.100
AAT*	28	76.714	4.224	72.000	82.000
PBV*	28	3.357	27.432	-32.000	47.000
Ca	28	4.107	1.228	2.500	5.500
P	28	2.471	0.433	1.800	3.100
Mg	28	1.511	0.437	0.900	2.000
K	28	23.289	3.697	19.000	29.500
Na	26	0.208	0.162	0.100	0.500
Cl	4	4.525	3.089	2.400	9.100
S	28	1.746	0.510	1.100	2.600
CAB	28	365.040	87.407	278.235	544.348

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	28	120.250	68.802	50.000	226.000
Mn	28	50.536	15.259	31.000	78.000
Zn	28	28.536	14.447	18.000	36.000
Cu	28	5.550	1.096	4.000	7.000
Se	9	0.027	0.022	0.005	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	531.133	162.699	307.000	735.000
Aska	15	81.467	11.957	68.000	95.000
OS smbh	15	74.013	1.860	71.800	76.800
Råprot	15	142.267	28.338	104.000	160.000
sRåprot	2	330.500	23.335	314.000	347.000
NDF	15	498.000	42.178	473.000	534.000
iNDF	15	162.270	25.967	135.000	180.553
nhNDF	15	4.713	0.516	4.234	5.451
TAF	15	84.000	0.000	84.000	84.000
Socker	15	93.467	40.687	36.000	156.000
AATp20	15	83.227	4.530	78.491	88.547
PBVp20	15	13.979	21.542	-19.515	33.954
NELp20	15	6.053	0.215	5.795	6.330
OE*	15	10.645	0.377	10.100	11.140
AAT*	13	73.923	2.019	72.000	76.000
PBV*	13	8.692	22.618	-27.000	32.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	13	6.462	1.709	5.200	8.200
P	13	2.915	0.416	2.500	3.400
Mg	13	2.477	0.478	1.900	3.000
K	13	25.008	4.140	21.900	30.700
Na	13	0.646	0.474	0.100	1.300
Cl	2	10.700	9.758	3.800	17.600
S	13	2.262	0.484	1.800	2.600
CAB	13	367.934	141.532	205.042	540.384
Fe	13	127.077	56.738	73.000	194.000
Mn	13	72.846	29.991	27.000	114.000
Zn	13	27.231	5.183	21.000	33.000
Cu	13	7.277	1.369	5.600	8.500
Se	6	0.022	0.022	0.005	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	544.500	345.775	300.000	789.000
Aska	2	81.000	4.243	78.000	84.000
OS smbh	2	70.900	0.566	70.500	71.300
Råprot	2	140.000	4.243	137.000	143.000
sRåprot	1	404.000	.	404.000	404.000
NDF	2	483.500	40.305	455.000	512.000
iNDF	2	240.551	69.932	191.102	290.000
nhNDF	2	4.652	0.968	3.968	5.336

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	2	84.000	0.000	84.000	84.000
Socker	2	76.000	36.770	50.000	102.000
AATp20	2	80.582	2.598	78.745	82.419
PBVp20	2	16.356	8.269	10.509	22.203
NELp20	2	5.751	0.061	5.708	5.794
OE*	2	10.175	0.106	10.100	10.250
AAT*	1	71.000	.	71.000	71.000
PBV*	1	21.000	.	21.000	21.000
Ca	2	7.650	0.071	7.600	7.700
P	2	2.750	0.212	2.600	2.900
Mg	2	2.800	0.707	2.300	3.300
K	2	20.300	8.202	14.500	26.100
Na	2	0.550	0.071	0.500	0.600
Cl	1	5.400	.	5.400	5.400
S	2	2.600	0.849	2.000	3.200
CAB	2	238.341	251.945	60.189	416.493
Fe	2	122.000	67.882	74.000	170.000
Mn	2	58.000	28.284	38.000	78.000
Zn	2	29.500	7.778	24.000	35.000
Cu	2	7.950	0.071	7.900	8.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	333.667	54.9758	275.000	384.000
Aska	3	91.333	24.9867	64.000	113.000
OS smbh	3	78.633	4.2016	74.500	82.900
Råprot	3	180.667	11.5902	173.000	194.000
sRåprot	3	690.667	79.0274	620.000	776.000
NH3-N	3	109.667	15.0111	101.000	127.000
NDF	3	409.333	46.5009	381.000	463.000
iNDF	3	122.502	37.9222	82.898	158.482
nhNDF	3	5.047	0.8233	4.453	5.987
TAF	3	73.633	45.3615	23.400	111.600
Mjölksyra	3	57.333	38.8115	16.000	93.000
Ättiksyra	3	13.000	6.9282	5.000	17.000
Socker	3	60.667	61.9866	14.000	131.000
BUF	3	2.300	2.2869	0.600	4.900
AATp20	3	83.609	7.6743	78.249	92.400
PBVp20	3	49.247	1.2033	47.920	50.266
NELp20	3	6.493	0.3207	6.229	6.850
OE*	3	11.300	0.8888	10.600	12.300
AAT*	3	72.000	2.6458	70.000	75.000
PBV*	3	55.667	7.6376	49.000	64.000
Ca	2	5.150	0.6364	4.700	5.600
P	2	2.700	0.7071	2.200	3.200
Mg	2	2.000	0.7071	1.500	2.500
K	2	31.950	9.4045	25.300	38.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	2	0.450	0.3536	0.200	0.700
Cl	3	11.800	6.5795	7.000	19.300
S	2	2.400	0.2828	2.200	2.600
CAB	2	316.278	6.7785	311.485	321.071
Fe	2	122.500	17.6777	110.000	135.000
Mn	2	72.500	3.5355	70.000	75.000
Zn	2	26.500	0.7071	26.000	27.000
Cu	2	5.300	0.5657	4.900	5.700
Se	1	0.007	.	0.007	0.007

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	78	348.064	96.730	252.000	497.000
Aska	78	68.885	15.063	55.000	86.000
OS smbh	78	75.242	4.675	67.900	80.000
Råprot	78	142.910	28.281	106.000	178.000
sRåprot	78	609.474	74.995	501.000	722.000
NH3-N	78	87.577	29.424	46.000	116.000
NDF	78	482.641	55.987	409.000	564.000
iNDF	78	148.725	44.421	104.137	214.055
nhNDF	78	4.752	0.744	3.741	5.684
TAF	78	71.841	27.039	27.400	101.100
Mjölksyra	78	55.654	23.014	18.000	81.000
Ättiksyra	78	13.705	5.168	7.000	20.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	78	47.654	32.547	14.000	98.000
PRF	14	0.786	1.251	0.000	2.000
BUF	78	1.521	3.098	0.000	3.900
AATp20	78	82.999	4.477	77.904	87.325
PBVp20	78	14.980	23.198	-14.416	47.566
NELp20	78	6.294	0.457	5.545	6.771
OE*	78	10.998	0.751	9.860	11.800
AAT*	64	71.875	2.082	69.000	74.000
PBV*	64	16.484	23.954	-13.000	38.000
Ca	77	4.779	0.927	3.800	6.000
P	77	2.458	0.498	1.700	3.000
Mg	77	1.703	0.337	1.300	2.000
K	77	21.727	4.903	16.100	27.400
Na	77	0.392	0.366	0.100	1.100
Cl	77	4.100	3.619	0.800	7.100
S	77	1.952	0.399	1.400	2.400
CAB	77	333.821	133.027	179.815	470.622
Fe	76	259.684	262.175	86.000	543.000
Mn	76	62.395	19.794	39.000	91.000
Zn	76	28.132	5.514	22.000	34.000
Cu	76	6.592	1.169	5.000	8.000
Se	3	0.024	0.023	0.007	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	57	428.421	127.030	312.000	641.000
Aska	57	77.211	9.843	65.000	91.000
OS smbh	57	75.181	2.520	72.100	78.700
Råprot	57	142.281	20.223	118.000	173.000
sRåprot	57	523.737	77.445	441.000	606.000
NH3-N	57	68.439	23.166	43.000	101.000
NDF	57	455.982	38.047	402.000	499.000
iNDF	57	160.252	25.737	128.143	189.000
nhNDF	57	4.471	0.549	3.892	5.192
TAF	57	60.196	23.924	26.500	90.100
Mjölksyra	57	46.439	20.115	19.000	73.000
Ättiksyra	57	11.947	4.801	6.000	18.000
Socker	57	61.895	30.041	30.000	111.000
PRF	7	0.714	0.951	0.000	2.000
BUF	57	0.846	1.069	0.000	2.600
AATp20	57	84.787	4.070	80.764	90.129
PBVp20	57	11.463	16.531	-7.351	36.785
NELp20	57	6.182	0.278	5.864	6.522
OE*	57	10.896	0.401	10.260	11.400
AAT*	50	71.480	1.074	70.000	73.000
PBV*	50	19.640	19.755	-3.000	46.500
Ca	55	6.513	1.407	5.100	8.800
P	55	2.782	0.382	2.400	3.300
Mg	55	2.345	0.408	1.900	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	55	23.711	4.984	17.900	28.700
Na	55	0.707	0.417	0.200	1.300
Cl	57	5.809	2.717	2.100	9.300
S	55	2.176	0.383	1.700	2.600
CAB	55	333.514	109.087	196.839	475.792
Fe	54	131.815	60.484	75.000	206.000
Mn	54	67.722	17.709	47.000	95.000
Zn	54	26.574	4.263	21.000	33.000
Cu	54	7.374	1.111	6.300	9.100
Se	1	0.007	.	0.007	0.007

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	494.000	67.668	417.000	544.000
Aska	3	90.000	8.000	82.000	98.000
OS smbh	3	72.667	2.684	70.600	75.700
Råprot	3	132.667	32.716	109.000	170.000
sRåprot	3	505.000	70.449	427.000	564.000
NH3-N	3	72.667	8.386	63.000	78.000
NDF	3	439.333	19.757	418.000	457.000
iNDF	3	206.734	3.904	203.000	210.788
nhNDF	3	4.104	1.039	3.496	5.304
TAF	3	57.100	45.666	15.400	105.900
Mjölksyra	3	43.667	37.005	7.000	81.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	3	12.000	9.539	6.000	23.000
Socker	3	73.333	44.546	30.000	119.000
PRF	1	0.000	.	0.000	0.000
BUF	3	0.767	0.709	0.000	1.400
AATp20	3	81.040	6.805	73.191	85.295
PBVp20	3	8.571	24.673	-9.724	36.633
NELp20	3	5.798	0.350	5.500	6.184
OE*	3	10.347	0.372	10.000	10.740
AAT*	2	69.500	0.707	69.000	70.000
PBV*	2	-4.500	6.364	-9.000	0.000
Ca	3	8.933	2.065	7.500	11.300
P	3	3.000	0.700	2.300	3.700
Mg	3	2.433	0.808	1.500	2.900
K	3	24.333	4.461	19.700	28.600
Na	3	0.233	0.153	0.100	0.400
Cl	3	6.833	4.106	2.600	10.800
S	3	2.300	0.458	1.900	2.800
CAB	3	296.243	37.199	256.580	330.355
Fe	3	307.000	278.052	116.000	626.000
Mn	3	86.333	62.405	17.000	138.000
Zn	3	25.333	5.508	19.000	29.000
Cu	3	7.233	0.681	6.700	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	432.000	.	432.000	432.000
Aska	1	85.000	.	85.000	85.000
OS smbh	1	72.000	.	72.000	72.000
Råprot	1	130.000	.	130.000	130.000
sRåprot	1	471.000	.	471.000	471.000
NH3-N	1	86.000	.	86.000	86.000
NDF	1	421.000	.	421.000	421.000
iNDF	1	212.078	.	212.078	212.078
nhNDF	1	3.361	.	3.361	3.361
TAF	1	85.900	.	85.900	85.900
Mjölksyra	1	71.000	.	71.000	71.000
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	74.000	.	74.000	74.000
BUF	1	0.900	.	0.900	0.900
AATp20	1	78.453	.	78.453	78.453
PBVp20	1	10.170	.	10.170	10.170
NELp20	1	5.721	.	5.721	5.721
OE*	1	10.300	.	10.300	10.300
AAT*	1	70.000	.	70.000	70.000
PBV*	1	10.000	.	10.000	10.000
Ca	1	5.800	.	5.800	5.800
P	1	2.500	.	2.500	2.500
Mg	1	2.500	.	2.500	2.500
K	1	16.000	.	16.000	16.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	2.000	.	2.000	2.000
Cl	1	6.500	.	6.500	6.500
S	1	2.300	.	2.300	2.300
CAB	1	169.315	.	169.315	169.315
Fe	1	405.000	.	405.000	405.000
Mn	1	268.000	.	268.000	268.000
Zn	1	36.000	.	36.000	36.000
Cu	1	6.900	.	6.900	6.900

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=26

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	311.000	.	311.000	311.000
Aska	1	67.000	.	67.000	67.000
OS smbh	1	72.900	.	72.900	72.900
Råprot	1	117.000	.	117.000	117.000
sRåprot	1	644.000	.	644.000	644.000
NH3-N	1	49.000	.	49.000	49.000
NDF	1	506.000	.	506.000	506.000
iNDF	1	143.000	.	143.000	143.000
nhNDF	1	3.801	.	3.801	3.801
TAF	1	84.000	.	84.000	84.000
Mjölksyra	1	69.000	.	69.000	69.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	45.000	.	45.000	45.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=26

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	1	1.000	.	1.000	1.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	77.877	.	77.877	77.877
PBVp20	1	-1.030	.	-1.030	-1.030
NELp20	1	6.112	.	6.112	6.112
OE*	1	10.640	.	10.640	10.640
Ca	1	3.900	.	3.900	3.900
P	1	2.600	.	2.600	2.600
Mg	1	1.500	.	1.500	1.500
K	1	24.100	.	24.100	24.100
Na	1	0.700	.	0.700	0.700
Cl	1	3.900	.	3.900	3.900
S	1	1.600	.	1.600	1.600
CAB	1	436.944	.	436.944	436.944

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	300.000	.	300.000	300.000
Aska	1	61.000	.	61.000	61.000
OS smbh	1	69.300	.	69.300	69.300
Råprot	1	123.000	.	123.000	123.000
sRåprot	1	702.000	.	702.000	702.000
NH3-N	1	95.000	.	95.000	95.000
NDF	1	443.000	.	443.000	443.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	244.291	.	244.291	244.291
nhNDF	1	2.911	.	2.911	2.911
Stä	1	40.000	.	40.000	40.000
TAF	1	109.700	.	109.700	109.700
Mjölksyra	1	92.000	.	92.000	92.000
Ättiksyra	1	16.000	.	16.000	16.000
Socker	1	36.000	.	36.000	36.000
AATp20	1	65.941	.	65.941	65.941
PBVp20	1	13.296	.	13.296	13.296
NELp20	1	5.666	.	5.666	5.666
Ca	1	6.400	.	6.400	6.400
P	1	2.500	.	2.500	2.500
Mg	1	2.100	.	2.100	2.100
K	1	18.800	.	18.800	18.800
Na	1	0.400	.	0.400	0.400
Cl	1	4.000	.	4.000	4.000
S	1	1.200	.	1.200	1.200
CAB	1	310.534	.	310.534	310.534
Fe	1	175.000	.	175.000	175.000
Mn	1	42.000	.	42.000	42.000
Zn	1	30.000	.	30.000	30.000
Cu	1	7.200	.	7.200	7.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	400.000	45.255	368.000	432.000
Aska	2	67.500	2.121	66.000	69.000
OS smbh	2	68.250	1.485	67.200	69.300
Råprot	2	102.500	3.536	100.000	105.000
sRåprot	2	732.500	44.548	701.000	764.000
NH3-N	2	89.000	21.213	74.000	104.000
NDF	2	460.000	53.740	422.000	498.000
iNDF	2	246.381	9.973	239.329	253.434
nhNDF	2	2.929	0.246	2.755	3.103
Stä	2	68.000	57.983	27.000	109.000
TAF	2	59.000	21.213	44.000	74.000
Mjölksyra	2	45.000	19.799	31.000	59.000
Ättiksyra	2	14.000	1.414	13.000	15.000
Socker	2	71.000	42.426	41.000	101.000
AATp20	2	70.741	0.582	70.330	71.152
PBVp20	2	-9.642	1.668	-10.822	-8.462
NELp20	2	5.563	0.253	5.384	5.741
Ca	2	4.700	0.849	4.100	5.300
P	2	2.400	0.424	2.100	2.700
Mg	2	1.950	0.071	1.900	2.000
K	2	18.100	2.404	16.400	19.800
Na	2	1.000	1.273	0.100	1.900
Cl	2	4.950	3.748	2.300	7.600
S	2	1.650	0.354	1.400	1.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	2	263.832	133.814	169.212	358.453
Fe	2	268.000	48.083	234.000	302.000
Mn	2	116.500	6.364	112.000	121.000
Zn	2	27.000	7.071	22.000	32.000
Cu	2	5.000	0.283	4.800	5.200

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	425.000	100.409	354.000	496.000
Aska	2	67.000	7.071	62.000	72.000
OS smbh	2	70.300	1.980	68.900	71.700
Råprot	2	140.500	31.820	118.000	163.000
sRåprot	2	720.500	129.401	629.000	812.000
NH3-N	2	80.000	14.142	70.000	90.000
NDF	2	441.500	14.849	431.000	452.000
iNDF	2	252.515	11.999	244.031	261.000
nhNDF	2	3.475	0.763	2.936	4.015
Stä	2	71.000	0.000	71.000	71.000
TAF	2	76.000	29.698	55.000	97.000
Mjölksyra	2	57.000	25.456	39.000	75.000
Ättiksyra	2	19.000	4.243	16.000	22.000
Socker	2	62.000	18.385	49.000	75.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	2	68.938	3.763	66.277	71.599
PBVp20	2	28.938	35.117	4.107	53.770
NELp20	2	5.847	0.402	5.563	6.131
OE*	1	10.390	.	10.390	10.390
Ca	1	4.600	.	4.600	4.600
P	1	3.100	.	3.100	3.100
Mg	1	1.100	.	1.100	1.100
K	1	19.600	.	19.600	19.600
Na	1	1.100	.	1.100	1.100
Cl	2	7.900	4.667	4.600	11.200
S	1	1.600	.	1.600	1.600
CAB	1	133.612	.	133.612	133.612
Fe	1	80.000	.	80.000	80.000
Mn	1	13.000	.	13.000	13.000
Zn	1	27.000	.	27.000	27.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	399.000	.	399.000	399.000
Aska	1	63.000	.	63.000	63.000
OS smbh	1	64.500	.	64.500	64.500
Råprot	1	103.000	.	103.000	103.000
sRåprot	1	486.000	.	486.000	486.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	71.000	.	71.000	71.000
NDF	1	532.000	.	532.000	532.000
iNDF	1	253.352	.	253.352	253.352
nhNDF	1	2.949	.	2.949	2.949
Stä	1	48.000	.	48.000	48.000
TAF	1	54.500	.	54.500	54.500
Mjölksyra	1	44.000	.	44.000	44.000
Ättiksyra	1	8.000	.	8.000	8.000
Socker	1	71.000	.	71.000	71.000
AATp20	1	69.683	.	69.683	69.683
PBVp20	1	-11.362	.	-11.362	-11.362
NELp20	1	5.226	.	5.226	5.226
CI	1	6.300	.	6.300	6.300

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	344.500	94.045	278.000	411.000
Aska	2	73.000	7.071	68.000	78.000
OS smbh	2	70.300	3.394	67.900	72.700
Råprot	2	132.500	30.406	111.000	154.000
sRåprot	2	640.500	115.258	559.000	722.000
NH3-N	2	102.500	12.021	94.000	111.000
NDF	2	425.000	76.368	371.000	479.000
iNDF	2	237.018	0.512	236.656	237.380

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	2.982	0.213	2.832	3.133
Stä	2	103.000	121.622	17.000	189.000
TAF	2	70.000	15.556	59.000	81.000
Mjölksyra	2	58.500	17.678	46.000	71.000
Ättiksyra	2	11.500	2.121	10.000	13.000
Socker	2	38.000	24.042	21.000	55.000
AATp20	2	73.366	0.882	72.742	73.990
PBVp20	2	13.895	27.677	-5.676	33.466
NELp20	2	5.782	0.214	5.630	5.933
Ca	2	5.450	0.636	5.000	5.900
P	2	3.100	0.424	2.800	3.400
Mg	2	1.950	0.212	1.800	2.100
K	2	17.200	2.404	15.500	18.900
Na	2	3.500	0.424	3.200	3.800
Cl	2	8.550	3.182	6.300	10.800
S	2	2.300	0.424	2.000	2.600
CAB	2	207.477	36.216	181.868	233.085
Fe	2	112.500	19.092	99.000	126.000
Mn	2	24.500	7.778	19.000	30.000
Zn	2	38.000	14.142	28.000	48.000
Cu	2	5.600	1.273	4.700	6.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	890.250	20.126	854.000	919.000
Aska	8	56.000	10.337	45.000	77.000
OS smbh	8	64.975	3.598	58.300	69.700
Råprot	8	65.000	13.846	43.000	81.000
sRåprot	1	534.000	.	534.000	534.000
NDF	8	566.625	38.840	497.000	612.000
iNDF	8	242.535	38.425	187.357	303.000
nhNDF	8	3.401	0.564	2.596	4.116
TAF	8	0.000	0.000	0.000	0.000
Socker	8	126.500	29.496	90.000	180.000
AATp20	8	80.688	3.196	76.113	86.087
PBVp20	8	-53.785	14.155	-70.739	-34.530
NELp20	8	4.931	0.274	4.510	5.365
OE*	8	9.429	0.612	8.400	10.300
AAT*	7	67.571	4.117	61.000	73.000
PBV*	7	-47.143	16.345	-73.000	-28.000
Ca	7	2.843	0.974	1.300	4.400
P	7	1.600	0.115	1.400	1.700
Mg	7	1.114	0.313	0.600	1.500
K	7	14.486	1.941	11.000	17.400
Na	6	0.100	0.000	0.100	0.100
Cl	1	1.900	.	1.900	1.900
S	7	1.057	0.098	0.900	1.200
CAB	7	183.490	62.271	88.583	280.910

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	7	134.714	160.608	45.000	495.000
Mn	7	67.857	35.737	34.000	126.000
Zn	7	18.429	3.259	14.000	24.000
Cu	7	3.886	0.749	3.000	5.000

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	652.000	.	652.000	652.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	64.800	.	64.800	64.800
Råprot	1	118.000	.	118.000	118.000
sRåprot	1	456.000	.	456.000	456.000
NDF	1	519.000	.	519.000	519.000
iNDF	1	360.000	.	360.000	360.000
nhNDF	1	4.713	.	4.713	4.713
TAF	1	72.000	.	72.000	72.000
Socker	1	92.000	.	92.000	92.000
AATp20	1	73.583	.	73.583	73.583
PBVp20	1	10.402	.	10.402	10.402
NELp20	1	5.277	.	5.277	5.277
OE*	1	9.330	.	9.330	9.330
Ca	1	6.200	.	6.200	6.200
P	1	1.700	.	1.700	1.700
Mg	1	1.900	.	1.900	1.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	18.300	.	18.300	18.300
Na	1	0.200	.	0.200	0.200
Cl	1	7.700	.	7.700	7.700
S	1	1.200	.	1.200	1.200
CAB	1	184.825	.	184.825	184.825
Fe	1	42.000	.	42.000	42.000
Mn	1	17.000	.	17.000	17.000
Zn	1	15.000	.	15.000	15.000
Cu	1	7.000	.	7.000	7.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	820.000	.	820.000	820.000
Aska	1	104.000	.	104.000	104.000
OS smbh	1	76.400	.	76.400	76.400
Råprot	1	217.000	.	217.000	217.000
sRåprot	1	381.000	.	381.000	381.000
NDF	1	354.000	.	354.000	354.000
iNDF	1	340.000	.	340.000	340.000
nhNDF	1	15.005	.	15.005	15.005
TAF	1	72.000	.	72.000	72.000
Socker	1	65.000	.	65.000	65.000
AATp20	1	88.485	.	88.485	88.485

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	1	80.807	.	80.807	80.807
NELp20	1	6.333	.	6.333	6.333
OE*	1	10.780	.	10.780	10.780
Ca	1	11.100	.	11.100	11.100
P	1	2.200	.	2.200	2.200
Mg	1	2.200	.	2.200	2.200
K	1	23.000	.	23.000	23.000
Na	1	0.200	.	0.200	0.200
Cl	1	4.200	.	4.200	4.200
S	1	2.100	.	2.100	2.100
CAB	1	347.371	.	347.371	347.371
Fe	1	63.000	.	63.000	63.000
Mn	1	32.000	.	32.000	32.000
Zn	1	26.000	.	26.000	26.000
Cu	1	9.000	.	9.000	9.000
Se	1	0.050	.	0.050	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet