

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Korn, kärna (001)	1	1	750	19	86.0	111		8.0		162	3.15	573	0.000			
Ensilage, gräs (0% klöver) (162)	1	4	358	60	73.4	142	600	85.0	515	165	4.48		57.300	43.8	12.0	45
Ensilage, gräs (0% klöver) (162)	2	2	306	56	69.4	123	443	41.0	511	211	3.58		69.600	55.0	13.5	31
Grönmassa blandvall (1-50 % baljväxter) (164)	1	12	400	68	74.8	131	380		517	150	4.99		84.000			100
Grönmassa blandvall (1-50 % baljväxter) (164)	2	10	396	72	74.1	131			492	162	4.53		84.000			95
Ensilage, blandvall (1-50% klöver) (165)	1	33	346	64	73.2	138	607	92.8	508	167	4.40		65.094	48.9	13.0	50
Ensilage, blandvall (1-50% klöver) (165)	2	5	485	77	75.7	134	518	72.8	442	158	4.42		47.120	33.4	11.4	94
Ensilage, blandvall (1-50% klöver) (165)	3	1	326	89	72.1	157	633	113	440	200	3.61		126.000	103	21.0	18
Hö, blandvall, 0-50% baljväxter (383)	1	2	769	40	67.9	80	414		544	241	3.78		0.000			154

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	1				95.9	-33	7.14			
Ensilage, gräs (0% klöver) (162)	1	4		0.55000		82.9	11.6	6.12	10.8	71.0	19.3
Ensilage, gräs (0% klöver) (162)	2	2		0.10000		79.9	-0.9	5.76	10.2	69.0	3.5
Grönmassa blandvall (1-50 % baljväxter) (164)	1	12				84.0	1.7	6.16	10.9	76.5	1.6
Grönmassa blandvall (1-50 % baljväxter) (164)	2	10				82.3	5.0	6.05	10.8	75.0	2.1
Ensilage, blandvall (1-50% klöver) (165)	1	33	2.2	1.94242		82.0	12.5	6.12	10.7	70.9	12.1
Ensilage, blandvall (1-50% klöver) (165)	2	5		1.32000		85.9	2.3	6.09	11.0	71.4	11.2
Ensilage, blandvall (1-50% klöver) (165)	3	1		1.00000		73.4	43.5	5.97	10.3	69.0	37.0
Hö, blandvall, 0-50% baljväxter (383)	1	2				87.6	-51	5.26	10.1	76.0	-53

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	1	0.5	3.6	1.3	4.7	0.1		1.3	9	1	102.0	18.0	28.0	4.8	
Ensilage, gräs (0% klöver) (162)	1	4	4.4	2.1	1.8	16.8	0.5	4.9	1.9	198	4	364.3	100.0	32.3	6.5	
Ensilage, gräs (0% klöver) (162)	2	2	5.2	1.9	2.1	16.3	0.3	6.2	1.8	144	2	177.0	103.0	31.5	7.7	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	12	4.4	2.5	1.5	21.1	0.3	1.7	1.7	318	11	108.2	48.5	25.1	5.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	10	6.3	2.5	2.1	18.4	0.3		1.8	239	10	83.7	48.4	26.9	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	32	4.7	2.4	1.7	20.0	0.4	2.7	1.9	335	30	214.5	54.0	42.9	6.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	5	7.0	2.8	2.3	22.6	0.3	4.4	2.1	334	5	290.6	81.4	63.4	7.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	1	5.3	3.4	3.2	19.4	2.0	2.1	3.0	336	1	296.0	198.0	40.0	11.2	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	1	2.0	1.9	1.5	7.6	0.4		1.3	-10	0					

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	750.000	.	750.000	750.000
Aska	1	19.000	.	19.000	19.000
OS smbh	1	86.000	.	86.000	86.000
Råprot	1	111.000	.	111.000	111.000
NH3-N	1	8.000	.	8.000	8.000
iNDF	1	162.000	.	162.000	162.000
nhNDF	1	3.150	.	3.150	3.150
Stä	1	573.000	.	573.000	573.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	95.861	.	95.861	95.861
PBVp20	1	-32.511	.	-32.511	-32.511
NELp20	1	7.140	.	7.140	7.140
Ca	1	0.500	.	0.500	0.500
P	1	3.600	.	3.600	3.600
Mg	1	1.300	.	1.300	1.300
K	1	4.700	.	4.700	4.700
Na	1	0.100	.	0.100	0.100
S	1	1.300	.	1.300	1.300
CAB	1	9.500	.	9.500	9.500
Fe	1	102.000	.	102.000	102.000
Mn	1	18.000	.	18.000	18.000
Zn	1	28.000	.	28.000	28.000
Cu	1	4.800	.	4.800	4.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	358.250	86.253	279.000	468.000
Aska	4	60.250	9.811	48.000	70.000
OS smbh	4	73.375	3.147	70.500	77.500
Råprot	4	141.500	14.457	128.000	154.000
sRåprot	4	599.750	68.636	500.000	657.000
NH3-N	4	85.000	10.360	71.000	95.000
NDF	4	515.250	38.187	472.000	556.000
iNDF	4	164.610	25.869	128.962	186.273
nhNDF	4	4.482	0.488	4.098	5.173
TAF	4	57.300	35.967	15.400	99.100
Mjölksyra	4	43.750	31.394	8.000	80.000
Ättiksyra	4	12.000	5.354	5.000	18.000
Socker	4	44.500	34.895	15.000	92.000
BUF	4	0.550	0.614	0.100	1.400
AATp20	4	82.886	1.367	81.411	84.618
PBVp20	4	11.650	11.852	0.964	23.491
NELp20	4	6.119	0.375	5.780	6.580
OE*	4	10.800	0.455	10.400	11.400
AAT*	4	71.000	1.414	70.000	73.000
PBV*	4	19.250	12.447	8.000	31.000
Ca	4	4.375	0.340	4.100	4.800
P	4	2.050	0.311	1.800	2.500
Mg	4	1.800	0.082	1.700	1.900
K	4	16.825	3.113	14.000	20.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	0.525	0.096	0.400	0.600
Cl	4	4.850	3.125	0.700	7.800
S	4	1.900	0.082	1.800	2.000
CAB	4	197.763	164.868	56.017	405.665
Fe	4	364.250	221.674	109.000	645.000
Mn	4	100.000	25.390	64.000	123.000
Zn	4	32.250	1.893	31.000	35.000
Cu	4	6.525	1.372	4.800	8.100

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	306.000	29.698	285.000	327.000
Aska	2	56.000	0.000	56.000	56.000
OS smbh	2	69.400	4.808	66.000	72.800
Råprot	2	122.500	13.435	113.000	132.000
sRåprot	2	443.000	9.899	436.000	450.000
NH3-N	2	41.000	2.828	39.000	43.000
NDF	2	510.500	33.234	487.000	534.000
iNDF	2	211.181	38.998	183.606	238.757
nhNDF	2	3.577	0.605	3.149	4.005
TAF	2	69.600	7.778	64.100	75.100
Mjölksyra	2	55.000	7.071	50.000	60.000
Ättiksyra	2	13.500	0.707	13.000	14.000
Socker	2	31.000	1.414	30.000	32.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	2	0.100	0.000	0.100	0.100
AATp20	2	79.926	4.552	76.707	83.145
PBVp20	2	-0.911	4.660	-4.206	2.384
NELp20	2	5.763	0.487	5.418	6.108
OE*	2	10.150	0.778	9.600	10.700
AAT*	2	69.000	2.828	67.000	71.000
PBV*	2	3.500	9.192	-3.000	10.000
Ca	2	5.150	0.636	4.700	5.600
P	2	1.850	0.212	1.700	2.000
Mg	2	2.100	0.141	2.000	2.200
K	2	16.300	0.707	15.800	16.800
Na	2	0.250	0.212	0.100	0.400
Cl	2	6.200	7.071	1.200	11.200
S	2	1.750	0.354	1.500	2.000
CAB	2	143.726	168.226	24.772	262.681
Fe	2	177.000	1.414	176.000	178.000
Mn	2	103.000	15.556	92.000	114.000
Zn	2	31.500	2.121	30.000	33.000
Cu	2	7.650	1.061	6.900	8.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	399.667	145.922	262.000	519.000
Aska	12	68.167	11.846	56.000	75.000
OS smbh	12	74.817	3.325	72.200	79.600
Råprot	12	130.500	27.074	104.000	159.000
sRåprot	1	380.000	.	380.000	380.000
NDF	12	516.750	30.003	482.000	561.000
iNDF	12	149.629	43.414	102.878	179.149
nhNDF	12	4.994	0.750	4.076	5.977
TAF	12	84.000	0.000	84.000	84.000
Socker	12	99.583	48.131	31.000	154.000
AATp20	12	84.013	3.394	79.512	87.551
PBVp20	12	1.662	22.348	-18.086	26.046
NELp20	12	6.163	0.316	5.824	6.476
OE*	12	10.938	0.495	10.400	11.700
AAT*	11	76.545	2.544	74.000	81.000
PBV*	11	1.636	27.347	-22.000	29.000
Ca	12	4.375	0.927	3.500	5.700
P	12	2.483	0.343	2.100	2.900
Mg	12	1.525	0.296	1.200	1.900
K	12	21.108	4.560	15.200	24.800
Na	12	0.267	0.239	0.100	0.500
Cl	1	1.700	.	1.700	1.700
S	12	1.725	0.469	1.200	2.300
CAB	12	318.285	108.634	158.650	436.116

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	11	108.182	33.908	71.000	147.000
Mn	11	48.455	15.958	35.000	60.000
Zn	11	25.091	7.382	18.000	34.000
Cu	11	5.009	0.980	4.100	6.400
Se	3	0.015	0.008	0.007	0.023

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	396.100	96.861	286.000	513.000
Aska	10	71.700	8.769	60.000	83.000
OS smbh	10	74.060	3.367	69.600	77.600
Råprot	10	131.100	12.521	114.000	146.500
NDF	10	492.300	30.750	441.500	521.000
iNDF	10	162.124	36.534	123.703	217.748
nhNDF	10	4.535	0.762	3.382	5.401
TAF	10	84.000	0.000	84.000	84.000
Socker	10	95.100	42.075	37.500	147.000
AATp20	10	82.344	3.677	77.324	86.217
PBVp20	10	4.999	11.560	-9.065	20.246
NELp20	10	6.047	0.311	5.604	6.391
OE*	10	10.770	0.564	10.000	11.450
AAT*	10	75.000	3.266	70.500	79.000
PBV*	10	2.100	12.679	-13.500	19.000
Ca	10	6.260	1.853	4.350	9.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	10	2.520	0.437	1.900	3.000
Mg	10	2.060	0.650	1.400	3.000
K	10	18.370	4.129	13.550	24.300
Na	10	0.290	0.328	0.100	0.900
S	10	1.780	0.379	1.200	2.250
CAB	10	238.785	102.584	99.751	365.312
Fe	10	83.700	27.737	52.500	122.500
Mn	10	48.400	27.802	24.500	97.500
Zn	10	26.900	3.872	21.000	31.000
Cu	10	6.370	1.317	4.750	8.500
Se	1	0.018	.	0.018	0.018

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	33	346.091	119.172	240.000	510.000
Aska	33	63.697	9.600	51.000	73.000
OS smbh	33	73.242	3.310	69.900	76.200
Råprot	33	138.394	24.630	108.000	169.000
sRåprot	33	607.424	85.614	525.000	692.000
NH3-N	33	92.818	26.536	66.000	128.000
NDF	33	507.848	38.356	464.000	549.000
iNDF	33	166.901	29.963	137.820	188.972
nhNDF	33	4.398	0.558	3.744	5.001
TAF	33	65.094	27.138	34.900	99.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	33	48.939	22.106	22.000	80.000
Ättiksyra	33	13.030	6.440	6.000	22.000
Socker	33	49.576	30.891	16.000	95.000
PRF	5	2.200	2.049	0.000	4.000
BUF	33	1.942	2.314	0.100	4.700
AATp20	33	82.043	2.909	78.860	86.850
PBVp20	33	12.501	20.426	-13.307	37.392
NELp20	33	6.119	0.367	5.862	6.463
OE*	33	10.738	0.534	10.140	11.200
AAT*	28	70.857	1.627	69.000	73.000
PBV*	28	12.107	21.077	-19.000	38.000
Ca	32	4.700	1.254	3.000	6.200
P	32	2.359	0.363	1.900	2.700
Mg	32	1.666	0.419	1.200	2.100
K	32	20.016	4.277	14.500	24.300
Na	32	0.425	0.381	0.100	1.000
Cl	33	2.721	1.697	0.800	5.300
S	32	1.884	0.317	1.400	2.300
CAB	32	334.708	124.717	169.575	518.569
Fe	30	214.500	260.554	75.500	328.500
Mn	30	54.000	24.529	34.000	80.500
Zn	30	42.933	59.111	22.000	49.500
Cu	30	6.333	0.868	5.200	7.550
Se	4	0.018	0.019	0.005	0.046

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	485.200	139.462	342.000	639.000
Aska	5	76.600	5.030	69.000	82.000
OS smbh	5	75.660	2.629	72.500	79.300
Råprot	5	134.400	17.644	120.000	164.000
sRåprot	5	518.200	111.990	369.000	618.000
NH3-N	5	72.800	37.599	33.000	119.000
NDF	5	442.400	17.068	422.000	468.000
iNDF	5	158.150	31.069	115.196	190.233
nhNDF	5	4.416	0.649	3.841	5.339
TAF	5	47.120	27.675	20.500	87.100
Mjölksyra	5	33.400	22.255	13.000	67.000
Ättiksyra	5	11.400	4.879	6.000	17.000
Socker	5	94.400	34.616	60.000	134.000
BUF	5	1.320	0.801	0.500	2.100
AATp20	5	85.912	6.525	78.347	96.102
PBVp20	5	2.280	8.830	-10.129	13.499
NELp20	5	6.090	0.294	5.739	6.470
OE*	5	10.980	0.432	10.500	11.600
AAT*	5	71.400	1.140	70.000	73.000
PBV*	5	11.200	15.849	-2.000	38.000
Ca	5	6.960	1.504	4.900	8.600
P	5	2.800	0.316	2.500	3.300
Mg	5	2.300	0.480	1.800	3.100
K	5	22.620	3.949	15.600	25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	5	0.340	0.230	0.100	0.700
Cl	5	4.440	1.359	3.100	6.400
S	5	2.140	0.261	1.700	2.300
CAB	5	334.479	100.581	172.251	432.762
Fe	5	290.600	228.931	114.000	647.000
Mn	5	81.400	28.824	44.000	106.000
Zn	5	63.400	46.253	25.000	141.000
Cu	5	7.920	0.638	7.200	8.600
Se	2	0.010	0.003	0.008	0.012

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	326.000	.	326.000	326.000
Aska	1	89.000	.	89.000	89.000
OS smbh	1	72.100	.	72.100	72.100
Råprot	1	157.000	.	157.000	157.000
sRåprot	1	633.000	.	633.000	633.000
NH3-N	1	113.000	.	113.000	113.000
NDF	1	440.000	.	440.000	440.000
iNDF	1	200.202	.	200.202	200.202
nhNDF	1	3.612	.	3.612	3.612
TAF	1	126.000	.	126.000	126.000
Mjölksyra	1	103.000	.	103.000	103.000
Ättiksyra	1	21.000	.	21.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	1	18.000	.	18.000	18.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	73.433	.	73.433	73.433
PBVp20	1	43.522	.	43.522	43.522
NELp20	1	5.969	.	5.969	5.969
OE*	1	10.300	.	10.300	10.300
AAT*	1	69.000	.	69.000	69.000
PBV*	1	37.000	.	37.000	37.000
Ca	1	5.300	.	5.300	5.300
P	1	3.400	.	3.400	3.400
Mg	1	3.200	.	3.200	3.200
K	1	19.400	.	19.400	19.400
Na	1	2.000	.	2.000	2.000
Cl	1	2.100	.	2.100	2.100
S	1	3.000	.	3.000	3.000
CAB	1	336.465	.	336.465	336.465
Fe	1	296.000	.	296.000	296.000
Mn	1	198.000	.	198.000	198.000
Zn	1	40.000	.	40.000	40.000
Cu	1	11.200	.	11.200	11.200
Se	1	0.016	.	0.016	0.016

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	768.500	118.087	685.000	852.000
Aska	2	40.000	0.000	40.000	40.000
OS smbh	2	67.850	6.010	63.600	72.100
Råprot	2	80.000	5.657	76.000	84.000
sRåprot	1	414.000	.	414.000	414.000
NDF	2	543.500	30.406	522.000	565.000
iNDF	2	241.339	81.545	183.678	299.000
nhNDF	2	3.784	0.408	3.496	4.073
TAF	2	0.000	0.000	0.000	0.000
Socker	2	154.000	55.154	115.000	193.000
AATp20	2	87.635	2.631	85.775	89.495
PBVp20	2	-51.067	9.957	-58.108	-44.026
NELp20	2	5.256	0.455	4.935	5.578
OE*	2	10.080	1.018	9.360	10.800
AAT*	1	76.000	.	76.000	76.000
PBV*	1	-53.000	.	-53.000	-53.000
Ca	1	2.000	.	2.000	2.000
P	1	1.900	.	1.900	1.900
Mg	1	1.500	.	1.500	1.500
K	1	7.600	.	7.600	7.600
Na	1	0.400	.	0.400	0.400
S	1	1.300	.	1.300	1.300
CAB	1	-10.330	.	-10.330	-10.330

*= Parametrar från det gamla svenska fodervärderingssystemet