

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Korn, kärna (001)	1	25	849	23	51.6	116	270	6.5	183	107	3.15	560	5			96.1	-28	7.36
Vete, kärna (005)	1	18	874	18	60.2	123	319	7.0	123	136	3.50	633	4			114	-44	7.98
Prognos, blandvall (1-50% baljv.) (042)	1	20	217		73.2					170	4.32					96.4	-4.4	5.94
Grönmassa, gräs (0% baljv.) (161)	1	93	436	65	72.8	144	395		489	178	4.28	22	110	0.0	0.7	87.9	6.0	5.86
Grönmassa, gräs (0% baljv.) (161)	2	12	556	77	73.4	145	391		503	161	4.41		98			85.1	10.6	5.95
Ensilage, gräs (0% klöver) (162)	1	77	419	69	74.8	134	620	77.4	462	160	4.44		79	50.6	12.5	81.3	7.5	6.07
Ensilage, gräs (0% klöver) (162)	2	18	479	74	74.9	149	573	71.3	463	161	4.43		75	35.8	10.4	84.3	16.3	6.07
Grönmassa blandvall (1-50 % baljväxter) (164)	0	49	605	75	76.1	143			509	132	5.35		126			85.3	12.2	6.28
Grönmassa blandvall (1-50 % baljväxter) (164)	1	546	417	70	77.4	143	431		457	129	5.19	18	132	0.0	2.1	88.8	5.4	6.30
Grönmassa blandvall (1-50 % baljväxter) (164)	2	229	491	80	75.1	151	421		470	154	4.71		100	0.0	0.6	85.0	19.0	6.14
Grönmassa blandvall (1-50 % baljväxter) (164)	3	88	481	86	74.0	156	377		479	163	4.54		84			84.2	25.7	6.08
Ensilage, blandvall (1-50% klöver) (165)	0	52	422	75	74.3	134	575	77.6	464	166	4.32		54	53.8	14.0	82.0	10.1	6.06
Ensilage, blandvall (1-50% klöver) (165)	1	1277	383	69	76.5	144	638	76.8	438	150	4.55	112	72	57.4	15.2	82.8	16.0	6.28
Ensilage, blandvall (1-50% klöver) (165)	2	536	437	78	74.8	152	558	67.9	449	168	4.33	44	66	47.0	13.5	83.9	22.3	6.12
Ensilage, blandvall (1-50% klöver) (165)	3	156	433	83	73.8	157	533	72.6	451	183	4.24		56	47.0	14.8	83.3	27.6	6.04
Ensilage, blandvall (1-50% klöver) (165)	4	14	431	88	73.3	163	537	84.2	425	204	4.02		56	48.2	15.7	82.1	35.1	5.96
Korn, helsädesensilage (250)	1	56	389	56	69.2	109	600	79.4	455	248	3.08	100	76	38.4	13.1	72.4	-9.2	5.58
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	21	334	66	67.8	118	589	75.3	450	346	4.93	95	42	55.4	16.9	70.5	6.4	5.63
Havre helsädesensilage degmognad (296)	1	26	400	66	68.1	113	609	71.0	476	249	3.37	63	69	41.1	16.4	74.7	-7.0	5.55
Vete, helsäd ensilage (299)	1	31	418	57	68.4	103	604	66.8	468	251	3.15	92	81	32.0	13.1	72.3	-15	5.54
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	11	358	64	69.9	120	649	105	435	251	3.10	110	50	53.9	16.2	72.4	5.0	5.76
Majs, helsädesensilage (305)	1	21	347	27	75.7	75	562	59.5	382	209	3.49	298	7	48.8	13.4	82.5	-55	6.45
Hö, blandvall, 0-50% baljväxter (383)	0	13	881	49	62.7	59			592	250	3.09		137			78.5	-55	4.74
Hö, blandvall, 0-50% baljväxter (383)	1	69	844	57	68.1	87	444		557	206	3.83		136	0.0	0.0	86.5	-43	5.28
Grönmassa, blandvall (51-100% baljväxter) (437)	0	10	286	80	68.4	179			440	395	6.21		69			78.7	60.7	5.62
Grönmassa, blandvall (51-100% baljväxter) (437)	1	15	264	77	77.4	193	336		395	202	5.62		112			87.6	59.1	6.43

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Grönmassa, blandvall (51-100% baljväxter) (437)	3	11	291	87	68.5	174			393	428	5.18		62			77.1	58.4	5.53
Ensilage, blandvall (1-50% klöver) (326)	1	17	445	68	74.7	150	503	70.4	356	227	3.28	160	40	34.2	13.9	86.9	19.8	6.34

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kårna (001)	1	13	0.5	3.4	1.2	5.4	0.1	2.4	1.3	16	13	52.0	16.7	33.2	5.1	0.1
Vete, kårna (005)	1	13	0.4	3.0	1.1	4.8	0.1	1.1	1.3	17	13	50.2	32.9	30.2	4.8	0.0
Grönmassa, gräs (0% baljv.) (161)	1	91	4.7	2.6	1.6	20.1	0.7	4.3	2.0	286	64	147.8	131.3	34.1	5.7	0.0
Grönmassa, gräs (0% baljv.) (161)	2	11	5.5	2.8	2.2	25.1	1.1	5.9	2.4	389	10	139.0	95.7	34.0	6.5	0.0
Ensilage, gräs (0% klöver) (162)	1	75	4.7	2.4	1.6	21.2	1.0	5.0	1.9	322	70	219.7	66.3	28.3	5.6	0.0
Ensilage, gräs (0% klöver) (162)	2	17	5.5	2.8	2.2	23.8	1.1	7.2	2.3	316	16	161.2	64.1	28.2	6.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	34	5.0	2.8	2.0	24.6	1.2		2.0	426	34	100.6	52.3	35.5	6.1	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	503	5.0	2.7	1.7	23.3	0.8	5.2	2.0	366	402	141.8	71.1	29.1	5.7	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	204	7.0	3.0	2.3	24.8	1.1	6.4	2.4	384	175	138.5	65.1	28.6	6.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	81	6.9	3.1	2.4	25.6	1.1	11.7	2.5	329	68	145.5	72.4	28.9	7.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	36	5.5	2.6	2.0	22.9	1.0	6.7	2.1	311	36	159.6	65.8	29.2	6.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	1223	5.3	2.6	1.7	22.6	1.0	5.0	2.0	356	1065	216.2	57.5	31.1	5.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	522	6.5	2.8	2.3	23.5	1.3	7.5	2.3	298	446	169.5	71.4	34.1	7.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	143	7.2	3.1	2.6	23.8	1.4	7.6	2.6	296	94	210.3	77.4	32.0	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	11	7.9	3.1	2.5	24.0	1.9	7.2	2.8	370	5	342.0	123.4	23.4	7.3	
Korn, helsädesensilage (250)	1	53	4.4	2.5	1.6	16.4	0.9	5.2	1.8	205	39	165.8	52.8	35.3	5.2	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	20	5.4	2.8	1.8	18.9	1.2	6.7	1.7	259	16	244.3	71.6	36.3	5.8	0.0
Havre helsädesensilage degmognad (296)	1	21	3.9	2.6	1.6	20.3	1.7	6.4	1.9	284	14	215.3	79.5	33.0	5.1	0.1
Vete, helsäd ensilage (299)	1	31	3.6	2.1	1.4	15.9	0.6	3.7	1.6	227	27	126.2	47.1	23.6	4.4	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	9	5.6	3.0	1.8	18.5	0.9	4.7	1.8	247	6	176.0	47.7	31.8	6.1	0.1
Majs, helsädesensilage (305)	1	21	2.0	1.9	1.1	8.8	0.3	2.2	0.9	132	10	114.3	25.8	24.1	3.9	0.1
Hö, blandvall, 0-50% baljväxter (383)	0	9	2.3	1.5	0.9	14.5	0.2		1.0	174	9	76.2	98.1	28.3	10.1	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	59	3.4	2.1	1.3	17.8	0.5	3.4	1.5	251	53	137.2	72.7	24.1	4.5	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	0	10	14.2	3.1	2.1	19.2	0.8		2.3	254	10	98.6	31.6	23.3	7.4	
Grönmassa, blandvall (51-100% baljväxter) (437)	1	15	11.6	3.3	2.0	27.3	0.7	0.2	2.1	477	14	123.3	35.0	26.6	6.7	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, blandvall (51-100% baljväxter) (437)	3	11	16.0	2.7	2.3	17.0	0.8		2.1	207	11	107.7	34.0	21.5	7.0	
Ensilage, blandvall (1-50% klöver) (326)	1	17	6.5	3.8	2.9	15.5	3.4	7.6	2.7	159	12	320.3	89.4	71.2	11.4	0.4

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Korn, kärna (001) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	25	848.760	122.632	815.000	922.000
Aska	23	22.548	5.300	17.200	25.700
OS smbh	25	51.600	43.000	0.000	86.000
Råprot	24	116.450	21.204	98.600	146.500
sRåprot	10	270.100	78.213	158.000	354.000
NDF	16	182.688	53.911	139.000	263.000
iNDF	25	107.200	68.500	25.000	162.000
nhNDF	25	3.150	0.000	3.150	3.150
Stä	24	559.604	89.382	497.000	647.300
Socket	10	5.000	0.000	5.000	5.000
TAF	25	0.000	0.000	0.000	0.000
AAT20	25	96.146	2.427	94.058	99.212
PBV20	25	-28.108	21.368	-50.336	2.688
NEL20	25	7.358	0.178	7.118	7.566
Ca	13	0.485	0.069	0.400	0.600
P	13	3.385	0.428	2.900	3.900
Mg	13	1.231	0.085	1.100	1.300
K	13	5.431	0.407	4.800	6.000
Na	13	0.108	0.028	0.100	0.100
S	13	1.338	0.202	1.100	1.600
CAB	13	15.502	31.656	-25.150	46.440
Fe	13	52.000	10.770	39.000	66.000
Mn	13	16.692	5.779	10.000	21.000
Zn	13	33.231	6.483	26.000	40.000
Cu	13	5.069	1.191	3.700	6.700

Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	18	873.778	31.1742	837.000	933.000
Aska	18	18.033	2.5060	15.000	22.000
OS smbh	19	60.211	42.0259	0.000	88.000
Råprot	18	123.111	15.6274	107.000	146.000
iNDF	19	135.842	77.3658	25.000	187.000
nhNDF	19	3.500	0.0000	3.500	3.500
Stä	18	633.389	65.2396	527.000	703.600
TAF	19	0.000	0.0000	0.000	0.000
AAT20	19	113.837	1.7641	111.400	116.016
PBV20	19	-43.940	14.5970	-58.622	-24.859
NEL20	19	7.982	0.1485	7.784	8.116

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Ca	13	0.377	0.0725	0.300	0.500
P	13	3.046	0.2904	2.800	3.400
Mg	13	1.138	0.1758	1.000	1.200
K	13	4.777	0.5495	4.000	5.400
Na	10	0.100	0.0000	0.100	0.100
S	13	1.315	0.1345	1.200	1.500
CAB	13	17.439	17.5249	0.048	42.103
Fe	13	50.154	19.2390	38.000	77.000
Mn	13	32.923	10.7507	22.000	43.000
Zn	13	30.231	6.2069	23.000	39.000
Cu	13	4.777	0.7991	4.000	5.900

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	20	216.600	25.6892	187.500	263.000
OS smbh	20	73.150	0.0000	73.150	73.150
iNDF	20	170.460	0.0000	170.460	170.460
nhNDF	20	4.315	0.0000	4.315	4.315
TAF	20	0.000	0.0000	0.000	0.000
AAT20	20	96.439	0.0000	96.439	96.439
PBV20	20	-4.418	0.0000	-4.418	-4.418
NEL20	20	5.943	0.0000	5.943	5.943

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	93	435.903	222.404	215.000	800.000
Aska	93	65.398	15.264	49.000	86.000
OS smbh	93	72.814	6.044	65.200	79.400
Råprot	93	144.097	57.212	82.000	220.000
sRåprot	58	395.241	93.011	251.000	495.000
NDF	93	488.581	66.782	409.000	587.000
iNDF	93	178.281	76.995	90.000	273.000
nhNDF	93	4.282	1.016	3.545	5.321
Socker	93	109.742	40.747	58.000	160.000
TAF	93	40.269	25.881	4.000	61.000
Mjölksyra	37	0.000	0.000	0.000	0.000
Ättiksyra	35	0.657	1.830	0.000	3.000
PRF	35	4.829	3.560	0.000	11.000
BUF	35	3.000	2.870	0.000	7.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
AAT20	93	87.912	10.705	75.536	100.066
PBV20	93	6.029	37.412	-34.808	62.049
NEL20	93	5.864	0.554	5.141	6.554
Ca	91	4.676	1.994	2.700	7.300
P	91	2.563	0.691	1.700	3.300
Mg	91	1.643	0.600	1.000	2.400
K	91	20.053	5.465	13.800	28.800
Na	90	0.691	0.575	0.100	1.300
Cl	51	4.331	3.339	1.200	9.400
S	91	2.022	0.758	1.100	3.000
CAB	91	286.247	146.313	140.021	492.755
Fe	64	147.813	109.385	60.000	286.000
Mn	64	131.297	174.118	28.000	425.000
Zn	64	34.063	17.870	19.000	55.000
Cu	64	5.739	1.930	3.900	8.400
Se	13	0.032	0.022	0.005	0.050

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	12	556.167	199.296	349.000	797.000
Aska	12	76.500	9.606	65.000	85.000
OS smbh	12	73.408	3.131	69.700	77.900
Råprot	12	144.583	25.372	126.000	165.000
NDF	12	502.833	41.850	439.000	550.000
iNDF	12	160.638	39.216	119.538	197.117
nhNDF	12	4.410	0.620	3.827	5.246
Socker	12	97.667	31.020	63.000	137.000
TAF	12	61.000	0.000	61.000	61.000
AAT20	12	85.149	4.662	79.228	91.191
PBV20	12	10.648	19.661	-4.916	34.150
NEL20	12	5.946	0.334	5.555	6.417
Ca	11	5.464	0.915	4.600	6.200
P	11	2.845	0.530	2.500	3.300
Mg	11	2.173	0.518	1.500	2.600
K	11	25.136	6.458	18.100	32.900
Na	11	1.118	0.682	0.400	2.200
S	11	2.436	0.482	1.700	2.900
CAB	11	388.898	149.100	246.495	593.522
Fe	10	139.000	42.061	84.500	198.500

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Mn	10	95.700	44.169	54.000	165.500
Zn	10	34.000	11.215	20.000	50.000
Cu	10	6.520	1.400	4.650	8.100

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	77	419.429	165.042	263.000	717.000
Aska	77	68.519	12.421	56.000	77.000
OS smbh	78	74.841	5.215	67.900	79.700
Råprot	77	134.260	30.347	89.000	168.000
sRåprot	76	620.303	109.235	403.000	720.000
NH3-N	75	77.360	26.054	41.000	106.000
NDF	77	461.922	61.335	388.000	564.000
iNDF	78	159.830	42.895	120.350	211.000
nhNDF	78	4.438	0.676	3.741	5.159
Socker	77	78.948	43.059	20.000	133.000
TAF	78	65.347	33.121	23.500	117.100
Mjölksyra	76	50.618	28.958	16.000	94.000
Ättiksyra	76	12.526	5.965	5.000	22.000
PRF	13	2.462	1.391	0.000	4.000
BUF	76	0.988	1.288	0.000	2.600
AAT20	78	81.268	4.800	74.907	87.146
PBV20	78	7.512	23.958	-30.156	34.886
NEL20	78	6.071	0.541	5.432	6.531
Ca	75	4.655	1.147	3.300	6.300
P	75	2.431	0.436	1.900	2.900
Mg	75	1.625	0.282	1.200	2.000
K	75	21.208	4.739	15.800	27.000
Na	75	0.957	0.799	0.100	2.200
Cl	76	5.038	2.745	1.400	8.800
S	75	1.917	0.413	1.300	2.400
CAB	75	322.072	109.271	182.360	458.315
Fe	70	219.714	299.167	77.500	396.500
Mn	70	66.300	28.118	34.500	91.000
Zn	70	28.329	6.911	21.000	35.500
Cu	70	5.554	0.990	4.100	7.050
Se	16	0.020	0.014	0.007	0.050

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	18	478.500	128.787	337.000	680.000
Aska	18	73.722	7.976	64.000	85.000
OS smbh	18	74.889	3.166	70.500	79.000
Råprot	18	149.167	24.356	118.000	181.000
sRåprot	18	572.667	100.517	453.000	718.000
NH3-N	18	71.333	25.898	23.000	102.000
NDF	18	462.889	44.223	409.000	526.000
iNDF	18	160.817	31.166	123.502	197.605
nhNDF	18	4.429	0.548	3.809	5.130
Socket	18	74.722	30.674	29.000	112.000
TAF	18	48.267	25.139	16.800	87.100
Mjölksyra	18	35.778	20.259	10.000	67.000
Ättiksyra	18	10.444	5.863	3.000	20.000
BUF	18	0.989	0.977	0.000	1.900
AAT20	18	84.304	3.823	78.794	89.080
PBV20	18	16.301	21.014	-14.540	45.426
NEL20	18	6.069	0.348	5.527	6.563
Ca	17	5.453	1.735	3.300	7.900
P	17	2.776	0.342	2.200	3.300
Mg	17	2.159	0.443	1.700	2.800
K	17	23.835	5.418	18.300	33.100
Na	17	1.082	1.179	0.100	2.500
Cl	18	7.228	4.442	1.600	13.800
S	17	2.265	0.469	1.800	2.900
CAB	17	315.942	129.378	186.635	547.321
Fe	16	161.188	253.335	56.000	148.000
Mn	16	64.063	24.420	34.000	103.000
Zn	16	28.188	4.651	22.000	34.000
Cu	16	6.944	1.375	5.100	9.300

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	49	604.612	286.264	291.000	1000.00
Aska	35	75.000	14.090	54.000	92.00
OS smbh	49	76.106	4.077	71.800	81.00
Råprot	35	143.229	27.106	106.000	172.00
NDF	45	508.933	66.297	439.000	618.00
iNDF	49	132.303	40.550	87.704	175.92
nhNDF	49	5.346	1.055	4.140	6.46

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
Socket	35	125.914	33.336	81.000	166.00
TAF	49	84.000	0.000	84.000	84.00
AAT20	49	85.288	4.897	80.106	90.57
PBV20	49	12.175	16.062	-3.694	31.06
NEL20	49	6.278	0.397	5.841	6.71
Ca	34	4.956	1.635	3.400	7.20
P	34	2.812	0.354	2.300	3.10
Mg	34	1.953	0.474	1.400	2.40
K	34	24.647	4.913	17.300	30.10
Na	34	1.232	0.925	0.100	2.60
S	34	2.009	0.463	1.400	2.50
CAB	34	425.994	123.474	245.387	562.68
Fe	34	100.559	65.650	65.000	137.00
Mn	34	52.324	29.066	30.000	86.00
Zn	34	35.471	51.127	23.000	34.00
Cu	34	6.132	1.436	4.200	8.30

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	546	417.399	147.594	244.000	635.000
Aska	545	69.512	11.446	55.000	84.000
OS smbh	546	77.423	4.914	70.200	83.100
Råprot	545	142.719	30.466	102.000	177.000
sRåprot	217	430.788	73.459	348.000	515.000
NDF	545	456.822	57.494	386.000	537.000
iNDF	546	128.649	52.607	64.691	200.000
nhNDF	546	5.190	1.433	3.812	6.682
Socket	545	131.694	44.389	73.000	189.000
TAF	546	64.181	33.217	5.000	84.000
Mjölksyra	145	0.000	0.000	0.000	0.000
Ättiksyra	131	2.099	5.082	0.000	8.000
PRF	131	3.718	3.544	0.000	10.000
BUF	131	2.420	2.395	0.000	6.000
AAT20	546	88.816	6.713	80.376	97.024
PBV20	546	5.388	22.448	-22.169	33.456
NEL20	546	6.299	0.440	5.699	6.860
Ca	503	5.022	1.792	3.200	7.200
P	503	2.693	0.501	2.100	3.300
Mg	503	1.696	0.419	1.200	2.200

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
K	503	23.279	5.228	16.300	29.600
Na	501	0.800	0.701	0.100	1.600
Cl	201	5.188	3.397	1.400	8.700
S	503	2.020	0.491	1.400	2.600
CAB	503	366.016	138.405	194.930	527.804
Fe	402	141.841	191.402	66.000	231.000
Mn	402	71.100	85.270	31.000	96.000
Zn	402	29.114	9.192	21.000	37.000
Cu	402	5.740	2.733	4.000	7.400
Se	75	0.020	0.018	0.006	0.050

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	229	490.834	162.568	299.000	725.000
Aska	228	80.132	11.575	64.000	97.000
OS smbh	229	75.122	4.345	69.800	80.100
Råprot	228	150.640	26.488	119.000	187.000
sRåprot	61	420.705	80.913	343.000	550.000
NDF	228	469.575	40.618	417.000	517.000
iNDF	229	154.456	53.288	85.548	224.166
nhNDF	229	4.707	0.951	3.590	5.897
Socker	228	99.776	37.932	51.000	146.000
TAF	229	78.096	20.909	84.000	84.000
Mjölksyra	17	0.000	0.000	0.000	0.000
Ättiksyra	17	0.647	2.422	0.000	1.000
PRF	17	2.647	1.169	1.000	4.000
BUF	17	1.176	1.185	0.000	3.000
AAT20	229	84.989	6.193	78.130	93.869
PBV20	229	19.009	20.868	-6.786	47.020
NEL20	229	6.135	0.410	5.624	6.662
Ca	204	6.954	4.257	4.300	9.800
P	204	2.975	1.604	2.300	3.400
Mg	204	2.340	1.027	1.700	2.900
K	204	24.823	16.189	16.100	29.900
Na	204	1.124	0.894	0.200	2.200
Cl	61	6.444	4.207	2.600	11.700
S	204	2.439	1.653	1.700	3.000
CAB	204	384.159	331.302	203.235	534.885
Fe	175	138.531	117.622	72.000	223.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Mn	175	65.137	26.770	34.000	104.000
Zn	175	28.600	7.762	21.000	37.000
Cu	175	6.950	1.678	5.000	9.000
Se	48	0.025	0.017	0.007	0.050

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	88	480.966	160.829	296.000	735.000
Aska	88	85.739	13.980	70.000	105.000
OS smbh	88	74.043	3.595	69.300	78.100
Råprot	88	156.375	27.372	121.000	199.000
sRåprot	34	377.382	39.819	320.000	425.000
NDF	88	479.432	39.559	422.000	533.000
iNDF	88	162.594	42.208	112.300	224.615
nhNDF	88	4.544	0.816	3.504	5.651
Socker	88	84.125	32.556	42.000	119.000
TAF	88	84.000	0.000	84.000	84.000
AAT20	88	84.159	5.231	77.242	91.326
PBV20	88	25.746	22.387	-4.191	50.879
NEL20	88	6.080	0.356	5.641	6.480
Ca	81	6.896	2.128	4.500	9.800
P	81	3.095	0.456	2.500	3.700
Mg	81	2.446	0.545	1.700	3.100
K	81	25.583	5.760	18.100	31.200
Na	81	1.136	0.896	0.400	2.200
Cl	34	11.721	7.249	4.400	22.300
S	81	2.548	0.427	2.000	3.100
CAB	81	329.007	209.604	8.779	532.407
Fe	68	145.500	82.999	77.000	255.000
Mn	68	72.368	32.179	33.000	108.000
Zn	68	28.941	6.411	22.000	38.000
Cu	68	7.512	1.421	6.000	9.200
Se	13	0.029	0.028	0.010	0.043

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	52	422.365	186.503	286.000	616.000
Aska	45	74.556	13.597	59.000	90.000
OS smbh	52	74.288	2.974	71.600	78.500
Råprot	46	134.348	24.450	95.000	166.000
sRåprot	38	575.079	67.403	495.000	653.000
NH3-N	39	77.641	25.477	45.000	99.000
NDF	45	464.311	40.960	412.000	532.000
iNDF	52	166.238	28.684	134.258	202.701
nhNDF	52	4.325	0.526	3.532	4.845
Socket	45	53.822	40.906	17.000	116.000
TAF	52	72.060	25.837	34.500	103.100
Mjölksyra	39	53.795	24.911	19.000	89.000
Ättiksyra	39	14.026	6.343	6.000	22.000
BUF	39	0.933	1.071	0.100	2.700
AAT20	52	82.002	3.380	77.712	83.992
PBV20	52	10.115	20.217	-17.713	30.266
NEL20	52	6.064	0.327	5.743	6.472
Ca	36	5.494	1.590	3.800	7.500
P	36	2.553	0.464	1.800	3.100
Mg	36	1.969	0.458	1.400	2.500
K	36	22.883	5.273	16.100	29.000
Na	36	0.975	0.753	0.200	2.400
Cl	38	6.711	4.801	1.700	9.500
S	36	2.067	0.430	1.600	2.600
CAB	36	311.152	125.574	111.370	450.054
Fe	36	159.611	82.226	80.000	330.000
Mn	36	65.833	21.466	38.000	95.000
Zn	36	29.167	7.485	22.000	35.000
Cu	36	6.664	1.496	4.600	8.700

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	1277	383.111	116.64	272.000	539.000
Aska	1271	69.366	11.21	57.000	81.000
OS smbh	1279	76.468	3.59	71.900	80.100
Råprot	1271	143.630	24.53	112.000	174.000
sRåprot	1271	638.006	81.38	536.000	726.000
NH3-N	1266	76.847	28.77	43.000	112.000
NDF	1271	438.156	49.45	379.000	506.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
iNDF	1279	149.632	35.12	112.099	194.000
nhNDF	1279	4.551	0.59	3.860	5.249
Socker	1271	72.433	43.12	25.000	135.000
TAF	1279	75.382	32.24	28.000	116.100
Mjölksyra	1271	57.355	27.90	18.000	93.000
Ättiksyra	1271	15.156	6.46	7.000	23.000
PRF	426	3.167	2.01	1.000	6.000
BUF	1271	1.122	2.41	0.000	2.900
AAT20	1279	82.765	4.03	78.223	87.700
PBV20	1279	16.005	22.44	-12.725	44.135
NEL20	1279	6.280	0.36	5.826	6.650
Ca	1223	5.296	1.54	3.700	7.500
P	1223	2.581	0.45	2.000	3.100
Mg	1223	1.710	0.31	1.400	2.100
K	1223	22.578	4.14	17.100	27.500
Na	1223	1.005	0.93	0.200	2.000
Cl	1266	5.026	4.12	1.600	8.600
S	1223	1.984	0.42	1.500	2.500
CAB	1223	355.527	130.96	213.518	485.652
Fe	1065	216.153	1295.01	77.000	308.000
Mn	1065	57.454	25.26	31.000	83.000
Zn	1065	31.100	29.02	21.000	37.000
Cu	1065	5.808	1.28	4.200	7.300
Se	204	0.031	0.02	0.008	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	536	437.343	131.022	290.000	628.000
Aska	534	77.648	10.532	66.000	90.000
OS smbh	536	74.801	2.902	70.800	78.300
Råprot	534	152.243	22.126	124.000	181.000
sRåprot	534	557.569	87.831	445.000	655.000
NH3-N	532	67.867	25.007	38.000	98.000
NDF	534	449.378	35.365	409.000	495.000
iNDF	536	168.126	38.320	126.653	217.000
nhNDF	536	4.331	0.578	3.575	4.980
Socker	534	66.345	34.349	24.000	116.000
TAF	536	63.104	28.410	24.000	101.000
Mjölksyra	534	47.045	23.735	15.000	80.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Ättiksyra	534	13.476	6.206	6.000	21.000
PRF	189	2.926	1.846	1.000	5.000
BUF	534	0.842	1.683	0.000	2.200
AAT20	536	83.900	4.619	78.554	89.576
PBV20	536	22.312	19.299	-2.644	47.127
NEL20	536	6.121	0.316	5.691	6.504
Ca	522	6.468	1.761	4.800	8.900
P	522	2.820	0.449	2.300	3.400
Mg	522	2.264	0.410	1.800	2.800
K	522	23.462	4.353	17.900	28.800
Na	522	1.277	0.912	0.300	2.400
Cl	533	7.506	5.090	2.900	12.400
S	522	2.342	0.454	1.800	2.900
CAB	522	298.404	159.278	140.987	469.117
Fe	446	169.534	147.278	80.000	280.000
Mn	446	71.399	28.528	42.000	107.000
Zn	446	34.117	50.079	22.000	40.000
Cu	446	7.224	1.441	5.500	9.000
Se	65	0.029	0.018	0.008	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	156	432.737	135.549	287.000	615.000
Aska	156	83.391	16.807	68.000	98.000
OS smbh	157	73.848	2.573	70.200	76.500
Råprot	156	156.788	20.848	125.000	184.000
sRåprot	156	532.846	81.322	436.000	621.000
NH3-N	155	72.639	29.136	42.000	109.000
NDF	156	450.699	36.084	402.000	489.000
iNDF	157	182.714	38.551	141.942	231.000
nhNDF	157	4.236	0.591	3.393	4.840
Socker	156	56.449	29.560	22.000	98.000
TAF	157	64.899	30.268	20.500	100.200
Mjölksyra	156	46.994	24.765	12.000	76.000
Ättiksyra	155	14.813	8.262	6.000	25.000
PRF	72	3.000	2.793	0.000	6.000
BUF	155	1.059	1.723	0.000	3.000
AAT20	157	83.256	4.729	76.828	89.958
PBV20	157	27.593	19.586	2.892	54.290

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
NEL20	157	6.039	0.314	5.589	6.355
Ca	143	7.169	1.973	5.400	9.800
P	143	3.061	0.477	2.500	3.700
Mg	143	2.577	0.462	2.000	3.200
K	143	23.759	4.240	18.400	28.500
Na	143	1.417	0.859	0.500	2.200
Cl	155	7.570	5.494	2.500	13.700
S	143	2.551	0.449	2.100	3.100
CAB	143	296.060	184.656	60.082	466.217
Fe	94	210.298	343.929	82.000	275.000
Mn	94	77.436	29.378	43.000	117.000
Zn	94	31.968	16.911	23.000	40.000
Cu	94	7.623	1.456	5.900	9.200
Se	11	0.029	0.021	0.007	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	14	430.571	169.099	286.000	684.000
Aska	14	87.643	9.094	78.000	98.000
OS smbh	14	73.329	3.542	66.700	76.800
Råprot	14	162.643	23.030	132.000	188.000
sRåprot	14	536.643	90.559	412.000	660.000
NH3-N	14	84.214	53.071	44.000	140.000
NDF	14	425.214	40.225	386.000	469.000
iNDF	14	203.751	36.089	163.517	259.000
nhNDF	14	4.018	0.802	2.870	4.989
Socker	14	56.143	34.900	22.000	106.000
TAF	14	69.036	42.223	6.500	118.000
Mjölksyra	14	48.214	33.682	2.000	90.000
Ättiksyra	14	15.714	9.762	3.000	26.000
BUF	14	2.179	4.444	0.000	7.000
AAT20	14	82.059	4.851	76.698	89.690
PBV20	14	35.105	20.555	5.771	60.667
NEL20	14	5.956	0.398	5.297	6.437
Ca	11	7.909	1.877	6.200	10.400
P	11	3.109	0.421	2.600	3.500
Mg	11	2.545	0.396	2.000	2.900
K	11	24.027	3.498	21.000	28.900
Na	11	1.873	0.866	1.400	2.200

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
CI	14	7.179	4.537	2.500	13.900
S	11	2.818	0.431	2.300	3.100
CAB	11	370.499	109.886	250.597	473.078

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	56	389.393	108.150	265.000	546.000
Aska	56	56.339	14.423	40.000	74.000
OS smbh	56	69.161	4.227	64.300	74.100
Råprot	56	108.839	22.831	76.000	142.000
sRåprot	56	599.696	111.755	447.000	750.000
NH3-N	55	79.418	39.692	31.000	131.000
NDF	56	454.589	51.060	385.000	521.000
iNDF	56	248.083	61.316	169.837	324.000
nhNDF	56	3.079	0.773	2.091	4.066
Stä	55	100.255	83.291	17.000	210.000
Socker	56	76.214	53.834	23.000	156.000
TAF	56	54.684	30.007	26.000	92.000
Mjölksyra	56	38.393	22.905	16.000	67.000
Ättiksyra	55	13.073	8.121	6.000	24.000
PRF	27	3.333	2.961	0.000	8.000
BUF	27	1.444	1.783	0.000	4.000
AAT20	56	72.415	5.411	66.327	81.514
PBV20	56	-9.152	19.627	-34.490	23.424
NEL20	56	5.576	0.363	5.102	5.988
Ca	53	4.355	2.532	1.900	7.400
P	53	2.538	0.538	2.000	3.100
Mg	53	1.575	0.634	1.000	2.300
K	53	16.383	5.902	10.000	23.000
Na	53	0.877	0.602	0.200	1.400
Cl	48	5.190	6.999	1.100	8.700
S	53	1.760	0.424	1.300	2.300
CAB	53	204.792	193.868	77.875	392.994
Fe	39	165.795	139.333	70.000	241.000
Mn	39	52.846	31.394	19.000	93.000
Zn	39	35.333	16.767	20.000	68.000
Cu	39	5.174	0.894	4.000	6.400

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	21	333.952	53.905	281.000	391.000
Aska	21	65.524	12.898	53.000	77.000
OS smbh	21	67.810	3.560	62.900	72.100
Råprot	21	118.190	18.143	97.000	131.000
sRåprot	21	589.476	109.087	438.000	721.000
NH3-N	19	75.316	28.150	31.000	114.000
NDF	21	449.952	56.111	364.000	507.000
iNDF	21	346.048	84.851	252.000	460.456
nhNDF	21	4.929	2.272	1.943	7.961
Stä	21	95.238	66.314	43.000	185.000
Socker	21	41.619	21.141	22.000	67.000
TAF	21	74.452	30.083	36.500	101.500
Mjölksyra	21	55.381	25.964	23.000	89.000
Ättiksyra	21	16.905	7.355	8.000	25.000
PRF	12	2.583	1.929	0.000	5.000
BUF	12	0.833	1.337	0.000	2.000
AAT20	21	70.536	5.091	65.663	77.610
PBV20	21	6.395	16.903	-11.835	17.326
NEL20	21	5.628	0.354	5.183	5.997
Ca	20	5.435	1.275	4.000	7.300
P	20	2.795	0.529	2.300	3.550
Mg	20	1.840	0.363	1.400	2.300
K	20	18.925	5.661	12.000	26.300
Na	20	1.190	0.887	0.250	2.250
Cl	18	6.650	9.739	1.200	10.400
S	20	1.745	0.343	1.400	2.150
CAB	20	258.523	215.806	94.563	417.034
Fe	16	244.313	389.911	100.000	303.000
Mn	16	71.625	44.177	27.000	124.000
Zn	16	36.250	10.945	25.000	48.000
Cu	16	5.819	1.609	4.000	8.000

Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	26	399.500	87.538	288.000	545.000
Aska	26	65.538	13.805	49.000	80.000
OS smbh	26	68.146	5.956	60.600	77.300
Råprot	26	113.462	33.601	73.000	157.000
sRåprot	26	609.192	103.841	477.000	740.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NH3-N	26	71.038	31.963	42.000	122.000
NDF	26	476.000	56.605	402.000	539.000
iNDF	26	249.432	58.678	170.000	306.726
nhNDF	26	3.367	0.937	2.291	4.627
Stä	26	62.731	51.030	21.000	156.000
Socker	26	69.154	37.130	20.000	122.000
TAF	26	59.791	26.370	26.570	98.000
Mjölksyra	26	41.115	20.003	10.000	63.000
Ättiksyra	25	16.360	8.036	6.000	29.000
PRF	12	3.667	2.498	0.000	7.000
BUF	12	1.333	1.497	0.000	3.000
AAT20	26	74.661	6.080	66.659	81.560
PBV20	26	-6.976	28.195	-40.467	24.569
NEL20	26	5.549	0.530	4.767	6.413
Ca	21	3.929	1.853	2.300	6.800
P	21	2.595	0.554	2.000	3.100
Mg	21	1.629	0.405	1.200	2.200
K	21	20.267	6.321	13.600	29.700
Na	21	1.719	1.063	0.700	3.500
Cl	24	6.392	3.529	3.000	11.500
S	21	1.900	0.504	1.300	2.500
CAB	21	284.434	143.273	80.987	444.820
Fe	14	215.286	193.564	96.000	386.000
Mn	14	79.500	32.256	30.000	122.000
Zn	14	33.000	18.551	21.000	36.000
Cu	14	5.136	0.922	4.000	6.000

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	31	417.935	103.569	305.000	555.000
Aska	31	56.774	13.313	40.000	72.000
OS smbh	31	68.406	4.981	63.300	76.100
Råprot	31	102.613	28.265	66.000	142.000
sRåprot	31	603.903	135.708	429.000	746.000
NH3-N	31	66.806	32.410	29.000	108.000
NDF	31	467.806	51.451	408.000	536.000
iNDF	31	250.785	60.928	155.208	311.133
nhNDF	31	3.151	0.953	2.125	4.467
Stä	31	92.355	80.709	17.000	223.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Socker	31	81.097	36.322	39.000	138.000
TAF	31	47.983	28.127	21.500	89.000
Mjölksyra	31	31.968	22.446	6.000	56.000
Ättiksyra	30	13.133	7.459	5.000	23.000
PRF	11	2.636	2.014	0.000	5.000
BUF	11	1.091	1.375	0.000	3.000
AAT20	31	72.316	4.025	68.074	77.946
PBV20	31	-14.929	25.168	-45.277	22.298
NEL20	31	5.539	0.428	5.155	6.109
Ca	31	3.645	1.382	2.000	5.300
P	31	2.145	0.553	1.300	2.600
Mg	31	1.432	0.409	1.100	1.900
K	31	15.910	5.524	9.800	22.600
Na	31	0.590	0.671	0.100	1.100
Cl	29	3.741	2.400	0.700	7.300
S	31	1.587	0.443	1.100	2.100
CAB	31	226.618	157.920	72.224	425.114
Fe	27	126.185	74.980	62.000	206.000
Mn	27	47.074	22.743	25.000	81.000
Zn	27	23.556	6.489	15.000	32.000
Cu	27	4.448	1.263	3.000	6.000

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	11	358.091	74.1410	276.000	444.000
Aska	11	64.182	8.7042	59.000	69.000
OS smbh	11	69.909	3.3863	65.500	72.000
Råprot	11	120.364	14.9618	100.000	135.000
sRåprot	11	649.455	66.5227	562.000	703.000
NH3-N	11	104.818	57.7838	60.000	154.000
NDF	11	434.545	61.9715	338.000	496.000
iNDF	11	250.826	41.8370	208.000	303.000
nhNDF	11	3.099	0.8412	2.277	4.122
Stä	11	109.909	96.5385	31.000	242.000
Socker	11	50.455	33.4705	19.000	84.000
TAF	11	71.273	20.6305	53.000	95.000
Mjölksyra	11	53.909	22.2282	28.000	74.000
Ättiksyra	11	16.182	9.6106	8.000	24.000
AAT20	11	72.376	3.7347	68.425	77.326

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PBV20	11	5.018	18.1756	-15.426	14.491
NEL20	11	5.761	0.3437	5.400	6.023
CI	11	4.664	3.6852	0.700	10.100

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	21	346.905	54.678	277.000	409.000
Aska	21	26.571	4.686	20.000	32.000
OS smbh	23	75.739	2.786	71.800	78.600
Råprot	21	74.667	7.585	65.000	85.000
sRåprot	21	562.286	117.707	446.000	725.000
NH3-N	20	59.450	38.909	20.500	122.000
NDF	21	381.810	53.347	314.000	436.000
iNDF	23	208.702	33.710	172.028	259.000
nhNDF	23	3.493	0.608	2.880	4.043
Stä	21	297.619	64.602	240.000	361.000
Socker	21	7.238	5.770	0.000	13.000
TAF	23	64.739	17.279	40.000	85.000
Mjölksyra	21	48.810	16.467	28.000	64.000
Ättiksyra	21	13.429	7.808	5.000	21.000
PRF	15	2.933	1.387	1.000	5.000
BUF	15	0.000	0.000	0.000	0.000
AAT20	23	82.504	4.085	77.461	88.328
PBV20	23	-54.804	7.786	-65.312	-44.441
NEL20	23	6.452	0.276	6.119	6.748
Ca	21	1.986	0.344	1.700	2.400
P	21	1.862	0.194	1.600	2.100
Mg	21	1.086	0.203	0.800	1.300
K	21	8.795	1.739	6.500	10.500
Na	20	0.290	0.174	0.100	0.500
S	21	0.919	0.202	0.800	1.200
CAB	21	131.512	41.263	89.476	182.427
Fe	10	114.300	53.281	67.500	194.500
Mn	10	25.800	19.792	9.000	55.500
Zn	10	24.100	7.767	17.000	36.500
Cu	10	3.890	0.739	2.950	5.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	13	881.154	62.6523	848.000	943.000
Aska	13	48.846	10.6603	39.000	64.000
OS smbh	13	62.662	3.7116	58.100	67.000
Råprot	13	59.385	15.3815	39.000	80.000
NDF	13	592.462	32.9611	544.000	629.000
iNDF	13	249.724	40.6040	205.135	287.853
nhNDF	13	3.093	0.5967	2.488	3.783
Socker	13	137.308	25.7694	101.000	161.000
TAF	13	0.000	0.0000	0.000	0.000
AAT20	13	78.489	4.8956	72.077	84.549
PBV20	13	-55.251	11.6562	-71.441	-41.271
NEL20	13	4.744	0.3665	4.289	5.197

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	69	844.246	93.530	741.000	923.000
Aska	69	57.188	14.014	42.000	81.000
OS smbh	69	68.103	5.539	61.100	76.200
Råprot	69	86.812	29.121	54.000	132.000
sRåprot	12	443.583	65.780	370.000	478.000
NDF	69	557.203	57.513	474.000	631.000
iNDF	69	205.511	45.707	137.904	267.152
nhNDF	69	3.830	0.809	2.764	5.156
Socker	69	135.913	29.391	102.000	174.000
TAF	69	0.072	0.602	0.000	0.000
AAT20	69	86.505	7.650	77.679	96.899
PBV20	69	-43.049	17.853	-62.184	-15.828
NEL20	69	5.278	0.508	4.655	6.018
Ca	59	3.364	1.341	1.800	5.500
P	59	2.120	0.617	1.400	3.100
Mg	59	1.290	0.442	0.900	1.900
K	59	17.780	5.996	10.900	28.000
Na	58	0.490	0.682	0.100	1.300
S	59	1.453	0.442	0.900	2.100
CAB	59	251.435	141.284	95.735	488.998
Fe	53	137.245	188.122	47.000	232.000
Mn	53	72.717	42.146	32.000	122.000
Zn	53	24.057	7.690	17.000	37.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Cu	53	4.532	2.275	3.000	6.000
Se	14	0.038	0.031	0.005	0.080

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	10	285.900	44.8961	234.500	338.500
Aska	10	80.000	5.6765	72.000	87.500
OS smbh	10	68.390	2.5445	65.200	71.800
Råprot	10	179.000	24.7880	148.500	210.500
NDF	10	439.500	22.6728	405.500	468.500
iNDF	10	394.923	60.4857	315.453	455.419
nhNDF	10	6.208	0.5643	5.438	7.020
Socker	10	68.900	13.8760	54.500	91.500
TAF	10	72.000	0.0000	72.000	72.000
AAT20	10	78.702	2.9631	75.068	82.106
PBV20	10	60.743	20.4043	37.287	87.844
NEL20	10	5.618	0.2532	5.314	5.922
Ca	10	14.220	1.6712	12.450	16.900
P	10	3.050	0.4170	2.600	3.500
Mg	10	2.120	0.3259	1.700	2.550
K	10	19.220	3.6772	14.800	23.800
Na	10	0.770	0.2497	0.450	1.100
S	10	2.260	0.5296	1.650	2.950
CAB	10	254.211	84.9802	153.735	362.582
Fe	10	98.600	7.6333	89.000	109.000
Mn	10	31.600	4.9035	26.000	38.500
Zn	10	23.300	2.9458	20.000	27.500
Cu	10	7.360	1.2322	5.400	8.300

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	15	263.800	139.227	153.000	535.000
Aska	15	76.733	9.953	65.000	89.000
OS smbh	15	77.393	3.212	73.300	82.100
Råprot	15	192.867	41.155	127.000	243.000
NDF	15	395.000	35.615	353.000	448.000
iNDF	15	202.420	76.681	67.882	272.717
nhNDF	15	5.623	0.662	4.575	6.417
Socker	15	112.333	36.043	78.000	156.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	15	72.000	0.000	72.000	72.000
AAT20	15	87.634	3.518	81.612	91.067
PBV20	15	59.120	35.950	7.040	105.392
NEL20	15	6.427	0.313	5.959	6.799
Ca	15	11.560	2.140	9.500	13.500
P	15	3.287	0.521	2.600	4.000
Mg	15	2.040	0.473	1.500	2.800
K	15	27.320	4.686	22.700	35.500
Na	15	0.687	0.458	0.200	1.500
S	15	2.087	0.548	1.400	2.800
CAB	15	476.845	116.090	347.181	641.842
Fe	14	123.286	17.895	105.000	146.000
Mn	14	35.000	9.414	27.000	49.000
Zn	14	26.643	4.684	22.000	31.000
Cu	14	6.714	1.201	5.200	8.900

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	11	291.455	37.0604	256.000	341.000
Aska	11	86.727	8.1005	78.000	93.000
OS smbh	11	68.500	2.8688	64.100	71.800
Råprot	11	173.909	24.2918	146.000	200.000
NDF	11	393.182	26.5059	366.000	425.000
iNDF	11	427.759	63.4737	354.908	514.792
nhNDF	11	5.183	0.5881	4.578	6.002
Socker	11	62.273	15.5054	46.000	87.000
TAF	11	72.000	0.0000	72.000	72.000
AAT20	11	77.128	3.1071	72.937	80.222
PBV20	11	58.365	18.9859	38.581	78.251
NEL20	11	5.526	0.2908	5.126	5.833
Ca	11	16.027	3.4751	12.700	19.800
P	11	2.718	0.3093	2.400	3.000
Mg	11	2.309	0.3506	2.000	2.600
K	11	16.991	3.5004	13.300	21.900
Na	11	0.773	0.4268	0.300	1.400
S	11	2.109	0.5924	1.400	2.800
CAB	11	206.751	92.1933	110.464	327.264
Fe	11	107.727	20.8858	83.000	133.000
Mn	11	34.000	5.6745	26.000	38.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Grönmassa, blandvall (51-100% baljväxter) (437) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
Zn	11	21.545	2.5832	19.000	24.000
Cu	11	6.982	0.9579	6.000	7.900

Type=Ensilage, blandvall (1-50% klöver) (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	17	445.000	49.503	400.000	519.000
Aska	17	68.176	9.455	59.000	80.000
OS smbh	17	74.741	2.779	70.100	77.600
Råprot	17	150.353	19.400	118.000	173.000
sRåprot	17	502.765	69.712	423.000	612.000
NH3-N	17	70.353	22.853	39.000	98.000
NDF	17	356.412	61.396	286.000	468.000
iNDF	17	227.235	34.330	179.000	273.000
nhNDF	17	3.282	0.760	2.292	4.491
Stä	16	159.875	57.285	72.000	230.000
Socker	17	39.824	23.322	12.000	73.000
TAF	17	53.588	22.464	27.000	85.000
Mjölksyra	17	34.235	15.583	20.000	59.000
Ättiksyra	17	13.941	9.196	0.000	26.000
PRF	17	4.059	1.519	2.000	6.000
BUF	17	1.353	1.412	0.000	3.000
AAT20	17	86.915	5.356	80.283	91.956
PBV20	17	19.841	12.726	-1.800	34.946
NEL20	17	6.337	0.260	5.779	6.633
Ca	17	6.494	1.506	5.100	9.400
P	17	3.788	0.705	2.900	4.800
Mg	17	2.876	0.554	2.200	3.600
K	17	15.494	2.562	11.100	19.900
Na	17	3.365	1.938	1.500	6.900
Cl	17	7.559	4.685	2.400	16.000
S	17	2.735	0.841	2.100	3.600
CAB	17	158.680	157.401	-50.369	359.775
Fe	12	320.250	150.897	209.000	371.000
Mn	12	89.417	37.592	64.000	116.000
Zn	12	71.167	18.364	48.000	97.000
Cu	12	11.417	3.029	8.000	14.000

***= Parametrar från det gamla svenska fodervärderingssystemet**