

| Fodermedel                                    | Sk.<br>nr. | Ant. | TS  | Aska | OS<br>smbh | Rå-<br>prot | sRå-<br>prot | NH3-N | NDF | iNDF | nhNDF | Stä | TAF    | Mjolk-<br>syra | Ättik-<br>syra | Socket |
|-----------------------------------------------|------------|------|-----|------|------------|-------------|--------------|-------|-----|------|-------|-----|--------|----------------|----------------|--------|
| Korn, kärna (001)                             | 1          | 8    | 868 | 19   | 75.3       | 124         | 299          |       | 230 | 145  | 3.15  | 596 | 0.000  |                |                | 5      |
| Havre, kärna, hög NDF (002)                   | 1          | 1    | 892 | 25   | 75.0       | 124         |              |       |     | 392  | 2.00  | 479 | 0.000  |                |                |        |
| Vete, kärna (005)                             | 1          | 5    | 858 | 18   | 88.0       | 133         |              |       | 195 | 187  | 3.50  | 676 | 0.000  |                |                |        |
| Råg (011)                                     | 1          | 1    | 872 | 15   | 89.0       | 79          |              |       |     | 199  | 6.60  | 708 | 0.000  |                |                |        |
| Rågvete (015)                                 | 1          | 1    | 844 | 17   | 89.5       | 82          |              |       |     | 187  | 3.50  | 707 | 0.000  |                |                |        |
| Blandsäd, kärna, 50%korn/50%vete (114)        | 1          | 1    | 842 | 18   | 87.0       | 141         |              |       |     | 173  | 3.30  | 664 | 0.000  |                |                |        |
| Blandsäd, kärna, 50%havre/50%vete (115)       | 1          | 1    | 862 | 20   | 81.6       | 150         |              | 5.0   | 220 | 324  | 2.50  | 557 | 0.000  |                |                |        |
| Ärter, kärna (006)                            | 1          | 1    | 802 | 31   | 92.0       | 220         |              | 4.0   |     | 13   | 7.90  | 487 | 0.000  |                |                |        |
| Prognos, gräs (0% baljv.) (041)               | 1          | 1    | 201 |      | 72.7       |             |              |       |     | 171  | 4.34  |     | 0.000  |                |                |        |
| Prognos, blandvall (1-50% baljv) (042)        | 0          | 7    | 209 |      | 73.2       |             |              |       |     | 170  | 4.32  |     | 0.000  |                |                |        |
| Prognos, blandvall (1-50% baljv) (042)        | 1          | 11   | 212 |      | 73.2       |             |              |       |     | 170  | 4.32  |     | 0.000  |                |                |        |
| Prognos, blandvall (1-50% baljv) (042)        | 2          | 4    | 184 |      | 73.2       |             |              |       |     | 170  | 4.32  |     | 0.000  |                |                |        |
| Prognos, blandvall (1-50% baljv) (042)        | 3          | 2    | 163 |      | 73.2       |             |              |       |     | 170  | 4.32  |     | 0.000  |                |                |        |
| Prognos, blandvall (51-100% baljv.) (043)     | 3          | 1    | 232 |      | 73.2       |             |              |       |     | 262  | 6.38  |     | 0.000  |                |                |        |
| Grönmassa, gräs (0% baljv.) (161)             | 1          | 8    | 522 | 64   | 71.5       | 131         | 530          |       | 509 | 183  | 3.99  | 22  | 61.000 |                |                | 103    |
| Grönmassa, gräs (0% baljv.) (161)             | 2          | 1    | 426 | 65   | 72.1       | 136         | 342          |       | 504 | 167  | 3.83  |     | 61.000 |                |                | 109    |
| Ensilage, gräs (0% klöver) (162)              | 1          | 14   | 369 | 68   | 76.8       | 149         | 655          | 81.4  | 445 | 145  | 4.73  |     | 92.107 | 73.3           | 16.8           | 57     |
| Ensilage, gräs (0% klöver) (162)              | 2          | 2    | 364 | 72   | 73.9       | 161         | 607          | 94.5  | 448 | 176  | 4.11  |     | 69.800 | 55.5           | 13.0           | 47     |
| Ensilage, gräs (0% klöver) (162)              | 3          | 1    | 648 | 64   | 68.4       | 115         | 538          | 57.0  | 528 | 228  | 3.78  |     | 16.000 | 14.0           | 0.0            | 84     |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 0          | 1    | 500 | 78   | 73.5       | 143         |              |       | 469 | 175  | 4.14  |     | 84.000 |                |                | 110    |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 1          | 57   | 452 | 70   | 76.7       | 146         | 432          |       | 451 | 145  | 4.98  | 19  | 60.456 | 0.0            | 3.8            | 128    |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 2          | 32   | 517 | 76   | 72.3       | 140         | 445          |       | 478 | 194  | 4.21  |     | 81.500 | 0.0            | 0.0            | 97     |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 3          | 7    | 448 | 86   | 74.8       | 174         | 349          |       | 452 | 176  | 4.70  |     | 84.000 |                |                | 77     |
| Grönmassa blandvall (1-50 % baljväxter) (164) | 4          | 1    | 816 | 90   | 74.4       | 162         |              |       | 432 | 174  | 4.04  |     | 84.000 |                |                | 86     |
| Ensilage, blandvall (1-50% klöver) (165)      | 0          | 1    | 370 | 57   | 71.8       | 108         | 636          | 93.0  | 539 | 176  | 4.29  |     | 74.300 | 60.0           | 13.0           | 51     |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                                         | Sk. nr. | Ant. | TS  | Aska | OS smbh | Rå-prot | sRå-prot | NH3-N | NDF | iNDF | nhNDF | Stä | TAF     | Mjolk-syra | Ättik-syra | Socket |
|----------------------------------------------------|---------|------|-----|------|---------|---------|----------|-------|-----|------|-------|-----|---------|------------|------------|--------|
| Ensilage, blandvall (1-50% klöver) (165)           | 1       | 237  | 340 | 73   | 76.6    | 155     | 666      | 87.8  | 430 | 155  | 4.53  |     | 92.408  | 71.9       | 18.1       | 53     |
| Ensilage, blandvall (1-50% klöver) (165)           | 2       | 55   | 416 | 75   | 74.4    | 150     | 606      | 71.6  | 451 | 174  | 4.21  |     | 71.131  | 53.8       | 15.1       | 63     |
| Ensilage, blandvall (1-50% klöver) (165)           | 3       | 12   | 421 | 82   | 71.9    | 159     | 562      | 83.7  | 456 | 212  | 4.09  |     | 79.208  | 56.3       | 20.2       | 38     |
| Korn, helsädesensilage (250)                       | 1       | 8    | 313 | 63   | 74.3    | 124     | 563      | 52.6  | 441 | 169  | 3.83  | 21  | 32.175  | 22.4       | 8.1        | 141    |
| Ärter/Vicker/Havre, hela plantan, axgång till blom | 1       | 1    | 290 | 57   | 63.9    | 94      | 531      | 31.0  | 526 | 285  | 2.98  | 106 | 60.000  | 40.0       | 18.0       | 14     |
| Havre helsädesensilage degmognad (296)             | 1       | 3    | 457 | 64   | 69.2    | 127     | 631      | 64.3  | 501 | 238  | 3.81  | 37  | 56.333  | 40.3       | 13.0       | 74     |
| Vete-ärt, helsädesensilage, degmognad, 50% ärter ( | 1       | 1    | 505 | 55   | 69.7    | 112     | 680      | 88.0  | 460 | 232  | 3.11  | 100 | 42.000  | 30.0       | 12.0       | 89     |
| Vete, helsäd ensilage (299)                        | 1       | 4    | 366 | 49   | 68.9    | 116     | 588      | 60.0  | 481 | 269  | 3.63  | 53  | 44.125  | 28.3       | 14.0       | 81     |
| Korn-ärt helsädesensilage degmognad, 40% ärter (30 | 1       | 2    | 408 | 60   | 72.3    | 114     | 628      | 44.5  | 455 | 204  | 3.66  | 40  | 59.000  | 46.0       | 13.0       | 102    |
| Majs, helsädesensilage (305)                       | 1       | 5    | 395 | 28   | 76.9    | 74      | 648      | 83.8  | 353 | 203  | 3.38  | 313 | 76.800  | 58.2       | 15.8       | 10     |
| Råg, helsädesensilage, axgång (311)                | 1       | 2    | 289 | 55   | 66.8    | 79      | 799      | 101   | 569 | 216  | 3.63  | 22  | 90.000  | 64.0       | 26.0       | 64     |
| Ärter, helsädesensilage, sen skörd (315)           | 1       | 1    | 265 | 73   | 79.9    | 131     | 564      | 115   | 329 | 143  | 4.13  | 109 | 70.000  | 56.0       | 14.0       | 66     |
| Hö, blandvall, 0-50% baljväxter (383)              | 0       | 1    | 705 | 43   | 63.6    | 80      |          |       | 591 | 242  | 3.14  |     | 0.000   |            |            | 130    |
| Hö, blandvall, 0-50% baljväxter (383)              | 1       | 7    | 838 | 57   | 68.2    | 83      |          |       | 559 | 204  | 3.83  |     | 0.000   |            |            | 150    |
| Hö, blandvall, 0-50% baljväxter (383)              | 2       | 2    | 899 | 70   | 69.8    | 122     |          |       | 513 | 203  | 3.73  |     | 0.000   |            |            | 129    |
| Ensilage, blandvall (51-100% klöver) (438)         | 1       | 2    | 398 | 91   | 76.9    | 207     | 711      | 65.5  | 319 | 241  | 4.07  |     | 101.950 | 83.5       | 16.5       | 46     |
| Ensilage, blandvall (1-50% klöver) (326)           | 1       | 4    | 439 | 66   | 74.9    | 141     | 515      | 87.8  | 325 | 237  | 2.75  | 193 | 73.500  | 42.8       | 23.0       | 38     |
| Fullfoder (TMR) ej kompletta data (1E3)            | 1       | 1    | 437 | 48   | 78.9    | 132     | 496      | 61.0  | 322 | 176  | 3.59  | 252 |         |            |            | 36     |

| Fodermedel                  | Sk. nr. | Ant. | PRF | BUF | FOF | AAT-p20 | PBV-p20 | NEL-p20 | OE*  | AAT* | PBV* |
|-----------------------------|---------|------|-----|-----|-----|---------|---------|---------|------|------|------|
| Korn, kärna (001)           | 1       | 8    |     |     |     | 94.7    | -19     | 7.26    | 13.3 |      |      |
| Havre, kärna, hög NDF (002) | 1       | 1    |     |     |     | 83.2    | 5.9     | 6.32    |      |      |      |
| Vete, kärna (005)           | 1       | 5    |     |     |     | 115     | -35     | 7.94    |      |      |      |
| Råg (011)                   | 1       | 1    |     |     |     | 103     | -73     | 7.83    |      |      |      |
| Rågvete (015)               | 1       | 1    |     |     |     | 105     | -73     | 7.74    |      |      |      |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                                         | Sk.<br>nr. | Ant. | PRF     | BUF     | FOF | AAT-<br>p20 | PBV-<br>p20 | NEL-<br>p20 | OE*  | AAT* | PBV* |
|----------------------------------------------------|------------|------|---------|---------|-----|-------------|-------------|-------------|------|------|------|
| Blandsäd, kärna, 50%korn/50%vete (114)             | 1          | 1    |         |         |     | 108         | -18         | 7.82        |      |      |      |
| Blandsäd, kärna, 50%havre/50%vete (115)            | 1          | 1    |         |         |     | 104         | -1.6        | 7.08        |      |      |      |
| Ärter, kärna (006)                                 | 1          | 1    |         |         |     | 102         | 71.8        | 7.64        |      |      |      |
| Prognos, gräs (0% baljv.) (041)                    | 1          | 1    |         |         |     | 95.9        | -8.0        | 5.94        | 11.0 |      |      |
| Prognos, blandvall (1-50% baljv) (042)             | 0          | 7    |         |         |     | 96.4        | -4.4        | 5.94        | 12.6 |      |      |
| Prognos, blandvall (1-50% baljv) (042)             | 1          | 11   |         |         |     | 96.4        | -4.4        | 5.94        | 12.5 |      |      |
| Prognos, blandvall (1-50% baljv) (042)             | 2          | 4    |         |         |     | 96.4        | -4.4        | 5.94        | 11.9 |      |      |
| Prognos, blandvall (1-50% baljv) (042)             | 3          | 2    |         |         |     | 96.4        | -4.4        | 5.94        | 11.4 |      |      |
| Prognos, blandvall (51-100% baljv.) (043)          | 3          | 1    |         |         |     | 93.0        | 14.4        | 5.95        | 11.1 |      |      |
| Grönmassa, gräs (0% baljv.) (161)                  | 1          | 8    |         |         |     | 82.0        | 3.1         | 5.80        | 10.4 | 71.5 | 10.5 |
| Grönmassa, gräs (0% baljv.) (161)                  | 2          | 1    |         |         |     | 86.4        | 0.8         | 5.87        | 10.5 |      |      |
| Ensilage, gräs (0% klöver) (162)                   | 1          | 14   | 3.00000 | 0.89286 |     | 80.9        | 21.2        | 6.36        | 11.3 | 72.2 | 21.8 |
| Ensilage, gräs (0% klöver) (162)                   | 2          | 2    |         | 0.30000 |     | 81.0        | 32.1        | 6.06        | 10.8 | 70.5 | 38.5 |
| Ensilage, gräs (0% klöver) (162)                   | 3          | 1    | 1.00000 | 1.00000 |     | 80.9        | -9.0        | 5.46        | 9.9  |      |      |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 0          | 1    |         |         |     | 81.7        | 17.3        | 5.95        | 10.6 | 74.0 | 15.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 1          | 57   | 1.50000 | 1.14286 |     | 88.5        | 8.6         | 6.22        | 11.2 | 77.3 | 3.6  |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 2          | 32   | 3.00000 | 1.00000 |     | 81.5        | 14.5        | 5.87        | 10.4 | 72.2 | 16.7 |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 3          | 7    |         |         |     | 87.6        | 37.1        | 6.19        | 10.7 | 73.0 | 64.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 4          | 1    |         |         |     | 82.4        | 33.9        | 6.00        | 10.6 | 74.0 | 34.0 |
| Ensilage, blandvall (1-50% klöver) (165)           | 0          | 1    |         | 0.30000 |     | 78.7        | -11         | 5.93        | 10.6 | 71.0 | -13  |
| Ensilage, blandvall (1-50% klöver) (165)           | 1          | 237  | 2.84375 | 0.85570 |     | 81.1        | 29.0        | 6.35        | 11.2 | 72.2 | 27.8 |
| Ensilage, blandvall (1-50% klöver) (165)           | 2          | 55   | 3.11111 | 0.51273 |     | 81.8        | 23.8        | 6.11        | 10.8 | 70.8 | 23.9 |
| Ensilage, blandvall (1-50% klöver) (165)           | 3          | 12   | 1.83333 | 1.37500 |     | 79.6        | 35.3        | 5.93        | 10.3 | 68.8 | 35.5 |
| Korn, helsädesensilage (250)                       | 1          | 8    | 0.50000 | 1.16667 |     | 79.4        | -8.1        | 5.87        | 11.3 |      |      |
| Ärter/Vicker/Havre, hela plantan, axgång till blom | 1          | 1    | 2.00000 | 0.00000 |     | 68.6        | -12         | 5.41        | 9.3  |      |      |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                                         | Sk.<br>nr. | Ant. | PRF     | BUF     | FOF | AAT-<br>p20 | PBV-<br>p20 | NEL-<br>p20 | OE*  | AAT* | PBV* |
|----------------------------------------------------|------------|------|---------|---------|-----|-------------|-------------|-------------|------|------|------|
| Havre helsädesensilage degmognad (296)             | 1          | 3    | 4.00000 | 0.50000 |     | 77.0        | 1.2         | 5.67        | 10.3 |      |      |
| Vete-ärt, helsädesensilage, degmognad, 50% ärter ( | 1          | 1    |         |         |     | 73.2        | -3.4        | 5.61        |      |      |      |
| Vete, helsäd ensilage (299)                        | 1          | 4    | 1.33333 | 0.33333 |     | 73.7        | -5.8        | 5.61        | 10.1 |      |      |
| Korn-ärt helsädesensilage degmognad, 40% ärter (30 | 1          | 2    | 0.00000 | 0.00000 |     | 76.5        | -8.0        | 5.90        | 11.1 |      |      |
| Majs, helsädesensilage (305)                       | 1          | 5    | 2.50000 | 0.00000 |     | 80.8        | -53         | 6.59        | 11.7 |      |      |
| Råg, helsädesensilage, axgång (311)                | 1          | 2    |         |         |     | 64.5        | -21         | 5.47        |      |      |      |
| Ärter, helsädesensilage, sen skörd (315)           | 1          | 1    |         |         |     | 80.9        | 2.0         | 6.41        | 11.8 | 82.0 | -9.0 |
| Hö, blandvall, 0-50% baljväxter (383)              | 0          | 1    |         |         |     | 81.8        | -41         | 4.94        | 9.3  | 67.0 | -34  |
| Hö, blandvall, 0-50% baljväxter (383)              | 1          | 7    |         |         |     | 85.7        | -45         | 5.25        | 10.0 | 71.0 | -38  |
| Hö, blandvall, 0-50% baljväxter (383)              | 2          | 2    |         |         |     | 89.7        | -16         | 5.45        | 10.1 | 71.5 | -1.0 |
| Ensilage, blandvall (51-100% klöver) (438)         | 1          | 2    |         | 0.95000 |     | 76.8        | 89.8        | 6.37        | 11.0 | 71.0 | 83.0 |
| Ensilage, blandvall (1-50% klöver) (326)           | 1          | 4    | 5.50000 | 2.25000 |     | 84.0        | 14.8        | 6.39        | 11.0 |      |      |
| Fullfoder (TMR) ej kompletta data (1E3)            | 1          | 1    |         |         |     |             |             | 0.00        |      |      |      |

| Fodermedel                              | Sk.<br>nr. | Ant.<br>Ca | Ca  | P   | Mg  | K    | Na  | Cl   | S   | CAB | Ant.<br>Fe | Fe    | Mn    | Zn   | Cu  | Se  |
|-----------------------------------------|------------|------------|-----|-----|-----|------|-----|------|-----|-----|------------|-------|-------|------|-----|-----|
| Korn, kärna (001)                       | 1          | 3          | 0.6 | 3.6 | 1.2 | 5.4  | 0.1 |      | 1.4 | 19  | 3          | 56.7  | 12.3  | 37.3 | 4.5 |     |
| Havre, kärna, hög NDF (002)             | 1          | 1          | 0.9 | 3.6 | 1.5 | 5.9  | 0.2 |      | 2.0 | 15  | 1          | 128.0 | 113.0 | 56.0 | 6.6 |     |
| Vete, kärna (005)                       | 1          | 3          | 0.4 | 3.1 | 1.1 | 4.8  | 0.1 |      | 1.3 | 20  | 3          | 58.7  | 26.3  | 32.3 | 4.1 |     |
| Råg (011)                               | 1          | 1          | 0.3 | 2.8 | 1.0 | 5.0  | 0.1 |      | 1.0 | 50  | 1          | 33.0  | 20.0  | 27.0 | 3.8 |     |
| Blandsäd, kärna, 50%korn/50%vete (114)  | 1          | 1          | 0.5 | 3.3 | 1.2 | 4.9  | 0.1 |      | 1.3 | 20  | 1          | 41.0  | 28.0  | 31.0 | 3.5 |     |
| Blandsäd, kärna, 50%havre/50%vete (115) | 1          | 1          | 0.6 | 3.4 | 1.3 | 6.8  | 0.1 |      | 1.5 | 62  | 1          | 58.0  | 24.0  | 45.0 | 5.2 |     |
| Grönmassa, gräs (0% baljv.) (161)       | 1          | 8          | 4.7 | 2.5 | 1.6 | 20.4 | 1.3 | 4.9  | 1.8 | 326 | 8          | 154.1 | 57.8  | 28.3 | 4.6 | 0.1 |
| Grönmassa, gräs (0% baljv.) (161)       | 2          | 1          | 5.9 | 3.0 | 2.6 | 20.5 | 2.2 | 7.0  | 2.5 | 267 | 1          | 214.0 | 98.0  | 46.0 | 7.0 | 0.1 |
| Ensilage, gräs (0% klöver) (162)        | 1          | 14         | 6.1 | 2.8 | 1.7 | 22.2 | 2.0 | 6.0  | 2.2 | 349 | 13         | 86.6  | 44.8  | 28.8 | 5.4 | 0.0 |
| Ensilage, gräs (0% klöver) (162)        | 2          | 2          | 8.1 | 2.5 | 2.2 | 20.1 | 3.7 | 11.1 | 2.8 | 184 | 2          | 86.0  | 31.0  | 31.5 | 6.2 |     |

\*= Parametrar från det gamla svenska fodervärderingssystemet

| Fodermedel                                         | Sk.<br>nr. | Ant.<br>Ca | Ca   | P   | Mg  | K    | Na  | Cl   | S   | CAB | Ant.<br>Fe | Fe    | Mn   | Zn   | Cu   | Se  |
|----------------------------------------------------|------------|------------|------|-----|-----|------|-----|------|-----|-----|------------|-------|------|------|------|-----|
| Ensilage, gräs (0% klöver) (162)                   | 3          | 1          | 4.2  | 2.8 | 2.2 | 19.2 | 1.5 | 9.5  | 2.0 | 164 | 0          |       |      |      |      |     |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 0          | 1          | 7.2  | 2.6 | 1.6 | 25.2 | 0.7 |      | 1.5 | 449 | 1          | 65.0  | 23.0 | 23.0 | 3.8  | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 1          | 52         | 6.4  | 2.7 | 1.7 | 21.6 | 1.1 | 4.5  | 2.0 | 343 | 42         | 123.8 | 47.3 | 25.7 | 5.0  | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 2          | 28         | 8.6  | 2.8 | 2.2 | 22.4 | 1.3 | 6.4  | 2.1 | 345 | 19         | 100.2 | 45.2 | 25.3 | 6.4  | 0.0 |
| Grönmassa blandvall (1-50 % baljväxter) (164)      | 3          | 7          | 8.4  | 3.4 | 2.3 | 25.8 | 1.0 | 13.3 | 2.6 | 240 | 4          | 156.0 | 74.5 | 32.5 | 8.0  |     |
| Ensilage, blandvall (1-50% klöver) (165)           | 0          | 1          | 4.7  | 2.3 | 1.2 | 20.0 | 1.6 | 5.1  | 1.9 | 319 | 1          | 90.0  | 26.0 | 26.0 | 4.1  |     |
| Ensilage, blandvall (1-50% klöver) (165)           | 1          | 217        | 6.8  | 2.8 | 1.7 | 23.3 | 1.7 | 5.8  | 2.2 | 370 | 201        | 137.5 | 40.4 | 29.7 | 5.7  | 0.0 |
| Ensilage, blandvall (1-50% klöver) (165)           | 2          | 55         | 7.6  | 2.7 | 2.3 | 21.5 | 2.2 | 9.0  | 2.4 | 242 | 47         | 128.6 | 46.9 | 30.8 | 6.5  | 0.0 |
| Ensilage, blandvall (1-50% klöver) (165)           | 3          | 10         | 8.3  | 3.2 | 2.4 | 24.1 | 2.1 | 5.4  | 2.6 | 377 | 6          | 155.3 | 63.7 | 37.8 | 6.5  | 0.1 |
| Korn, helsädesensilage (250)                       | 1          | 7          | 5.1  | 2.4 | 1.0 | 19.3 | 0.4 | 2.8  | 1.7 | 303 | 4          | 97.5  | 32.5 | 21.5 | 4.6  |     |
| Ärter/Vicker/Havre, hela plantan, axgång till blom | 1          | 1          | 4.5  | 2.4 | 1.4 | 21.0 | 0.9 | 3.0  | 1.4 | 404 | 1          | 132.0 | 36.0 | 23.0 | 4.0  |     |
| Havre helsädesensilage degmognad (296)             | 1          | 2          | 3.9  | 2.4 | 1.5 | 17.2 | 2.2 | 8.7  | 1.8 | 150 | 2          | 213.0 | 24.5 | 26.0 | 4.0  |     |
| Vete-ärt, helsädesensilage, degmognad, 50% ärter ( | 1          | 1          | 4.7  | 2.3 | 1.7 | 16.4 | 0.8 | 3.8  | 1.7 | 241 | 1          | 119.0 | 69.0 | 30.0 | 4.4  |     |
| Vete, helsäd ensilage (299)                        | 1          | 4          | 4.7  | 1.9 | 1.4 | 15.6 | 0.9 | 3.8  | 1.8 | 224 | 4          | 93.8  | 42.0 | 22.5 | 4.7  |     |
| Korn-ärt helsädesensilage degmognad, 40% ärter (30 | 1          | 2          | 5.8  | 2.1 | 1.5 | 18.2 | 1.6 | 7.5  | 1.8 | 211 | 2          | 94.5  | 19.0 | 25.0 | 5.2  | 0.1 |
| Majs, helsädesensilage (305)                       | 1          | 5          | 2.3  | 1.9 | 1.1 | 8.9  | 0.2 | 1.9  | 0.9 | 130 | 4          | 99.0  | 16.3 | 18.5 | 3.8  | 0.1 |
| Råg, helsädesensilage, axgång (311)                | 1          | 2          | 2.5  | 2.7 | 1.1 | 19.6 | 0.3 | 2.5  | 1.4 | 360 | 2          | 113.5 | 24.0 | 18.0 | 4.2  |     |
| Ärter, helsädesensilage, sen skörd (315)           | 1          | 1          | 15.8 | 2.0 | 2.0 | 14.5 | 0.2 | 9.8  | 0.9 | 47  | 1          | 145.0 | 44.0 | 31.0 | 5.1  |     |
| Hö, blandvall, 0-50% baljväxter (383)              | 0          | 1          | 2.9  | 1.6 | 1.2 | 8.4  | 0.8 |      | 1.1 | 40  | 1          | 59.0  | 84.0 | 28.0 | 2.7  |     |
| Hö, blandvall, 0-50% baljväxter (383)              | 1          | 7          | 3.6  | 2.4 | 1.5 | 19.2 | 1.1 |      | 1.6 | 299 | 7          | 92.9  | 82.3 | 24.9 | 4.2  | 0.0 |
| Hö, blandvall, 0-50% baljväxter (383)              | 2          | 1          | 4.4  | 2.7 | 1.7 | 22.8 | 0.5 |      | 2.3 | 320 | 1          | 56.0  | 78.0 | 19.0 | 4.4  |     |
| Ensilage, blandvall (51-100% klöver) (438)         | 1          | 2          | 17.9 | 3.2 | 1.8 | 22.0 | 1.1 | 5.5  | 2.1 | 324 | 2          | 105.5 | 34.0 | 21.0 | 7.4  | 0.0 |
| Ensilage, blandvall (1-50% klöver) (326)           | 1          | 4          | 7.6  | 3.9 | 3.0 | 16.7 | 2.2 | 7.9  | 2.7 | 137 | 4          | 275.0 | 66.3 | 64.5 | 10.5 | 0.4 |
| Fullfoder (TMR) ej kompletta data (1E3)            | 1          | 1          | 4.6  | 3.0 | 1.9 | 11.4 | 2.0 | 1.4  | 2.0 | 214 | 1          | 406.0 | 60.0 | 50.0 | 9.7  | 0.2 |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 8     | 867.625    | 23.9520 | 840.000       | 917.000       |
| Aska      | 6     | 18.917     | 3.0354  | 15.500        | 22.900        |
| OS smbh   | 8     | 75.250     | 30.4056 | 0.000         | 86.000        |
| Råprot    | 7     | 124.386    | 24.6101 | 91.000        | 164.300       |
| sRåprot   | 1     | 299.000    | .       | 299.000       | 299.000       |
| NDF       | 5     | 230.000    | 56.1605 | 165.000       | 312.000       |
| iNDF      | 8     | 144.875    | 48.4368 | 25.000        | 162.000       |
| nhNDF     | 8     | 3.150      | 0.0000  | 3.150         | 3.150         |
| Stä       | 7     | 595.900    | 52.6546 | 503.000       | 654.100       |
| TAF       | 8     | 0.000      | 0.0000  | 0.000         | 0.000         |
| Socker    | 1     | 5.000      | .       | 5.000         | 5.000         |
| AATp20    | 8     | 94.688     | 2.4458  | 89.723        | 98.031        |
| PBVp20    | 8     | -18.517    | 22.9386 | -56.517       | 21.272        |
| NELp20    | 8     | 7.261      | 0.2031  | 6.924         | 7.469         |
| OE*       | 1     | 13.300     | .       | 13.300        | 13.300        |
| Ca        | 3     | 0.567      | 0.0577  | 0.500         | 0.600         |
| P         | 3     | 3.567      | 0.3512  | 3.200         | 3.900         |
| Mg        | 3     | 1.200      | 0.1000  | 1.100         | 1.300         |
| K         | 3     | 5.400      | 0.5292  | 5.000         | 6.000         |
| Na        | 3     | 0.100      | 0.0000  | 0.100         | 0.100         |
| S         | 3     | 1.433      | 0.1528  | 1.300         | 1.600         |
| CAB       | 3     | 19.069     | 4.3058  | 16.037        | 23.998        |
| Fe        | 3     | 56.667     | 16.0728 | 45.000        | 75.000        |
| Mn        | 3     | 12.333     | 4.5092  | 8.000         | 17.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 3     | 37.333     | 10.1160 | 31.000        | 49.000        |
| Cu        | 3     | 4.467      | 0.8021  | 3.700         | 5.300         |

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 892.000    | .       | 892.000       | 892.000       |
| Aska      | 1     | 24.700     | .       | 24.700        | 24.700        |
| OS smbh   | 1     | 75.000     | .       | 75.000        | 75.000        |
| Råprot    | 1     | 124.400    | .       | 124.400       | 124.400       |
| iNDF      | 1     | 392.000    | .       | 392.000       | 392.000       |
| nhNDF     | 1     | 2.000      | .       | 2.000         | 2.000         |
| Stä       | 1     | 478.700    | .       | 478.700       | 478.700       |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 83.174     | .       | 83.174        | 83.174        |
| PBVp20    | 1     | 5.903      | .       | 5.903         | 5.903         |
| NELp20    | 1     | 6.315      | .       | 6.315         | 6.315         |
| Ca        | 1     | 0.900      | .       | 0.900         | 0.900         |
| P         | 1     | 3.600      | .       | 3.600         | 3.600         |
| Mg        | 1     | 1.500      | .       | 1.500         | 1.500         |
| K         | 1     | 5.900      | .       | 5.900         | 5.900         |
| Na        | 1     | 0.200      | .       | 0.200         | 0.200         |
| S         | 1     | 2.000      | .       | 2.000         | 2.000         |
| CAB       | 1     | 14.872     | .       | 14.872        | 14.872        |
| Fe        | 1     | 128.000    | .       | 128.000       | 128.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Mn        | 1     | 113.000    | .       | 113.000       | 113.000       |
| Zn        | 1     | 56.000     | .       | 56.000        | 56.000        |
| Cu        | 1     | 6.600      | .       | 6.600         | 6.600         |

Fodermedel=Vete, kärna (005) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 5     | 857.800    | 9.524   | 849.000       | 870.000       |
| Aska      | 5     | 17.520     | 2.678   | 16.100        | 22.300        |
| OS smbh   | 5     | 88.000     | 0.000   | 88.000        | 88.000        |
| Råprot    | 5     | 132.700    | 16.648  | 117.800       | 160.600       |
| NDF       | 2     | 195.000    | 114.551 | 114.000       | 276.000       |
| iNDF      | 5     | 187.000    | 0.000   | 187.000       | 187.000       |
| nhNDF     | 5     | 3.500      | 0.000   | 3.500         | 3.500         |
| Stä       | 5     | 676.020    | 22.040  | 644.800       | 699.800       |
| TAF       | 5     | 0.000      | 0.000   | 0.000         | 0.000         |
| AATp20    | 5     | 114.557    | 1.634   | 111.888       | 116.016       |
| PBVp20    | 5     | -34.573    | 19.289  | -49.705       | -1.214        |
| NELp20    | 5     | 7.936      | 0.231   | 7.524         | 8.055         |
| Ca        | 3     | 0.400      | 0.100   | 0.300         | 0.500         |
| P         | 3     | 3.067      | 0.306   | 2.800         | 3.400         |
| Mg        | 3     | 1.133      | 0.058   | 1.100         | 1.200         |
| K         | 3     | 4.767      | 0.503   | 4.300         | 5.300         |
| Na        | 3     | 0.100      | 0.000   | 0.100         | 0.100         |
| S         | 3     | 1.300      | 0.100   | 1.200         | 1.400         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| CAB       | 3     | 19.655     | 17.340  | 7.720         | 39.546        |
| Fe        | 3     | 58.667     | 37.581  | 35.000        | 102.000       |
| Mn        | 3     | 26.333     | 10.786  | 14.000        | 34.000        |
| Zn        | 3     | 32.333     | 4.041   | 28.000        | 36.000        |
| Cu        | 3     | 4.067      | 0.404   | 3.700         | 4.500         |

Fodermedel=Råg (011) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 872.000    | .       | 872.000       | 872.000       |
| Aska      | 1     | 14.900     | .       | 14.900        | 14.900        |
| OS smbh   | 1     | 88.959     | .       | 88.959        | 88.959        |
| Råprot    | 1     | 79.100     | .       | 79.100        | 79.100        |
| iNDF      | 1     | 199.000    | .       | 199.000       | 199.000       |
| nhNDF     | 1     | 6.600      | .       | 6.600         | 6.600         |
| Stä       | 1     | 707.600    | .       | 707.600       | 707.600       |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 103.246    | .       | 103.246       | 103.246       |
| PBVp20    | 1     | -73.237    | .       | -73.237       | -73.237       |
| NELp20    | 1     | 7.833      | .       | 7.833         | 7.833         |
| Ca        | 1     | 0.300      | .       | 0.300         | 0.300         |
| P         | 1     | 2.800      | .       | 2.800         | 2.800         |
| Mg        | 1     | 1.000      | .       | 1.000         | 1.000         |
| K         | 1     | 5.000      | .       | 5.000         | 5.000         |
| Na        | 1     | 0.100      | .       | 0.100         | 0.100         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg (011) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| S         | 1     | 1.000      | .       | 1.000         | 1.000         |
| CAB       | 1     | 50.007     | .       | 50.007        | 50.007        |
| Fe        | 1     | 33.000     | .       | 33.000        | 33.000        |
| Mn        | 1     | 20.000     | .       | 20.000        | 20.000        |
| Zn        | 1     | 27.000     | .       | 27.000        | 27.000        |
| Cu        | 1     | 3.800      | .       | 3.800         | 3.800         |

Fodermedel=Rågvete (015) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 844.000    | .       | 844.000       | 844.000       |
| Aska      | 1     | 16.600     | .       | 16.600        | 16.600        |
| OS smbh   | 1     | 89.479     | .       | 89.479        | 89.479        |
| Råprot    | 1     | 81.800     | .       | 81.800        | 81.800        |
| iNDF      | 1     | 187.000    | .       | 187.000       | 187.000       |
| nhNDF     | 1     | 3.500      | .       | 3.500         | 3.500         |
| Stä       | 1     | 707.300    | .       | 707.300       | 707.300       |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 105.380    | .       | 105.380       | 105.380       |
| PBVp20    | 1     | -72.500    | .       | -72.500       | -72.500       |
| NELp20    | 1     | 7.744      | .       | 7.744         | 7.744         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 842.000    | .       | 842.000       | 842.000       |
| Aska      | 1     | 17.800     | .       | 17.800        | 17.800        |
| OS smbh   | 1     | 87.000     | .       | 87.000        | 87.000        |
| Råprot    | 1     | 141.300    | .       | 141.300       | 141.300       |
| iNDF      | 1     | 173.000    | .       | 173.000       | 173.000       |
| nhNDF     | 1     | 3.300      | .       | 3.300         | 3.300         |
| Stä       | 1     | 663.900    | .       | 663.900       | 663.900       |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 107.706    | .       | 107.706       | 107.706       |
| PBVp20    | 1     | -18.112    | .       | -18.112       | -18.112       |
| NELp20    | 1     | 7.824      | .       | 7.824         | 7.824         |
| Ca        | 1     | 0.500      | .       | 0.500         | 0.500         |
| P         | 1     | 3.300      | .       | 3.300         | 3.300         |
| Mg        | 1     | 1.200      | .       | 1.200         | 1.200         |
| K         | 1     | 4.900      | .       | 4.900         | 4.900         |
| Na        | 1     | 0.100      | .       | 0.100         | 0.100         |
| S         | 1     | 1.300      | .       | 1.300         | 1.300         |
| CAB       | 1     | 20.249     | .       | 20.249        | 20.249        |
| Fe        | 1     | 41.000     | .       | 41.000        | 41.000        |
| Mn        | 1     | 28.000     | .       | 28.000        | 28.000        |
| Zn        | 1     | 31.000     | .       | 31.000        | 31.000        |
| Cu        | 1     | 3.500      | .       | 3.500         | 3.500         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%havre/50%vete (115) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 862.000    | .       | 862.000       | 862.000       |
| Aska      | 1     | 20.000     | .       | 20.000        | 20.000        |
| OS smbh   | 1     | 81.600     | .       | 81.600        | 81.600        |
| Råprot    | 1     | 150.000    | .       | 150.000       | 150.000       |
| NH3-N     | 1     | 5.000      | .       | 5.000         | 5.000         |
| NDF       | 1     | 220.000    | .       | 220.000       | 220.000       |
| iNDF      | 1     | 324.000    | .       | 324.000       | 324.000       |
| nhNDF     | 1     | 2.500      | .       | 2.500         | 2.500         |
| Stä       | 1     | 557.000    | .       | 557.000       | 557.000       |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 104.382    | .       | 104.382       | 104.382       |
| PBVp20    | 1     | -1.605     | .       | -1.605        | -1.605        |
| NELp20    | 1     | 7.083      | .       | 7.083         | 7.083         |
| Ca        | 1     | 0.600      | .       | 0.600         | 0.600         |
| P         | 1     | 3.400      | .       | 3.400         | 3.400         |
| Mg        | 1     | 1.300      | .       | 1.300         | 1.300         |
| K         | 1     | 6.800      | .       | 6.800         | 6.800         |
| Na        | 1     | 0.100      | .       | 0.100         | 0.100         |
| S         | 1     | 1.500      | .       | 1.500         | 1.500         |
| CAB       | 1     | 61.976     | .       | 61.976        | 61.976        |
| Fe        | 1     | 58.000     | .       | 58.000        | 58.000        |
| Mn        | 1     | 24.000     | .       | 24.000        | 24.000        |
| Zn        | 1     | 45.000     | .       | 45.000        | 45.000        |
| Cu        | 1     | 5.200      | .       | 5.200         | 5.200         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, kärna (006) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 802.000    | .       | 802.000       | 802.000       |
| Aska      | 1     | 31.000     | .       | 31.000        | 31.000        |
| OS smbh   | 1     | 92.000     | .       | 92.000        | 92.000        |
| Råprot    | 1     | 220.000    | .       | 220.000       | 220.000       |
| NH3-N     | 1     | 4.000      | .       | 4.000         | 4.000         |
| iNDF      | 1     | 13.000     | .       | 13.000        | 13.000        |
| nhNDF     | 1     | 7.900      | .       | 7.900         | 7.900         |
| Stä       | 1     | 487.000    | .       | 487.000       | 487.000       |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 101.849    | .       | 101.849       | 101.849       |
| PBVp20    | 1     | 71.823     | .       | 71.823        | 71.823        |
| NELp20    | 1     | 7.640      | .       | 7.640         | 7.640         |

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 201.000    | .       | 201.000       | 201.000       |
| OS smbh   | 1     | 72.700     | .       | 72.700        | 72.700        |
| iNDF      | 1     | 171.006    | .       | 171.006       | 171.006       |
| nhNDF     | 1     | 4.344      | .       | 4.344         | 4.344         |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 95.932     | .       | 95.932        | 95.932        |
| PBVp20    | 1     | -7.980     | .       | -7.980        | -7.980        |
| NELp20    | 1     | 5.936      | .       | 5.936         | 5.936         |
| OE*       | 1     | 11.000     | .       | 11.000        | 11.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 7     | 209.143    | 33.4536 | 166.000       | 259.000       |
| OS smbh   | 7     | 73.150     | 0.0000  | 73.150        | 73.150        |
| iNDF      | 7     | 170.460    | 0.0000  | 170.460       | 170.460       |
| nhNDF     | 7     | 4.315      | 0.0000  | 4.315         | 4.315         |
| TAF       | 7     | 0.000      | 0.0000  | 0.000         | 0.000         |
| AATp20    | 7     | 96.439     | 0.0000  | 96.439        | 96.439        |
| PBVp20    | 7     | -4.418     | 0.0000  | -4.418        | -4.418        |
| NELp20    | 7     | 5.943      | 0.0000  | 5.943         | 5.943         |
| OE*       | 7     | 12.614     | 0.2340  | 12.200        | 12.800        |

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 11    | 212.000    | 27.6007 | 186.000       | 260.000       |
| OS smbh   | 11    | 73.150     | 0.0000  | 73.150        | 73.150        |
| iNDF      | 11    | 170.460    | 0.0000  | 170.460       | 170.460       |
| nhNDF     | 11    | 4.315      | 0.0000  | 4.315         | 4.315         |
| TAF       | 11    | 0.000      | 0.0000  | 0.000         | 0.000         |
| AATp20    | 11    | 96.439     | 0.0000  | 96.439        | 96.439        |
| PBVp20    | 11    | -4.418     | 0.0000  | -4.418        | -4.418        |
| NELp20    | 11    | 5.943      | 0.0000  | 5.943         | 5.943         |
| OE*       | 11    | 12.536     | 0.3202  | 12.200        | 12.800        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 4     | 184.000    | 28.6938 | 152.000       | 218.000       |
| OS smbh   | 4     | 73.150     | 0.0000  | 73.150        | 73.150        |
| iNDF      | 4     | 170.460    | 0.0000  | 170.460       | 170.460       |
| nhNDF     | 4     | 4.315      | 0.0000  | 4.315         | 4.315         |
| TAF       | 4     | 0.000      | 0.0000  | 0.000         | 0.000         |
| AATp20    | 4     | 96.439     | 0.0000  | 96.439        | 96.439        |
| PBVp20    | 4     | -4.418     | 0.0000  | -4.418        | -4.418        |
| NELp20    | 4     | 5.943      | 0.0000  | 5.943         | 5.943         |
| OE*       | 4     | 11.850     | 0.3873  | 11.400        | 12.300        |

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 163.000    | 9.89949 | 156.000       | 170.000       |
| OS smbh   | 2     | 73.150     | 0.00000 | 73.150        | 73.150        |
| iNDF      | 2     | 170.460    | 0.00000 | 170.460       | 170.460       |
| nhNDF     | 2     | 4.315      | 0.00000 | 4.315         | 4.315         |
| TAF       | 2     | 0.000      | 0.00000 | 0.000         | 0.000         |
| AATp20    | 2     | 96.439     | 0.00000 | 96.439        | 96.439        |
| PBVp20    | 2     | -4.418     | 0.00000 | -4.418        | -4.418        |
| NELp20    | 2     | 5.943      | 0.00000 | 5.943         | 5.943         |
| OE*       | 2     | 11.350     | 0.07071 | 11.300        | 11.400        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 232.000    | .       | 232.000       | 232.000       |
| OS smbh   | 1     | 73.158     | .       | 73.158        | 73.158        |
| iNDF      | 1     | 262.131    | .       | 262.131       | 262.131       |
| nhNDF     | 1     | 6.377      | .       | 6.377         | 6.377         |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 92.987     | .       | 92.987        | 92.987        |
| PBVp20    | 1     | 14.357     | .       | 14.357        | 14.357        |
| NELp20    | 1     | 5.951      | .       | 5.951         | 5.951         |
| OE*       | 1     | 11.100     | .       | 11.100        | 11.100        |

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 8     | 522.125    | 221.381 | 261.000       | 831.000       |
| Aska      | 8     | 63.750     | 17.144  | 49.000        | 103.000       |
| OS smbh   | 8     | 71.538     | 3.200   | 66.200        | 76.000        |
| Råprot    | 8     | 130.625    | 37.167  | 89.000        | 207.000       |
| sRåprot   | 4     | 529.750    | 116.073 | 410.000       | 669.000       |
| NDF       | 8     | 509.125    | 31.252  | 475.000       | 555.000       |
| iNDF      | 8     | 183.015    | 30.849  | 134.785       | 229.710       |
| nhNDF     | 8     | 3.988      | 0.492   | 3.307         | 5.015         |
| Stä       | 1     | 22.000     | .       | 22.000        | 22.000        |
| TAF       | 8     | 61.000     | 0.000   | 61.000        | 61.000        |
| Socket    | 8     | 103.125    | 45.085  | 48.000        | 181.000       |
| AATp20    | 8     | 82.026     | 4.036   | 75.998        | 88.674        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| PBVp20    | 8     | 3.095      | 29.641  | -33.035       | 62.241        |
| NELp20    | 8     | 5.797      | 0.315   | 5.249         | 6.235         |
| OE*       | 8     | 10.433     | 0.474   | 9.700         | 10.920        |
| AAT*      | 4     | 71.500     | 2.887   | 69.000        | 74.000        |
| PBV*      | 4     | 10.500     | 52.969  | -37.000       | 78.000        |
| Ca        | 8     | 4.738      | 1.683   | 2.900         | 8.000         |
| P         | 8     | 2.513      | 0.579   | 1.800         | 3.700         |
| Mg        | 8     | 1.563      | 0.431   | 1.000         | 2.500         |
| K         | 8     | 20.388     | 6.383   | 15.600        | 35.600        |
| Na        | 8     | 1.313      | 1.151   | 0.200         | 3.100         |
| Cl        | 3     | 4.900      | 0.889   | 4.200         | 5.900         |
| S         | 8     | 1.800      | 0.393   | 1.400         | 2.600         |
| CAB       | 8     | 326.196    | 174.604 | 181.773       | 741.923       |
| Fe        | 8     | 154.125    | 93.602  | 49.000        | 286.000       |
| Mn        | 8     | 57.750     | 20.408  | 19.000        | 88.000        |
| Zn        | 8     | 28.250     | 5.036   | 20.000        | 33.000        |
| Cu        | 8     | 4.600      | 0.962   | 3.600         | 6.000         |
| Se        | 4     | 0.050      | 0.000   | 0.050         | 0.050         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 426.000    | .       | 426.000       | 426.000       |
| Aska      | 1     | 65.000     | .       | 65.000        | 65.000        |
| OS smbh   | 1     | 72.100     | .       | 72.100        | 72.100        |
| Råprot    | 1     | 136.000    | .       | 136.000       | 136.000       |
| sRåprot   | 1     | 342.000    | .       | 342.000       | 342.000       |
| NDF       | 1     | 504.000    | .       | 504.000       | 504.000       |
| iNDF      | 1     | 167.000    | .       | 167.000       | 167.000       |
| nhNDF     | 1     | 3.827      | .       | 3.827         | 3.827         |
| TAF       | 1     | 61.000     | .       | 61.000        | 61.000        |
| Socket    | 1     | 109.000    | .       | 109.000       | 109.000       |
| AATp20    | 1     | 86.448     | .       | 86.448        | 86.448        |
| PBVp20    | 1     | 0.810      | .       | 0.810         | 0.810         |
| NELp20    | 1     | 5.872      | .       | 5.872         | 5.872         |
| OE*       | 1     | 10.530     | .       | 10.530        | 10.530        |
| Ca        | 1     | 5.900      | .       | 5.900         | 5.900         |
| P         | 1     | 3.000      | .       | 3.000         | 3.000         |
| Mg        | 1     | 2.600      | .       | 2.600         | 2.600         |
| K         | 1     | 20.500     | .       | 20.500        | 20.500        |
| Na        | 1     | 2.200      | .       | 2.200         | 2.200         |
| Cl        | 1     | 7.000      | .       | 7.000         | 7.000         |
| S         | 1     | 2.500      | .       | 2.500         | 2.500         |
| CAB       | 1     | 266.516    | .       | 266.516       | 266.516       |
| Fe        | 1     | 214.000    | .       | 214.000       | 214.000       |
| Mn        | 1     | 98.000     | .       | 98.000        | 98.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 1     | 46.000     | .       | 46.000        | 46.000        |
| Cu        | 1     | 7.000      | .       | 7.000         | 7.000         |
| Se        | 1     | 0.050      | .       | 0.050         | 0.050         |

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 14    | 369.286    | 111.840 | 271.000       | 570.000       |
| Aska      | 14    | 68.357     | 5.138   | 62.000        | 75.000        |
| OS smbh   | 14    | 76.829     | 2.790   | 73.900        | 80.200        |
| Råprot    | 14    | 148.786    | 16.111  | 135.000       | 178.000       |
| sRåprot   | 14    | 654.643    | 48.408  | 607.000       | 733.000       |
| NH3-N     | 14    | 81.429     | 24.317  | 57.000        | 129.000       |
| NDF       | 14    | 445.429    | 39.739  | 412.000       | 488.000       |
| iNDF      | 14    | 145.044    | 26.683  | 109.114       | 171.000       |
| nhNDF     | 14    | 4.731      | 0.437   | 4.292         | 5.375         |
| TAF       | 14    | 92.107     | 35.645  | 29.800        | 127.900       |
| Mjölksyra | 14    | 73.286     | 30.863  | 21.000        | 101.000       |
| Ättiksyra | 14    | 16.786     | 7.127   | 6.000         | 24.000        |
| Socker    | 14    | 56.929     | 33.281  | 20.000        | 111.000       |
| PRF       | 1     | 3.000      | .       | 3.000         | 3.000         |
| BUF       | 14    | 0.893      | 1.513   | 0.100         | 3.800         |
| AATp20    | 14    | 80.858     | 3.522   | 76.123        | 86.396        |
| PBVp20    | 14    | 21.181     | 16.664  | 4.460         | 48.845        |
| NELp20    | 14    | 6.357      | 0.314   | 5.962         | 6.796         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 14    | 11.281     | 0.438   | 10.800        | 11.800        |
| AAT*      | 13    | 72.231     | 1.363   | 71.000        | 74.000        |
| PBV*      | 13    | 21.846     | 12.760  | 12.000        | 38.000        |
| Ca        | 14    | 6.121      | 0.739   | 5.000         | 6.900         |
| P         | 14    | 2.793      | 0.352   | 2.400         | 3.200         |
| Mg        | 14    | 1.671      | 0.216   | 1.500         | 2.000         |
| K         | 14    | 22.214     | 3.136   | 18.000        | 26.500        |
| Na        | 14    | 2.014      | 0.613   | 1.200         | 2.800         |
| Cl        | 14    | 5.993      | 2.028   | 3.200         | 9.100         |
| S         | 14    | 2.200      | 0.171   | 2.000         | 2.500         |
| CAB       | 14    | 349.405    | 101.710 | 200.759       | 458.318       |
| Fe        | 13    | 86.615     | 17.390  | 61.000        | 102.000       |
| Mn        | 13    | 44.846     | 19.252  | 26.000        | 75.000        |
| Zn        | 13    | 28.769     | 4.285   | 23.000        | 33.000        |
| Cu        | 13    | 5.408      | 1.091   | 4.000         | 6.800         |
| Se        | 1     | 0.005      | .       | 0.005         | 0.005         |

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 364.000    | 38.184  | 337.000       | 391.000       |
| Aska      | 2     | 72.000     | 0.000   | 72.000        | 72.000        |
| OS smbh   | 2     | 73.900     | 7.212   | 68.800        | 79.000        |
| Råprot    | 2     | 160.500    | 28.991  | 140.000       | 181.000       |
| sRåprot   | 2     | 606.500    | 55.861  | 567.000       | 646.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NH3-N     | 2     | 94.500     | 10.607  | 87.000        | 102.000       |
| NDF       | 2     | 448.000    | 55.154  | 409.000       | 487.000       |
| iNDF      | 2     | 175.944    | 68.495  | 127.511       | 224.378       |
| nhNDF     | 2     | 4.115      | 1.122   | 3.321         | 4.908         |
| TAF       | 2     | 69.800     | 24.466  | 52.500        | 87.100        |
| Mjölksyra | 2     | 55.500     | 16.263  | 44.000        | 67.000        |
| Ättiksyra | 2     | 13.000     | 8.485   | 7.000         | 19.000        |
| Socker    | 2     | 46.500     | 12.021  | 38.000        | 55.000        |
| BUF       | 2     | 0.300      | 0.283   | 0.100         | 0.500         |
| AATp20    | 2     | 81.023     | 4.519   | 77.827        | 84.218        |
| PBVp20    | 2     | 32.099     | 18.847  | 18.772        | 45.426        |
| NELp20    | 2     | 6.060      | 0.753   | 5.527         | 6.592         |
| OE*       | 2     | 10.750     | 1.202   | 9.900         | 11.600        |
| AAT*      | 2     | 70.500     | 3.536   | 68.000        | 73.000        |
| PBV*      | 2     | 38.500     | 23.335  | 22.000        | 55.000        |
| Ca        | 2     | 8.050      | 1.344   | 7.100         | 9.000         |
| P         | 2     | 2.500      | 0.424   | 2.200         | 2.800         |
| Mg        | 2     | 2.150      | 0.212   | 2.000         | 2.300         |
| K         | 2     | 20.050     | 5.445   | 16.200        | 23.900        |
| Na        | 2     | 3.650      | 1.626   | 2.500         | 4.800         |
| Cl        | 2     | 11.100     | 7.778   | 5.600         | 16.600        |
| S         | 2     | 2.800      | 0.141   | 2.700         | 2.900         |
| CAB       | 2     | 183.807    | 296.483 | -25.838       | 393.452       |
| Fe        | 2     | 86.000     | 4.243   | 83.000        | 89.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Mn        | 2     | 31.000     | 25.456  | 13.000        | 49.000        |
| Zn        | 2     | 31.500     | 4.950   | 28.000        | 35.000        |
| Cu        | 2     | 6.200      | 0.283   | 6.000         | 6.400         |

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 648.000    | .       | 648.000       | 648.000       |
| Aska      | 1     | 64.000     | .       | 64.000        | 64.000        |
| OS smbh   | 1     | 68.400     | .       | 68.400        | 68.400        |
| Råprot    | 1     | 115.000    | .       | 115.000       | 115.000       |
| sRåprot   | 1     | 538.000    | .       | 538.000       | 538.000       |
| NH3-N     | 1     | 57.000     | .       | 57.000        | 57.000        |
| NDF       | 1     | 528.000    | .       | 528.000       | 528.000       |
| iNDF      | 1     | 228.000    | .       | 228.000       | 228.000       |
| nhNDF     | 1     | 3.784      | .       | 3.784         | 3.784         |
| TAF       | 1     | 16.000     | .       | 16.000        | 16.000        |
| Mjölksyra | 1     | 14.000     | .       | 14.000        | 14.000        |
| Ättiksyra | 1     | 0.000      | .       | 0.000         | 0.000         |
| Socker    | 1     | 84.000     | .       | 84.000        | 84.000        |
| PRF       | 1     | 1.000      | .       | 1.000         | 1.000         |
| BUF       | 1     | 1.000      | .       | 1.000         | 1.000         |
| AATp20    | 1     | 80.881     | .       | 80.881        | 80.881        |
| PBVp20    | 1     | -9.018     | .       | -9.018        | -9.018        |
| NELp20    | 1     | 5.457      | .       | 5.457         | 5.457         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 1     | 9.930      | .       | 9.930         | 9.930         |
| Ca        | 1     | 4.200      | .       | 4.200         | 4.200         |
| P         | 1     | 2.800      | .       | 2.800         | 2.800         |
| Mg        | 1     | 2.200      | .       | 2.200         | 2.200         |
| K         | 1     | 19.200     | .       | 19.200        | 19.200        |
| Na        | 1     | 1.500      | .       | 1.500         | 1.500         |
| Cl        | 1     | 9.500      | .       | 9.500         | 9.500         |
| S         | 1     | 2.000      | .       | 2.000         | 2.000         |
| CAB       | 1     | 163.660    | .       | 163.660       | 163.660       |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 500.000    | .       | 500.000       | 500.000       |
| Aska      | 1     | 78.000     | .       | 78.000        | 78.000        |
| OS smbh   | 1     | 73.500     | .       | 73.500        | 73.500        |
| Råprot    | 1     | 143.000    | .       | 143.000       | 143.000       |
| NDF       | 1     | 469.000    | .       | 469.000       | 469.000       |
| iNDF      | 1     | 174.836    | .       | 174.836       | 174.836       |
| nhNDF     | 1     | 4.140      | .       | 4.140         | 4.140         |
| TAF       | 1     | 84.000     | .       | 84.000        | 84.000        |
| Socker    | 1     | 110.000    | .       | 110.000       | 110.000       |
| AATp20    | 1     | 81.702     | .       | 81.702        | 81.702        |
| PBVp20    | 1     | 17.278     | .       | 17.278        | 17.278        |
| NELp20    | 1     | 5.953      | .       | 5.953         | 5.953         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 1     | 10.600     | .       | 10.600        | 10.600        |
| AAT*      | 1     | 74.000     | .       | 74.000        | 74.000        |
| PBV*      | 1     | 15.000     | .       | 15.000        | 15.000        |
| Ca        | 1     | 7.200      | .       | 7.200         | 7.200         |
| P         | 1     | 2.600      | .       | 2.600         | 2.600         |
| Mg        | 1     | 1.600      | .       | 1.600         | 1.600         |
| K         | 1     | 25.200     | .       | 25.200        | 25.200        |
| Na        | 1     | 0.700      | .       | 0.700         | 0.700         |
| S         | 1     | 1.500      | .       | 1.500         | 1.500         |
| CAB       | 1     | 448.792    | .       | 448.792       | 448.792       |
| Fe        | 1     | 65.000     | .       | 65.000        | 65.000        |
| Mn        | 1     | 23.000     | .       | 23.000        | 23.000        |
| Zn        | 1     | 23.000     | .       | 23.000        | 23.000        |
| Cu        | 1     | 3.800      | .       | 3.800         | 3.800         |
| Se        | 1     | 0.012      | .       | 0.012         | 0.012         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 57    | 451.789    | 139.637 | 279.000       | 659.000       |
| Aska      | 57    | 70.404     | 11.620  | 57.000        | 81.000        |
| OS smbh   | 57    | 76.704     | 4.712   | 69.700        | 81.200        |
| Råprot    | 57    | 145.526    | 29.162  | 103.000       | 182.000       |
| sRåprot   | 23    | 432.130    | 82.268  | 351.000       | 526.000       |
| NDF       | 57    | 450.649    | 61.502  | 373.000       | 536.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| iNDF      | 57    | 145.031    | 53.703  | 82.000        | 226.816       |
| nhNDF     | 57    | 4.980      | 1.241   | 3.807         | 5.979         |
| Stä       | 1     | 19.000     | .       | 19.000        | 19.000        |
| TAF       | 57    | 60.456     | 35.304  | 3.000         | 84.000        |
| Mjölksyra | 18    | 0.000      | 0.000   | 0.000         | 0.000         |
| Ättiksyra | 14    | 3.786      | 7.181   | 0.000         | 14.000        |
| Socker    | 57    | 128.421    | 46.123  | 58.000        | 195.000       |
| PRF       | 14    | 1.500      | 2.565   | 0.000         | 7.000         |
| BUF       | 14    | 1.143      | 1.994   | 0.000         | 5.000         |
| AATp20    | 57    | 88.528     | 7.157   | 79.484        | 96.921        |
| PBVp20    | 57    | 8.574      | 21.989  | -16.320       | 42.572        |
| NELp20    | 57    | 6.216      | 0.394   | 5.635         | 6.659         |
| OE*       | 57    | 11.231     | 0.796   | 10.240        | 12.100        |
| AAT*      | 34    | 77.294     | 5.078   | 69.000        | 82.000        |
| PBV*      | 34    | 3.621      | 27.081  | -33.000       | 44.000        |
| Ca        | 52    | 6.350      | 3.026   | 3.400         | 10.000        |
| P         | 52    | 2.721      | 0.498   | 2.100         | 3.300         |
| Mg        | 52    | 1.712      | 0.425   | 1.100         | 2.200         |
| K         | 52    | 21.567     | 4.261   | 15.100        | 26.600        |
| Na        | 52    | 1.113      | 0.948   | 0.200         | 2.200         |
| Cl        | 21    | 4.505      | 3.286   | 0.900         | 9.000         |
| S         | 52    | 2.025      | 0.479   | 1.500         | 2.600         |
| CAB       | 52    | 343.269    | 97.551  | 201.253       | 442.501       |
| Fe        | 42    | 123.786    | 112.366 | 63.000        | 186.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Mn        | 42    | 47.262     | 26.904  | 16.000        | 82.000        |
| Zn        | 42    | 25.690     | 5.719   | 19.000        | 32.000        |
| Cu        | 42    | 5.033      | 1.013   | 3.800         | 6.500         |
| Se        | 11    | 0.032      | 0.029   | 0.008         | 0.050         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 32    | 516.781    | 147.328 | 303.000       | 696.000       |
| Aska      | 32    | 76.406     | 14.319  | 63.000        | 98.000        |
| OS smbh   | 32    | 72.269     | 4.243   | 66.600        | 78.300        |
| Råprot    | 32    | 139.719    | 25.841  | 103.000       | 171.000       |
| sRåprot   | 12    | 445.083    | 92.472  | 382.000       | 601.000       |
| NDF       | 32    | 477.969    | 44.105  | 429.000       | 534.000       |
| iNDF      | 32    | 194.043    | 51.218  | 136.000       | 253.000       |
| nhNDF     | 32    | 4.207      | 0.855   | 3.263         | 5.427         |
| TAF       | 32    | 81.500     | 14.142  | 84.000        | 84.000        |
| Mjölksyra | 1     | 0.000      | .       | 0.000         | 0.000         |
| Ättiksyra | 1     | 0.000      | .       | 0.000         | 0.000         |
| Socker    | 32    | 96.656     | 33.683  | 48.000        | 130.000       |
| PRF       | 1     | 3.000      | .       | 3.000         | 3.000         |
| BUF       | 1     | 1.000      | .       | 1.000         | 1.000         |
| AATp20    | 32    | 81.544     | 5.702   | 75.730        | 88.103        |
| PBVp20    | 32    | 14.531     | 21.262  | -13.318       | 36.563        |
| NELp20    | 32    | 5.866      | 0.391   | 5.446         | 6.434         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| OE*       | 32    | 10.429     | 0.700   | 9.500         | 11.270        |
| AAT*      | 20    | 72.150     | 4.475   | 67.000        | 77.500        |
| PBV*      | 20    | 16.650     | 26.782  | -19.500       | 44.000        |
| Ca        | 28    | 8.646      | 4.357   | 4.300         | 15.000        |
| P         | 28    | 2.754      | 0.374   | 2.200         | 3.200         |
| Mg        | 28    | 2.168      | 0.482   | 1.500         | 2.800         |
| K         | 28    | 22.439     | 5.054   | 16.000        | 28.700        |
| Na        | 28    | 1.296      | 0.864   | 0.500         | 2.800         |
| Cl        | 12    | 6.392      | 3.469   | 2.600         | 11.700        |
| S         | 28    | 2.114      | 0.306   | 1.600         | 2.500         |
| CAB       | 28    | 345.301    | 118.785 | 163.210       | 494.843       |
| Fe        | 19    | 100.158    | 49.407  | 50.000        | 194.000       |
| Mn        | 19    | 45.158     | 26.928  | 20.000        | 89.000        |
| Zn        | 19    | 25.316     | 6.992   | 19.000        | 39.000        |
| Cu        | 19    | 6.363      | 1.854   | 4.400         | 9.300         |
| Se        | 5     | 0.031      | 0.019   | 0.007         | 0.050         |

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 7     | 447.714    | 160.427 | 271.000       | 735.000       |
| Aska      | 7     | 86.286     | 14.997  | 71.000        | 105.000       |
| OS smbh   | 7     | 74.843     | 2.364   | 73.100        | 79.600        |
| Råprot    | 7     | 174.429    | 30.077  | 134.000       | 224.000       |
| sRåprot   | 5     | 349.200    | 37.566  | 309.000       | 395.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NDF       | 7     | 452.429    | 42.879  | 382.000       | 494.000       |
| iNDF      | 7     | 175.764    | 31.376  | 132.000       | 213.000       |
| nhNDF     | 7     | 4.700      | 0.765   | 3.583         | 6.084         |
| TAF       | 7     | 84.000     | 0.000   | 84.000        | 84.000        |
| Socker    | 7     | 77.429     | 31.246  | 19.000        | 115.000       |
| AATp20    | 7     | 87.632     | 4.526   | 82.377        | 93.862        |
| PBVp20    | 7     | 37.062     | 27.270  | 4.228         | 90.180        |
| NELp20    | 7     | 6.190      | 0.196   | 6.005         | 6.481         |
| OE*       | 7     | 10.731     | 0.317   | 10.300        | 11.270        |
| AAT*      | 2     | 73.000     | 1.414   | 72.000        | 74.000        |
| PBV*      | 2     | 64.000     | 49.497  | 29.000        | 99.000        |
| Ca        | 7     | 8.357      | 3.389   | 4.700         | 15.100        |
| P         | 7     | 3.386      | 0.334   | 2.900         | 3.800         |
| Mg        | 7     | 2.329      | 0.423   | 1.700         | 2.800         |
| K         | 7     | 25.843     | 3.135   | 21.600        | 30.800        |
| Na        | 7     | 1.029      | 0.793   | 0.400         | 2.700         |
| Cl        | 5     | 13.280     | 7.311   | 5.000         | 23.700        |
| S         | 7     | 2.571      | 0.502   | 2.000         | 3.200         |
| CAB       | 7     | 239.919    | 233.781 | -114.808      | 565.112       |
| Fe        | 4     | 156.000    | 161.565 | 64.000        | 398.000       |
| Mn        | 4     | 74.500     | 56.813  | 30.000        | 152.000       |
| Zn        | 4     | 32.500     | 9.678   | 22.000        | 43.000        |
| Cu        | 4     | 7.950      | 1.353   | 6.000         | 9.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 816.000    | .       | 816.000       | 816.000       |
| Aska      | 1     | 90.000     | .       | 90.000        | 90.000        |
| OS smbh   | 1     | 74.400     | .       | 74.400        | 74.400        |
| Råprot    | 1     | 162.000    | .       | 162.000       | 162.000       |
| NDF       | 1     | 432.000    | .       | 432.000       | 432.000       |
| iNDF      | 1     | 173.727    | .       | 173.727       | 173.727       |
| nhNDF     | 1     | 4.039      | .       | 4.039         | 4.039         |
| TAF       | 1     | 84.000     | .       | 84.000        | 84.000        |
| Socker    | 1     | 86.000     | .       | 86.000        | 86.000        |
| AATp20    | 1     | 82.442     | .       | 82.442        | 82.442        |
| PBVp20    | 1     | 33.857     | .       | 33.857        | 33.857        |
| NELp20    | 1     | 5.997      | .       | 5.997         | 5.997         |
| OE*       | 1     | 10.600     | .       | 10.600        | 10.600        |
| AAT*      | 1     | 74.000     | .       | 74.000        | 74.000        |
| PBV*      | 1     | 34.000     | .       | 34.000        | 34.000        |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 370.000    | .       | 370.000       | 370.000       |
| Aska      | 1     | 57.000     | .       | 57.000        | 57.000        |
| OS smbh   | 1     | 71.800     | .       | 71.800        | 71.800        |
| Råprot    | 1     | 108.000    | .       | 108.000       | 108.000       |
| sRåprot   | 1     | 636.000    | .       | 636.000       | 636.000       |
| NH3-N     | 1     | 93.000     | .       | 93.000        | 93.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NDF       | 1     | 539.000    | .       | 539.000       | 539.000       |
| iNDF      | 1     | 175.987    | .       | 175.987       | 175.987       |
| nhNDF     | 1     | 4.288      | .       | 4.288         | 4.288         |
| TAF       | 1     | 74.300     | .       | 74.300        | 74.300        |
| Mjölksyra | 1     | 60.000     | .       | 60.000        | 60.000        |
| Ättiksyra | 1     | 13.000     | .       | 13.000        | 13.000        |
| Socker    | 1     | 51.000     | .       | 51.000        | 51.000        |
| BUF       | 1     | 0.300      | .       | 0.300         | 0.300         |
| AATp20    | 1     | 78.743     | .       | 78.743        | 78.743        |
| PBVp20    | 1     | -10.717    | .       | -10.717       | -10.717       |
| NELp20    | 1     | 5.927      | .       | 5.927         | 5.927         |
| OE*       | 1     | 10.600     | .       | 10.600        | 10.600        |
| AAT*      | 1     | 71.000     | .       | 71.000        | 71.000        |
| PBV*      | 1     | -13.000    | .       | -13.000       | -13.000       |
| Ca        | 1     | 4.700      | .       | 4.700         | 4.700         |
| P         | 1     | 2.300      | .       | 2.300         | 2.300         |
| Mg        | 1     | 1.200      | .       | 1.200         | 1.200         |
| K         | 1     | 20.000     | .       | 20.000        | 20.000        |
| Na        | 1     | 1.600      | .       | 1.600         | 1.600         |
| Cl        | 1     | 5.100      | .       | 5.100         | 5.100         |
| S         | 1     | 1.900      | .       | 1.900         | 1.900         |
| CAB       | 1     | 318.662    | .       | 318.662       | 318.662       |
| Fe        | 1     | 90.000     | .       | 90.000        | 90.000        |
| Mn        | 1     | 26.000     | .       | 26.000        | 26.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 1     | 26.000     | .       | 26.000        | 26.000        |
| Cu        | 1     | 4.100      | .       | 4.100         | 4.100         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 237   | 340.257    | 73.518  | 270.000       | 423.000       |
| Aska      | 237   | 72.527     | 7.857   | 62.000        | 82.000        |
| OS smbh   | 237   | 76.562     | 2.411   | 73.400        | 79.600        |
| Råprot    | 237   | 154.684    | 17.583  | 131.000       | 177.000       |
| sRåprot   | 237   | 666.152    | 49.080  | 602.000       | 726.000       |
| NH3-N     | 237   | 87.814     | 24.136  | 55.000        | 117.000       |
| NDF       | 237   | 430.013    | 38.382  | 385.000       | 482.000       |
| iNDF      | 237   | 154.717    | 27.736  | 121.000       | 191.687       |
| nhNDF     | 237   | 4.529      | 0.431   | 4.073         | 5.061         |
| TAF       | 237   | 92.408     | 25.171  | 60.000        | 120.100       |
| Mjölksyra | 237   | 71.907     | 22.043  | 43.000        | 95.000        |
| Ättiksyra | 237   | 18.148     | 5.755   | 12.000        | 24.000        |
| Socker    | 237   | 53.342     | 28.672  | 22.000        | 94.000        |
| PRF       | 64    | 2.844      | 2.010   | 1.000         | 5.000         |
| BUF       | 237   | 0.856      | 1.945   | 0.000         | 2.000         |
| AATp20    | 237   | 81.054     | 2.748   | 77.848        | 84.803        |
| PBVp20    | 237   | 29.046     | 16.586  | 7.168         | 49.764        |
| NELp20    | 237   | 6.347      | 0.239   | 6.038         | 6.605         |
| OE*       | 237   | 11.186     | 0.393   | 10.700        | 11.700        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| AAT*      | 173   | 72.191     | 1.117   | 71.000        | 73.000        |
| PBV*      | 173   | 27.775     | 15.853  | 7.000         | 48.000        |
| Ca        | 217   | 6.804      | 1.805   | 4.600         | 8.800         |
| P         | 217   | 2.812      | 0.347   | 2.400         | 3.300         |
| Mg        | 217   | 1.720      | 0.242   | 1.500         | 2.100         |
| K         | 217   | 23.300     | 3.365   | 18.800        | 27.300        |
| Na        | 217   | 1.667      | 0.768   | 0.700         | 2.700         |
| Cl        | 237   | 5.752      | 3.544   | 2.300         | 9.300         |
| S         | 217   | 2.176      | 0.323   | 1.800         | 2.500         |
| CAB       | 217   | 370.493    | 114.914 | 227.538       | 495.536       |
| Fe        | 201   | 137.483    | 106.906 | 77.000        | 226.000       |
| Mn        | 201   | 40.383     | 16.726  | 24.000        | 64.000        |
| Zn        | 201   | 29.672     | 19.652  | 22.000        | 34.000        |
| Cu        | 201   | 5.725      | 1.261   | 4.300         | 7.000         |
| Se        | 26    | 0.044      | 0.015   | 0.013         | 0.050         |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 55    | 415.818    | 122.363 | 293.000       | 597.000       |
| Aska      | 55    | 75.218     | 9.203   | 66.000        | 86.000        |
| OS smbh   | 55    | 74.393     | 2.590   | 70.300        | 77.300        |
| Råprot    | 55    | 150.182    | 21.800  | 122.000       | 178.000       |
| sRåprot   | 55    | 605.873    | 68.017  | 521.000       | 691.000       |
| NH3-N     | 55    | 71.636     | 21.221  | 39.000        | 94.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NDF       | 55    | 450.709    | 30.531  | 415.000       | 488.000       |
| iNDF      | 55    | 173.538    | 31.556  | 132.591       | 218.762       |
| nhNDF     | 55    | 4.214      | 0.462   | 3.555         | 4.831         |
| TAF       | 55    | 71.131     | 30.001  | 28.000        | 109.000       |
| Mjölksyra | 55    | 53.836     | 25.497  | 19.000        | 89.000        |
| Ättiksyra | 55    | 15.091     | 5.816   | 8.000         | 24.000        |
| Socker    | 55    | 63.000     | 32.953  | 20.000        | 112.000       |
| PRF       | 18    | 3.111      | 1.811   | 0.000         | 6.000         |
| BUF       | 55    | 0.513      | 0.740   | 0.000         | 1.500         |
| AATp20    | 55    | 81.818     | 4.087   | 77.203        | 86.305        |
| PBVp20    | 55    | 23.785     | 18.766  | 4.213         | 48.657        |
| NELp20    | 55    | 6.107      | 0.299   | 5.665         | 6.440         |
| OE*       | 55    | 10.790     | 0.413   | 10.200        | 11.220        |
| AAT*      | 37    | 70.784     | 1.315   | 69.000        | 72.000        |
| PBV*      | 37    | 23.919     | 20.493  | -3.000        | 53.000        |
| Ca        | 55    | 7.645      | 2.104   | 5.400         | 10.700        |
| P         | 55    | 2.736      | 0.591   | 2.000         | 3.300         |
| Mg        | 55    | 2.256      | 0.309   | 1.900         | 2.600         |
| K         | 55    | 21.535     | 4.557   | 15.700        | 28.700        |
| Na        | 55    | 2.224      | 1.107   | 1.000         | 3.700         |
| Cl        | 55    | 8.965      | 4.875   | 4.300         | 13.600        |
| S         | 55    | 2.449      | 0.324   | 2.000         | 2.800         |
| CAB       | 55    | 241.819    | 144.785 | 76.709        | 414.475       |
| Fe        | 47    | 128.617    | 84.886  | 64.000        | 182.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10%<br>percentil | 90%<br>percentil |
|-----------|-------|------------|---------|------------------|------------------|
| Mn        | 47    | 46.872     | 18.466  | 24.000           | 68.000           |
| Zn        | 47    | 30.766     | 10.919  | 21.000           | 36.000           |
| Cu        | 47    | 6.504      | 1.281   | 5.200            | 8.100            |
| Se        | 5     | 0.035      | 0.021   | 0.011            | 0.050            |

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10%<br>percentil | 90%<br>percentil |
|-----------|-------|------------|---------|------------------|------------------|
| TS        | 12    | 420.833    | 121.882 | 289.000          | 493.000          |
| Aska      | 12    | 82.167     | 8.200   | 74.000           | 95.000           |
| OS smbh   | 12    | 71.942     | 3.689   | 65.100           | 75.200           |
| Råprot    | 12    | 158.583    | 25.170  | 124.000          | 194.000          |
| sRåprot   | 12    | 561.583    | 83.797  | 438.000          | 667.000          |
| NH3-N     | 12    | 83.667     | 35.981  | 48.000           | 133.000          |
| NDF       | 12    | 456.417    | 46.870  | 415.000          | 524.000          |
| iNDF      | 12    | 212.226    | 49.751  | 177.000          | 264.316          |
| nhNDF     | 12    | 4.086      | 0.896   | 3.069            | 4.739            |
| TAF       | 12    | 79.208     | 26.499  | 57.000           | 111.500          |
| Mjölksyra | 12    | 56.250     | 21.184  | 33.000           | 76.000           |
| Ättiksyra | 12    | 20.167     | 7.802   | 12.000           | 29.000           |
| Socker    | 12    | 38.250     | 19.790  | 10.000           | 59.000           |
| PRF       | 6     | 1.833      | 1.169   | 0.000            | 3.000            |
| BUF       | 12    | 1.375      | 2.099   | 0.000            | 4.700            |
| AATp20    | 12    | 79.647     | 4.004   | 73.848           | 83.735           |
| PBVp20    | 12    | 35.260     | 23.555  | 6.051            | 64.718           |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NELp20    | 12    | 5.925      | 0.393   | 5.220         | 6.305         |
| OE*       | 12    | 10.305     | 0.609   | 9.300         | 10.870        |
| AAT*      | 6     | 68.833     | 2.401   | 66.000        | 72.000        |
| PBV*      | 6     | 35.500     | 31.729  | 4.000         | 75.000        |
| Ca        | 10    | 8.250      | 2.642   | 5.050         | 11.900        |
| P         | 10    | 3.230      | 0.395   | 2.750         | 3.750         |
| Mg        | 10    | 2.390      | 0.247   | 2.050         | 2.700         |
| K         | 10    | 24.110     | 2.802   | 21.650        | 28.650        |
| Na        | 10    | 2.050      | 1.339   | 0.750         | 4.100         |
| Cl        | 12    | 5.400      | 3.325   | 1.900         | 10.200        |
| S         | 10    | 2.630      | 0.386   | 2.100         | 3.100         |
| CAB       | 10    | 376.872    | 112.359 | 230.675       | 544.439       |
| Fe        | 6     | 155.333    | 80.022  | 81.000        | 304.000       |
| Mn        | 6     | 63.667     | 49.585  | 30.000        | 162.000       |
| Zn        | 6     | 37.833     | 19.364  | 23.000        | 76.000        |
| Cu        | 6     | 6.483      | 0.757   | 5.900         | 7.900         |
| Se        | 1     | 0.050      | .       | 0.050         | 0.050         |

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 8     | 313.000    | 59.745  | 243.000       | 432.000       |
| Aska      | 8     | 62.750     | 15.040  | 50.000        | 97.000        |
| OS smbh   | 8     | 74.338     | 4.201   | 68.200        | 78.900        |
| Råprot    | 8     | 123.875    | 19.563  | 91.000        | 144.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| sRåprot   | 8     | 563.125    | 121.923 | 485.000       | 843.000       |
| NH3-N     | 7     | 52.571     | 44.896  | 13.000        | 129.000       |
| NDF       | 8     | 440.500    | 38.601  | 385.000       | 512.000       |
| iNDF      | 8     | 168.914    | 50.558  | 116.000       | 242.089       |
| nhNDF     | 8     | 3.826      | 0.500   | 2.939         | 4.750         |
| Stä       | 8     | 21.125     | 17.924  | 1.000         | 52.000        |
| TAF       | 8     | 32.175     | 11.285  | 21.000        | 52.000        |
| Mjölksyra | 8     | 22.375     | 9.319   | 15.000        | 39.000        |
| Ättiksyra | 8     | 8.125      | 5.083   | 0.000         | 16.000        |
| Socker    | 8     | 141.375    | 41.979  | 81.000        | 198.000       |
| PRF       | 6     | 0.500      | 0.837   | 0.000         | 2.000         |
| BUF       | 6     | 1.167      | 1.472   | 0.000         | 4.000         |
| AATp20    | 8     | 79.431     | 6.173   | 68.736        | 85.730        |
| PBVp20    | 8     | -8.142     | 13.566  | -24.713       | 13.849        |
| NELp20    | 8     | 5.874      | 0.397   | 5.134         | 6.272         |
| OE*       | 6     | 11.288     | 0.516   | 10.330        | 11.790        |
| Ca        | 7     | 5.057      | 5.119   | 1.500         | 16.100        |
| P         | 7     | 2.429      | 0.269   | 2.100         | 2.800         |
| Mg        | 7     | 0.971      | 0.486   | 0.400         | 1.600         |
| K         | 7     | 19.286     | 3.684   | 12.800        | 23.900        |
| Na        | 7     | 0.357      | 0.190   | 0.200         | 0.700         |
| Cl        | 3     | 2.800      | 1.114   | 1.600         | 3.800         |
| S         | 7     | 1.729      | 0.309   | 1.300         | 2.100         |
| CAB       | 7     | 302.544    | 94.635  | 123.313       | 409.102       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Fe        | 4     | 97.500     | 57.076  | 57.000        | 182.000       |
| Mn        | 4     | 32.500     | 21.205  | 18.000        | 64.000        |
| Zn        | 4     | 21.500     | 8.386   | 16.000        | 34.000        |
| Cu        | 4     | 4.575      | 0.506   | 4.000         | 5.000         |

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 290.000    | .       | 290.000       | 290.000       |
| Aska      | 1     | 57.000     | .       | 57.000        | 57.000        |
| OS smbh   | 1     | 63.900     | .       | 63.900        | 63.900        |
| Råprot    | 1     | 94.000     | .       | 94.000        | 94.000        |
| sRåprot   | 1     | 531.000    | .       | 531.000       | 531.000       |
| NH3-N     | 1     | 31.000     | .       | 31.000        | 31.000        |
| NDF       | 1     | 526.000    | .       | 526.000       | 526.000       |
| iNDF      | 1     | 285.000    | .       | 285.000       | 285.000       |
| nhNDF     | 1     | 2.984      | .       | 2.984         | 2.984         |
| Stä       | 1     | 106.000    | .       | 106.000       | 106.000       |
| TAF       | 1     | 60.000     | .       | 60.000        | 60.000        |
| Mjölksyra | 1     | 40.000     | .       | 40.000        | 40.000        |
| Ättiksyra | 1     | 18.000     | .       | 18.000        | 18.000        |
| Socker    | 1     | 14.000     | .       | 14.000        | 14.000        |
| PRF       | 1     | 2.000      | .       | 2.000         | 2.000         |
| BUF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 1     | 68.583     | .       | 68.583        | 68.583        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| PBVp20    | 1     | -11.835    | .       | -11.835       | -11.835       |
| NELp20    | 1     | 5.408      | .       | 5.408         | 5.408         |
| OE*       | 1     | 9.250      | .       | 9.250         | 9.250         |
| Ca        | 1     | 4.500      | .       | 4.500         | 4.500         |
| P         | 1     | 2.400      | .       | 2.400         | 2.400         |
| Mg        | 1     | 1.400      | .       | 1.400         | 1.400         |
| K         | 1     | 21.000     | .       | 21.000        | 21.000        |
| Na        | 1     | 0.900      | .       | 0.900         | 0.900         |
| Cl        | 1     | 3.000      | .       | 3.000         | 3.000         |
| S         | 1     | 1.400      | .       | 1.400         | 1.400         |
| CAB       | 1     | 404.208    | .       | 404.208       | 404.208       |
| Fe        | 1     | 132.000    | .       | 132.000       | 132.000       |
| Mn        | 1     | 36.000     | .       | 36.000        | 36.000        |
| Zn        | 1     | 23.000     | .       | 23.000        | 23.000        |
| Cu        | 1     | 4.000      | .       | 4.000         | 4.000         |

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 3     | 456.667    | 76.9697 | 404.000       | 545.000       |
| Aska      | 3     | 64.000     | 14.1067 | 51.000        | 79.000        |
| OS smbh   | 3     | 69.200     | 2.3431  | 67.700        | 71.900        |
| Råprot    | 3     | 127.333    | 25.6580 | 99.000        | 149.000       |
| sRåprot   | 3     | 631.333    | 91.7842 | 532.000       | 713.000       |
| NH3-N     | 3     | 64.333     | 8.6217  | 55.000        | 72.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NDF       | 3     | 501.333    | 47.5430 | 455.000       | 550.000       |
| iNDF      | 3     | 237.951    | 27.5758 | 207.853       | 262.000       |
| nhNDF     | 3     | 3.808      | 0.3430  | 3.501         | 4.179         |
| Stä       | 3     | 37.000     | 17.3494 | 18.000        | 52.000        |
| TAF       | 3     | 56.333     | 37.6342 | 14.000        | 86.000        |
| Mjölksyra | 3     | 40.333     | 28.7460 | 8.000         | 63.000        |
| Ättiksyra | 3     | 13.000     | 6.0828  | 6.000         | 17.000        |
| Socker    | 3     | 74.333     | 7.3711  | 66.000        | 80.000        |
| PRF       | 2     | 4.000      | 2.8284  | 2.000         | 6.000         |
| BUF       | 2     | 0.500      | 0.7071  | 0.000         | 1.000         |
| AATp20    | 3     | 77.021     | 6.3439  | 73.138        | 84.342        |
| PBVp20    | 3     | 1.189      | 15.8332 | -16.858       | 12.747        |
| NELp20    | 3     | 5.671      | 0.3305  | 5.356         | 6.015         |
| OE*       | 2     | 10.265     | 0.3748  | 10.000        | 10.530        |
| Ca        | 2     | 3.900      | 0.0000  | 3.900         | 3.900         |
| P         | 2     | 2.350      | 0.2121  | 2.200         | 2.500         |
| Mg        | 2     | 1.450      | 0.3536  | 1.200         | 1.700         |
| K         | 2     | 17.200     | 2.8284  | 15.200        | 19.200        |
| Na        | 2     | 2.200      | 1.8385  | 0.900         | 3.500         |
| Cl        | 3     | 8.733      | 5.8449  | 4.100         | 15.300        |
| S         | 2     | 1.800      | 0.4243  | 1.500         | 2.100         |
| CAB       | 2     | 149.810    | 97.3316 | 80.987        | 218.634       |
| Fe        | 2     | 213.000    | 36.7696 | 187.000       | 239.000       |
| Mn        | 2     | 24.500     | 7.7782  | 19.000        | 30.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 2     | 26.000     | 8.4853  | 20.000        | 32.000        |
| Cu        | 2     | 4.000      | 0.0000  | 4.000         | 4.000         |

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter ( Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 505.000    | .       | 505.000       | 505.000       |
| Aska      | 1     | 55.000     | .       | 55.000        | 55.000        |
| OS smbh   | 1     | 69.700     | .       | 69.700        | 69.700        |
| Råprot    | 1     | 112.000    | .       | 112.000       | 112.000       |
| sRåprot   | 1     | 680.000    | .       | 680.000       | 680.000       |
| NH3-N     | 1     | 88.000     | .       | 88.000        | 88.000        |
| NDF       | 1     | 460.000    | .       | 460.000       | 460.000       |
| iNDF      | 1     | 232.467    | .       | 232.467       | 232.467       |
| nhNDF     | 1     | 3.108      | .       | 3.108         | 3.108         |
| Stä       | 1     | 100.000    | .       | 100.000       | 100.000       |
| TAF       | 1     | 42.000     | .       | 42.000        | 42.000        |
| Mjölksyra | 1     | 30.000     | .       | 30.000        | 30.000        |
| Ättiksyra | 1     | 12.000     | .       | 12.000        | 12.000        |
| Socket    | 1     | 89.000     | .       | 89.000        | 89.000        |
| AATp20    | 1     | 73.196     | .       | 73.196        | 73.196        |
| PBVp20    | 1     | -3.359     | .       | -3.359        | -3.359        |
| NELp20    | 1     | 5.610      | .       | 5.610         | 5.610         |
| Ca        | 1     | 4.700      | .       | 4.700         | 4.700         |
| P         | 1     | 2.300      | .       | 2.300         | 2.300         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter ( Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Mg        | 1     | 1.700      | .       | 1.700         | 1.700         |
| K         | 1     | 16.400     | .       | 16.400        | 16.400        |
| Na        | 1     | 0.800      | .       | 0.800         | 0.800         |
| Cl        | 1     | 3.800      | .       | 3.800         | 3.800         |
| S         | 1     | 1.700      | .       | 1.700         | 1.700         |
| CAB       | 1     | 240.928    | .       | 240.928       | 240.928       |
| Fe        | 1     | 119.000    | .       | 119.000       | 119.000       |
| Mn        | 1     | 69.000     | .       | 69.000        | 69.000        |
| Zn        | 1     | 30.000     | .       | 30.000        | 30.000        |
| Cu        | 1     | 4.400      | .       | 4.400         | 4.400         |

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 4     | 366.000    | 63.896  | 306.000       | 448.000       |
| Aska      | 4     | 48.750     | 12.738  | 32.000        | 62.000        |
| OS smbh   | 4     | 68.925     | 3.806   | 63.300        | 71.700        |
| Råprot    | 4     | 116.250    | 22.411  | 97.000        | 139.000       |
| sRåprot   | 4     | 587.500    | 108.288 | 474.000       | 698.000       |
| NH3-N     | 4     | 60.000     | 47.081  | 12.000        | 111.000       |
| NDF       | 4     | 481.000    | 21.726  | 465.000       | 511.000       |
| iNDF      | 4     | 268.872    | 73.409  | 203.488       | 374.000       |
| nhNDF     | 4     | 3.628      | 0.709   | 2.780         | 4.515         |
| Stä       | 4     | 53.000     | 51.323  | 11.000        | 122.000       |
| TAF       | 4     | 44.125     | 32.110  | 19.000        | 89.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Mjölksyra | 4     | 28.250     | 23.472  | 3.000         | 56.000        |
| Ättiksyra | 4     | 14.000     | 12.275  | 5.000         | 31.000        |
| Socker    | 4     | 80.500     | 44.553  | 32.000        | 140.000       |
| PRF       | 3     | 1.333      | 1.155   | 0.000         | 2.000         |
| BUF       | 3     | 0.333      | 0.577   | 0.000         | 1.000         |
| AATp20    | 4     | 73.725     | 3.962   | 69.112        | 78.748        |
| PBVp20    | 4     | -5.764     | 24.579  | -31.313       | 21.677        |
| NELp20    | 4     | 5.612      | 0.325   | 5.182         | 5.961         |
| OE*       | 3     | 10.063     | 0.583   | 9.390         | 10.410        |
| Ca        | 4     | 4.725      | 1.556   | 3.400         | 6.400         |
| P         | 4     | 1.900      | 0.560   | 1.200         | 2.400         |
| Mg        | 4     | 1.350      | 0.208   | 1.100         | 1.600         |
| K         | 4     | 15.575     | 3.822   | 11.300        | 19.900        |
| Na        | 4     | 0.925      | 0.954   | 0.100         | 2.200         |
| Cl        | 4     | 3.750      | 3.710   | 0.100         | 8.900         |
| S         | 4     | 1.750      | 0.666   | 1.200         | 2.700         |
| CAB       | 4     | 223.546    | 209.395 | -21.245       | 425.114       |
| Fe        | 4     | 93.750     | 48.624  | 54.000        | 164.000       |
| Mn        | 4     | 42.000     | 31.948  | 12.000        | 87.000        |
| Zn        | 4     | 22.500     | 5.745   | 16.000        | 30.000        |
| Cu        | 4     | 4.700      | 0.945   | 4.000         | 6.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 408.000    | 50.912  | 372.000       | 444.000       |
| Aska      | 2     | 59.500     | 0.707   | 59.000        | 60.000        |
| OS smbh   | 2     | 72.250     | 3.889   | 69.500        | 75.000        |
| Råprot    | 2     | 113.500    | 0.707   | 113.000       | 114.000       |
| sRåprot   | 2     | 628.000    | 93.338  | 562.000       | 694.000       |
| NH3-N     | 2     | 44.500     | 41.719  | 15.000        | 74.000        |
| NDF       | 2     | 454.500    | 21.920  | 439.000       | 470.000       |
| iNDF      | 2     | 203.606    | 34.799  | 179.000       | 228.213       |
| nhNDF     | 2     | 3.662      | 0.651   | 3.202         | 4.122         |
| Stä       | 2     | 39.500     | 12.021  | 31.000        | 48.000        |
| TAF       | 2     | 59.000     | 32.527  | 36.000        | 82.000        |
| Mjölksyra | 2     | 46.000     | 25.456  | 28.000        | 64.000        |
| Ättiksyra | 2     | 13.000     | 7.071   | 8.000         | 18.000        |
| Socker    | 2     | 102.000    | 25.456  | 84.000        | 120.000       |
| PRF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| BUF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| AATp20    | 2     | 76.458     | 1.348   | 75.505        | 77.412        |
| PBVp20    | 2     | -7.984     | 2.824   | -9.981        | -5.987        |
| NELp20    | 2     | 5.897      | 0.482   | 5.557         | 6.238         |
| OE*       | 1     | 11.080     | .       | 11.080        | 11.080        |
| Ca        | 2     | 5.800      | 0.566   | 5.400         | 6.200         |
| P         | 2     | 2.100      | 0.424   | 1.800         | 2.400         |
| Mg        | 2     | 1.450      | 0.212   | 1.300         | 1.600         |
| K         | 2     | 18.200     | 4.101   | 15.300        | 21.100        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 2     | 1.600      | 1.414   | 0.600         | 2.600         |
| Cl        | 2     | 7.500      | 3.677   | 4.900         | 10.100        |
| S         | 2     | 1.800      | 0.141   | 1.700         | 1.900         |
| CAB       | 2     | 211.271    | 155.818 | 101.091       | 321.451       |
| Fe        | 2     | 94.500     | 7.778   | 89.000        | 100.000       |
| Mn        | 2     | 19.000     | 7.071   | 14.000        | 24.000        |
| Zn        | 2     | 25.000     | 4.243   | 22.000        | 28.000        |
| Cu        | 2     | 5.150      | 0.212   | 5.000         | 5.300         |
| Se        | 1     | 0.050      | .       | 0.050         | 0.050         |

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 5     | 395.400    | 13.557  | 378.000       | 409.000       |
| Aska      | 5     | 28.000     | 2.739   | 24.000        | 31.000        |
| OS smbh   | 5     | 76.940     | 1.244   | 75.300        | 78.600        |
| Råprot    | 5     | 73.800     | 8.815   | 65.000        | 86.000        |
| sRåprot   | 5     | 647.600    | 122.936 | 446.000       | 744.000       |
| NH3-N     | 5     | 83.800     | 42.617  | 23.000        | 124.000       |
| NDF       | 5     | 353.400    | 23.544  | 331.000       | 388.000       |
| iNDF      | 5     | 203.103    | 25.755  | 172.028       | 228.000       |
| nhNDF     | 5     | 3.381      | 0.517   | 2.932         | 4.043         |
| Stä       | 5     | 312.600    | 15.994  | 294.000       | 331.000       |
| TAF       | 5     | 76.800     | 9.884   | 62.000        | 89.000        |
| Mjölksyra | 5     | 58.200     | 6.611   | 51.000        | 69.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Ättiksyra | 5     | 15.800     | 3.768   | 10.000        | 20.000        |
| Socker    | 5     | 9.800      | 7.396   | 0.000         | 19.000        |
| PRF       | 2     | 2.500      | 2.121   | 1.000         | 4.000         |
| BUF       | 2     | 0.000      | 0.000   | 0.000         | 0.000         |
| AATp20    | 5     | 80.848     | 2.777   | 78.116        | 85.205        |
| PBVp20    | 5     | -52.988    | 3.806   | -57.291       | -49.068       |
| NELp20    | 5     | 6.587      | 0.139   | 6.462         | 6.748         |
| OE*       | 2     | 11.730     | 0.255   | 11.550        | 11.910        |
| Ca        | 5     | 2.280      | 0.295   | 1.800         | 2.500         |
| P         | 5     | 1.880      | 0.130   | 1.800         | 2.100         |
| Mg        | 5     | 1.060      | 0.182   | 0.900         | 1.300         |
| K         | 5     | 8.900      | 1.852   | 6.900         | 11.800        |
| Na        | 5     | 0.180      | 0.130   | 0.100         | 0.400         |
| Cl        | 3     | 1.900      | 0.173   | 1.700         | 2.000         |
| S         | 5     | 0.900      | 0.173   | 0.800         | 1.200         |
| CAB       | 5     | 130.183    | 37.815  | 95.975        | 188.885       |
| Fe        | 4     | 99.000     | 52.732  | 69.000        | 178.000       |
| Mn        | 4     | 16.250     | 6.850   | 10.000        | 24.000        |
| Zn        | 4     | 18.500     | 1.732   | 16.000        | 20.000        |
| Cu        | 4     | 3.750      | 0.858   | 3.100         | 5.000         |
| Se        | 1     | 0.080      | .       | 0.080         | 0.080         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 288.500    | 47.3762 | 255.000       | 322.000       |
| Aska      | 2     | 54.500     | 3.5355  | 52.000        | 57.000        |
| OS smbh   | 2     | 66.800     | 5.9397  | 62.600        | 71.000        |
| Råprot    | 2     | 79.000     | 8.4853  | 73.000        | 85.000        |
| sRåprot   | 2     | 798.500    | 17.6777 | 786.000       | 811.000       |
| NH3-N     | 2     | 101.000    | 14.1421 | 91.000        | 111.000       |
| NDF       | 2     | 568.500    | 12.0208 | 560.000       | 577.000       |
| iNDF      | 2     | 216.247    | 52.9476 | 178.807       | 253.686       |
| nhNDF     | 2     | 3.629      | 0.9045  | 2.989         | 4.268         |
| Stä       | 2     | 22.000     | 7.0711  | 17.000        | 27.000        |
| TAF       | 2     | 90.000     | 11.3137 | 82.000        | 98.000        |
| Mjölksyra | 2     | 64.000     | 4.2426  | 61.000        | 67.000        |
| Ättiksyra | 2     | 26.000     | 7.0711  | 21.000        | 31.000        |
| Socker    | 2     | 64.000     | 5.6569  | 60.000        | 68.000        |
| AATp20    | 2     | 64.494     | 5.2810  | 60.760        | 68.228        |
| PBVp20    | 2     | -21.022    | 16.3437 | -32.579       | -9.465        |
| NELp20    | 2     | 5.465      | 0.5775  | 5.057         | 5.874         |
| Ca        | 2     | 2.500      | 0.0000  | 2.500         | 2.500         |
| P         | 2     | 2.650      | 0.4950  | 2.300         | 3.000         |
| Mg        | 2     | 1.050      | 0.2121  | 0.900         | 1.200         |
| K         | 2     | 19.600     | 1.1314  | 18.800        | 20.400        |
| Na        | 2     | 0.300      | 0.2828  | 0.100         | 0.500         |
| Cl        | 2     | 2.500      | 0.8485  | 1.900         | 3.100         |
| S         | 2     | 1.350      | 0.2121  | 1.200         | 1.500         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| CAB       | 2     | 359.525    | 5.9939  | 355.286       | 363.763       |
| Fe        | 2     | 113.500    | 62.9325 | 69.000        | 158.000       |
| Mn        | 2     | 24.000     | 1.4142  | 23.000        | 25.000        |
| Zn        | 2     | 18.000     | 2.8284  | 16.000        | 20.000        |
| Cu        | 2     | 4.200      | 0.4243  | 3.900         | 4.500         |

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 265.000    | .       | 265.000       | 265.000       |
| Aska      | 1     | 73.000     | .       | 73.000        | 73.000        |
| OS smbh   | 1     | 79.900     | .       | 79.900        | 79.900        |
| Råprot    | 1     | 131.000    | .       | 131.000       | 131.000       |
| sRåprot   | 1     | 564.000    | .       | 564.000       | 564.000       |
| NH3-N     | 1     | 115.000    | .       | 115.000       | 115.000       |
| NDF       | 1     | 329.000    | .       | 329.000       | 329.000       |
| iNDF      | 1     | 142.714    | .       | 142.714       | 142.714       |
| nhNDF     | 1     | 4.134      | .       | 4.134         | 4.134         |
| Stä       | 1     | 109.000    | .       | 109.000       | 109.000       |
| TAF       | 1     | 70.000     | .       | 70.000        | 70.000        |
| Mjölksyra | 1     | 56.000     | .       | 56.000        | 56.000        |
| Ättiksyra | 1     | 14.000     | .       | 14.000        | 14.000        |
| Socker    | 1     | 66.000     | .       | 66.000        | 66.000        |
| AATp20    | 1     | 80.936     | .       | 80.936        | 80.936        |
| PBVp20    | 1     | 2.011      | .       | 2.011         | 2.011         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| NELp20    | 1     | 6.412      | .       | 6.412         | 6.412         |
| OE*       | 1     | 11.800     | .       | 11.800        | 11.800        |
| AAT*      | 1     | 82.000     | .       | 82.000        | 82.000        |
| PBV*      | 1     | -9.000     | .       | -9.000        | -9.000        |
| Ca        | 1     | 15.800     | .       | 15.800        | 15.800        |
| P         | 1     | 2.000      | .       | 2.000         | 2.000         |
| Mg        | 1     | 2.000      | .       | 2.000         | 2.000         |
| K         | 1     | 14.500     | .       | 14.500        | 14.500        |
| Na        | 1     | 0.200      | .       | 0.200         | 0.200         |
| Cl        | 1     | 9.800      | .       | 9.800         | 9.800         |
| S         | 1     | 0.900      | .       | 0.900         | 0.900         |
| CAB       | 1     | 47.233     | .       | 47.233        | 47.233        |
| Fe        | 1     | 145.000    | .       | 145.000       | 145.000       |
| Mn        | 1     | 44.000     | .       | 44.000        | 44.000        |
| Zn        | 1     | 31.000     | .       | 31.000        | 31.000        |
| Cu        | 1     | 5.100      | .       | 5.100         | 5.100         |

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 705.000    | .       | 705.000       | 705.000       |
| Aska      | 1     | 43.000     | .       | 43.000        | 43.000        |
| OS smbh   | 1     | 63.600     | .       | 63.600        | 63.600        |
| Råprot    | 1     | 80.000     | .       | 80.000        | 80.000        |
| NDF       | 1     | 591.000    | .       | 591.000       | 591.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| iNDF      | 1     | 241.968    | .       | 241.968       | 241.968       |
| nhNDF     | 1     | 3.143      | .       | 3.143         | 3.143         |
| TAF       | 1     | 0.000      | .       | 0.000         | 0.000         |
| Socker    | 1     | 130.000    | .       | 130.000       | 130.000       |
| AATp20    | 1     | 81.772     | .       | 81.772        | 81.772        |
| PBVp20    | 1     | -41.271    | .       | -41.271       | -41.271       |
| NELp20    | 1     | 4.936      | .       | 4.936         | 4.936         |
| OE*       | 1     | 9.300      | .       | 9.300         | 9.300         |
| AAT*      | 1     | 67.000     | .       | 67.000        | 67.000        |
| PBV*      | 1     | -34.000    | .       | -34.000       | -34.000       |
| Ca        | 1     | 2.900      | .       | 2.900         | 2.900         |
| P         | 1     | 1.600      | .       | 1.600         | 1.600         |
| Mg        | 1     | 1.200      | .       | 1.200         | 1.200         |
| K         | 1     | 8.400      | .       | 8.400         | 8.400         |
| Na        | 1     | 0.800      | .       | 0.800         | 0.800         |
| S         | 1     | 1.100      | .       | 1.100         | 1.100         |
| CAB       | 1     | 40.021     | .       | 40.021        | 40.021        |
| Fe        | 1     | 59.000     | .       | 59.000        | 59.000        |
| Mn        | 1     | 84.000     | .       | 84.000        | 84.000        |
| Zn        | 1     | 28.000     | .       | 28.000        | 28.000        |
| Cu        | 1     | 2.700      | .       | 2.700         | 2.700         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 7     | 837.714    | 114.552 | 637.000       | 935.000       |
| Aska      | 7     | 57.143     | 8.802   | 50.000        | 76.000        |
| OS smbh   | 7     | 68.171     | 5.100   | 61.100        | 76.400        |
| Råprot    | 7     | 82.857     | 24.943  | 49.000        | 117.000       |
| NDF       | 7     | 558.857    | 32.693  | 511.000       | 598.000       |
| iNDF      | 7     | 204.429    | 40.607  | 136.153       | 259.622       |
| nhNDF     | 7     | 3.831      | 0.722   | 2.918         | 5.156         |
| TAF       | 7     | 0.000      | 0.000   | 0.000         | 0.000         |
| Socker    | 7     | 149.857    | 65.198  | 97.000        | 259.000       |
| AATp20    | 7     | 85.663     | 3.504   | 79.593        | 90.362        |
| PBVp20    | 7     | -45.393    | 26.625  | -85.283       | -9.321        |
| NELp20    | 7     | 5.250      | 0.345   | 4.746         | 5.755         |
| OE*       | 7     | 9.957      | 0.914   | 8.800         | 11.400        |
| AAT*      | 7     | 71.000     | 5.538   | 64.000        | 80.000        |
| PBV*      | 7     | -37.857    | 32.416  | -86.000       | 6.000         |
| Ca        | 7     | 3.586      | 1.282   | 2.000         | 5.600         |
| P         | 7     | 2.357      | 0.493   | 1.900         | 3.300         |
| Mg        | 7     | 1.457      | 0.653   | 0.900         | 2.700         |
| K         | 7     | 19.229     | 3.104   | 16.300        | 25.100        |
| Na        | 7     | 1.114      | 1.425   | 0.100         | 4.200         |
| S         | 7     | 1.600      | 0.476   | 1.000         | 2.300         |
| CAB       | 7     | 299.381    | 110.226 | 205.670       | 539.957       |
| Fe        | 7     | 92.857     | 58.488  | 41.000        | 205.000       |
| Mn        | 7     | 82.286     | 18.282  | 60.000        | 110.000       |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Zn        | 7     | 24.857     | 8.572   | 16.000        | 38.000        |
| Cu        | 7     | 4.171      | 1.725   | 2.600         | 7.700         |
| Se        | 2     | 0.007      | 0.002   | 0.005         | 0.008         |

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 898.500    | 10.6066 | 891.000       | 906.000       |
| Aska      | 2     | 69.500     | 14.8492 | 59.000        | 80.000        |
| OS smbh   | 2     | 69.750     | 3.1820  | 67.500        | 72.000        |
| Råprot    | 2     | 121.500    | 16.2635 | 110.000       | 133.000       |
| NDF       | 2     | 512.500    | 34.6482 | 488.000       | 537.000       |
| iNDF      | 2     | 203.053    | 16.4344 | 191.432       | 214.674       |
| nhNDF     | 2     | 3.733      | 0.1820  | 3.604         | 3.862         |
| TAF       | 2     | 0.000      | 0.0000  | 0.000         | 0.000         |
| Socker    | 2     | 129.000    | 24.0416 | 112.000       | 146.000       |
| AATp20    | 2     | 89.702     | 5.4262  | 85.866        | 93.539        |
| PBVp20    | 2     | -15.956    | 6.3717  | -20.462       | -11.451       |
| NELp20    | 2     | 5.451      | 0.3279  | 5.219         | 5.683         |
| OE*       | 2     | 10.100     | 0.7071  | 9.600         | 10.600        |
| AAT*      | 2     | 71.500     | 3.5355  | 69.000        | 74.000        |
| PBV*      | 2     | -1.000     | 9.8995  | -8.000        | 6.000         |
| Ca        | 1     | 4.400      | .       | 4.400         | 4.400         |
| P         | 1     | 2.700      | .       | 2.700         | 2.700         |
| Mg        | 1     | 1.700      | .       | 1.700         | 1.700         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| K         | 1     | 22.800     | .       | 22.800        | 22.800        |
| Na        | 1     | 0.500      | .       | 0.500         | 0.500         |
| S         | 1     | 2.300      | .       | 2.300         | 2.300         |
| CAB       | 1     | 320.264    | .       | 320.264       | 320.264       |
| Fe        | 1     | 56.000     | .       | 56.000        | 56.000        |
| Mn        | 1     | 78.000     | .       | 78.000        | 78.000        |
| Zn        | 1     | 19.000     | .       | 19.000        | 19.000        |
| Cu        | 1     | 4.400      | .       | 4.400         | 4.400         |

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 2     | 397.500    | 99.7021 | 327.000       | 468.000       |
| Aska      | 2     | 91.000     | 9.8995  | 84.000        | 98.000        |
| OS smbh   | 2     | 76.900     | 3.6770  | 74.300        | 79.500        |
| Råprot    | 2     | 206.500    | 24.7487 | 189.000       | 224.000       |
| sRåprot   | 2     | 711.000    | 1.4142  | 710.000       | 712.000       |
| NH3-N     | 2     | 65.500     | 6.3640  | 61.000        | 70.000        |
| NDF       | 2     | 318.500    | 20.5061 | 304.000       | 333.000       |
| iNDF      | 2     | 241.389    | 90.7621 | 177.211       | 305.568       |
| nhNDF     | 2     | 4.069      | 0.0282  | 4.049         | 4.089         |
| TAF       | 2     | 101.950    | 41.2243 | 72.800        | 131.100       |
| Mjölksyra | 2     | 83.500     | 30.4056 | 62.000        | 105.000       |
| Ättiksyra | 2     | 16.500     | 12.0208 | 8.000         | 25.000        |
| Socker    | 2     | 45.500     | 43.1335 | 15.000        | 76.000        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| BUF       | 2     | 0.950      | 1.2021  | 0.100         | 1.800         |
| AATp20    | 2     | 76.786     | 8.0514  | 71.093        | 82.479        |
| PBVp20    | 2     | 89.850     | 11.0585 | 82.030        | 97.669        |
| NELp20    | 2     | 6.373      | 0.3070  | 6.156         | 6.590         |
| OE*       | 2     | 11.000     | 0.7071  | 10.500        | 11.500        |
| AAT*      | 2     | 71.000     | 1.4142  | 70.000        | 72.000        |
| PBV*      | 2     | 83.000     | 21.2132 | 68.000        | 98.000        |
| Ca        | 2     | 17.850     | 6.5761  | 13.200        | 22.500        |
| P         | 2     | 3.150      | 0.0707  | 3.100         | 3.200         |
| Mg        | 2     | 1.800      | 0.2828  | 1.600         | 2.000         |
| K         | 2     | 21.950     | 3.4648  | 19.500        | 24.400        |
| Na        | 2     | 1.050      | 0.4950  | 0.700         | 1.400         |
| Cl        | 2     | 5.500      | 1.2728  | 4.600         | 6.400         |
| S         | 2     | 2.050      | 0.3536  | 1.800         | 2.300         |
| CAB       | 2     | 323.979    | 52.1847 | 287.079       | 360.879       |
| Fe        | 2     | 105.500    | 10.6066 | 98.000        | 113.000       |
| Mn        | 2     | 34.000     | 8.4853  | 28.000        | 40.000        |
| Zn        | 2     | 21.000     | 5.6569  | 17.000        | 25.000        |
| Cu        | 2     | 7.400      | 0.1414  | 7.300         | 7.500         |
| Se        | 1     | 0.036      | .       | 0.036         | 0.036         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 4     | 439.250    | 32.325  | 400.000       | 470.000       |
| Aska      | 4     | 65.750     | 3.096   | 63.000        | 70.000        |
| OS smbh   | 4     | 74.925     | 1.582   | 73.600        | 77.200        |
| Råprot    | 4     | 140.500    | 12.234  | 128.000       | 157.000       |
| sRåprot   | 4     | 514.500    | 51.823  | 441.000       | 556.000       |
| NH3-N     | 4     | 87.750     | 6.652   | 82.000        | 97.000        |
| NDF       | 4     | 324.750    | 43.828  | 264.000       | 365.000       |
| iNDF      | 4     | 237.250    | 7.676   | 226.000       | 243.000       |
| nhNDF     | 4     | 2.749      | 0.336   | 2.292         | 3.058         |
| Stä       | 4     | 192.750    | 26.763  | 167.000       | 230.000       |
| TAF       | 4     | 73.500     | 15.067  | 56.000        | 92.000        |
| Mjölksyra | 4     | 42.750     | 16.701  | 21.000        | 59.000        |
| Ättiksyra | 4     | 23.000     | 2.449   | 20.000        | 26.000        |
| Socker    | 4     | 38.250     | 10.595  | 27.000        | 52.000        |
| PRF       | 4     | 5.500      | 1.291   | 4.000         | 7.000         |
| BUF       | 4     | 2.250      | 1.893   | 1.000         | 5.000         |
| AATp20    | 4     | 84.020     | 4.360   | 80.283        | 90.326        |
| PBVp20    | 4     | 14.844     | 5.369   | 8.609         | 20.862        |
| NELp20    | 4     | 6.389      | 0.120   | 6.297         | 6.565         |
| OE*       | 4     | 10.990     | 0.270   | 10.800        | 11.390        |
| Ca        | 4     | 7.625      | 1.190   | 6.900         | 9.400         |
| P         | 4     | 3.925      | 0.750   | 3.200         | 4.900         |
| Mg        | 4     | 2.975      | 0.532   | 2.400         | 3.600         |
| K         | 4     | 16.725     | 0.574   | 16.200        | 17.400        |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Na        | 4     | 2.200      | 0.779   | 1.100         | 2.800         |
| Cl        | 4     | 7.850      | 4.410   | 4.500         | 14.300        |
| S         | 4     | 2.650      | 0.661   | 2.200         | 3.600         |
| CAB       | 4     | 136.650    | 118.235 | -30.342       | 240.556       |
| Fe        | 4     | 275.000    | 76.118  | 209.000       | 351.000       |
| Mn        | 4     | 66.250     | 12.339  | 52.000        | 82.000        |
| Zn        | 4     | 64.500     | 14.663  | 43.000        | 76.000        |
| Cu        | 4     | 10.500     | 1.291   | 9.000         | 12.000        |
| Se        | 1     | 0.360      | .       | 0.360         | 0.360         |

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| TS        | 1     | 437.000    | .       | 437.000       | 437.000       |
| Aska      | 1     | 48.000     | .       | 48.000        | 48.000        |
| OS smbh   | 1     | 78.900     | .       | 78.900        | 78.900        |
| Råprot    | 1     | 132.000    | .       | 132.000       | 132.000       |
| sRåprot   | 1     | 496.000    | .       | 496.000       | 496.000       |
| NH3-N     | 1     | 61.000     | .       | 61.000        | 61.000        |
| NDF       | 1     | 322.000    | .       | 322.000       | 322.000       |
| iNDF      | 1     | 175.553    | .       | 175.553       | 175.553       |
| nhNDF     | 1     | 3.586      | .       | 3.586         | 3.586         |
| Stä       | 1     | 252.000    | .       | 252.000       | 252.000       |
| Socker    | 1     | 36.000     | .       | 36.000        | 36.000        |
| NELp20    | 1     | 0.000      | .       | 0.000         | 0.000         |

\*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

| Parameter | Antal | Medelvärde | Std avv | 10% percentil | 90% percentil |
|-----------|-------|------------|---------|---------------|---------------|
| Ca        | 1     | 4.600      | .       | 4.600         | 4.600         |
| P         | 1     | 3.000      | .       | 3.000         | 3.000         |
| Mg        | 1     | 1.900      | .       | 1.900         | 1.900         |
| K         | 1     | 11.400     | .       | 11.400        | 11.400        |
| Na        | 1     | 2.000      | .       | 2.000         | 2.000         |
| Cl        | 1     | 1.400      | .       | 1.400         | 1.400         |
| S         | 1     | 2.000      | .       | 2.000         | 2.000         |
| CAB       | 1     | 214.080    | .       | 214.080       | 214.080       |
| Fe        | 1     | 406.000    | .       | 406.000       | 406.000       |
| Mn        | 1     | 60.000     | .       | 60.000        | 60.000        |
| Zn        | 1     | 50.000     | .       | 50.000        | 50.000        |
| Cu        | 1     | 9.700      | .       | 9.700         | 9.700         |
| Se        | 1     | 0.190      | .       | 0.190         | 0.190         |

\*= Parametrar från det gamla svenska fodervärderingssystemet