

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Korn, kärna (001)	1	4	873	20	43.0	105	268		156	94	3.15	586	0.0000			5
Vete, kärna (005)	1	5	869	18	58.7	113	322	7.0	103	133	3.50	641	0.0000			3
Prognos, gräs (0% baljv.) (041)	1	1	530		72.7					171	4.34		0.0000			
Grönmassa, gräs (0% baljv.) (161)	0	1	611	69	72.8	110			563	155	4.83		61.0000			104
Grönmassa, gräs (0% baljv.) (161)	1	11	588	59	74.3	124	476		507	156	4.91		55.6364	0.0	0.0	140
Grönmassa, gräs (0% baljv.) (161)	2	6	550	75	74.3	155	401		504	155	4.71		61.0000			95
Grönmassa, gräs (0% baljv.) (161)	3	2	627	82	75.5	193			476	148	4.75		61.0000			77
Ensilage, gräs (0% klöver) (162)	1	7	328	69	76.0	150	628	86.3	473	145	4.80		77.5286	60.7	14.6	48
Ensilage, gräs (0% klöver) (162)	2	2	553	65	75.1	139	593	64.5	485	158	4.80		46.3000	33.5	10.5	66
Grönmassa blandvall (1-50 % baljväxter) (164)	0	6	457	58	75.3	127			489	152	4.69		84.0000			147
Grönmassa blandvall (1-50 % baljväxter) (164)	1	82	489	67	77.4	142	438		469	124	5.19		62.2927	0.0	1.4	136
Grönmassa blandvall (1-50 % baljväxter) (164)	2	45	523	74	75.8	158	459		466	148	4.71		78.5778	0.0	0.3	107
Grönmassa blandvall (1-50 % baljväxter) (164)	3	17	476	84	75.6	172	376		455	164	4.86		84.0000			88
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1	400	94	80.5	190			433	93	5.88		84.0000			98
Ensilage, blandvall (1-50% klöver) (165)	0	3	373	57	72.5	134	580	81.0	498	183	4.06		57.3000	46.7	9.3	62
Ensilage, blandvall (1-50% klöver) (165)	1	218	377	67	76.5	143	651	83.1	446	148	4.60	110	73.3606	55.2	15.1	68
Ensilage, blandvall (1-50% klöver) (165)	2	106	472	73	74.6	155	547	64.6	457	168	4.31		54.0198	39.9	12.0	73
Ensilage, blandvall (1-50% klöver) (165)	3	29	486	75	74.7	159	527	64.9	456	170	4.35		51.3172	37.4	11.6	73
Ensilage, blandvall (1-50% klöver) (165)	4	2	305	97	73.6	152	623	114	388	203	3.46		89.5500	67.5	17.5	31
Korn, helsädesensilage (250)	1	14	372	54	68.7	112	612	73.7	479	244	3.29	83	62.9214	46.6	12.9	71
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	441	65	66.3	114	749	101	475	262	2.74	49	61.0000	49.0	10.0	62
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	332	62	66.9	111	582	74.3	484	357	5.81	71	74.4167	53.8	17.5	46
Havre helsädesensilage degmognad (296)	1	2	344	60	66.8	132	712	118	530	254	3.62	31	75.0000	46.5	22.0	49
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	499	70	68.5	140	672	62.0	503	221	3.40	18	61.0000	45.0	16.0	42
Vete, helsäd ensilage (299)	1	4	482	41	64.5	75	621	62.5	503	273	2.59	70	46.2500	28.5	15.3	105

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Majs, helsädesensilage (305)	1	3	316	26	72.1	68	522	70.3	432	244	3.32	289	53.6667	28.7	21.0	4
Råg, helsädesensilage, axgång (311)	1	1	421	54	73.3	80	572	54.0	486	179	4.09	17	30.0000	15.0	15.0	191
Hö, blandvall, 0-50% baljväxter (383)	0	1	885	39	58.1	36			606	288	2.49		0.0000			128
Hö, blandvall, 0-50% baljväxter (383)	1	6	843	46	64.1	77			612	229	3.41		0.0000			127
Hö, blandvall, 0-50% baljväxter (383)	2	1	902	64	69.0	96			525	208	3.65		0.0000			154
Ensilage, blandvall (51-100% klöver) (438)	1	1	398	62	73.2	135	625	58.0	478	156	3.67		32.0000	21.0	10.0	88
Ensilage, blandvall (1-50% klöver) (326)	1	4	436	69	76.6	155	566	55.3	369	183	3.71	123	52.5000	35.8	12.5	69
Fullfoder (TMR) ej kompletta data (1E3)	1	4	494	65	71.5	135	555	58.0	422	224	3.13	89				48

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	4				97.2	-41	7.44	13.4	93.0	-45
Vete, kärna (005)	1	5				114	-52	7.99	14.2		
Prognos, gräs (0% baljv.) (041)	1	1				95.9	-8.0	5.94	12.0		
Grönmassa, gräs (0% baljv.) (161)	0	1				83.0	-18	5.89	10.6	74.0	-17
Grönmassa, gräs (0% baljv.) (161)	1	11	2.00000	0.00000		85.8	-9.5	5.99	11.0	76.6	-8.0
Grönmassa, gräs (0% baljv.) (161)	2	6				86.9	17.7	6.07	10.8	74.8	31.3
Grönmassa, gräs (0% baljv.) (161)	3	2				88.6	49.1	6.22	10.9	75.0	62.5
Ensilage, gräs (0% klöver) (162)	1	7	3.00000	0.95714		82.3	20.0	6.29	11.1	71.7	25.2
Ensilage, gräs (0% klöver) (162)	2	2	2.00000	0.80000		84.5	6.1	6.12	11.0	73.0	31.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	6				84.3	-2.3	6.16	11.2	77.2	-5.7
Grönmassa blandvall (1-50 % baljväxter) (164)	1	82	1.80000	1.40000		89.1	4.2	6.31	11.4	78.1	5.2
Grönmassa blandvall (1-50 % baljväxter) (164)	2	45	2.00000	0.33333		86.3	23.4	6.24	11.0	75.8	30.5
Grönmassa blandvall (1-50 % baljväxter) (164)	3	17				87.2	35.7	6.24	10.9	74.8	38.9
Grönmassa blandvall (1-50 % baljväxter) (164)	4	1				90.3	47.0	6.66	11.6	78.0	54.0
Ensilage, blandvall (1-50% klöver) (165)	0	3		0.30000		82.5	7.5	5.97	10.7	71.0	12.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	1	218	3.27451	1.55321		83.0	14.7	6.30	11.2	72.4	13.5
Ensilage, blandvall (1-50% klöver) (165)	2	106	2.22581	0.78396		85.4	22.6	6.12	10.9	71.2	29.0
Ensilage, blandvall (1-50% klöver) (165)	3	29	1.92308	0.83448		86.3	25.0	6.13	10.9	71.4	34.6
Ensilage, blandvall (1-50% klöver) (165)	4	2		3.55000		76.6	33.8	5.90	10.5	69.5	31.5
Korn, helsädesensilage (250)	1	14	4.28571	1.00000		71.7	-5.1	5.60	10.0		
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1				67.4	8.9	5.36			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	4.33333	1.33333		70.4	0.2	5.56	10.1		
Havre helsädesensilage degmognad (296)	1	2	8.00000	5.00000		70.5	16.4	5.54	9.6		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1				69.9	26.6	5.64			
Vete, helsäd ensilage (299)	1	4				69.2	-32	5.17	9.6	64.0	-55
Majs, helsädesensilage (305)	1	3	4.50000	0.00000		80.8	-57	6.13	10.8	78.0	-79
Råg, helsädesensilage, axgång (311)	1	1				78.5	-43	5.68			
Hö, blandvall, 0-50% baljväxter (383)	0	1				72.1	-66	4.29	8.4	61.0	-67
Hö, blandvall, 0-50% baljväxter (383)	1	6				82.3	-45	4.98	9.4	67.2	-38
Hö, blandvall, 0-50% baljväxter (383)	2	1				86.8	-35	5.30	10.0	71.0	-25
Ensilage, blandvall (51-100% klöver) (438)	1	1	1.00000	0.00000		81.9	13.2	6.02	10.8		
Ensilage, blandvall (1-50% klöver) (326)	1	4	4.00000	0.25000		87.5	22.8	6.50	11.2		
Fullfoder (TMR) ej kompletta data (1E3)	1	4						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	4	0.5	3.3	1.3	5.6	0.1	2.8	1.4	2	4	50.8	16.5	32.3	4.8	
Vete, kärna (005)	1	4	0.4	3.2	1.2	5.1	0.1	1.4	1.3	25	4	40.8	34.0	28.8	4.5	
Grönmassa, gräs (0% baljv.) (161)	0	1	4.9	2.8	2.0	21.8	1.5		2.4	332	1	69.0	85.0	33.0	6.0	
Grönmassa, gräs (0% baljv.) (161)	1	11	4.0	2.4	1.3	18.7	0.6	3.5	1.6	271	10	155.9	62.0	28.0	4.8	0.0
Grönmassa, gräs (0% baljv.) (161)	2	6	5.3	2.9	1.9	25.1	1.1	5.7	2.3	394	5	132.0	113.0	36.8	6.7	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa, gräs (0% baljv.) (161)	3	2	7.0	3.1	2.9	25.5	1.3		3.4	355	2	142.0	124.0	40.5	7.9	0.1
Ensilage, gräs (0% klöver) (162)	1	7	4.2	2.4	1.6	19.7	1.0	3.6	1.9	324	7	285.7	55.6	36.9	5.2	0.0
Ensilage, gräs (0% klöver) (162)	2	2	4.0	2.9	1.6	24.5	0.8	8.1	1.9	312	2	91.5	54.5	29.5	5.4	0.1
Grönmassa blandvall (1-50 % baljväxter) (164)	0	6	4.0	2.4	1.8	20.3	0.7		1.7	310	6	72.2	82.5	30.2	5.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	79	4.6	2.7	1.7	23.0	0.9	4.5	2.0	371	61	122.3	59.4	30.6	5.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	40	7.4	3.5	2.6	27.7	1.3	4.3	3.0	449	31	167.3	70.5	29.5	6.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	13	7.5	3.3	2.5	27.8	1.0	9.6	2.6	375	12	146.8	63.3	29.6	8.0	0.1
Ensilage, blandvall (1-50% klöver) (165)	0	3	4.6	2.4	2.1	17.8	0.9	5.2	1.9	228	3	183.3	68.0	31.7	5.5	
Ensilage, blandvall (1-50% klöver) (165)	1	206	4.9	2.7	1.7	22.0	1.1	5.4	1.9	335	190	185.6	66.6	38.2	5.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	105	6.2	2.9	2.4	21.6	1.5	8.2	2.4	238	95	171.8	82.9	51.3	6.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	29	6.9	3.1	2.8	22.8	1.5	9.6	2.7	209	24	165.5	86.8	37.3	7.9	
Ensilage, blandvall (1-50% klöver) (165)	4	2	8.5	2.6	2.4	22.8	2.5	8.3	3.0	272	2	536.5	122.5	23.0	8.1	
Korn, helsädesensilage (250)	1	14	4.5	2.6	1.8	16.3	1.0	8.3	1.9	106	11	168.2	60.5	40.4	5.6	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	4.0	2.1	1.5	18.7	2.7	4.5	1.6	369	1	158.0	106.0	27.0	6.8	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	6	4.7	2.9	1.8	20.5	1.0	5.9	1.9	285	6	158.0	110.7	44.7	5.2	0.0
Havre helsädesensilage degmognad (296)	1	2	3.3	2.6	1.6	21.4	2.5	8.7	2.3	268	2	177.0	91.5	64.0	6.0	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	5.5	3.1	1.6	24.6	0.2	4.0	1.7	419	1	120.0	48.0	1364	5.2	
Vete, helsäd ensilage (299)	1	4	3.9	2.0	1.4	12.4	0.5	2.3	1.3	192	4	94.3	51.0	24.0	3.5	0.0
Majs, helsädesensilage (305)	1	3	1.8	1.7	1.2	8.4	0.3	2.5	0.9	119	3	146.3	45.7	33.7	4.3	0.1
Råg, helsädesensilage, axgång (311)	1	1	2.5	2.0	1.0	23.9	0.6	4.8	1.3	421	1	139.0	35.0	19.0	3.7	
Hö, blandvall, 0-50% baljväxter (383)	1	4	3.2	2.1	1.4	12.2	0.7		1.4	111	4	118.8	54.5	27.0	3.8	
Ensilage, blandvall (51-100% klöver) (438)	1	1	4.5	2.4	2.0	21.7	0.8	4.9	2.3	308	1	171.0	66.0	35.0	5.0	0.1
Ensilage, blandvall (1-50% klöver) (326)	1	4	6.5	3.5	2.7	16.9	2.9	8.0	2.4	184	3	425.0	98.7	80.7	14.0	0.5
Fullfoder (TMR) ej kompletta data (1E3)	1	4	5.3	2.9	3.0	14.7	3.6	5.1	2.6	226	4	368.8	95.5	62.3	15.8	0.3

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	872.500	30.9031	849.000	918.000
Aska	4	20.350	2.0744	18.600	23.000
OS smbh	4	43.000	49.6521	0.000	86.000
Råprot	4	105.200	6.2886	98.600	113.000
sRåprot	2	268.000	18.3848	255.000	281.000
NDF	3	156.333	18.8768	140.000	177.000
iNDF	4	93.500	79.0970	25.000	162.000
nhNDF	4	3.150	0.0000	3.150	3.150
Stä	4	585.700	83.2818	497.000	665.500
TAF	4	0.000	0.0000	0.000	0.000
Socker	2	5.000	0.0000	5.000	5.000
AATp20	4	97.197	2.3112	95.024	99.238
PBVp20	4	-40.884	5.7466	-47.922	-35.357
NELp20	4	7.442	0.1102	7.325	7.570
OE*	3	13.400	0.1000	13.300	13.500
AAT*	1	93.000	.	93.000	93.000
PBV*	1	-45.000	.	-45.000	-45.000
Ca	4	0.450	0.0577	0.400	0.500
P	4	3.325	0.1258	3.200	3.500
Mg	4	1.275	0.0500	1.200	1.300
K	4	5.575	0.2217	5.400	5.900
Na	4	0.100	0.0000	0.100	0.100
Cl	2	2.850	0.6364	2.400	3.300
S	4	1.400	0.2944	1.100	1.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	4	2.389	50.0212	-54.195	46.440
Fe	4	50.750	10.9659	37.000	61.000
Mn	4	16.500	2.0817	14.000	19.000
Zn	4	32.250	4.3493	26.000	36.000
Cu	4	4.750	0.8813	4.000	6.000

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	868.600	28.6583	835.000	914.000
Aska	5	17.740	1.3069	16.100	19.600
OS smbh	6	58.667	45.4430	0.000	88.000
Råprot	5	113.160	15.0540	94.000	135.900
sRåprot	2	321.500	67.1751	274.000	369.000
NH3-N	1	7.000	.	7.000	7.000
NDF	3	103.333	9.8658	92.000	110.000
iNDF	6	133.000	83.6564	25.000	187.000
nhNDF	6	3.500	0.0000	3.500	3.500
Stä	5	640.920	57.2445	584.000	703.600
TAF	6	0.000	0.0000	0.000	0.000
Socker	2	2.500	3.5355	0.000	5.000
AATp20	6	113.578	2.1031	110.573	116.969
PBVp20	6	-52.170	11.4288	-69.589	-35.330
NELp20	6	7.992	0.1408	7.784	8.173
OE*	2	14.150	0.0707	14.100	14.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	4	0.375	0.0500	0.300	0.400
P	4	3.175	0.1500	3.100	3.400
Mg	4	1.150	0.0577	1.100	1.200
K	4	5.125	0.4573	4.600	5.600
Na	3	0.100	0.0000	0.100	0.100
Cl	1	1.400	.	1.400	1.400
S	4	1.300	0.1414	1.200	1.500
CAB	4	25.299	26.4537	-11.192	47.218
Fe	4	40.750	2.2174	38.000	43.000
Mn	4	34.000	6.2183	29.000	43.000
Zn	4	28.750	4.9917	22.000	34.000
Cu	4	4.500	0.6377	4.000	5.400

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	530.000	.	530.000	530.000
OS smbh	1	72.700	.	72.700	72.700
iNDF	1	171.006	.	171.006	171.006
nhNDF	1	4.344	.	4.344	4.344
TAF	1	0.000	.	0.000	0.000
AATp20	1	95.932	.	95.932	95.932
PBVp20	1	-7.980	.	-7.980	-7.980
NELp20	1	5.936	.	5.936	5.936
OE*	1	12.000	.	12.000	12.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	611.000	.	611.000	611.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	72.800	.	72.800	72.800
Råprot	1	110.000	.	110.000	110.000
NDF	1	563.000	.	563.000	563.000
iNDF	1	155.149	.	155.149	155.149
nhNDF	1	4.832	.	4.832	4.832
TAF	1	61.000	.	61.000	61.000
Socket	1	104.000	.	104.000	104.000
AATp20	1	82.962	.	82.962	82.962
PBVp20	1	-17.743	.	-17.743	-17.743
NELp20	1	5.889	.	5.889	5.889
OE*	1	10.600	.	10.600	10.600
AAT*	1	74.000	.	74.000	74.000
PBV*	1	-17.000	.	-17.000	-17.000
Ca	1	4.900	.	4.900	4.900
P	1	2.800	.	2.800	2.800
Mg	1	2.000	.	2.000	2.000
K	1	21.800	.	21.800	21.800
Na	1	1.500	.	1.500	1.500
S	1	2.400	.	2.400	2.400
CAB	1	331.917	.	331.917	331.917
Fe	1	69.000	.	69.000	69.000
Mn	1	85.000	.	85.000	85.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	33.000	.	33.000	33.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	588.000	209.554	326.000	815.000
Aska	11	58.636	8.524	48.000	65.000
OS smbh	11	74.255	6.840	65.300	83.500
Råprot	11	123.818	40.531	85.000	170.000
sRåprot	2	476.000	2.828	474.000	478.000
NDF	11	507.273	60.652	437.000	582.000
iNDF	11	155.802	64.561	63.209	237.977
nhNDF	11	4.907	1.389	3.712	7.212
TAF	11	55.636	17.789	61.000	61.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	11	140.273	26.654	115.000	160.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	11	85.795	8.275	75.536	95.739
PBVp20	11	-9.463	27.122	-31.753	18.973
NELp20	11	5.988	0.639	5.199	6.896
OE*	11	10.959	1.081	9.570	12.400
AAT*	9	76.556	5.769	67.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	9	-8.000	34.406	-43.000	68.000
Ca	11	4.045	1.654	2.800	4.600
P	11	2.391	0.493	1.700	2.900
Mg	11	1.336	0.298	1.000	1.600
K	11	18.736	4.474	14.800	26.500
Na	11	0.636	0.401	0.300	1.200
Cl	2	3.450	0.778	2.900	4.000
S	11	1.645	0.563	1.100	2.600
CAB	11	271.111	102.499	164.302	441.796
Fe	10	155.900	184.538	51.000	419.000
Mn	10	62.000	17.068	36.500	84.500
Zn	10	28.000	5.228	21.000	34.000
Cu	10	4.830	0.696	3.900	5.700
Se	3	0.012	0.004	0.009	0.017

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	549.833	187.052	349.000	786.000
Aska	6	74.500	3.987	69.000	80.000
OS smbh	6	74.300	3.103	70.100	78.800
Råprot	6	155.333	19.977	126.000	181.000
sRåprot	2	401.000	52.326	364.000	438.000
NDF	6	503.500	52.455	438.000	554.000
iNDF	6	155.121	28.289	119.538	197.117

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	6	4.709	0.570	3.848	5.350
TAF	6	61.000	0.000	61.000	61.000
Socker	6	94.833	24.028	63.000	137.000
AATp20	6	86.893	3.402	82.466	91.191
PBVp20	6	17.712	16.216	-4.916	34.190
NELp20	6	6.073	0.247	5.718	6.417
OE*	6	10.788	0.487	10.100	11.500
AAT*	4	74.750	2.986	71.000	78.000
PBV*	4	31.250	17.538	7.000	46.000
Ca	6	5.333	1.189	3.500	7.000
P	6	2.867	0.327	2.500	3.300
Mg	6	1.883	0.407	1.400	2.400
K	6	25.100	5.352	17.100	32.900
Na	6	1.050	0.701	0.400	2.300
Cl	2	5.700	5.657	1.700	9.700
S	6	2.333	0.393	1.700	2.900
CAB	6	394.345	131.557	246.495	593.522
Fe	5	132.000	22.528	96.000	154.000
Mn	5	113.000	56.626	53.000	201.000
Zn	5	36.800	10.426	28.000	54.000
Cu	5	6.740	0.896	6.000	7.900
Se	3	0.015	0.006	0.011	0.021

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	626.500	75.660	573.000	680.000
Aska	2	82.000	2.828	80.000	84.000
OS smbh	2	75.450	2.758	73.500	77.400
Råprot	2	192.500	6.364	188.000	197.000
NDF	2	476.000	15.556	465.000	487.000
iNDF	2	147.551	26.677	128.688	166.415
nhNDF	2	4.752	0.540	4.370	5.133
TAF	2	61.000	0.000	61.000	61.000
Socker	2	76.500	6.364	72.000	81.000
AATp20	2	88.643	3.080	86.465	90.821
PBVp20	2	49.131	0.734	48.612	49.650
NELp20	2	6.217	0.302	6.003	6.430
OE*	2	10.900	0.424	10.600	11.200
AAT*	2	75.000	2.828	73.000	77.000
PBV*	2	62.500	2.121	61.000	64.000
Ca	2	6.950	0.354	6.700	7.200
P	2	3.050	0.636	2.600	3.500
Mg	2	2.850	0.495	2.500	3.200
K	2	25.500	6.788	20.700	30.300
Na	2	1.300	0.000	1.300	1.300
S	2	3.400	0.141	3.300	3.500
CAB	2	355.351	182.451	226.338	484.363
Fe	2	142.000	53.740	104.000	180.000
Mn	2	124.000	41.012	95.000	153.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	40.500	12.021	32.000	49.000
Cu	2	7.850	2.051	6.400	9.300
Se	1	0.061	.	0.061	0.061

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	327.571	111.791	232.000	542.000
Aska	7	69.429	26.639	46.000	125.000
OS smbh	7	75.957	3.701	71.900	82.800
Råprot	7	149.857	27.419	110.000	188.000
sRåprot	7	628.143	64.165	528.000	704.000
NH3-N	7	86.286	9.979	77.000	106.000
NDF	7	472.857	64.783	372.000	555.000
iNDF	7	144.867	28.424	87.691	172.196
nhNDF	7	4.804	0.518	4.351	5.793
TAF	7	77.529	31.835	26.900	122.100
Mjölksyra	7	60.714	31.266	16.000	106.000
Ättiksyra	7	14.571	3.552	8.000	18.000
Socker	7	47.714	37.210	13.000	95.000
PRF	1	3.000	.	3.000	3.000
BUF	7	0.957	1.080	0.100	2.400
AATp20	7	82.266	6.726	69.353	88.858
PBVp20	7	20.010	17.862	-10.259	47.944
NELp20	7	6.292	0.377	5.796	6.970

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	7	11.134	0.769	9.900	12.400
AAT*	6	71.667	2.338	68.000	75.000
PBV*	6	25.167	26.042	-11.000	58.000
Ca	7	4.171	0.743	3.300	5.500
P	7	2.414	0.329	1.900	2.800
Mg	7	1.629	0.269	1.200	2.000
K	7	19.686	4.862	15.000	27.000
Na	7	0.957	0.500	0.500	2.000
Cl	7	3.571	2.436	0.800	6.500
S	7	1.929	0.287	1.600	2.500
CAB	7	323.947	123.222	158.350	458.315
Fe	7	285.714	163.119	143.000	586.000
Mn	7	55.571	14.661	40.000	74.000
Zn	7	36.857	13.247	26.000	65.000
Cu	7	5.200	0.614	4.100	6.000
Se	2	0.040	0.015	0.029	0.050

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	553.000	291.328	347.000	759.000
Aska	2	65.000	1.414	64.000	66.000
OS smbh	2	75.100	5.515	71.200	79.000
Råprot	2	138.500	27.577	119.000	158.000
sRåprot	2	592.500	177.484	467.000	718.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	2	64.500	58.690	23.000	106.000
NDF	2	485.000	77.782	430.000	540.000
iNDF	2	157.751	48.435	123.502	192.000
nhNDF	2	4.798	0.470	4.466	5.130
TAF	2	46.300	51.336	10.000	82.600
Mjölksyra	2	33.500	36.062	8.000	59.000
Ättiksyra	2	10.500	14.849	0.000	21.000
Socker	2	65.500	62.933	21.000	110.000
PRF	1	2.000	.	2.000	2.000
BUF	2	0.800	1.131	0.000	1.600
AATp20	2	84.519	2.682	82.623	86.416
PBVp20	2	6.141	29.248	-14.540	26.823
NELp20	2	6.125	0.620	5.686	6.563
OE*	2	11.045	0.926	10.390	11.700
AAT*	1	73.000	.	73.000	73.000
PBV*	1	31.000	.	31.000	31.000
Ca	2	3.950	0.212	3.800	4.100
P	2	2.900	0.283	2.700	3.100
Mg	2	1.600	0.141	1.500	1.700
K	2	24.500	2.121	23.000	26.000
Na	2	0.750	0.212	0.600	0.900
Cl	2	8.100	1.273	7.200	9.000
S	2	1.900	0.000	1.900	1.900
CAB	2	312.288	80.884	255.095	369.482

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	91.500	50.205	56.000	127.000
Mn	2	54.500	10.607	47.000	62.000
Zn	2	29.500	0.707	29.000	30.000
Cu	2	5.400	0.566	5.000	5.800
Se	1	0.050	.	0.050	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	457.167	206.043	205.000	716.000
Aska	6	58.167	10.889	47.000	77.000
OS smbh	6	75.333	2.785	71.300	78.600
Råprot	6	126.667	24.784	94.000	165.000
NDF	6	489.167	34.284	449.000	528.000
iNDF	6	151.747	24.603	119.370	188.683
nhNDF	6	4.694	0.457	3.987	5.301
TAF	6	84.000	0.000	84.000	84.000
Socker	6	146.500	23.037	119.000	188.000
AATp20	6	84.286	2.670	80.081	88.161
PBVp20	6	-2.294	20.253	-32.567	27.195
NELp20	6	6.164	0.236	5.798	6.492
OE*	6	11.167	0.388	10.600	11.500
AAT*	6	77.167	2.229	74.000	80.000
PBV*	6	-5.667	24.443	-42.000	30.000
Ca	6	4.017	0.567	3.300	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	6	2.433	0.489	1.700	3.100
Mg	6	1.817	0.223	1.600	2.200
K	6	20.267	4.589	14.200	27.800
Na	6	0.667	0.750	0.100	2.000
S	6	1.683	0.299	1.300	2.000
CAB	6	309.712	96.762	192.734	470.994
Fe	6	72.167	12.545	55.000	92.000
Mn	6	82.500	47.230	41.000	151.000
Zn	6	30.167	4.956	21.000	35.000
Cu	6	4.983	0.920	3.600	6.000
Se	3	0.008	0.005	0.005	0.014

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	82	488.585	146.618	304.000	680.000
Aska	82	66.902	10.612	54.000	79.000
OS smbh	82	77.389	4.239	71.300	81.600
Råprot	82	142.037	30.847	98.000	178.000
sRåprot	31	438.226	51.656	385.000	493.000
NDF	82	468.805	61.201	386.000	538.000
iNDF	82	124.494	38.370	74.000	175.581
nhNDF	82	5.192	1.296	4.026	6.320
TAF	82	62.293	35.136	3.000	84.000
Mjölksyra	23	0.000	0.000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	20	1.400	3.500	0.000	6.000
Socker	82	135.890	36.386	95.000	181.000
PRF	20	1.800	1.322	0.000	3.500
BUF	20	1.400	1.667	0.000	4.000
AATp20	82	89.148	6.757	80.645	98.598
PBVp20	82	4.230	21.699	-21.733	33.456
NELp20	82	6.313	0.401	5.760	6.748
OE*	82	11.385	0.665	10.500	12.070
AAT*	51	78.078	3.627	73.000	83.000
PBV*	51	5.218	27.721	-28.000	40.000
Ca	79	4.609	1.299	2.800	6.300
P	79	2.732	0.509	2.100	3.400
Mg	79	1.694	0.398	1.100	2.200
K	79	22.963	5.441	15.200	29.700
Na	79	0.851	0.598	0.200	1.600
Cl	31	4.461	2.804	1.300	7.000
S	79	1.980	0.448	1.300	2.600
CAB	79	370.791	134.993	207.221	550.294
Fe	61	122.295	87.209	57.000	223.000
Mn	61	59.426	20.882	35.000	87.000
Zn	61	30.557	8.988	23.000	38.000
Cu	61	5.262	1.097	4.000	6.500
Se	6	0.015	0.008	0.008	0.031

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	45	522.511	147.095	356.000	717.000
Aska	45	74.356	8.091	64.000	84.000
OS smbh	45	75.767	3.309	71.700	80.400
Råprot	45	157.600	27.181	124.000	192.000
sRåprot	17	458.588	104.049	361.000	617.000
NDF	45	466.244	34.861	412.000	513.000
iNDF	45	148.497	39.797	97.160	193.532
nhNDF	45	4.709	0.760	3.925	5.761
TAF	45	78.578	20.518	84.000	84.000
Mjölksyra	3	0.000	0.000	0.000	0.000
Ättiksyra	3	0.333	0.577	0.000	1.000
Socker	45	107.089	32.050	66.000	144.000
PRF	3	2.000	0.000	2.000	2.000
BUF	3	0.333	0.577	0.000	1.000
AATp20	45	86.327	5.055	80.641	94.270
PBVp20	45	23.439	22.495	-0.994	54.844
NELp20	45	6.239	0.336	5.894	6.725
OE*	45	11.032	0.551	10.400	11.800
AAT*	28	75.786	3.023	71.000	79.000
PBV*	28	30.464	31.442	-15.000	66.000
Ca	40	7.428	7.872	4.400	8.800
P	40	3.478	3.508	2.450	3.400
Mg	40	2.648	2.084	1.650	3.100
K	40	27.662	35.323	13.950	27.850

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	40	1.255	0.889	0.400	2.550
Cl	17	4.300	2.171	1.000	6.100
S	40	2.960	3.607	1.900	3.000
CAB	40	449.440	704.326	137.895	533.976
Fe	31	167.258	145.358	74.000	378.000
Mn	31	70.484	21.834	40.000	96.000
Zn	31	29.516	7.220	20.000	38.000
Cu	31	6.635	1.332	5.000	8.600
Se	7	0.039	0.019	0.005	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	17	476.176	160.174	331.000	860.000
Aska	17	83.824	7.900	74.000	92.000
OS smbh	17	75.594	2.797	70.600	78.100
Råprot	17	172.176	27.623	138.000	215.000
sRåprot	8	376.375	29.818	327.000	405.000
NDF	17	455.235	39.719	406.000	517.000
iNDF	17	163.585	44.942	116.093	238.000
nhNDF	17	4.859	0.855	3.559	6.000
TAF	17	84.000	0.000	84.000	84.000
Socker	17	87.882	29.897	45.000	126.000
AATp20	17	87.159	5.072	79.893	92.039
PBVp20	17	35.696	20.781	13.618	68.902

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	17	6.243	0.336	5.796	6.541
OE*	17	10.894	0.473	10.230	11.400
AAT*	9	74.778	2.728	69.000	77.000
PBV*	9	38.889	27.552	13.000	88.000
Ca	13	7.523	2.341	4.500	10.400
P	13	3.262	0.452	2.800	3.900
Mg	13	2.523	0.536	2.100	3.400
K	13	27.785	4.535	23.200	35.100
Na	13	0.977	0.634	0.400	1.600
Cl	8	9.638	4.256	3.100	17.000
S	13	2.569	0.423	1.900	3.000
CAB	13	374.517	159.234	67.858	548.376
Fe	12	146.833	94.095	80.000	231.000
Mn	12	63.333	28.595	32.000	108.000
Zn	12	29.583	6.640	24.000	36.000
Cu	12	7.983	1.655	6.000	9.900
Se	2	0.062	0.073	0.010	0.113

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	400.000	.	400.000	400.000
Aska	1	94.000	.	94.000	94.000
OS smbh	1	80.500	.	80.500	80.500
Råprot	1	190.000	.	190.000	190.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	433.000	.	433.000	433.000
iNDF	1	92.965	.	92.965	92.965
nhNDF	1	5.875	.	5.875	5.875
TAF	1	84.000	.	84.000	84.000
Socker	1	98.000	.	98.000	98.000
AATp20	1	90.297	.	90.297	90.297
PBVp20	1	47.019	.	47.019	47.019
NELp20	1	6.657	.	6.657	6.657
OE*	1	11.600	.	11.600	11.600
AAT*	1	78.000	.	78.000	78.000
PBV*	1	54.000	.	54.000	54.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	373.333	26.5581	358.000	404.000
Aska	3	57.000	13.0000	42.000	65.000
OS smbh	3	72.467	2.8006	70.800	75.700
Råprot	3	133.667	39.1067	93.000	171.000
sRåprot	3	580.333	23.2451	554.000	598.000
NH3-N	3	81.000	12.5300	68.000	93.000
NDF	3	498.000	51.2933	464.000	557.000
iNDF	3	182.704	26.8242	154.966	208.510
nhNDF	3	4.062	0.5016	3.532	4.529
TAF	3	57.300	9.8853	48.700	68.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	3	46.667	8.5049	38.000	55.000
Ättiksyra	3	9.333	2.5166	7.000	12.000
Socker	3	61.667	19.3477	50.000	84.000
BUF	3	0.300	0.3464	0.100	0.700
AATp20	3	82.511	2.9112	80.698	85.869
PBVp20	3	7.460	32.9440	-28.153	36.846
NELp20	3	5.966	0.3454	5.743	6.364
OE*	3	10.667	0.4041	10.300	11.100
AAT*	3	71.000	1.0000	70.000	72.000
PBV*	3	12.000	37.7492	-28.000	47.000
Ca	3	4.600	1.0817	3.400	5.500
P	3	2.400	0.5292	1.800	2.800
Mg	3	2.067	0.5132	1.500	2.500
K	3	17.833	1.5535	16.100	19.100
Na	3	0.900	0.1000	0.800	1.000
Cl	3	5.200	2.3302	3.300	7.800
S	3	1.933	0.4726	1.400	2.300
CAB	3	227.914	58.5192	160.541	266.090
Fe	3	183.333	92.0561	86.000	269.000
Mn	3	68.000	21.9317	43.000	84.000
Zn	3	31.667	6.8069	24.000	37.000
Cu	3	5.500	1.8520	3.400	6.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	218	376.702	98.941	268.000	525.000
Aska	218	66.862	9.741	54.000	79.000
OS smbh	218	76.500	3.195	71.900	80.200
Råprot	218	142.624	22.315	113.000	173.000
sRåprot	218	650.761	71.616	555.000	734.000
NH3-N	218	83.087	29.664	47.000	123.000
NDF	218	446.367	52.916	379.000	512.000
iNDF	218	147.510	27.971	115.245	188.257
nhNDF	218	4.605	0.492	3.939	5.236
Stä	1	110.000	.	110.000	110.000
TAF	218	73.361	31.022	30.000	118.100
Mjölksyra	218	55.151	26.284	20.000	95.000
Ättiksyra	218	15.124	6.674	7.000	23.000
Socker	218	68.404	41.314	21.000	131.000
PRF	51	3.275	1.960	1.000	5.000
BUF	218	1.553	2.392	0.000	4.200
AATp20	218	83.004	3.876	78.633	87.860
PBVp20	218	14.674	20.151	-9.832	39.558
NELp20	218	6.295	0.312	5.860	6.645
OE*	218	11.240	0.524	10.500	11.800
AAT*	167	72.413	1.530	70.000	74.000
PBV*	167	13.462	19.201	-11.000	40.000
Ca	206	4.862	1.156	3.600	6.200
P	206	2.652	0.358	2.200	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	206	1.736	0.249	1.500	2.100
K	206	22.044	3.363	17.100	25.700
Na	206	1.069	0.761	0.300	2.100
Cl	218	5.422	3.095	2.200	9.000
S	206	1.935	0.355	1.500	2.400
CAB	206	335.022	103.563	216.052	450.993
Fe	190	185.584	138.613	75.500	338.000
Mn	190	66.595	19.543	45.000	92.500
Zn	190	38.179	53.264	23.000	41.000
Cu	190	5.551	1.193	4.150	7.000
Se	31	0.026	0.019	0.007	0.052

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	106	472.170	134.536	301.000	647.000
Aska	106	73.009	10.147	63.000	86.000
OS smbh	106	74.649	2.768	70.600	78.000
Råprot	106	155.047	20.381	128.000	180.000
sRåprot	106	546.811	91.963	421.000	652.000
NH3-N	106	64.613	22.541	35.000	98.000
NDF	106	456.962	35.405	413.000	502.000
iNDF	106	167.711	33.156	133.669	215.698
nhNDF	106	4.313	0.466	3.665	4.830
TAF	106	54.020	26.875	20.000	88.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	106	39.925	21.844	13.000	72.000
Ättiksyra	106	11.953	5.900	6.000	21.000
Socker	106	73.453	36.263	30.000	121.000
PRF	31	2.226	1.687	0.000	4.000
BUF	106	0.784	0.895	0.000	2.000
AATp20	106	85.413	4.950	79.638	92.245
PBVp20	106	22.615	17.231	0.720	44.036
NELp20	106	6.121	0.286	5.655	6.432
OE*	106	10.860	0.477	10.130	11.400
AAT*	75	71.173	1.492	69.000	73.000
PBV*	75	28.987	19.724	2.000	54.000
Ca	105	6.184	1.408	4.900	7.900
P	105	2.913	0.389	2.400	3.400
Mg	105	2.419	0.422	1.900	2.900
K	105	21.584	3.649	16.900	26.100
Na	105	1.491	0.796	0.500	2.500
Cl	106	8.244	4.214	3.800	12.700
S	105	2.371	0.464	1.800	2.800
CAB	105	237.875	131.406	121.107	374.723
Fe	95	171.789	120.771	82.000	310.000
Mn	95	82.874	27.589	48.000	121.000
Zn	95	51.263	105.546	24.000	49.000
Cu	95	6.945	1.419	5.500	8.100
Se	7	0.013	0.009	0.006	0.032

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	29	486.207	128.272	313.000	622.000
Aska	29	74.552	7.836	63.000	86.000
OS smbh	29	74.697	1.770	72.100	76.900
Råprot	29	159.034	17.276	135.000	181.000
sRåprot	29	527.207	81.317	433.000	627.000
NH3-N	29	64.931	26.940	34.000	102.000
NDF	29	456.276	28.400	409.000	497.000
iNDF	29	169.859	24.908	137.000	199.000
nhNDF	29	4.353	0.380	3.741	4.779
TAF	29	51.317	27.522	20.500	87.000
Mjölksyra	29	37.448	22.272	13.000	62.000
Ättiksyra	29	11.621	6.344	6.000	20.000
Socker	29	72.931	28.643	40.000	117.000
PRF	13	1.923	2.060	0.000	5.000
BUF	29	0.834	1.237	0.000	2.000
AATp20	29	86.259	4.872	81.433	92.774
PBVp20	29	24.992	16.233	2.021	47.552
NELp20	29	6.131	0.179	5.858	6.366
OE*	29	10.852	0.332	10.320	11.300
AAT*	16	71.438	0.964	71.000	73.000
PBV*	16	34.625	14.236	16.000	49.000
Ca	29	6.928	1.634	5.300	9.800
P	29	3.141	0.461	2.600	4.000
Mg	29	2.772	0.426	2.200	3.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	29	22.814	3.634	17.300	26.600
Na	29	1.497	0.731	0.700	2.600
Cl	29	9.614	7.008	3.000	20.900
S	29	2.707	0.477	2.100	3.500
CAB	29	208.548	185.460	-98.883	417.084
Fe	24	165.500	81.869	80.000	258.000
Mn	24	86.792	23.001	58.000	113.000
Zn	24	37.333	22.167	25.000	43.000
Cu	24	7.850	1.412	6.400	10.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	305.000	5.657	301.000	309.000
Aska	2	96.500	12.021	88.000	105.000
OS smbh	2	73.600	4.101	70.700	76.500
Råprot	2	152.000	0.000	152.000	152.000
sRåprot	2	622.500	53.033	585.000	660.000
NH3-N	2	114.000	36.770	88.000	140.000
NDF	2	387.500	2.121	386.000	389.000
iNDF	2	202.723	55.447	163.517	241.930
nhNDF	2	3.457	0.829	2.870	4.043
TAF	2	89.550	27.648	70.000	109.100
Mjölksyra	2	67.500	26.163	49.000	86.000
Ättiksyra	2	17.500	6.364	13.000	22.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	31.000	12.728	22.000	40.000
BUF	2	3.550	4.879	0.100	7.000
AATp20	2	76.621	1.489	75.568	77.674
PBVp20	2	33.761	2.786	31.791	35.731
NELp20	2	5.899	0.543	5.515	6.283
OE*	2	10.450	0.778	9.900	11.000
AAT*	2	69.500	2.121	68.000	71.000
PBV*	2	31.500	3.536	29.000	34.000
Ca	2	8.500	2.546	6.700	10.300
P	2	2.600	0.000	2.600	2.600
Mg	2	2.400	0.707	1.900	2.900
K	2	22.750	1.626	21.600	23.900
Na	2	2.500	2.404	0.800	4.200
Cl	2	8.300	3.818	5.600	11.000
S	2	2.950	1.061	2.200	3.700
CAB	2	272.359	110.917	193.929	350.789
Fe	2	536.500	553.665	145.000	928.000
Mn	2	122.500	77.075	68.000	177.000
Zn	2	23.000	1.414	22.000	24.000
Cu	2	8.100	0.000	8.100	8.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	14	371.643	124.820	262.000	582.000
Aska	14	53.500	12.599	40.000	70.000
OS smbh	14	68.743	4.310	62.500	73.300
Råprot	14	112.143	20.840	88.000	142.000
sRåprot	14	611.786	103.829	442.000	733.000
NH3-N	14	73.714	29.862	41.000	128.000
NDF	14	479.071	28.594	444.000	521.000
iNDF	14	243.807	55.527	185.000	317.000
nhNDF	14	3.289	0.818	2.294	4.259
Stä	14	83.000	63.758	21.000	184.000
TAF	14	62.921	40.483	19.700	126.000
Mjölksyra	14	46.571	33.597	9.000	95.000
Ättiksyra	14	12.857	7.294	6.000	24.000
Socker	14	70.500	47.628	34.000	154.000
PRF	7	4.286	2.928	0.000	8.000
BUF	7	1.000	1.414	0.000	4.000
AATp20	14	71.676	5.751	66.178	78.104
PBVp20	14	-5.140	17.908	-23.337	23.424
NELp20	14	5.598	0.389	5.081	5.979
OE*	7	10.024	0.460	9.150	10.540
Ca	14	4.536	2.016	1.900	7.400
P	14	2.564	0.452	2.100	3.100
Mg	14	1.764	0.810	1.100	2.300
K	14	16.307	5.983	9.700	23.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	14	1.000	0.798	0.500	2.700
Cl	14	8.307	11.843	1.100	28.000
S	14	1.929	0.466	1.500	2.700
CAB	14	106.001	286.387	-215.491	326.533
Fe	11	168.182	108.898	75.000	199.000
Mn	11	60.545	39.727	40.000	86.000
Zn	11	40.364	15.351	25.000	56.000
Cu	11	5.591	0.766	4.800	6.400
Se	1	0.030	.	0.030	0.030

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	441.000	.	441.000	441.000
Aska	1	65.000	.	65.000	65.000
OS smbh	1	66.300	.	66.300	66.300
Råprot	1	114.000	.	114.000	114.000
sRåprot	1	749.000	.	749.000	749.000
NH3-N	1	101.000	.	101.000	101.000
NDF	1	475.000	.	475.000	475.000
iNDF	1	261.863	.	261.863	261.863
nhNDF	1	2.742	.	2.742	2.742
Stä	1	49.000	.	49.000	49.000
TAF	1	61.000	.	61.000	61.000
Mjölksyra	1	49.000	.	49.000	49.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	62.000	.	62.000	62.000
AATp20	1	67.400	.	67.400	67.400
PBVp20	1	8.910	.	8.910	8.910
NELp20	1	5.360	.	5.360	5.360
Ca	1	4.000	.	4.000	4.000
P	1	2.100	.	2.100	2.100
Mg	1	1.500	.	1.500	1.500
K	1	18.700	.	18.700	18.700
Na	1	2.700	.	2.700	2.700
Cl	1	4.500	.	4.500	4.500
S	1	1.600	.	1.600	1.600
CAB	1	368.892	.	368.892	368.892
Fe	1	158.000	.	158.000	158.000
Mn	1	106.000	.	106.000	106.000
Zn	1	27.000	.	27.000	27.000
Cu	1	6.800	.	6.800	6.800

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	331.500	33.644	291.000	377.000
Aska	6	61.500	8.781	53.000	77.000
OS smbh	6	66.850	3.085	62.900	71.000
Råprot	6	111.000	11.331	97.000	127.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	6	582.000	103.214	430.000	721.000
NH3-N	6	74.333	16.071	48.000	97.000
NDF	6	483.833	27.154	441.000	509.000
iNDF	6	357.061	90.405	253.000	460.456
nhNDF	6	5.814	2.501	3.269	8.316
Stä	6	70.667	29.797	24.000	96.000
TAF	6	74.417	21.297	42.500	99.000
Mjölksyra	6	53.833	16.068	30.000	69.000
Ättiksyra	6	17.500	6.285	8.000	25.000
Socker	6	46.167	11.514	35.000	67.000
PRF	3	4.333	1.528	3.000	6.000
BUF	3	1.333	1.155	0.000	2.000
AATp20	6	70.420	2.807	66.855	75.245
PBVp20	6	0.183	7.880	-6.161	15.343
NELp20	6	5.562	0.320	5.147	5.963
OE*	3	10.073	0.393	9.630	10.380
Ca	6	4.733	0.944	3.400	6.100
P	6	2.933	0.582	2.300	3.800
Mg	6	1.817	0.232	1.600	2.100
K	6	20.500	4.909	15.900	29.600
Na	6	1.000	0.792	0.200	2.200
Cl	6	5.917	3.881	0.600	10.400
S	6	1.850	0.327	1.400	2.200
CAB	6	285.483	112.054	125.981	399.467

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	6	158.000	63.696	114.000	277.000
Mn	6	110.667	45.333	63.000	188.000
Zn	6	44.667	10.482	34.000	63.000
Cu	6	5.217	0.895	4.000	6.000
Se	1	0.006	.	0.006	0.006

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	343.500	181.726	215.000	472.000
Aska	2	60.000	15.556	49.000	71.000
OS smbh	2	66.750	0.212	66.600	66.900
Råprot	2	132.000	9.899	125.000	139.000
sRåprot	2	712.000	70.711	662.000	762.000
NH3-N	2	118.000	42.426	88.000	148.000
NDF	2	530.000	12.728	521.000	539.000
iNDF	2	254.186	30.849	232.373	276.000
nhNDF	2	3.623	0.542	3.239	4.006
Stä	2	31.000	14.142	21.000	41.000
TAF	2	75.000	39.598	47.000	103.000
Mjölksyra	2	46.500	12.021	38.000	55.000
Ättiksyra	2	22.000	18.385	9.000	35.000
Socker	2	49.000	26.870	30.000	68.000
PRF	1	8.000	.	8.000	8.000
BUF	1	5.000	.	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	2	70.524	1.436	69.509	71.540
PBVp20	2	16.413	10.166	9.224	23.602
NELp20	2	5.540	0.136	5.443	5.636
OE*	1	9.600	.	9.600	9.600
Ca	2	3.300	0.283	3.100	3.500
P	2	2.600	0.424	2.300	2.900
Mg	2	1.600	0.141	1.500	1.700
K	2	21.350	11.809	13.000	29.700
Na	2	2.450	2.051	1.000	3.900
Cl	2	8.650	7.425	3.400	13.900
S	2	2.250	0.071	2.200	2.300
CAB	2	268.271	0.708	267.770	268.771
Fe	2	177.000	4.243	174.000	180.000
Mn	2	91.500	50.205	56.000	127.000
Zn	2	64.000	43.841	33.000	95.000
Cu	2	6.000	0.000	6.000	6.000

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	499.00	.	499.00	499.00
Aska	1	70.00	.	70.00	70.00
OS smbh	1	68.50	.	68.50	68.50
Råprot	1	140.00	.	140.00	140.00
sRåprot	1	672.00	.	672.00	672.00

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	62.00	.	62.00	62.00
NDF	1	503.00	.	503.00	503.00
iNDF	1	221.21	.	221.21	221.21
nhNDF	1	3.40	.	3.40	3.40
Stä	1	18.00	.	18.00	18.00
TAF	1	61.00	.	61.00	61.00
Mjölksyra	1	45.00	.	45.00	45.00
Ättiksyra	1	16.00	.	16.00	16.00
Socker	1	42.00	.	42.00	42.00
AATp20	1	69.89	.	69.89	69.89
PBVp20	1	26.58	.	26.58	26.58
NELp20	1	5.64	.	5.64	5.64
Ca	1	5.50	.	5.50	5.50
P	1	3.10	.	3.10	3.10
Mg	1	1.60	.	1.60	1.60
K	1	24.60	.	24.60	24.60
Na	1	0.20	.	0.20	0.20
Cl	1	4.00	.	4.00	4.00
S	1	1.70	.	1.70	1.70
CAB	1	418.93	.	418.93	418.93
Fe	1	120.00	.	120.00	120.00
Mn	1	48.00	.	48.00	48.00
Zn	1	1364.00	.	1364.00	1364.00
Cu	1	5.20	.	5.20	5.20

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	481.750	125.112	324.000	617.000
Aska	4	40.750	10.626	33.000	56.000
OS smbh	4	64.525	5.329	58.100	71.000
Råprot	4	75.250	12.580	63.000	88.000
sRåprot	4	621.000	201.630	322.000	746.000
NH3-N	4	62.500	28.219	24.000	86.000
NDF	4	503.250	61.098	450.000	573.000
iNDF	4	272.825	39.176	219.154	306.096
nhNDF	4	2.595	0.522	2.190	3.302
Stä	4	70.000	72.448	18.000	175.000
TAF	4	46.250	20.791	25.500	72.500
Mjölksyra	4	28.500	18.376	6.000	49.000
Ättiksyra	4	15.250	5.058	9.000	21.000
Socker	4	105.000	35.289	73.000	143.000
AATp20	4	69.183	3.888	63.802	72.280
PBVp20	4	-32.379	15.450	-45.277	-12.007
NELp20	4	5.172	0.443	4.527	5.520
OE*	1	9.600	.	9.600	9.600
AAT*	1	64.000	.	64.000	64.000
PBV*	1	-55.000	.	-55.000	-55.000
Ca	4	3.925	0.544	3.500	4.700
P	4	1.975	0.479	1.300	2.400
Mg	4	1.425	0.236	1.100	1.600
K	4	12.425	5.457	8.800	20.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	0.500	0.424	0.100	1.000
Cl	4	2.300	0.787	1.600	3.400
S	4	1.325	0.427	1.000	1.900
CAB	4	191.913	157.117	72.224	422.864
Fe	4	94.250	14.997	74.000	109.000
Mn	4	51.000	15.875	30.000	66.000
Zn	4	24.000	8.165	18.000	36.000
Cu	4	3.450	0.733	2.700	4.400
Se	1	0.008	.	0.008	0.008

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	316.000	75.0800	243.000	393.000
Aska	3	26.000	8.7178	20.000	36.000
OS smbh	3	72.133	2.2723	69.700	74.200
Råprot	3	68.000	8.5440	59.000	76.000
sRåprot	3	521.667	75.8573	459.000	606.000
NH3-N	3	70.333	43.5010	39.000	120.000
NDF	3	432.333	17.5594	414.000	449.000
iNDF	3	244.255	49.7824	188.766	285.000
nhNDF	3	3.320	0.4630	2.880	3.803
Stä	3	289.333	44.6580	240.000	327.000
TAF	3	53.667	5.1316	48.000	58.000
Mjölksyra	3	28.667	17.9258	8.000	40.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	3	21.000	14.0000	11.000	37.000
Socker	3	4.333	7.5056	0.000	13.000
PRF	2	4.500	0.7071	4.000	5.000
BUF	2	0.000	0.0000	0.000	0.000
AATp20	3	80.787	0.6703	80.107	81.448
PBVp20	3	-57.440	8.0013	-65.312	-49.315
NELp20	3	6.127	0.1394	5.968	6.228
OE*	3	10.837	0.2371	10.620	11.090
AAT*	1	78.000	.	78.000	78.000
PBV*	1	-79.000	.	-79.000	-79.000
Ca	3	1.833	0.1155	1.700	1.900
P	3	1.733	0.2082	1.500	1.900
Mg	3	1.167	0.1528	1.000	1.300
K	3	8.367	1.7098	6.400	9.500
Na	3	0.300	0.1732	0.100	0.400
Cl	1	2.500	.	2.500	2.500
S	3	0.900	0.2646	0.700	1.200
CAB	3	119.132	24.0171	95.071	143.105
Fe	3	146.333	64.5006	82.000	211.000
Mn	3	45.667	23.6714	32.000	73.000
Zn	3	33.667	6.6583	28.000	41.000
Cu	3	4.267	0.6429	3.800	5.000
Se	1	0.076	.	0.076	0.076

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	421.000	.	421.000	421.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	73.300	.	73.300	73.300
Råprot	1	80.000	.	80.000	80.000
sRåprot	1	572.000	.	572.000	572.000
NH3-N	1	54.000	.	54.000	54.000
NDF	1	486.000	.	486.000	486.000
iNDF	1	178.877	.	178.877	178.877
nhNDF	1	4.094	.	4.094	4.094
Stä	1	17.000	.	17.000	17.000
TAF	1	30.000	.	30.000	30.000
Mjölksyra	1	15.000	.	15.000	15.000
Ättiksyra	1	15.000	.	15.000	15.000
Socket	1	191.000	.	191.000	191.000
AATp20	1	78.484	.	78.484	78.484
PBVp20	1	-43.378	.	-43.378	-43.378
NELp20	1	5.680	.	5.680	5.680
Ca	1	2.500	.	2.500	2.500
P	1	2.000	.	2.000	2.000
Mg	1	1.000	.	1.000	1.000
K	1	23.900	.	23.900	23.900
Na	1	0.600	.	0.600	0.600
Cl	1	4.800	.	4.800	4.800
S	1	1.300	.	1.300	1.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råg, helsädesensilage, axgång (311) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	420.879	.	420.879	420.879
Fe	1	139.000	.	139.000	139.000
Mn	1	35.000	.	35.000	35.000
Zn	1	19.000	.	19.000	19.000
Cu	1	3.700	.	3.700	3.700

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	885.000	.	885.000	885.000
Aska	1	39.000	.	39.000	39.000
OS smbh	1	58.100	.	58.100	58.100
Råprot	1	36.000	.	36.000	36.000
NDF	1	606.000	.	606.000	606.000
iNDF	1	287.853	.	287.853	287.853
nhNDF	1	2.488	.	2.488	2.488
TAF	1	0.000	.	0.000	0.000
Socker	1	128.000	.	128.000	128.000
AATp20	1	72.077	.	72.077	72.077
PBVp20	1	-66.296	.	-66.296	-66.296
NELp20	1	4.289	.	4.289	4.289
OE*	1	8.400	.	8.400	8.400
AAT*	1	61.000	.	61.000	61.000
PBV*	1	-67.000	.	-67.000	-67.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	843.000	33.532	803.000	878.000
Aska	6	45.500	5.206	39.000	55.000
OS smbh	6	64.100	2.067	61.200	66.000
Råprot	6	76.833	14.580	62.000	102.000
NDF	6	612.000	35.043	583.000	664.000
iNDF	6	229.061	23.772	203.923	267.152
nhNDF	6	3.406	0.416	2.764	3.909
TAF	6	0.000	0.000	0.000	0.000
Socker	6	127.333	13.589	113.000	145.000
AATp20	6	82.252	3.348	77.919	86.291
PBVp20	6	-45.114	9.422	-53.702	-28.110
NELp20	6	4.979	0.238	4.629	5.192
OE*	6	9.367	0.333	8.900	9.700
AAT*	6	67.167	2.137	64.000	69.000
PBV*	6	-37.667	12.580	-49.000	-15.000
Ca	4	3.200	0.707	2.400	4.100
P	4	2.050	0.412	1.600	2.400
Mg	4	1.400	0.374	1.000	1.900
K	4	12.150	2.640	8.300	14.300
Na	4	0.700	0.424	0.400	1.300
S	4	1.425	0.150	1.300	1.600
CAB	4	111.269	56.436	27.953	148.525
Fe	4	118.750	108.121	49.000	280.000
Mn	4	54.500	18.628	41.000	82.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	4	27.000	2.160	24.000	29.000
Cu	4	3.750	0.592	3.300	4.600

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	902.000	.	902.000	902.000
Aska	1	64.000	.	64.000	64.000
OS smbh	1	69.000	.	69.000	69.000
Råprot	1	96.000	.	96.000	96.000
NDF	1	525.000	.	525.000	525.000
iNDF	1	208.427	.	208.427	208.427
nhNDF	1	3.647	.	3.647	3.647
TAF	1	0.000	.	0.000	0.000
Socker	1	154.000	.	154.000	154.000
AATp20	1	86.804	.	86.804	86.804
PBVp20	1	-35.027	.	-35.027	-35.027
NELp20	1	5.304	.	5.304	5.304
OE*	1	10.000	.	10.000	10.000
AAT*	1	71.000	.	71.000	71.000
PBV*	1	-25.000	.	-25.000	-25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	398.000	.	398.000	398.000
Aska	1	62.000	.	62.000	62.000
OS smbh	1	73.200	.	73.200	73.200
Råprot	1	135.000	.	135.000	135.000
sRåprot	1	625.000	.	625.000	625.000
NH3-N	1	58.000	.	58.000	58.000
NDF	1	478.000	.	478.000	478.000
iNDF	1	156.000	.	156.000	156.000
nhNDF	1	3.666	.	3.666	3.666
TAF	1	32.000	.	32.000	32.000
Mjölksyra	1	21.000	.	21.000	21.000
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	88.000	.	88.000	88.000
PRF	1	1.000	.	1.000	1.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	81.945	.	81.945	81.945
PBVp20	1	13.157	.	13.157	13.157
NELp20	1	6.021	.	6.021	6.021
OE*	1	10.750	.	10.750	10.750
Ca	1	4.500	.	4.500	4.500
P	1	2.400	.	2.400	2.400
Mg	1	2.000	.	2.000	2.000
K	1	21.700	.	21.700	21.700
Na	1	0.800	.	0.800	0.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	4.900	.	4.900	4.900
S	1	2.300	.	2.300	2.300
CAB	1	307.992	.	307.992	307.992
Fe	1	171.000	.	171.000	171.000
Mn	1	66.000	.	66.000	66.000
Zn	1	35.000	.	35.000	35.000
Cu	1	5.000	.	5.000	5.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	435.500	75.013	348.000	519.000
Aska	4	69.250	5.679	63.000	75.000
OS smbh	4	76.600	1.324	74.700	77.600
Råprot	4	154.750	2.217	152.000	157.000
sRåprot	4	566.000	72.719	494.000	666.000
NH3-N	4	55.250	4.573	50.000	60.000
NDF	4	369.000	66.468	325.000	468.000
iNDF	4	183.000	14.629	168.000	203.000
nhNDF	4	3.712	0.524	3.354	4.491
Stä	4	123.250	68.970	22.000	168.000
TAF	4	52.500	27.453	23.000	81.000
Mjölksyra	4	35.750	17.212	20.000	59.000
Ättiksyra	4	12.500	11.958	0.000	27.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	4	68.500	21.947	39.000	92.000
PRF	4	4.000	0.816	3.000	5.000
BUF	4	0.250	0.500	0.000	1.000
AATp20	4	87.468	4.701	81.246	91.565
PBVp20	4	22.838	6.039	18.779	31.689
NELp20	4	6.505	0.106	6.412	6.633
OE*	4	11.230	0.270	10.870	11.470
Ca	4	6.500	2.241	5.100	9.800
P	4	3.450	0.379	3.200	4.000
Mg	4	2.700	0.560	2.000	3.200
K	4	16.900	2.012	15.600	19.900
Na	4	2.925	1.072	1.700	4.200
Cl	4	7.950	5.746	2.400	16.000
S	4	2.425	0.320	2.200	2.900
CAB	4	183.893	176.376	-50.369	377.759
Fe	3	425.000	299.070	182.000	759.000
Mn	3	98.667	19.218	78.000	116.000
Zn	3	80.667	25.106	53.000	102.000
Cu	3	14.000	4.000	10.000	18.000
Se	1	0.500	.	0.500	0.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	494.000	50.1664	425.000	541.000
Aska	4	65.250	4.3493	61.000	71.000
OS smbh	4	71.450	4.3493	67.200	77.200
Råprot	4	134.500	21.3931	110.000	157.000
sRåprot	4	555.250	83.9896	436.000	630.000
NH3-N	4	58.000	26.7955	18.000	75.000
NDF	4	422.250	79.5293	305.000	475.000
iNDF	4	224.121	22.5327	204.968	252.592
nhNDF	4	3.130	0.2831	2.859	3.515
Stä	4	89.250	56.9349	44.000	169.000
Socker	4	48.000	9.4868	36.000	57.000
NELp20	4	0.000	0.0000	0.000	0.000
Ca	4	5.275	1.0905	4.100	6.700
P	4	2.875	0.9323	1.900	4.100
Mg	4	2.950	0.4435	2.400	3.400
K	4	14.675	2.8088	11.600	18.100
Na	4	3.600	0.8287	2.400	4.200
Cl	4	5.075	1.4361	3.800	7.100
S	4	2.600	0.3559	2.200	2.900
CAB	4	226.384	44.3606	169.742	264.274
Fe	4	368.750	65.6220	290.000	430.000
Mn	4	95.500	15.3297	84.000	117.000
Zn	4	62.250	19.6023	34.000	79.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Fullfoder (TMR) ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cu	4	15.775	4.4455	9.200	19.000
Se	2	0.340	0.2503	0.163	0.517

*= Parametrar från det gamla svenska fodervärderingssystemet