

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socket
Vete, kärna (005)	1	2	861	16	88.0	124				187	3.50	698	0.0000			
Rågvete (015)	1	1	850	17	89.5	115				187	3.50	685	0.0000			
Prognos, gräs (0% baljv.) (041)	1	2	298		72.7					171	4.34		0.0000			
Prognos, blandvall (1-50% baljv) (042)	1	2	242		73.2					170	4.32		0.0000			
Prognos, blandvall (51-100% baljv.) (043)	1	2	238		73.2					262	6.38		0.0000			
Grönmassa, gräs (0% baljv.) (161)	1	1	852	50	60.8	63			617	255	2.99		61.0000			130
Grönmassa, gräs (0% baljv.) (161)	2	1	295	85	69.1	135			539	196	3.95		61.0000			53
Ensilage, gräs (0% klöver) (162)	1	1	402	58	72.2	112	756	76.0	514	180	4.15		38.6000	30.0	5.0	81
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	315	77	78.1	154			497	113	5.70		84.0000			111
Grönmassa blandvall (1-50 % baljväxter) (164)	1	25	398	78	78.3	147			466	117	5.49		84.0000			116
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11	575	91	74.3	152			464	162	4.46		84.0000			98
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2	463	85	70.0	156			482	208	3.62		84.0000			76
Ensilage, blandvall (1-50% klöver) (165)	0	1	554	78	73.5	125	656	66.0	509	161	4.55		50.8000	37.0	12.0	71
Ensilage, blandvall (1-50% klöver) (165)	1	68	380	71	75.6	136	642	89.0	454	155	4.49		70.4588	53.5	13.6	66
Ensilage, blandvall (1-50% klöver) (165)	2	20	472	80	73.6	152	551	68.0	438	193	3.99		55.4950	40.7	12.4	71
Ensilage, blandvall (1-50% klöver) (165)	3	4	446	93	73.9	142	556	102	405	231	4.56		71.4000	48.5	15.8	64
Korn, helsädesensilage (250)	1	2	401	56	69.4	97	687	66.5	404	291	2.63	111	83.8500	52.5	25.5	90
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	296	74	69.9	140	698	85.7	436	351	5.58	82	92.0000	72.7	19.0	26
Havre helsädesensilage degmognad (296)	1	1	318	101	72.2	191	680	122	460	186	3.93	17	76.0000	47.0	29.0	20
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	372	62	63.6	58	745	110	485	289	2.41	17	69.0000	55.0	14.0	108
Vete, helsäd ensilage (299)	1	1	344	77	67.1	140	642	99.0	462	255	2.83	17	71.5000	53.0	16.0	62
Hö, blandvall, 0-50% baljväxter (383)	1	1	917	54	72.6	77			529	172	4.35		0.0000			179
Hö, blandvall, 0-50% baljväxter (383)	2	1	891	42	56.1	41			632	293	2.45		0.0000			147
Grönmassa, blandvall (51-100% baljväxter) (437)	1	4	450	83	78.0	155			403	180	6.01		72.0000			135

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Vete, kärna (005)	1	2				115	-44	8.06	14.2	94.0	-29
Rågvete (015)	1	1				109	-44	7.85	14.0	94.0	-39
Prognos, gräs (0% baljv.) (041)	1	2				95.9	-8.0	5.94	10.6		
Prognos, blandvall (1-50% baljv) (042)	1	2				96.4	-4.4	5.94	11.6		
Prognos, blandvall (51-100% baljv.) (043)	1	2				93.0	14.4	5.95	12.4		
Grönmassa, gräs (0% baljv.) (161)	1	1				69.5	-38	4.76	8.8	63.0	-45
Grönmassa, gräs (0% baljv.) (161)	2	1				79.2	11.6	5.55	9.8	70.0	15.0
Ensilage, gräs (0% klöver) (162)	1	1		2.60000		79.2	-9.3	5.79	10.6	71.0	-9.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				87.8	17.3	6.48	11.4	78.0	20.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	25				87.0	12.4	6.42	11.4	78.2	12.8
Grönmassa blandvall (1-50 % baljväxter) (164)	2	11				82.2	25.0	6.01	10.6	73.9	24.8
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2				78.7	34.1	5.69	10.0	70.5	33.5
Ensilage, blandvall (1-50% klöver) (165)	0	1		0.80000		81.3	1.0	5.95	10.6	71.0	4.0
Ensilage, blandvall (1-50% klöver) (165)	1	68	3.25	2.12059		82.0	10.3	6.16	11.0	71.8	11.6
Ensilage, blandvall (1-50% klöver) (165)	2	20	3.00	1.14500		83.1	23.5	5.94	10.6	70.5	30.6
Ensilage, blandvall (1-50% klöver) (165)	3	4	7.50	2.90000		80.0	18.5	5.87	10.5	70.0	-6.5
Korn, helsädesensilage (250)	1	2	10.00	0.00000		68.6	-13	5.59	10.1	65.0	-52
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	0.00	0.00000		68.7	28.8	5.85	10.4		
Havre helsädesensilage degmognad (296)	1	1				75.2	59.4	5.89			
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1				63.6	-35	4.89			
Vete, helsäd ensilage (299)	1	1				66.5	26.3	5.34	9.8	59.0	19.0
Hö, blandvall, 0-50% baljväxter (383)	1	1				89.3	-57	5.60	10.7	75.0	-51
Hö, blandvall, 0-50% baljväxter (383)	2	1				70.7	-59	4.16	8.1	59.0	-58
Grönmassa, blandvall (51-100% baljväxter) (437)	1	4				85.7	25.3	6.32	11.3	77.3	21.5

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Vete, kärna (005)	1	2	0.4	2.9	1.1	4.5	0.1		1.3	12	2	45.0	33.0	32.0	5.4	
Rågvete (015)	1	1	0.3	3.1	1.2	4.8	0.1		1.2	32	1	48.0	26.0	28.0	5.0	
Grönmassa, gräs (0% baljv.) (161)	1	1	1.8	1.6	1.0	15.7	0.1		1.1	196	1	60.0	16.0	22.0	3.8	
Grönmassa, gräs (0% baljv.) (161)	2	1	5.8	3.9	2.1	21.0	1.4		2.7	288	1	183.0	95.0	33.0	6.9	
Ensilage, gräs (0% klöver) (162)	1	1	3.8	2.4	1.3	20.8	0.1	7.2	1.5	240	1	93.0	90.0	25.0	4.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	3.4	3.0	1.2	29.5	0.2		1.9	512	1	94.0	36.0	28.0	6.0	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	21	5.1	2.8	1.8	27.8	0.5		2.0	475	21	112.5	57.0	29.4	6.5	
Grönmassa blandvall (1-50 % baljväxter) (164)	2	8	7.3	2.6	2.6	26.0	0.6		2.6	399	8	109.5	63.4	25.5	7.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	2	8.4	2.3	2.6	28.1	0.2		2.3	451	2	70.5	48.0	24.0	7.6	
Ensilage, blandvall (1-50% klöver) (165)	0	1	3.1	2.8	1.6	26.0	0.6	7.2	2.8	313	1	122.0	57.0	34.0	6.8	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	66	5.1	2.5	1.7	24.7	0.6	4.5	1.9	413	64	124.0	52.7	27.0	6.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	20	7.1	2.5	2.4	22.6	1.2	6.5	2.5	289	19	104.6	79.7	30.8	7.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	4	8.4	3.1	2.3	25.0	0.9	3.9	2.5	415	2	160.0	85.0	25.5	6.2	
Korn, helsädesensilage (250)	1	2	4.7	1.8	1.8	13.5	0.8	2.2	1.6	216	2	133.5	55.5	30.0	4.7	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	6.2	2.7	1.8	24.6	0.8	17.3	1.9	61	3	176.0	41.7	34.0	6.3	
Havre helsädesensilage degmognad (296)	1	1	3.7	2.6	1.6	34.8	1.5	9.1	2.3	555	1	823.0	88.0	32.0	6.9	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	1.6	1.4	1.0	11.1	0.5	0.5	0.9	235	1	247.0	40.0	17.0	3.4	
Vete, helsäd ensilage (299)	1	1	3.4	2.9	1.9	18.6	0.1	7.3	1.9	156	1	133.0	16.0	30.0	6.7	
Hö, blandvall, 0-50% baljväxter (383)	1	1	2.1	1.8	1.0	20.0	0.1		1.1	306	1	79.0	77.0	21.0	3.7	
Hö, blandvall, 0-50% baljväxter (383)	2	1	1.0	1.6	0.6	15.8	0.1		0.7	224	1	51.0	23.0	13.0	3.3	
Grönmassa, blandvall (51-100% baljväxter) (437)	1	4	9.8	2.8	2.3	26.5	0.3		1.6	459	4	117.8	43.8	26.0	7.5	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	860.500	6.3640	856.000	865.000
Aska	2	15.700	0.9899	15.000	16.400
OS smbh	2	88.000	0.0000	88.000	88.000
Råprot	2	124.350	0.7778	123.800	124.900
iNDF	2	187.000	0.0000	187.000	187.000
nhNDF	2	3.500	0.0000	3.500	3.500
Stä	2	697.900	15.8392	686.700	709.100
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	115.189	0.2303	115.027	115.352
PBVp20	2	-44.268	1.2118	-45.125	-43.412
NELp20	2	8.057	0.0172	8.045	8.069
OE*	1	14.200	.	14.200	14.200
AAT*	1	94.000	.	94.000	94.000
PBV*	1	-29.000	.	-29.000	-29.000
Ca	2	0.350	0.0707	0.300	0.400
P	2	2.900	0.0000	2.900	2.900
Mg	2	1.100	0.1414	1.000	1.200
K	2	4.450	0.6364	4.000	4.900
Na	2	0.100	0.0000	0.100	0.100
S	2	1.300	0.0000	1.300	1.300
CAB	2	11.556	16.2761	0.048	23.065
Fe	2	45.000	8.4853	39.000	51.000
Mn	2	33.000	12.7279	24.000	42.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	32.000	9.8995	25.000	39.000
Cu	2	5.350	0.0707	5.300	5.400

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	850.000	.	850.000	850.000
Aska	1	16.500	.	16.500	16.500
OS smbh	1	89.479	.	89.479	89.479
Råprot	1	115.300	.	115.300	115.300
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	684.700	.	684.700	684.700
TAF	1	0.000	.	0.000	0.000
AATp20	1	108.792	.	108.792	108.792
PBVp20	1	-43.906	.	-43.906	-43.906
NELp20	1	7.851	.	7.851	7.851
OE*	1	14.000	.	14.000	14.000
AAT*	1	94.000	.	94.000	94.000
PBV*	1	-39.000	.	-39.000	-39.000
Ca	1	0.300	.	0.300	0.300
P	1	3.100	.	3.100	3.100
Mg	1	1.200	.	1.200	1.200
K	1	4.800	.	4.800	4.800
Na	1	0.100	.	0.100	0.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	1	1.200	.	1.200	1.200
CAB	1	32.392	.	32.392	32.392
Fe	1	48.000	.	48.000	48.000
Mn	1	26.000	.	26.000	26.000
Zn	1	28.000	.	28.000	28.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Prognos, gräs (0% baljv.) (041) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	297.500	3.53553	295.000	300.000
OS smbh	2	72.700	0.00000	72.700	72.700
iNDF	2	171.006	0.00000	171.006	171.006
nhNDF	2	4.344	0.00000	4.344	4.344
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	95.932	0.00000	95.932	95.932
PBVp20	2	-7.980	0.00000	-7.980	-7.980
NELp20	2	5.936	0.00000	5.936	5.936
OE*	2	10.550	0.07071	10.500	10.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	242.000	36.7696	216.000	268.000
OS smbh	2	73.150	0.0000	73.150	73.150
iNDF	2	170.460	0.0000	170.460	170.460
nhNDF	2	4.315	0.0000	4.315	4.315
TAF	2	0.000	0.0000	0.000	0.000
AATp20	2	96.439	0.0000	96.439	96.439
PBVp20	2	-4.418	0.0000	-4.418	-4.418
NELp20	2	5.943	0.0000	5.943	5.943
OE*	2	11.550	1.3435	10.600	12.500

Fodermedel=Prognos, blandvall (51-100% baljv.) (043) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	237.500	2.12132	236.000	239.000
OS smbh	2	73.158	0.00000	73.158	73.158
iNDF	2	262.131	0.00000	262.131	262.131
nhNDF	2	6.377	0.00000	6.377	6.377
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	92.987	0.00000	92.987	92.987
PBVp20	2	14.357	0.00000	14.357	14.357
NELp20	2	5.951	0.00000	5.951	5.951
OE*	2	12.400	0.14142	12.300	12.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	852.000	.	852.000	852.000
Aska	1	50.000	.	50.000	50.000
OS smbh	1	60.800	.	60.800	60.800
Råprot	1	63.000	.	63.000	63.000
NDF	1	617.000	.	617.000	617.000
iNDF	1	255.381	.	255.381	255.381
nhNDF	1	2.989	.	2.989	2.989
TAF	1	61.000	.	61.000	61.000
Socket	1	130.000	.	130.000	130.000
AATp20	1	69.465	.	69.465	69.465
PBVp20	1	-38.251	.	-38.251	-38.251
NELp20	1	4.756	.	4.756	4.756
OE*	1	8.800	.	8.800	8.800
AAT*	1	63.000	.	63.000	63.000
PBV*	1	-45.000	.	-45.000	-45.000
Ca	1	1.800	.	1.800	1.800
P	1	1.600	.	1.600	1.600
Mg	1	1.000	.	1.000	1.000
K	1	15.700	.	15.700	15.700
Na	1	0.100	.	0.100	0.100
S	1	1.100	.	1.100	1.100
CAB	1	196.287	.	196.287	196.287
Fe	1	60.000	.	60.000	60.000
Mn	1	16.000	.	16.000	16.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	22.000	.	22.000	22.000
Cu	1	3.800	.	3.800	3.800

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	295.000	.	295.000	295.000
Aska	1	85.000	.	85.000	85.000
OS smbh	1	69.100	.	69.100	69.100
Råprot	1	135.000	.	135.000	135.000
NDF	1	539.000	.	539.000	539.000
iNDF	1	195.779	.	195.779	195.779
nhNDF	1	3.952	.	3.952	3.952
TAF	1	61.000	.	61.000	61.000
Socker	1	53.000	.	53.000	53.000
AATp20	1	79.228	.	79.228	79.228
PBVp20	1	11.596	.	11.596	11.596
NELp20	1	5.555	.	5.555	5.555
OE*	1	9.800	.	9.800	9.800
AAT*	1	70.000	.	70.000	70.000
PBV*	1	15.000	.	15.000	15.000
Ca	1	5.800	.	5.800	5.800
P	1	3.900	.	3.900	3.900
Mg	1	2.100	.	2.100	2.100
K	1	21.000	.	21.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.400	.	1.400	1.400
S	1	2.700	.	2.700	2.700
CAB	1	288.359	.	288.359	288.359
Fe	1	183.000	.	183.000	183.000
Mn	1	95.000	.	95.000	95.000
Zn	1	33.000	.	33.000	33.000
Cu	1	6.900	.	6.900	6.900

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	402.000	.	402.000	402.000
Aska	1	58.000	.	58.000	58.000
OS smbh	1	72.200	.	72.200	72.200
Råprot	1	112.000	.	112.000	112.000
sRåprot	1	756.000	.	756.000	756.000
NH3-N	1	76.000	.	76.000	76.000
NDF	1	514.000	.	514.000	514.000
iNDF	1	179.879	.	179.879	179.879
nhNDF	1	4.149	.	4.149	4.149
TAF	1	38.600	.	38.600	38.600
Mjölksyra	1	30.000	.	30.000	30.000
Ättiksyra	1	5.000	.	5.000	5.000
Socker	1	81.000	.	81.000	81.000
BUF	1	2.600	.	2.600	2.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	79.171	.	79.171	79.171
PBVp20	1	-9.347	.	-9.347	-9.347
NELp20	1	5.793	.	5.793	5.793
OE*	1	10.600	.	10.600	10.600
AAT*	1	71.000	.	71.000	71.000
PBV*	1	-9.000	.	-9.000	-9.000
Ca	1	3.800	.	3.800	3.800
P	1	2.400	.	2.400	2.400
Mg	1	1.300	.	1.300	1.300
K	1	20.800	.	20.800	20.800
Na	1	0.100	.	0.100	0.100
Cl	1	7.200	.	7.200	7.200
S	1	1.500	.	1.500	1.500
CAB	1	239.750	.	239.750	239.750
Fe	1	93.000	.	93.000	93.000
Mn	1	90.000	.	90.000	90.000
Zn	1	25.000	.	25.000	25.000
Cu	1	4.400	.	4.400	4.400
Se	1	0.025	.	0.025	0.025

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	315.000	.	315.000	315.000
Aska	1	77.000	.	77.000	77.000
OS smbh	1	78.100	.	78.100	78.100
Råprot	1	154.000	.	154.000	154.000
NDF	1	497.000	.	497.000	497.000
iNDF	1	113.475	.	113.475	113.475
nhNDF	1	5.696	.	5.696	5.696
TAF	1	84.000	.	84.000	84.000
Socket	1	111.000	.	111.000	111.000
AATp20	1	87.841	.	87.841	87.841
PBVp20	1	17.307	.	17.307	17.307
NELp20	1	6.485	.	6.485	6.485
OE*	1	11.400	.	11.400	11.400
AAT*	1	78.000	.	78.000	78.000
PBV*	1	20.000	.	20.000	20.000
Ca	1	3.400	.	3.400	3.400
P	1	3.000	.	3.000	3.000
Mg	1	1.200	.	1.200	1.200
K	1	29.500	.	29.500	29.500
Na	1	0.200	.	0.200	0.200
S	1	1.900	.	1.900	1.900
CAB	1	512.027	.	512.027	512.027
Fe	1	94.000	.	94.000	94.000
Mn	1	36.000	.	36.000	36.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	28.000	.	28.000	28.000
Cu	1	6.000	.	6.000	6.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	25	397.800	137.428	237.000	596.000
Aska	25	77.520	10.145	66.000	94.000
OS smbh	25	78.264	3.246	73.500	83.000
Råprot	25	147.320	29.749	108.000	185.000
NDF	25	465.600	43.199	403.000	520.000
iNDF	25	117.406	31.849	75.010	158.943
nhNDF	25	5.489	0.768	4.400	6.472
TAF	25	84.000	0.000	84.000	84.000
Socker	25	115.600	47.624	50.000	171.000
AATp20	25	86.990	3.905	82.503	90.990
PBVp20	25	12.407	24.753	-17.186	55.473
NELp20	25	6.422	0.311	6.018	6.750
OE*	25	11.400	0.566	10.700	12.100
AAT*	25	78.200	2.958	75.000	82.000
PBV*	25	12.760	29.435	-23.000	60.000
Ca	21	5.095	1.895	3.100	6.600
P	21	2.843	0.451	2.300	3.300
Mg	21	1.771	0.382	1.400	2.400
K	21	27.824	4.847	23.300	34.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	21	0.514	0.350	0.100	0.900
S	21	2.029	0.362	1.700	2.400
CAB	21	474.787	122.294	326.829	597.992
Fe	21	112.524	73.106	59.000	157.000
Mn	21	57.048	24.057	32.000	79.000
Zn	21	29.381	4.883	25.000	35.000
Cu	21	6.457	1.299	5.000	8.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	11	575.273	211.432	346.000	804.000
Aska	11	91.273	10.817	82.000	104.000
OS smbh	11	74.264	4.116	69.500	77.500
Råprot	11	152.182	27.788	121.000	184.000
NDF	11	464.364	44.401	403.000	509.000
iNDF	11	162.160	42.809	122.955	197.607
nhNDF	11	4.462	0.864	3.590	5.383
TAF	11	84.000	0.000	84.000	84.000
Socker	11	97.909	54.208	37.000	151.000
AATp20	11	82.173	4.361	78.270	86.633
PBVp20	11	24.984	25.575	-2.701	59.754
NELp20	11	6.006	0.353	5.713	6.341
OE*	11	10.591	0.727	9.700	11.100
AAT*	11	73.909	3.936	69.000	77.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	11	24.818	29.397	-8.000	64.000
Ca	8	7.250	2.243	3.800	10.300
P	8	2.625	0.373	2.000	3.100
Mg	8	2.588	0.394	1.900	2.900
K	8	26.038	3.955	18.800	30.500
Na	8	0.600	0.273	0.100	1.000
S	8	2.575	0.271	2.100	3.000
CAB	8	398.676	93.267	247.609	534.885
Fe	8	109.500	57.378	57.000	233.000
Mn	8	63.375	31.982	31.000	116.000
Zn	8	25.500	3.928	19.000	31.000
Cu	8	7.600	1.634	5.500	9.900
Se	1	0.022	.	0.022	0.022

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	462.500	200.111	321.000	604.000
Aska	2	84.500	3.536	82.000	87.000
OS smbh	2	70.000	3.960	67.200	72.800
Råprot	2	155.500	21.920	140.000	171.000
NDF	2	482.000	26.870	463.000	501.000
iNDF	2	207.648	35.596	182.477	232.818
nhNDF	2	3.617	0.523	3.247	3.987
TAF	2	84.000	0.000	84.000	84.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	2	75.500	17.678	63.000	88.000
AATp20	2	78.715	4.841	75.291	82.138
PBVp20	2	34.102	12.518	25.251	42.953
NELp20	2	5.685	0.353	5.436	5.935
OE*	2	9.950	0.636	9.500	10.400
AAT*	2	70.500	3.536	68.000	73.000
PBV*	2	33.500	16.263	22.000	45.000
Ca	2	8.400	2.546	6.600	10.200
P	2	2.350	0.071	2.300	2.400
Mg	2	2.550	0.071	2.500	2.600
K	2	28.050	1.768	26.800	29.300
Na	2	0.150	0.071	0.100	0.200
S	2	2.250	0.636	1.800	2.700
CAB	2	450.894	8.511	444.875	456.912
Fe	2	70.500	9.192	64.000	77.000
Mn	2	48.000	22.627	32.000	64.000
Zn	2	24.000	0.000	24.000	24.000
Cu	2	7.600	2.121	6.100	9.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	554.000	.	554.000	554.000
Aska	1	78.000	.	78.000	78.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	125.000	.	125.000	125.000
sRåprot	1	656.000	.	656.000	656.000
NH3-N	1	66.000	.	66.000	66.000
NDF	1	509.000	.	509.000	509.000
iNDF	1	161.096	.	161.096	161.096
nhNDF	1	4.547	.	4.547	4.547
TAF	1	50.800	.	50.800	50.800
Mjölksyra	1	37.000	.	37.000	37.000
Ättiksyra	1	12.000	.	12.000	12.000
Socker	1	71.000	.	71.000	71.000
BUF	1	0.800	.	0.800	0.800
AATp20	1	81.279	.	81.279	81.279
PBVp20	1	1.040	.	1.040	1.040
NELp20	1	5.948	.	5.948	5.948
OE*	1	10.600	.	10.600	10.600
AAT*	1	71.000	.	71.000	71.000
PBV*	1	4.000	.	4.000	4.000
Ca	1	3.100	.	3.100	3.100
P	1	2.800	.	2.800	2.800
Mg	1	1.600	.	1.600	1.600
K	1	26.000	.	26.000	26.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.600	.	0.600	0.600
Cl	1	7.200	.	7.200	7.200
S	1	2.800	.	2.800	2.800
CAB	1	313.232	.	313.232	313.232
Fe	1	122.000	.	122.000	122.000
Mn	1	57.000	.	57.000	57.000
Zn	1	34.000	.	34.000	34.000
Cu	1	6.800	.	6.800	6.800
Se	1	0.013	.	0.013	0.013

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	68	380.397	118.077	256.000	562.000
Aska	68	71.059	8.791	59.000	82.000
OS smbh	68	75.579	3.232	70.000	79.100
Råprot	68	136.221	22.579	108.000	163.000
sRåprot	68	641.706	83.984	526.000	745.000
NH3-N	68	88.971	32.802	47.000	128.000
NDF	68	454.309	44.343	393.000	509.000
iNDF	68	155.337	29.744	122.822	201.853
nhNDF	68	4.489	0.544	3.735	5.168
TAF	68	70.459	30.391	32.000	117.100
Mjölksyra	68	53.485	26.582	21.000	96.000
Ättiksyra	68	13.588	5.187	6.000	20.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	68	66.279	36.584	19.000	125.000
PRF	8	3.250	1.581	0.000	5.000
BUF	68	2.121	3.795	0.100	4.800
AATp20	68	81.980	3.582	78.177	85.767
PBVp20	68	10.336	20.014	-15.581	38.314
NELp20	68	6.161	0.358	5.534	6.563
OE*	68	11.035	0.494	10.390	11.600
AAT*	60	71.800	1.459	69.500	73.000
PBV*	60	11.600	21.456	-13.500	40.000
Ca	66	5.073	1.414	3.500	7.400
P	66	2.550	0.390	2.100	3.100
Mg	66	1.659	0.247	1.400	2.000
K	66	24.667	3.466	20.800	28.500
Na	66	0.608	0.391	0.100	1.100
Cl	68	4.471	2.472	1.700	7.900
S	66	1.894	0.367	1.500	2.400
CAB	66	412.700	92.603	269.755	508.791
Fe	64	124.047	57.722	67.000	197.000
Mn	64	52.734	23.330	31.000	70.000
Zn	64	27.047	4.467	22.000	32.000
Cu	64	6.184	0.868	5.000	7.200
Se	6	0.040	0.043	0.007	0.123

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	20	472.150	122.836	347.500	655.500
Aska	20	80.150	11.449	60.500	96.000
OS smbh	20	73.580	2.225	70.100	76.900
Råprot	20	152.100	16.911	127.500	176.000
sRåprot	20	551.200	83.101	440.000	634.500
NH3-N	20	68.000	23.960	37.000	98.000
NDF	20	438.400	31.452	403.500	480.500
iNDF	20	192.521	42.594	144.677	245.778
nhNDF	20	3.991	0.476	3.321	4.585
TAF	20	55.495	25.607	20.750	95.550
Mjölksyra	20	40.650	21.119	10.500	73.500
Ättiksyra	20	12.400	4.394	6.000	18.500
Socker	20	70.900	35.197	27.000	126.500
PRF	3	3.000	1.000	2.000	4.000
BUF	20	1.145	0.998	0.100	2.700
AATp20	20	83.143	4.635	77.848	89.741
PBVp20	20	23.544	17.701	3.627	45.355
NELp20	20	5.943	0.196	5.716	6.180
OE*	20	10.607	0.351	10.100	11.150
AAT*	17	70.529	0.943	69.000	72.000
PBV*	17	30.588	17.741	5.000	56.000
Ca	20	7.065	2.183	4.950	9.500
P	20	2.500	0.433	2.000	3.050
Mg	20	2.390	0.319	1.900	2.850

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	20	22.555	5.074	14.600	27.800
Na	20	1.170	0.922	0.400	2.800
Cl	20	6.450	2.284	3.950	9.900
S	20	2.515	0.501	2.000	3.300
CAB	20	288.846	110.281	176.873	419.245
Fe	19	104.632	32.165	71.000	162.000
Mn	19	79.684	61.568	30.000	164.000
Zn	19	30.789	5.940	25.000	41.000
Cu	19	7.947	1.697	6.000	11.100
Se	2	0.017	0.003	0.015	0.019

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	446.000	107.396	361.000	590.000
Aska	4	92.500	6.137	88.000	101.000
OS smbh	4	73.900	1.776	72.300	76.400
Råprot	4	141.500	34.549	102.000	179.000
sRåprot	4	555.500	43.646	512.000	616.000
NH3-N	4	102.250	33.540	79.000	152.000
NDF	4	405.000	29.473	387.000	449.000
iNDF	4	230.979	48.250	194.049	300.000
nhNDF	4	4.560	1.143	3.415	5.592
TAF	4	71.400	34.182	20.500	93.000
Mjölksyra	4	48.500	28.989	6.000	67.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	4	15.750	4.113	12.000	21.000
Socker	4	64.250	33.330	22.000	102.000
PRF	2	7.500	0.707	7.000	8.000
BUF	4	2.900	4.148	0.100	9.000
AATp20	4	79.994	2.360	77.392	82.094
PBVp20	4	18.453	33.248	-21.407	56.016
NELp20	4	5.866	0.289	5.511	6.217
OE*	4	10.525	0.294	10.290	10.910
AAT*	2	70.000	0.000	70.000	70.000
PBV*	2	-6.500	14.849	-17.000	4.000
Ca	4	8.425	1.515	6.600	10.200
P	4	3.075	0.499	2.600	3.600
Mg	4	2.275	0.435	1.700	2.700
K	4	25.025	1.237	23.800	26.700
Na	4	0.925	0.709	0.200	1.900
Cl	4	3.875	1.588	2.500	5.300
S	4	2.500	0.356	2.000	2.800
CAB	4	414.838	27.005	393.351	450.054
Fe	2	160.000	9.899	153.000	167.000
Mn	2	85.000	29.698	64.000	106.000
Zn	2	25.500	0.707	25.000	26.000
Cu	2	6.200	0.424	5.900	6.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	400.500	64.347	355.000	446.000
Aska	2	56.000	16.971	44.000	68.000
OS smbh	2	69.350	1.909	68.000	70.700
Råprot	2	97.000	41.012	68.000	126.000
sRåprot	2	686.500	174.655	563.000	810.000
NH3-N	2	66.500	21.920	51.000	82.000
NDF	2	404.000	76.368	350.000	458.000
iNDF	2	291.044	46.607	258.087	324.000
nhNDF	2	2.625	0.132	2.532	2.719
Stä	2	110.500	43.134	80.000	141.000
TAF	2	83.850	55.366	44.700	123.000
Mjölksyra	2	52.500	27.577	33.000	72.000
Ättiksyra	2	25.500	21.920	10.000	41.000
Socker	2	89.500	65.761	43.000	136.000
PRF	1	10.000	.	10.000	10.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	68.571	2.947	66.487	70.655
PBVp20	2	-13.052	38.767	-40.464	14.360
NELp20	2	5.592	0.411	5.302	5.883
OE*	2	10.085	0.262	9.900	10.270
AAT*	1	65.000	.	65.000	65.000
PBV*	1	-52.000	.	-52.000	-52.000
Ca	2	4.700	3.960	1.900	7.500
P	2	1.750	0.636	1.300	2.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	2	1.800	1.131	1.000	2.600
K	2	13.500	4.950	10.000	17.000
Na	2	0.750	0.778	0.200	1.300
Cl	2	2.200	0.849	1.600	2.800
S	2	1.600	0.707	1.100	2.100
CAB	2	215.905	92.314	150.630	281.181
Fe	2	133.500	106.773	58.000	209.000
Mn	2	55.500	17.678	43.000	68.000
Zn	2	30.000	8.485	24.000	36.000
Cu	2	4.700	1.838	3.400	6.000

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	296.000	63.380	237.000	363.000
Aska	3	73.667	3.215	70.000	76.000
OS smbh	3	69.867	1.986	68.300	72.100
Råprot	3	139.667	26.502	121.000	170.000
sRåprot	3	697.667	61.003	637.000	759.000
NH3-N	3	85.667	20.984	62.000	102.000
NDF	3	435.667	2.082	434.000	438.000
iNDF	3	350.628	86.622	252.000	414.355
nhNDF	3	5.579	1.119	4.288	6.263
Stä	3	82.000	53.777	48.000	144.000
TAF	3	92.000	37.660	50.500	124.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	3	72.667	27.429	41.000	89.000
Ättiksyra	3	19.000	14.000	9.000	35.000
Socker	3	26.000	3.606	23.000	30.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	3	68.692	3.497	65.663	72.519
PBVp20	3	28.833	24.455	12.255	56.919
NELp20	3	5.852	0.340	5.617	6.242
OE*	1	10.410	.	10.410	10.410
Ca	3	6.233	2.060	4.300	8.400
P	3	2.667	0.231	2.400	2.800
Mg	3	1.800	0.361	1.500	2.200
K	3	24.567	6.200	19.300	31.400
Na	3	0.833	0.586	0.400	1.500
Cl	3	17.267	23.070	3.500	43.900
S	3	1.867	0.231	1.600	2.000
CAB	3	61.484	516.662	-532.464	407.035
Fe	3	176.000	110.041	109.000	303.000
Mn	3	41.667	13.279	34.000	57.000
Zn	3	34.000	12.124	27.000	48.000
Cu	3	6.300	1.493	5.200	8.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	318.000	.	318.000	318.000
Aska	1	101.000	.	101.000	101.000
OS smbh	1	72.200	.	72.200	72.200
Råprot	1	191.000	.	191.000	191.000
sRåprot	1	680.000	.	680.000	680.000
NH3-N	1	122.000	.	122.000	122.000
NDF	1	460.000	.	460.000	460.000
iNDF	1	186.133	.	186.133	186.133
nhNDF	1	3.932	.	3.932	3.932
Stä	1	17.000	.	17.000	17.000
TAF	1	76.000	.	76.000	76.000
Mjölksyra	1	47.000	.	47.000	47.000
Ättiksyra	1	29.000	.	29.000	29.000
Socker	1	20.000	.	20.000	20.000
AATp20	1	75.184	.	75.184	75.184
PBVp20	1	59.368	.	59.368	59.368
NELp20	1	5.893	.	5.893	5.893
Ca	1	3.700	.	3.700	3.700
P	1	2.600	.	2.600	2.600
Mg	1	1.600	.	1.600	1.600
K	1	34.800	.	34.800	34.800
Na	1	1.500	.	1.500	1.500
Cl	1	9.100	.	9.100	9.100
S	1	2.300	.	2.300	2.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	555.155	.	555.155	555.155
Fe	1	823.000	.	823.000	823.000
Mn	1	88.000	.	88.000	88.000
Zn	1	32.000	.	32.000	32.000
Cu	1	6.900	.	6.900	6.900

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	372.000	.	372.000	372.000
Aska	1	62.000	.	62.000	62.000
OS smbh	1	63.600	.	63.600	63.600
Råprot	1	58.000	.	58.000	58.000
sRåprot	1	745.000	.	745.000	745.000
NH3-N	1	110.000	.	110.000	110.000
NDF	1	485.000	.	485.000	485.000
iNDF	1	288.623	.	288.623	288.623
nhNDF	1	2.409	.	2.409	2.409
Stä	1	17.000	.	17.000	17.000
TAF	1	69.000	.	69.000	69.000
Mjölksyra	1	55.000	.	55.000	55.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	108.000	.	108.000	108.000
AATp20	1	63.590	.	63.590	63.590
PBVp20	1	-35.413	.	-35.413	-35.413

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	4.894	.	4.894	4.894
Ca	1	1.600	.	1.600	1.600
P	1	1.400	.	1.400	1.400
Mg	1	1.000	.	1.000	1.000
K	1	11.100	.	11.100	11.100
Na	1	0.500	.	0.500	0.500
Cl	1	0.500	.	0.500	0.500
S	1	0.900	.	0.900	0.900
CAB	1	235.292	.	235.292	235.292
Fe	1	247.000	.	247.000	247.000
Mn	1	40.000	.	40.000	40.000
Zn	1	17.000	.	17.000	17.000
Cu	1	3.400	.	3.400	3.400

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	344.000	.	344.000	344.000
Aska	1	77.000	.	77.000	77.000
OS smbh	1	67.100	.	67.100	67.100
Råprot	1	140.000	.	140.000	140.000
sRåprot	1	642.000	.	642.000	642.000
NH3-N	1	99.000	.	99.000	99.000
NDF	1	462.000	.	462.000	462.000
iNDF	1	255.405	.	255.405	255.405

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	1	2.833	.	2.833	2.833
Stä	1	17.000	.	17.000	17.000
TAF	1	71.500	.	71.500	71.500
Mjölksyra	1	53.000	.	53.000	53.000
Ättiksyra	1	16.000	.	16.000	16.000
Socker	1	62.000	.	62.000	62.000
AATp20	1	66.503	.	66.503	66.503
PBVp20	1	26.268	.	26.268	26.268
NELp20	1	5.336	.	5.336	5.336
OE*	1	9.800	.	9.800	9.800
AAT*	1	59.000	.	59.000	59.000
PBV*	1	19.000	.	19.000	19.000
Ca	1	3.400	.	3.400	3.400
P	1	2.900	.	2.900	2.900
Mg	1	1.900	.	1.900	1.900
K	1	18.600	.	18.600	18.600
Na	1	0.100	.	0.100	0.100
Cl	1	7.300	.	7.300	7.300
S	1	1.900	.	1.900	1.900
CAB	1	155.667	.	155.667	155.667
Fe	1	133.000	.	133.000	133.000
Mn	1	16.000	.	16.000	16.000
Zn	1	30.000	.	30.000	30.000
Cu	1	6.700	.	6.700	6.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	917.000	.	917.000	917.000
Aska	1	54.000	.	54.000	54.000
OS smbh	1	72.600	.	72.600	72.600
Råprot	1	77.000	.	77.000	77.000
NDF	1	529.000	.	529.000	529.000
iNDF	1	171.747	.	171.747	171.747
nhNDF	1	4.352	.	4.352	4.352
TAF	1	0.000	.	0.000	0.000
Socker	1	179.000	.	179.000	179.000
AATp20	1	89.312	.	89.312	89.312
PBVp20	1	-57.067	.	-57.067	-57.067
NELp20	1	5.600	.	5.600	5.600
OE*	1	10.700	.	10.700	10.700
AAT*	1	75.000	.	75.000	75.000
PBV*	1	-51.000	.	-51.000	-51.000
Ca	1	2.100	.	2.100	2.100
P	1	1.800	.	1.800	1.800
Mg	1	1.000	.	1.000	1.000
K	1	20.000	.	20.000	20.000
Na	1	0.100	.	0.100	0.100
S	1	1.100	.	1.100	1.100
CAB	1	306.262	.	306.262	306.262
Fe	1	79.000	.	79.000	79.000
Mn	1	77.000	.	77.000	77.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	21.000	.	21.000	21.000
Cu	1	3.700	.	3.700	3.700

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	891.000	.	891.000	891.000
Aska	1	42.000	.	42.000	42.000
OS smbh	1	56.100	.	56.100	56.100
Råprot	1	41.000	.	41.000	41.000
NDF	1	632.000	.	632.000	632.000
iNDF	1	292.978	.	292.978	292.978
nhNDF	1	2.453	.	2.453	2.453
TAF	1	0.000	.	0.000	0.000
Socker	1	147.000	.	147.000	147.000
AATp20	1	70.737	.	70.737	70.737
PBVp20	1	-59.348	.	-59.348	-59.348
NELp20	1	4.163	.	4.163	4.163
OE*	1	8.100	.	8.100	8.100
AAT*	1	59.000	.	59.000	59.000
PBV*	1	-58.000	.	-58.000	-58.000
Ca	1	1.000	.	1.000	1.000
P	1	1.600	.	1.600	1.600
Mg	1	0.600	.	0.600	0.600
K	1	15.800	.	15.800	15.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.100	.	0.100	0.100
S	1	0.700	.	0.700	0.700
CAB	1	223.845	.	223.845	223.845
Fe	1	51.000	.	51.000	51.000
Mn	1	23.000	.	23.000	23.000
Zn	1	13.000	.	13.000	13.000
Cu	1	3.300	.	3.300	3.300

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	449.500	153.398	254.000	602.000
Aska	4	82.500	10.083	72.000	96.000
OS smbh	4	78.025	4.700	73.300	84.100
Råprot	4	154.750	56.222	90.000	212.000
NDF	4	403.250	63.200	338.000	466.000
iNDF	4	179.802	92.340	55.402	272.717
nhNDF	4	6.006	0.970	4.575	6.724
TAF	4	72.000	0.000	72.000	72.000
Socker	4	135.000	45.070	89.000	196.000
AATp20	4	85.671	5.773	80.579	93.050
PBVp20	4	25.314	45.728	-30.562	68.219
NELp20	4	6.317	0.524	5.876	7.018
OE*	4	11.300	0.648	10.600	12.100
AAT*	4	77.250	2.500	74.000	80.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	4	21.525	51.758	-41.000	72.000
Ca	4	9.800	2.906	6.400	13.500
P	4	2.800	0.510	2.300	3.500
Mg	4	2.250	0.661	1.500	2.900
K	4	26.475	6.675	21.500	36.300
Na	4	0.300	0.183	0.100	0.500
S	4	1.625	0.150	1.400	1.700
CAB	4	459.013	164.521	335.784	701.257
Fe	4	117.750	28.289	100.000	160.000
Mn	4	43.750	12.842	30.000	59.000
Zn	4	26.000	7.348	22.000	37.000
Cu	4	7.475	1.866	5.200	9.100
Se	3	0.035	0.040	0.010	0.082

*= Parametrar från det gamla svenska fodervärderingssystemet