

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Havre, kärna, hög NDF (002)	1	1	851	21	75.0	107				392	2.00	677	0.0000			
Vete, kärna (005)	1	3	880	18	58.7	122	393	7.0	74	133	3.50	610	0.0000			5
Blandsäd, kärna, 50%korn/50%vete (114)	1	1	822	16	87.0	124		6.0		173	3.30	599	0.0000			
Åkerböna, kärna (007)	1	1	883	32	89.0	293		2.0		32	4.70	415	0.0000			
Prognos, blandvall (1-50% baljv) (042)	1	2	196		73.2					170	4.32		0.0000			
Grönmassa, gräs (0% baljv.) (161)	1	3	531	77	83.7	157			428	59	7.22		61.0000			177
Grönmassa, gräs (0% baljv.) (161)	2	1	387	83	73.7	164			502	160	4.56		61.0000			76
Ensilage, gräs (0% klöver) (162)	1	12	402	66	76.7	133	636	78.2	436	146	4.60		57.6917	43.5	12.1	104
Ensilage, gräs (0% klöver) (162)	2	6	402	76	73.8	139	589	83.0	472	170	4.24		51.6833	37.5	11.7	68
Ensilage, gräs (0% klöver) (162)	3	1	630	80	73.3	144	427	32.0	495	167	4.37		40.5000	33.0	6.0	69
Grönmassa blandvall (1-50 % baljväxter) (164)	1	72	418	71	78.7	139	443		438	113	5.33		67.2917	0.0	0.0	148
Grönmassa blandvall (1-50 % baljväxter) (164)	2	39	456	83	75.9	142	411		457	140	4.55		69.6667	0.0	0.0	110
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21	464	85	73.8	140	386		497	154	4.50		84.0000			88
Grönmassa blandvall (1-50 % baljväxter) (164)	4	4	331	78	78.3	155	377		448	99	4.65		84.0000			115
Ensilage, blandvall (1-50% klöver) (165)	0	7	435	71	76.5	122	560	60.7	435	151	4.53		63.4714	48.9	12.4	84
Ensilage, blandvall (1-50% klöver) (165)	1	145	425	71	77.7	135	623	70.9	412	140	4.62		64.8331	48.6	13.6	101
Ensilage, blandvall (1-50% klöver) (165)	2	94	451	80	75.4	146	541	67.5	438	164	4.35		62.2500	47.1	12.9	72
Ensilage, blandvall (1-50% klöver) (165)	3	28	407	90	74.1	151	517	80.5	431	182	4.02		70.0607	52.2	15.0	51
Ensilage, blandvall (1-50% klöver) (165)	4	2	385	97	76.7	161	574	51.0	400	176	4.77		85.0000	67.0	15.0	51
Ensilage, blandvall (1-50% klöver) (165)	5	1	382	92	79.1	159	629	86.0	374	140	4.85		79.0000	65.0	13.0	60
Korn, helsädesensilage (250)	1	4	457	55	68.5	90	607	82.5	409	282	2.37	221	41.9500	31.8	8.5	42
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	363	61	70.8	107	694	71.3	438	229	3.14	83	90.3333	73.3	15.0	28
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	337	64	69.0	125	553	73.3	441	360	5.58	59	68.6667	54.7	12.7	42
Havre helsädesensilage degmognad (296)	1	8	374	68	66.3	95	545	60.0	473	271	3.03	79	58.7500	43.0	14.0	66
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	328	65	59.2	98	573	130	463	355	1.67	139	70.0000	54.0	16.0	11

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Vete, helsäd ensilage (299)	1	1	375	61	66.2	100	576	58.0	571	220	3.53	18	54.5000	35.0	17.0	93
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	3	380	61	71.4	117	678	77.7	434	241	3.46	114	75.0000	61.3	13.7	45
Hö, blandvall, 0-50% baljväxter (383)	1	4	864	65	68.0	77			529	219	3.52		0.0000			165
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	520	87	54.5	104			517	614	9.87		72.0000			58
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1	341	89	63.6	131			452	486	6.43		72.0000			87
Ensilage, blandvall (1-50% klöver) (326)	1	1	419	59	67.7	114	612	103	495	273	3.59		85.0000	58.0	22.0	27

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Havre, kärna, hög NDF (002)	1	1				85.1	-15	6.50			
Vete, kärna (005)	1	3				113	-44	7.98	14.1		
Blandsäd, kärna, 50%korn/50%vete (114)	1	1				106	-33	7.55	13.3	95.0	-31
Åkerböna, kärna (007)	1	1				102	141	7.86			
Prognos, blandvall (1-50% baljv) (042)	1	2				96.4	-4.4	5.94	13.0		
Grönmassa, gräs (0% baljv.) (161)	1	3				94.8	6.0	6.80	12.3	82.7	14.7
Grönmassa, gräs (0% baljv.) (161)	2	1				85.4	28.1	6.00	10.6	74.0	37.0
Ensilage, gräs (0% klöver) (162)	1	12	2.00000	1.02500		83.2	3.5	6.17	11.3	72.3	9.9
Ensilage, gräs (0% klöver) (162)	2	6		1.51667		82.0	10.6	5.94	10.7	70.5	17.2
Ensilage, gräs (0% klöver) (162)	3	1		0.50000		86.6	7.8	5.95	10.6	70.0	23.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	72	4.66667	3.40000		88.9	1.4	6.37	11.6	79.3	-3.5
Grönmassa blandvall (1-50 % baljväxter) (164)	2	39	2.57143	1.57143		85.6	10.4	6.13	11.0	74.9	9.2
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21				83.0	11.9	6.03	10.6	73.8	14.8
Grönmassa blandvall (1-50 % baljväxter) (164)	4	4				90.4	13.7	6.48	11.4		
Ensilage, blandvall (1-50% klöver) (165)	0	7		1.18571		83.9	-6.5	6.16	11.2	72.3	-2.4
Ensilage, blandvall (1-50% klöver) (165)	1	145	3.63158	1.27448		84.3	5.0	6.27	11.4	72.8	7.1
Ensilage, blandvall (1-50% klöver) (165)	2	94	3.46667	0.80319		84.1	16.3	6.11	10.9	71.2	21.2

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Ensilage, blandvall (1-50% klöver) (165)	3	28	3.33333	1.41786		82.3	23.4	5.99	10.6	70.2	29.8
Ensilage, blandvall (1-50% klöver) (165)	4	2	3.00000	0.00000		82.1	33.0	6.27	10.9		
Ensilage, blandvall (1-50% klöver) (165)	5	1	0.00000	1.00000		83.5	28.9	6.41	11.4		
Korn, helsädesensilage (250)	1	4				72.4	-25	5.51			
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3				70.1	-2.9	5.84			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	3	3.00000	0.00000		73.6	7.5	5.69	9.9	61.5	7.5
Havre helsädesensilage degmognad (296)	1	8	3.66667	1.00000		74.0	-22	5.35	10.3	62.0	-33
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1				60.9	4.1	4.80			
Vete, helsäd ensilage (299)	1	1				70.6	-15	5.32	9.5	61.0	-18
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	3	0.00000	0.00000		73.2	0.5	5.90	9.9	60.0	9.0
Hö, blandvall, 0-50% baljväxter (383)	1	4				83.8	-48	5.12	9.8	70.0	-43
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1				62.7	14.9	4.20	7.4	56.0	8.0
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1				71.2	26.8	4.99	8.9	65.0	20.0
Ensilage, blandvall (1-50% klöver) (326)	1	1	5.00000	0.00000		74.3	5.0	5.77	9.9		
Råvarublandning - ej kompletta data (1E3)	1	0						0.00			

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Vete, kärna (005)	1	3	0.4	3.0	1.1	4.4	0.1	0.8	1.3	13	3	57.0	39.7	30.7	5.1	0.0
Blandsäd, kärna, 50%korn/50%vete (114)	1	1	0.6	2.8	1.1	5.3	0.1		1.5	18	1	78.0	47.0	40.0	6.2	0.0
Åkerböna, kärna (007)	1	1	1.0	3.5	1.3	11.8	0.2		1.8	170	1	60.0	16.0	47.0	13.8	0.0
Grönmassa, gräs (0% baljv.) (161)	1	3	4.4	2.7	1.7	29.5	0.6		2.1	511	3	117.7	55.3	29.7	5.9	
Grönmassa, gräs (0% baljv.) (161)	2	1	6.2	2.7	2.2	27.8	1.3		2.8	452	1	102.0	55.0	36.0	8.3	
Ensilage, gräs (0% klöver) (162)	1	12	4.6	2.3	1.7	21.4	0.7	5.7	1.8	304	12	182.8	75.8	24.3	5.3	0.0
Ensilage, gräs (0% klöver) (162)	2	6	5.3	2.7	2.2	24.9	0.4	6.9	2.1	330	6	105.7	68.5	25.0	6.4	0.0
Ensilage, gräs (0% klöver) (162)	3	1	6.2	3.6	2.2	25.6	0.3	5.2	2.5	365	1	79.0	66.0	24.0	7.6	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Grönmassa blandvall (1-50 % baljväxter) (164)	1	62	5.2	2.5	1.7	24.2	0.7	6.8	1.9	376	57	137.5	59.5	25.8	5.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	33	6.5	2.7	2.3	24.4	0.9	9.8	2.3	344	33	163.4	63.3	26.7	7.0	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	21	6.2	3.0	2.4	26.7	1.0	17.8	2.6	273	21	128.5	73.5	25.1	6.9	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	4	4	6.0	3.0	2.1	30.5	1.0	17.8	3.7	95	4	91.3	62.8	19.8	6.8	
Ensilage, blandvall (1-50% klöver) (165)	0	6	5.2	2.2	1.7	21.7	0.6	6.3	1.7	336	6	128.8	67.8	30.3	5.9	
Ensilage, blandvall (1-50% klöver) (165)	1	138	4.9	2.4	1.7	23.0	0.7	4.8	1.8	372	127	198.2	63.9	25.3	5.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	94	6.3	2.7	2.2	24.9	1.0	6.7	2.2	354	84	188.9	70.5	25.6	7.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	24	8.0	2.8	2.7	24.4	1.1	6.0	2.3	358	18	309.7	74.8	25.7	8.1	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	2	7.8	3.4	2.9	28.3	1.8	5.8	2.8	466	1	170.0	69.0	22.0	6.0	
Ensilage, blandvall (1-50% klöver) (165)	5	1	6.4	3.2	2.0	29.2	0.6	3.9	3.6	438	1	117.0	126.0	18.0	7.0	
Korn, helsädesensilage (250)	1	3	2.8	2.3	1.5	14.1	1.0	2.9	1.5	226	3	143.7	58.7	22.7	4.8	
Havre-ärt, helsädesensilage, 50% ärter (251)	1	3	4.6	2.5	1.7	19.6	0.6	4.4	1.3	325	3	170.7	51.0	27.0	5.3	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	2	6.0	2.9	2.3	13.8	2.1	5.1	1.7	252	1	135.0	86.0	25.0	5.4	
Havre helsädesensilage degmognad (296)	1	6	4.5	2.5	1.6	18.4	1.5	4.8	1.6	290	3	150.0	81.0	23.0	4.3	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	1	7.2	2.3	1.7	14.1	0.2	0.6	1.3	271	1	257.0	66.0	27.0	6.6	
Vete, helsäd ensilage (299)	1	1	2.8	2.5	1.3	20.2	0.3	4.8	1.5	301	1	142.0	59.0	20.0	5.0	
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	1	6.3	3.2	1.9	20.5	1.2	1.8	1.8	388	0					
Hö, blandvall, 0-50% baljväxter (383)	1	4	2.9	1.6	1.4	15.7	0.6		1.3	206	4	160.0	141.0	20.0	4.2	
Grönmassa, blandvall (51-100% baljväxter) (437)	2	1	10.8	1.9	2.7	17.2	0.2		1.1	250	1	66.0	29.0	19.0	8.1	
Grönmassa, blandvall (51-100% baljväxter) (437)	3	1	8.8	2.7	2.5	22.8	0.2		1.2	387	1	133.0	23.0	21.0	8.6	
Ensilage, blandvall (1-50% klöver) (326)	1	1	5.2	2.7	2.3	14.0	1.5	1.8	2.1	241	0					

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre, kärna, hög NDF (002) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	851.000	.	851.000	851.000
Aska	1	21.200	.	21.200	21.200
OS smbh	1	75.000	.	75.000	75.000
Råprot	1	106.900	.	106.900	106.900
iNDF	1	392.000	.	392.000	392.000
nhNDF	1	2.000	.	2.000	2.000
Stä	1	676.900	.	676.900	676.900
TAF	1	0.000	.	0.000	0.000
AATp20	1	85.073	.	85.073	85.073
PBVp20	1	-14.821	.	-14.821	-14.821
NELp20	1	6.504	.	6.504	6.504

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	879.667	49.5412	837.000	934.000
Aska	3	18.300	3.9962	14.000	21.900
OS smbh	3	58.667	50.8068	0.000	88.000
Råprot	3	121.667	15.0111	107.000	137.000
sRåprot	1	393.000	.	393.000	393.000
NH3-N	1	7.000	.	7.000	7.000
NDF	1	74.000	.	74.000	74.000
iNDF	3	133.000	93.5307	25.000	187.000
nhNDF	3	3.500	0.0000	3.500	3.500
Stä	3	609.833	50.4736	552.000	645.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	3	0.000	0.0000	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	3	113.118	0.7036	112.443	113.847
PBVp20	3	-44.455	13.5711	-58.622	-31.571
NELp20	3	7.976	0.1570	7.800	8.101
OE*	1	14.100	.	14.100	14.100
Ca	3	0.367	0.1155	0.300	0.500
P	3	3.000	0.5568	2.400	3.500
Mg	3	1.133	0.4041	0.700	1.500
K	3	4.400	0.6245	3.700	4.900
Na	2	0.100	0.0000	0.100	0.100
Cl	1	0.800	.	0.800	0.800
S	3	1.267	0.1528	1.100	1.400
CAB	3	13.300	8.4882	7.692	23.065
Fe	3	57.000	19.5192	38.000	77.000
Mn	3	39.667	17.0392	22.000	56.000
Zn	3	30.667	10.0167	23.000	42.000
Cu	3	5.067	0.9713	4.000	5.900
Se	1	0.048	.	0.048	0.048

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	822.000	.	822.000	822.000
Aska	1	16.000	.	16.000	16.000
OS smbh	1	87.000	.	87.000	87.000
Råprot	1	124.000	.	124.000	124.000
NH3-N	1	6.000	.	6.000	6.000
iNDF	1	173.000	.	173.000	173.000
nhNDF	1	3.300	.	3.300	3.300
Stä	1	599.000	.	599.000	599.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	106.407	.	106.407	106.407
PBVp20	1	-33.318	.	-33.318	-33.318
NELp20	1	7.549	.	7.549	7.549
OE*	1	13.300	.	13.300	13.300
AAT*	1	95.000	.	95.000	95.000
PBV*	1	-31.000	.	-31.000	-31.000
Ca	1	0.600	.	0.600	0.600
P	1	2.800	.	2.800	2.800
Mg	1	1.100	.	1.100	1.100
K	1	5.300	.	5.300	5.300
Na	1	0.100	.	0.100	0.100
S	1	1.500	.	1.500	1.500
CAB	1	17.979	.	17.979	17.979
Fe	1	78.000	.	78.000	78.000
Mn	1	47.000	.	47.000	47.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	40.000	.	40.000	40.000
Cu	1	6.200	.	6.200	6.200
Se	1	0.024	.	0.024	0.024

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	883.000	.	883.000	883.000
Aska	1	32.000	.	32.000	32.000
OS smbh	1	88.959	.	88.959	88.959
Råprot	1	293.000	.	293.000	293.000
NH3-N	1	2.000	.	2.000	2.000
iNDF	1	32.000	.	32.000	32.000
nhNDF	1	4.700	.	4.700	4.700
Stä	1	415.000	.	415.000	415.000
TAF	1	0.000	.	0.000	0.000
AATp20	1	102.024	.	102.024	102.024
PBVp20	1	140.779	.	140.779	140.779
NELp20	1	7.857	.	7.857	7.857
Ca	1	1.000	.	1.000	1.000
P	1	3.500	.	3.500	3.500
Mg	1	1.300	.	1.300	1.300
K	1	11.800	.	11.800	11.800
Na	1	0.200	.	0.200	0.200
S	1	1.800	.	1.800	1.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna, kärna (007) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	169.817	.	169.817	169.817
Fe	1	60.000	.	60.000	60.000
Mn	1	16.000	.	16.000	16.000
Zn	1	47.000	.	47.000	47.000
Cu	1	13.800	.	13.800	13.800
Se	1	0.020	.	0.020	0.020

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	196.000	9.89949	189.000	203.000
OS smbh	2	73.150	0.00000	73.150	73.150
iNDF	2	170.460	0.00000	170.460	170.460
nhNDF	2	4.315	0.00000	4.315	4.315
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	96.439	0.00000	96.439	96.439
PBVp20	2	-4.418	0.00000	-4.418	-4.418
NELp20	2	5.943	0.00000	5.943	5.943
OE*	2	12.950	0.35355	12.700	13.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	531.333	58.6544	495.000	599.000
Aska	3	76.667	2.5166	74.000	79.000
OS smbh	3	83.733	0.9713	82.900	84.800
Råprot	3	157.333	10.6927	148.000	169.000
NDF	3	428.000	13.8924	419.000	444.000
iNDF	3	58.887	10.1422	47.733	67.554
nhNDF	3	7.221	0.4849	6.939	7.781
TAF	3	61.000	0.0000	61.000	61.000
Socker	3	176.667	15.6312	160.000	191.000
AATp20	3	94.824	1.5282	93.657	96.554
PBVp20	3	6.023	7.3911	-0.712	13.930
NELp20	3	6.802	0.1161	6.713	6.934
OE*	3	12.300	0.1732	12.200	12.500
AAT*	3	82.667	0.5774	82.000	83.000
PBV*	3	14.667	9.6090	6.000	25.000
Ca	3	4.367	0.3055	4.100	4.700
P	3	2.733	0.2517	2.500	3.000
Mg	3	1.667	0.1155	1.600	1.800
K	3	29.500	0.8185	28.800	30.400
Na	3	0.600	0.1732	0.500	0.800
S	3	2.067	0.2309	1.800	2.200
CAB	3	510.551	21.1485	492.755	533.931
Fe	3	117.667	27.7909	96.000	149.000
Mn	3	55.333	2.8868	52.000	57.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	3	29.667	5.7735	23.000	33.000
Cu	3	5.867	0.6658	5.100	6.300

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	387.000	.	387.000	387.000
Aska	1	83.000	.	83.000	83.000
OS smbh	1	73.700	.	73.700	73.700
Råprot	1	164.000	.	164.000	164.000
NDF	1	502.000	.	502.000	502.000
iNDF	1	159.528	.	159.528	159.528
nhNDF	1	4.562	.	4.562	4.562
TAF	1	61.000	.	61.000	61.000
Socker	1	76.000	.	76.000	76.000
AATp20	1	85.385	.	85.385	85.385
PBVp20	1	28.144	.	28.144	28.144
NELp20	1	5.996	.	5.996	5.996
OE*	1	10.600	.	10.600	10.600
AAT*	1	74.000	.	74.000	74.000
PBV*	1	37.000	.	37.000	37.000
Ca	1	6.200	.	6.200	6.200
P	1	2.700	.	2.700	2.700
Mg	1	2.200	.	2.200	2.200
K	1	27.800	.	27.800	27.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.300	.	1.300	1.300
S	1	2.800	.	2.800	2.800
CAB	1	451.674	.	451.674	451.674
Fe	1	102.000	.	102.000	102.000
Mn	1	55.000	.	55.000	55.000
Zn	1	36.000	.	36.000	36.000
Cu	1	8.300	.	8.300	8.300

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	402.083	134.397	278.000	622.000
Aska	12	66.417	9.060	60.000	76.000
OS smbh	12	76.708	5.010	75.100	79.400
Råprot	12	133.417	30.270	108.000	164.000
sRåprot	12	636.250	100.026	568.000	745.000
NH3-N	12	78.167	26.460	51.000	107.000
NDF	12	435.500	51.580	390.000	462.000
iNDF	12	146.020	43.503	120.000	179.345
nhNDF	12	4.600	0.805	3.878	5.193
TAF	12	57.692	33.310	22.500	101.100
Mjölksyra	12	43.500	28.666	16.000	83.000
Ättiksyra	12	12.083	5.435	6.000	17.000
Socker	12	104.333	54.968	35.000	177.000
PRF	1	2.000	.	2.000	2.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	12	1.025	0.927	0.100	2.300
AATp20	12	83.154	5.422	80.039	87.651
PBVp20	12	3.512	23.307	-17.073	32.060
NELp20	12	6.167	0.500	5.912	6.528
OE*	12	11.277	0.829	11.000	11.800
AAT*	11	72.273	2.573	72.000	74.000
PBV*	11	9.909	27.987	-17.000	39.000
Ca	12	4.625	0.721	3.900	5.300
P	12	2.267	0.328	2.000	2.600
Mg	12	1.650	0.138	1.500	1.800
K	12	21.392	5.777	14.200	27.500
Na	12	0.717	0.663	0.200	2.000
Cl	12	5.725	3.239	1.900	10.100
S	12	1.808	0.365	1.300	2.200
CAB	12	303.972	108.661	182.360	447.358
Fe	12	182.833	126.098	79.000	420.000
Mn	12	75.833	46.023	40.000	104.000
Zn	12	24.333	5.069	19.000	30.000
Cu	12	5.317	1.120	4.100	6.000
Se	4	0.014	0.006	0.010	0.023

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	401.500	58.868	303.000	463.000
Aska	6	75.667	6.563	67.000	84.000
OS smbh	6	73.817	2.657	70.500	78.400
Råprot	6	138.833	25.857	99.000	168.000
sRåprot	6	589.333	118.805	453.000	757.000
NH3-N	6	83.000	17.088	61.000	101.000
NDF	6	472.000	51.272	388.000	520.000
iNDF	6	169.913	21.646	138.155	197.605
nhNDF	6	4.241	0.376	3.809	4.720
TAF	6	51.683	26.665	27.400	97.100
Mjölksyra	6	37.500	23.450	14.000	76.000
Ättiksyra	6	11.667	4.719	7.000	20.000
Socker	6	68.000	20.659	43.000	93.000
BUF	6	1.517	1.406	0.100	3.900
AATp20	6	81.980	3.207	78.794	87.976
PBVp20	6	10.551	20.739	-20.885	38.320
NELp20	6	5.945	0.292	5.526	6.411
OE*	6	10.683	0.397	10.200	11.300
AAT*	6	70.500	1.049	69.000	72.000
PBV*	6	17.167	23.828	-20.000	43.000
Ca	6	5.250	1.776	3.300	7.900
P	6	2.683	0.293	2.100	2.900
Mg	6	2.217	0.504	1.700	2.800
K	6	24.867	6.835	18.300	33.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	6	0.433	0.294	0.100	0.900
Cl	6	6.917	3.829	2.600	13.300
S	6	2.083	0.591	1.200	3.000
CAB	6	329.773	123.094	186.635	554.516
Fe	6	105.667	42.964	55.000	148.000
Mn	6	68.500	26.614	34.000	103.000
Zn	6	25.000	5.254	17.000	32.000
Cu	6	6.383	0.736	5.100	7.200
Se	1	0.008	.	0.008	0.008

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	630.000	.	630.000	630.000
Aska	1	80.000	.	80.000	80.000
OS smbh	1	73.300	.	73.300	73.300
Råprot	1	144.000	.	144.000	144.000
sRåprot	1	427.000	.	427.000	427.000
NH3-N	1	32.000	.	32.000	32.000
NDF	1	495.000	.	495.000	495.000
iNDF	1	167.273	.	167.273	167.273
nhNDF	1	4.375	.	4.375	4.375
TAF	1	40.500	.	40.500	40.500
Mjölksyra	1	33.000	.	33.000	33.000
Ättiksyra	1	6.000	.	6.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	69.000	.	69.000	69.000
BUF	1	0.500	.	0.500	0.500
AATp20	1	86.635	.	86.635	86.635
PBVp20	1	7.752	.	7.752	7.752
NELp20	1	5.953	.	5.953	5.953
OE*	1	10.600	.	10.600	10.600
AAT*	1	70.000	.	70.000	70.000
PBV*	1	23.000	.	23.000	23.000
Ca	1	6.200	.	6.200	6.200
P	1	3.600	.	3.600	3.600
Mg	1	2.200	.	2.200	2.200
K	1	25.600	.	25.600	25.600
Na	1	0.300	.	0.300	0.300
Cl	1	5.200	.	5.200	5.200
S	1	2.500	.	2.500	2.500
CAB	1	365.046	.	365.046	365.046
Fe	1	79.000	.	79.000	79.000
Mn	1	66.000	.	66.000	66.000
Zn	1	24.000	.	24.000	24.000
Cu	1	7.600	.	7.600	7.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	72	417.958	127.971	263.000	560.000
Aska	71	70.620	9.250	59.000	80.000
OS smbh	72	78.708	5.084	69.000	84.200
Råprot	71	138.732	28.170	98.000	168.000
sRåprot	21	442.952	43.980	393.000	503.000
NDF	71	438.437	52.862	376.000	514.000
iNDF	72	113.190	53.753	56.000	187.447
nhNDF	72	5.332	1.451	4.029	6.901
TAF	72	67.292	31.627	6.000	84.000
Mjölksyra	16	0.000	0.000	0.000	0.000
Ättiksyra	15	0.000	0.000	0.000	0.000
Socker	71	148.085	43.456	101.000	208.000
PRF	15	4.667	4.923	0.000	12.000
BUF	15	3.400	1.682	2.000	6.000
AATp20	72	88.938	7.313	77.584	97.973
PBVp20	72	1.411	19.614	-28.599	24.607
NELp20	72	6.370	0.459	5.588	6.860
OE*	71	11.570	0.854	10.100	12.400
AAT*	50	79.260	5.130	71.000	84.000
PBV*	50	-3.518	23.115	-39.000	25.000
Ca	62	5.194	1.807	3.300	7.500
P	62	2.545	0.465	2.100	3.100
Mg	62	1.682	0.339	1.300	2.100
K	62	24.221	4.373	17.700	29.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	62	0.655	0.481	0.300	1.200
Cl	19	6.758	3.536	0.300	12.200
S	62	1.942	0.393	1.400	2.500
CAB	62	376.403	118.598	226.739	545.083
Fe	57	137.544	76.168	73.000	231.000
Mn	57	59.456	23.098	37.000	84.000
Zn	57	25.825	4.641	20.000	33.000
Cu	57	5.595	1.216	4.000	7.400
Se	16	0.017	0.014	0.006	0.049

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	39	455.744	113.280	332.000	639.000
Aska	38	82.579	9.179	70.000	93.000
OS smbh	39	75.926	3.764	70.500	80.000
Råprot	38	142.395	21.159	119.000	169.000
sRåprot	10	410.800	37.312	372.000	465.500
NDF	38	456.605	36.820	410.000	498.000
iNDF	39	139.595	53.403	65.788	223.613
nhNDF	39	4.554	0.834	3.346	5.547
TAF	39	69.667	31.059	5.000	84.000
Mjölksyra	7	0.000	0.000	0.000	0.000
Ättiksyra	7	0.000	0.000	0.000	0.000
Socker	38	109.789	33.357	57.000	146.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	7	2.571	1.272	1.000	4.000
BUF	7	1.571	0.976	0.000	3.000
AATp20	39	85.567	7.568	77.290	99.151
PBVp20	39	10.392	15.363	-8.896	32.775
NELp20	39	6.128	0.358	5.606	6.531
OE*	38	10.968	0.665	10.000	11.730
AAT*	28	74.893	3.489	69.000	79.000
PBV*	28	9.218	19.665	-11.000	38.000
Ca	33	6.518	2.213	3.800	9.600
P	33	2.667	0.415	2.200	3.100
Mg	33	2.285	0.504	1.700	3.000
K	33	24.391	3.424	21.300	28.600
Na	33	0.870	0.440	0.300	1.300
Cl	10	9.770	5.464	5.400	17.900
S	33	2.270	0.441	1.800	3.000
CAB	33	344.093	117.357	233.095	451.893
Fe	33	163.364	206.189	75.000	216.000
Mn	33	63.333	25.245	36.000	91.000
Zn	33	26.727	6.695	21.000	32.000
Cu	33	6.973	1.681	5.000	9.000
Se	9	0.017	0.009	0.007	0.035

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	21	463.619	141.347	291.000	680.000
Aska	21	84.762	13.221	69.000	102.000
OS smbh	21	73.757	3.490	71.100	77.800
Råprot	21	139.667	21.795	119.000	172.000
sRåprot	9	385.556	44.590	313.000	452.000
NDF	21	496.952	36.853	451.000	537.000
iNDF	21	154.174	34.787	112.300	189.767
nhNDF	21	4.501	0.701	3.768	5.578
TAF	21	84.000	0.000	84.000	84.000
Socker	21	88.476	37.878	42.000	109.000
AATp20	21	83.000	4.553	77.834	87.308
PBVp20	21	11.879	18.541	-8.484	35.437
NELp20	21	6.030	0.314	5.702	6.435
OE*	21	10.580	0.579	10.000	11.100
AAT*	12	73.750	4.267	69.000	77.000
PBV*	12	14.750	22.531	-10.000	40.000
Ca	21	6.224	1.806	4.300	9.500
P	21	2.967	0.450	2.500	3.500
Mg	21	2.400	0.584	1.600	3.200
K	21	26.690	3.983	21.900	30.600
Na	21	1.014	0.481	0.500	1.500
Cl	9	17.844	7.790	8.800	31.700
S	21	2.605	0.468	2.100	3.200
CAB	21	272.843	244.124	-74.653	510.333

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	21	128.524	59.330	84.000	156.000
Mn	21	73.476	24.248	45.000	105.000
Zn	21	25.143	4.016	20.000	30.000
Cu	21	6.867	1.262	6.000	8.900
Se	4	0.014	0.005	0.008	0.019

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	330.750	15.108	311.000	347.000
Aska	4	78.000	4.967	73.000	84.000
OS smbh	4	78.300	1.431	76.500	79.500
Råprot	4	154.500	7.550	144.000	160.000
sRåprot	4	376.750	20.710	358.000	398.000
NDF	4	448.250	28.324	419.000	487.000
iNDF	4	99.000	18.708	85.000	126.000
nhNDF	4	4.650	0.383	4.250	5.042
TAF	4	84.000	0.000	84.000	84.000
Socker	4	115.250	3.775	112.000	119.000
AATp20	4	90.355	1.712	87.942	91.963
PBVp20	4	13.686	4.694	7.865	18.594
NELp20	4	6.477	0.113	6.360	6.579
OE*	4	11.403	0.177	11.170	11.560
Ca	4	5.975	1.269	4.700	7.700
P	4	2.950	0.332	2.700	3.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	4	2.125	0.150	2.000	2.300
K	4	30.525	4.669	24.900	36.300
Na	4	0.975	0.263	0.600	1.200
Cl	4	17.750	4.356	11.400	21.200
S	4	3.650	0.580	3.100	4.200
CAB	4	94.957	126.385	-37.758	260.731
Fe	4	91.250	9.912	82.000	104.000
Mn	4	62.750	18.025	41.000	82.000
Zn	4	19.750	2.986	17.000	24.000
Cu	4	6.750	1.500	5.000	8.000

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	434.714	122.050	289.000	616.000
Aska	7	71.000	14.283	47.000	93.000
OS smbh	7	76.500	3.025	73.300	81.400
Råprot	7	121.714	22.758	88.000	152.000
sRåprot	7	560.286	67.994	495.000	653.000
NH3-N	7	60.714	13.400	45.000	80.000
NDF	7	435.429	33.371	391.000	477.000
iNDF	7	150.548	29.753	97.381	184.585
nhNDF	7	4.532	0.543	3.955	5.551
TAF	7	63.471	30.316	25.400	109.100
Mjölksyra	7	48.857	24.586	16.000	86.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	7	12.429	6.876	5.000	22.000
Socker	7	83.571	59.475	29.000	185.000
BUF	7	1.186	1.075	0.100	2.700
AATp20	7	83.898	3.571	79.898	91.242
PBVp20	7	-6.503	18.990	-33.924	11.442
NELp20	7	6.158	0.315	5.811	6.517
OE*	7	11.171	0.512	10.600	11.900
AAT*	7	72.286	1.704	70.000	74.000
PBV*	7	-2.429	21.306	-35.000	24.000
Ca	6	5.200	0.953	4.000	6.500
P	6	2.167	0.427	1.600	2.800
Mg	6	1.733	0.356	1.400	2.400
K	6	21.683	4.357	13.800	26.800
Na	6	0.633	0.361	0.200	1.100
Cl	7	6.271	4.777	0.600	14.300
S	6	1.717	0.445	0.900	2.100
CAB	6	335.838	45.755	288.485	418.389
Fe	6	128.833	46.829	58.000	190.000
Mn	6	67.833	14.204	48.000	84.000
Zn	6	30.333	16.884	18.000	64.000
Cu	6	5.917	1.332	3.900	7.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	145	425.152	128.874	293.000	624.000
Aska	145	70.993	16.449	58.000	79.000
OS smbh	145	77.707	4.408	74.000	81.500
Råprot	145	134.683	27.869	96.000	169.000
sRåprot	145	623.117	94.077	507.000	726.000
NH3-N	145	70.862	26.696	41.000	101.000
NDF	145	412.462	51.181	361.000	469.000
iNDF	145	140.302	40.650	100.485	186.857
nhNDF	145	4.625	0.708	3.701	5.434
TAF	145	64.833	33.732	20.500	113.000
Mjölksyra	145	48.593	28.873	13.000	89.000
Ättiksyra	145	13.621	6.526	6.000	22.000
Socker	145	101.366	59.122	33.000	183.000
PRF	19	3.632	2.314	1.000	6.000
BUF	145	1.274	3.750	0.000	2.400
AATp20	145	84.292	5.451	79.003	91.610
PBVp20	145	5.040	24.310	-29.525	34.668
NELp20	145	6.268	0.438	5.729	6.656
OE*	145	11.388	0.734	10.700	12.000
AAT*	126	72.817	2.375	71.000	75.000
PBV*	126	7.104	25.915	-29.000	43.000
Ca	138	4.922	1.333	3.600	6.800
P	138	2.383	0.398	1.900	2.800
Mg	138	1.691	0.271	1.400	2.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	138	22.993	4.118	17.000	27.900
Na	138	0.731	0.546	0.200	1.600
Cl	145	4.751	2.496	1.800	8.200
S	138	1.819	0.457	1.200	2.400
CAB	138	371.582	97.249	247.735	479.893
Fe	127	198.244	216.199	82.000	364.000
Mn	127	63.921	20.593	41.000	91.000
Zn	127	25.307	5.727	18.000	32.000
Cu	127	5.534	1.116	4.300	7.100
Se	37	0.016	0.016	0.007	0.020

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	94	450.691	141.332	286.000	703.000
Aska	94	80.255	8.971	70.000	91.000
OS smbh	94	75.365	2.933	71.300	78.900
Råprot	94	146.277	23.931	116.000	180.000
sRåprot	94	540.766	105.516	390.000	667.000
NH3-N	93	67.462	23.202	33.000	96.000
NDF	94	438.255	35.616	397.000	485.000
iNDF	94	163.733	43.587	111.121	221.631
nhNDF	94	4.349	0.697	3.316	5.207
TAF	94	62.250	28.825	21.500	99.900
Mjölksyra	94	47.117	24.200	16.000	80.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	94	12.936	6.467	4.000	20.000
Socker	94	72.457	40.020	19.000	133.000
PRF	15	3.467	2.200	0.000	7.000
BUF	94	0.803	0.853	0.000	2.000
AATp20	94	84.125	3.925	79.442	89.043
PBVp20	94	16.275	21.964	-14.372	46.644
NELp20	94	6.111	0.349	5.602	6.558
OE*	94	10.891	0.494	10.100	11.450
AAT*	79	71.177	1.328	69.000	73.000
PBV*	79	21.229	22.717	-7.000	55.000
Ca	94	6.350	1.920	4.300	9.300
P	94	2.712	0.396	2.200	3.200
Mg	94	2.233	0.441	1.700	2.800
K	94	24.850	3.573	20.800	29.500
Na	94	1.036	0.675	0.300	1.900
Cl	94	6.710	3.311	2.900	11.500
S	94	2.201	0.446	1.700	2.700
CAB	94	354.032	100.326	217.589	486.029
Fe	84	188.929	181.434	78.000	312.000
Mn	84	70.536	20.617	48.000	102.000
Zn	84	25.583	4.621	21.000	32.000
Cu	84	7.236	1.165	5.400	8.600
Se	15	0.020	0.014	0.010	0.044

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	28	407.071	144.074	255.000	583.000
Aska	28	89.679	23.544	74.000	100.000
OS smbh	28	74.089	2.285	70.600	77.000
Råprot	28	150.714	18.110	130.000	177.000
sRåprot	28	517.071	82.528	407.000	619.000
NH3-N	28	80.464	32.028	49.000	111.000
NDF	28	431.357	41.009	351.000	479.000
iNDF	28	182.294	40.034	139.000	252.134
nhNDF	28	4.024	0.634	3.168	4.778
TAF	28	70.061	30.382	24.800	107.000
Mjölksyra	28	52.179	24.990	17.000	81.000
Ättiksyra	28	14.964	7.095	4.000	24.000
Socker	28	50.607	32.646	12.000	101.000
PRF	6	3.333	1.966	0.000	5.000
BUF	28	1.418	2.176	0.000	3.200
AATp20	28	82.257	5.531	73.590	89.958
PBVp20	28	23.438	18.084	-2.393	43.170
NELp20	28	5.988	0.305	5.558	6.305
OE*	28	10.574	0.526	9.800	11.100
AAT*	22	70.182	1.532	68.000	72.000
PBV*	22	29.773	19.427	9.000	55.000
Ca	24	8.004	2.562	5.600	12.600
P	24	2.792	0.400	2.100	3.200
Mg	24	2.688	0.480	2.200	3.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	24	24.442	3.580	20.500	28.900
Na	24	1.050	0.454	0.500	1.700
Cl	27	5.974	3.577	1.300	11.400
S	24	2.304	0.384	1.800	2.800
CAB	24	358.438	90.762	229.496	461.948
Fe	18	309.722	702.760	82.000	252.000
Mn	18	74.833	29.472	37.000	120.000
Zn	18	25.722	3.444	20.000	30.000
Cu	18	8.117	1.921	6.000	10.900
Se	7	0.032	0.022	0.007	0.072

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	384.500	116.673	302.000	467.000
Aska	2	97.000	1.414	96.000	98.000
OS smbh	2	76.700	0.141	76.600	76.800
Råprot	2	161.000	26.870	142.000	180.000
sRåprot	2	573.500	19.092	560.000	587.000
NH3-N	2	51.000	2.828	49.000	53.000
NDF	2	399.500	16.263	388.000	411.000
iNDF	2	176.000	8.485	170.000	182.000
nhNDF	2	4.774	0.304	4.559	4.989
TAF	2	85.000	39.598	57.000	113.000
Mjölksyra	2	67.000	32.527	44.000	90.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	2	15.000	5.657	11.000	19.000
Socker	2	50.500	26.163	32.000	69.000
PRF	2	3.000	1.414	2.000	4.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	2	82.135	1.761	80.890	83.380
PBVp20	2	33.000	27.863	13.298	52.702
NELp20	2	6.267	0.241	6.096	6.437
OE*	2	10.910	0.000	10.910	10.910
Ca	2	7.800	0.283	7.600	8.000
P	2	3.350	0.071	3.300	3.400
Mg	2	2.900	0.566	2.500	3.300
K	2	28.300	1.273	27.400	29.200
Na	2	1.750	0.495	1.400	2.100
Cl	2	5.750	1.061	5.000	6.500
S	2	2.750	0.495	2.400	3.100
CAB	2	466.025	9.973	458.973	473.078
Fe	1	170.000	.	170.000	170.000
Mn	1	69.000	.	69.000	69.000
Zn	1	22.000	.	22.000	22.000
Cu	1	6.000	.	6.000	6.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	382.000	.	382.000	382.000
Aska	1	92.000	.	92.000	92.000
OS smbh	1	79.100	.	79.100	79.100
Råprot	1	159.000	.	159.000	159.000
sRåprot	1	629.000	.	629.000	629.000
NH3-N	1	86.000	.	86.000	86.000
NDF	1	374.000	.	374.000	374.000
iNDF	1	140.000	.	140.000	140.000
nhNDF	1	4.852	.	4.852	4.852
TAF	1	79.000	.	79.000	79.000
Mjölksyra	1	65.000	.	65.000	65.000
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	60.000	.	60.000	60.000
PRF	1	0.000	.	0.000	0.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	83.488	.	83.488	83.488
PBVp20	1	28.924	.	28.924	28.924
NELp20	1	6.411	.	6.411	6.411
OE*	1	11.360	.	11.360	11.360
Ca	1	6.400	.	6.400	6.400
P	1	3.200	.	3.200	3.200
Mg	1	2.000	.	2.000	2.000
K	1	29.200	.	29.200	29.200
Na	1	0.600	.	0.600	0.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	3.900	.	3.900	3.900
S	1	3.600	.	3.600	3.600
CAB	1	438.031	.	438.031	438.031
Fe	1	117.000	.	117.000	117.000
Mn	1	126.000	.	126.000	126.000
Zn	1	18.000	.	18.000	18.000
Cu	1	7.000	.	7.000	7.000

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	457.250	13.048	442.000	472.000
Aska	4	55.250	8.995	47.000	64.000
OS smbh	4	68.500	1.669	66.200	70.000
Råprot	4	90.000	20.992	75.000	120.000
sRåprot	4	607.250	101.069	478.000	725.000
NH3-N	4	82.500	40.780	26.000	117.000
NDF	4	409.250	79.768	359.000	527.000
iNDF	4	281.897	29.682	237.389	297.789
nhNDF	4	2.365	0.543	2.071	3.179
Stä	4	221.000	135.924	22.000	321.000
TAF	4	41.950	11.955	29.700	57.700
Mjölksyra	4	31.750	11.325	22.000	48.000
Ättiksyra	4	8.500	2.517	6.000	12.000
Socker	4	41.750	23.838	25.000	76.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	4	72.399	2.913	69.080	75.405
PBVp20	4	-24.968	21.219	-40.611	6.305
NELp20	4	5.512	0.198	5.217	5.643
Ca	3	2.833	1.137	1.900	4.100
P	3	2.333	0.513	1.900	2.900
Mg	3	1.467	0.208	1.300	1.700
K	3	14.067	3.988	11.100	18.600
Na	3	1.000	0.700	0.200	1.500
Cl	4	2.875	0.680	2.200	3.800
S	3	1.500	0.361	1.100	1.800
CAB	3	225.921	76.645	167.415	312.683
Fe	3	143.667	84.299	94.000	241.000
Mn	3	58.667	32.130	25.000	89.000
Zn	3	22.667	1.528	21.000	24.000
Cu	3	4.767	0.643	4.300	5.500

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	363.000	40.7308	325.000	406.000
Aska	3	61.000	6.0000	55.000	67.000
OS smbh	3	70.767	2.0984	68.400	72.400
Råprot	3	106.667	18.0093	89.000	125.000
sRåprot	3	694.000	57.7148	653.000	760.000
NH3-N	3	71.333	14.0475	58.000	86.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	3	437.667	21.4554	413.000	452.000
iNDF	3	228.747	27.4119	198.909	252.815
nhNDF	3	3.140	0.4435	2.804	3.643
Stä	3	82.667	45.5229	38.000	129.000
TAF	3	90.333	13.6137	75.000	101.000
Mjölksyra	3	73.333	10.9697	61.000	82.000
Ättiksyra	3	15.000	2.6458	12.000	17.000
Socker	3	28.000	9.6437	21.000	39.000
AATp20	3	70.142	0.7156	69.618	70.957
PBVp20	3	-2.868	17.1617	-20.215	14.103
NELp20	3	5.836	0.1900	5.622	5.983
Ca	3	4.567	0.5686	4.100	5.200
P	3	2.533	0.4509	2.100	3.000
Mg	3	1.700	0.1000	1.600	1.800
K	3	19.600	3.5171	16.300	23.300
Na	3	0.633	0.4041	0.400	1.100
Cl	3	4.367	1.2662	3.400	5.800
S	3	1.300	0.1000	1.200	1.400
CAB	3	324.560	51.9168	267.347	368.669
Fe	3	170.667	60.5007	101.000	210.000
Mn	3	51.000	43.9659	15.000	100.000
Zn	3	27.000	3.4641	23.000	29.000
Cu	3	5.300	0.6245	4.600	5.800
Se	1	0.010	.	0.010	0.010

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	337.000	49.122	284.000	381.000
Aska	3	64.333	10.970	58.000	77.000
OS smbh	3	69.033	1.301	67.700	70.300
Råprot	3	125.333	4.933	122.000	131.000
sRåprot	3	552.667	159.813	453.000	737.000
NH3-N	3	73.333	36.611	43.000	114.000
NDF	3	441.333	37.873	409.000	483.000
iNDF	3	360.051	37.681	323.000	398.331
nhNDF	3	5.583	2.299	3.074	7.587
Stä	3	58.667	31.896	32.000	94.000
TAF	3	68.667	32.505	36.500	101.500
Mjölksyra	3	54.667	35.473	23.000	93.000
Ättiksyra	3	12.667	4.509	8.000	17.000
Socker	3	41.667	20.551	22.000	63.000
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	3	73.604	6.297	66.886	79.371
PBVp20	3	7.504	7.671	2.608	16.345
NELp20	3	5.686	0.028	5.664	5.718
OE*	3	9.870	0.496	9.300	10.200
AAT*	2	61.500	3.536	59.000	64.000
PBV*	2	7.500	0.707	7.000	8.000
Ca	2	6.000	0.990	5.300	6.700
P	2	2.850	0.495	2.500	3.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	2	2.300	0.000	2.300	2.300
K	2	13.750	2.333	12.100	15.400
Na	2	2.050	0.354	1.800	2.300
Cl	3	5.133	3.617	2.800	9.300
S	2	1.650	0.354	1.400	1.900
CAB	2	251.752	12.251	243.090	260.415
Fe	1	135.000	.	135.000	135.000
Mn	1	86.000	.	86.000	86.000
Zn	1	25.000	.	25.000	25.000
Cu	1	5.400	.	5.400	5.400

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	373.625	48.5179	288.000	455.000
Aska	8	68.125	8.7250	58.000	80.000
OS smbh	8	66.263	6.5439	55.600	74.100
Råprot	8	95.000	31.2776	58.000	157.000
sRåprot	8	544.500	85.6821	449.000	721.000
NH3-N	8	60.000	16.4404	42.000	86.000
NDF	8	472.625	39.1186	423.000	517.000
iNDF	8	270.959	61.8119	150.000	363.654
nhNDF	8	3.034	1.1159	1.615	4.627
Stä	8	79.250	61.4439	30.000	192.000
TAF	8	58.750	25.8664	31.000	115.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	8	43.000	19.3612	16.000	79.000
Ättiksyra	8	14.000	8.1941	6.000	32.000
Socker	8	66.250	36.3858	19.000	116.000
PRF	3	3.667	3.5119	0.000	7.000
BUF	3	1.000	1.0000	0.000	2.000
AATp20	8	74.007	7.0080	66.659	86.323
PBVp20	8	-22.185	23.8902	-53.314	24.569
NELp20	8	5.347	0.5790	4.592	6.072
OE*	4	10.275	0.5622	9.500	10.690
AAT*	1	62.000	.	62.000	62.000
PBV*	1	-33.000	.	-33.000	-33.000
Ca	6	4.450	2.3158	2.500	8.200
P	6	2.467	0.4274	2.000	3.000
Mg	6	1.600	0.3521	1.200	2.200
K	6	18.417	1.7982	16.700	21.700
Na	6	1.467	0.9048	0.600	2.900
Cl	7	4.786	2.4252	2.000	7.900
S	6	1.617	0.5193	1.000	2.500
CAB	6	290.408	99.4943	159.504	414.730
Fe	3	150.000	90.9450	96.000	255.000
Mn	3	81.000	17.3494	62.000	96.000
Zn	3	23.000	2.6458	21.000	26.000
Cu	3	4.300	0.2646	4.000	4.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	328.000	.	328.000	328.000
Aska	1	65.000	.	65.000	65.000
OS smbh	1	59.200	.	59.200	59.200
Råprot	1	98.000	.	98.000	98.000
sRåprot	1	573.000	.	573.000	573.000
NH3-N	1	130.000	.	130.000	130.000
NDF	1	463.000	.	463.000	463.000
iNDF	1	354.525	.	354.525	354.525
nhNDF	1	1.671	.	1.671	1.671
Stä	1	139.000	.	139.000	139.000
TAF	1	70.000	.	70.000	70.000
Mjölksyra	1	54.000	.	54.000	54.000
Ättiksyra	1	16.000	.	16.000	16.000
Socker	1	11.000	.	11.000	11.000
AATp20	1	60.895	.	60.895	60.895
PBVp20	1	4.127	.	4.127	4.127
NELp20	1	4.795	.	4.795	4.795
Ca	1	7.200	.	7.200	7.200
P	1	2.300	.	2.300	2.300
Mg	1	1.700	.	1.700	1.700
K	1	14.100	.	14.100	14.100
Na	1	0.200	.	0.200	0.200
Cl	1	0.600	.	0.600	0.600
S	1	1.300	.	1.300	1.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärtar (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	271.158	.	271.158	271.158
Fe	1	257.000	.	257.000	257.000
Mn	1	66.000	.	66.000	66.000
Zn	1	27.000	.	27.000	27.000
Cu	1	6.600	.	6.600	6.600

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	375.000	.	375.000	375.000
Aska	1	61.000	.	61.000	61.000
OS smbh	1	66.200	.	66.200	66.200
Råprot	1	100.000	.	100.000	100.000
sRåprot	1	576.000	.	576.000	576.000
NH3-N	1	58.000	.	58.000	58.000
NDF	1	571.000	.	571.000	571.000
iNDF	1	219.932	.	219.932	219.932
nhNDF	1	3.526	.	3.526	3.526
Stä	1	18.000	.	18.000	18.000
TAF	1	54.500	.	54.500	54.500
Mjölksyra	1	35.000	.	35.000	35.000
Ättiksyra	1	17.000	.	17.000	17.000
Socker	1	93.000	.	93.000	93.000
AATp20	1	70.605	.	70.605	70.605
PBVp20	1	-14.740	.	-14.740	-14.740

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	5.316	.	5.316	5.316
OE*	1	9.500	.	9.500	9.500
AAT*	1	61.000	.	61.000	61.000
PBV*	1	-18.000	.	-18.000	-18.000
Ca	1	2.800	.	2.800	2.800
P	1	2.500	.	2.500	2.500
Mg	1	1.300	.	1.300	1.300
K	1	20.200	.	20.200	20.200
Na	1	0.300	.	0.300	0.300
Cl	1	4.800	.	4.800	4.800
S	1	1.500	.	1.500	1.500
CAB	1	300.706	.	300.706	300.706
Fe	1	142.000	.	142.000	142.000
Mn	1	59.000	.	59.000	59.000
Zn	1	20.000	.	20.000	20.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	380.000	97.370	276.000	469.000
Aska	3	61.000	9.849	50.000	69.000
OS smbh	3	71.367	0.603	70.800	72.000
Råprot	3	116.667	14.434	100.000	125.000
sRåprot	3	677.667	111.186	556.000	774.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	3	77.667	19.757	60.000	99.000
NDF	3	433.667	56.012	369.000	467.000
iNDF	3	240.837	25.802	211.499	260.000
nhNDF	3	3.459	0.819	2.646	4.283
Stä	3	114.333	110.618	47.000	242.000
TAF	3	75.000	21.071	53.000	95.000
Mjölksyra	3	61.333	23.159	42.000	87.000
Ättiksyra	3	13.667	7.371	8.000	22.000
Socker	3	44.667	18.717	31.000	66.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	3	73.155	3.668	70.430	77.326
PBVp20	3	0.500	19.267	-21.698	12.891
NELp20	3	5.897	0.040	5.867	5.942
OE*	2	9.885	0.544	9.500	10.270
AAT*	1	60.000	.	60.000	60.000
PBV*	1	9.000	.	9.000	9.000
Ca	1	6.300	.	6.300	6.300
P	1	3.200	.	3.200	3.200
Mg	1	1.900	.	1.900	1.900
K	1	20.500	.	20.500	20.500
Na	1	1.200	.	1.200	1.200
Cl	3	1.767	0.833	1.100	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
S	1	1.800	.	1.800	1.800
CAB	1	387.914	.	387.914	387.914

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	863.750	23.796	836.000	893.000
Aska	4	65.250	10.468	55.000	77.000
OS smbh	4	67.950	3.082	63.500	70.600
Råprot	4	76.500	25.278	60.000	114.000
NDF	4	529.000	58.212	442.000	565.000
iNDF	4	219.183	34.795	182.735	251.103
nhNDF	4	3.515	0.637	2.907	4.185
TAF	4	0.000	0.000	0.000	0.000
Socker	4	164.750	26.750	133.000	196.000
AATp20	4	83.781	3.622	78.434	86.250
PBVp20	4	-48.325	22.507	-67.105	-17.293
NELp20	4	5.120	0.267	4.732	5.337
OE*	4	9.825	0.602	9.000	10.400
AAT*	4	70.000	3.559	65.000	73.000
PBV*	4	-42.750	26.247	-64.000	-6.000
Ca	4	2.875	1.830	1.300	4.700
P	4	1.625	0.263	1.400	2.000
Mg	4	1.375	0.275	1.100	1.700
K	4	15.650	3.053	11.800	19.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	4	0.575	0.822	0.100	1.800
S	4	1.250	0.451	0.900	1.900
CAB	4	206.286	76.824	120.456	306.997
Fe	4	160.000	174.534	49.000	420.000
Mn	4	141.000	43.182	87.000	190.000
Zn	4	20.000	6.055	16.000	29.000
Cu	4	4.150	1.136	3.400	5.800

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	520.000	.	520.000	520.000
Aska	1	87.000	.	87.000	87.000
OS smbh	1	54.500	.	54.500	54.500
Råprot	1	104.000	.	104.000	104.000
NDF	1	517.000	.	517.000	517.000
iNDF	1	613.774	.	613.774	613.774
nhNDF	1	9.866	.	9.866	9.866
TAF	1	72.000	.	72.000	72.000
Socker	1	58.000	.	58.000	58.000
AATp20	1	62.679	.	62.679	62.679
PBVp20	1	14.945	.	14.945	14.945
NELp20	1	4.197	.	4.197	4.197
OE*	1	7.400	.	7.400	7.400
AAT*	1	56.000	.	56.000	56.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	1	8.000	.	8.000	8.000
Ca	1	10.800	.	10.800	10.800
P	1	1.900	.	1.900	1.900
Mg	1	2.700	.	2.700	2.700
K	1	17.200	.	17.200	17.200
Na	1	0.200	.	0.200	0.200
S	1	1.100	.	1.100	1.100
CAB	1	250.266	.	250.266	250.266
Fe	1	66.000	.	66.000	66.000
Mn	1	29.000	.	29.000	29.000
Zn	1	19.000	.	19.000	19.000
Cu	1	8.100	.	8.100	8.100

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	341.000	.	341.000	341.000
Aska	1	89.000	.	89.000	89.000
OS smbh	1	63.600	.	63.600	63.600
Råprot	1	131.000	.	131.000	131.000
NDF	1	452.000	.	452.000	452.000
iNDF	1	486.343	.	486.343	486.343
nhNDF	1	6.434	.	6.434	6.434
TAF	1	72.000	.	72.000	72.000
Socker	1	87.000	.	87.000	87.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	71.151	.	71.151	71.151
PBVp20	1	26.775	.	26.775	26.775
NELp20	1	4.989	.	4.989	4.989
OE*	1	8.900	.	8.900	8.900
AAT*	1	65.000	.	65.000	65.000
PBV*	1	20.000	.	20.000	20.000
Ca	1	8.800	.	8.800	8.800
P	1	2.700	.	2.700	2.700
Mg	1	2.500	.	2.500	2.500
K	1	22.800	.	22.800	22.800
Na	1	0.200	.	0.200	0.200
S	1	1.200	.	1.200	1.200
CAB	1	387.238	.	387.238	387.238
Fe	1	133.000	.	133.000	133.000
Mn	1	23.000	.	23.000	23.000
Zn	1	21.000	.	21.000	21.000
Cu	1	8.600	.	8.600	8.600

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	419.000	.	419.000	419.000
Aska	1	59.000	.	59.000	59.000
OS smbh	1	67.700	.	67.700	67.700
Råprot	1	114.000	.	114.000	114.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
sRåprot	1	612.000	.	612.000	612.000
NH3-N	1	103.000	.	103.000	103.000
NDF	1	495.000	.	495.000	495.000
iNDF	1	273.000	.	273.000	273.000
nhNDF	1	3.589	.	3.589	3.589
TAF	1	85.000	.	85.000	85.000
Mjölksyra	1	58.000	.	58.000	58.000
Ättiksyra	1	22.000	.	22.000	22.000
Socker	1	27.000	.	27.000	27.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	74.315	.	74.315	74.315
PBVp20	1	5.034	.	5.034	5.034
NElp20	1	5.773	.	5.773	5.773
OE*	1	9.860	.	9.860	9.860
Ca	1	5.200	.	5.200	5.200
P	1	2.700	.	2.700	2.700
Mg	1	2.300	.	2.300	2.300
K	1	14.000	.	14.000	14.000
Na	1	1.500	.	1.500	1.500
Cl	1	1.800	.	1.800	1.800
S	1	2.100	.	2.100	2.100
CAB	1	241.319	.	241.319	241.319

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Råvarublandning - ej kompletta data (1E3) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	0	.	0	0
TAF	1	0	.	0	0
NELp20	1	0	.	0	0

*= Parametrar från det gamla svenska fodervärderingssystemet