

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk- syra	Ättik- syra	Socker
Korn, kärna (001)	1	6	882	24	57.3	109	350	7.0	142	116	3.15	581	0.000			5
Vete, kärna (005)	1	1	924	22	0.0	116	278		120	25	3.50	513	0.000			5
Rågvete (015)	1	2	883	16	44.7	101	370		96	106	3.50	649	0.000			5
Blandsäd, kärna, 50%korn/50%vete (114)	1	1	815	23	87.0	121		6.0	151	173	3.30	607	0.000			
Prognos, blandvall (1-50% baljv) (042)	1	4	231		73.2					170	4.32		0.000			
Grönmassa, gräs (0% baljv.) (161)	1	5	592	53	70.4	97			560	181	4.24		61.000			125
Ensilage, gräs (0% klöver) (162)	1	12	667	73	67.5	89	456	49.3	534	217	3.62		31.500	23.8	5.7	96
Ensilage, gräs (0% klöver) (162)	2	1	674	81	74.5	128	387	43.0	526	144	4.99		35.400	27.0	6.0	74
Grönmassa blandvall (1-50 % baljväxter) (164)	1	43	385	74	78.8	152	472		443	117	5.48		70.419	0.0	4.0	125
Grönmassa blandvall (1-50 % baljväxter) (164)	2	23	387	83	75.1	158	361		478	153	4.79		80.478	0.0	0.0	81
Grönmassa blandvall (1-50 % baljväxter) (164)	3	12	397	99	73.5	165	399		482	161	4.41		84.000			59
Ensilage, blandvall (1-50% klöver) (165)	0	4	335	78	73.1	117	580	98.5	508	170	4.31		81.725	65.0	17.5	29
Ensilage, blandvall (1-50% klöver) (165)	1	104	389	71	76.3	137	617	77.1	451	148	4.68		73.830	56.8	13.7	68
Ensilage, blandvall (1-50% klöver) (165)	2	56	409	86	74.4	149	561	74.2	446	176	4.39		67.536	50.9	13.3	56
Ensilage, blandvall (1-50% klöver) (165)	3	9	407	94	73.9	161	516	61.7	431	181	4.04		72.078	59.3	10.6	53
Ensilage, blandvall (1-50% klöver) (165)	4	1	342	94	74.2	188	575	67.0	383	259	4.58		118.000	89.0	26.0	22
Korn, helsädesensilage (250)	1	6	499	58	68.8	95	650	87.3	417	268	2.59	175	54.750	38.3	13.2	58
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	670	68	65.7	90	506	25.0	448	284	2.42	246	32.900	21.0	10.0	26
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	382	74	62.9	130	697	103	503	467	7.96	55	81.500	67.0	14.0	23
Havre helsädesensilage degmognad (296)	1	1	476	41	58.2	64	424	80.0	520	394	2.29	195	6.000	0.0	3.0	28
Vete, helsäd ensilage (299)	1	2	421	65	73.6	126	713	65.0	452	184	3.92	55	74.750	55.0	16.5	76
Korn-ärt helsädesensilage degmognad, 40% ärter (30	1	2	369	63	70.1	110	647	127	415	256	2.78	160	73.000	54.5	14.0	59
Majs, helsädesensilage (305)	1	1	261	34	71.8	77	590	18.0	500	156	3.22	121	67.000	50.0	15.0	11
Ärter, helsädesensilage, sen skörd (315)	1	1	408	70	72.8	127	710	88.0	374	233	2.90	119	81.000	66.0	15.0	58
Hö, blandvall, 0-50% baljväxter (383)	1	4	760	56	69.9	96	514		526	197	3.71		0.000			140

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjölksyra	Ättiksyra	Socker
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	195	89	75.9	188	336		353	236	4.22		72.000			47
Ensilage, blandvall (51-100% klöver) (438)	1	3	400	77	76.6	148	634	48.7	391	178	4.24		55.667	39.3	13.3	92
Ensilage, blandvall (51-100% klöver) (438)	2	1	310	90	72.7	190	359	33.0	362	303	3.81		82.000	54.0	26.0	36
Ensilage, blandvall (1-50% klöver) (326)	1	4	448	75	75.1	172	440	88.5	354	223	3.35	145	39.250	27.8	6.5	21

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	6				96.2	-35	7.37	13.3	92.5	-47
Vete, kärna (005)	1	1				112	-49	7.92	14.1		
Rågvete (015)	1	2				109	-60	7.85	13.5	95.0	-46
Blandsäd, kärna, 50%korn/50%vete (114)	1	1				105	-35	7.57	13.3	94.0	-32
Prognos, blandvall (1-50% baljv) (042)	1	4				96.4	-4.4	5.94	12.6		
Grönmassa, gräs (0% baljv.) (161)	1	5				80.5	-25	5.65	10.4	72.8	-28
Ensilage, gräs (0% klöver) (162)	1	12		1.08333		77.8	-28	5.24	9.7	67.8	-27
Ensilage, gräs (0% klöver) (162)	2	1		1.40000		88.6	-10	5.99	10.7	71.0	6.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	43	2.33333	1.66667		89.3	13.3	6.45	11.5	79.5	13.4
Grönmassa blandvall (1-50 % baljväxter) (164)	2	23	3.00000	0.00000		85.9	24.1	6.18	10.8	75.3	21.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	12				82.3	36.5	6.02	10.4	72.2	43.2
Ensilage, blandvall (1-50% klöver) (165)	0	4		0.95000		80.2	9.9	5.99	10.5	70.0	-4.0
Ensilage, blandvall (1-50% klöver) (165)	1	104	3.89474	1.51818		83.0	9.9	6.25	11.2	72.2	8.2
Ensilage, blandvall (1-50% klöver) (165)	2	56	3.33333	1.24074		82.3	21.6	6.04	10.7	70.3	24.4
Ensilage, blandvall (1-50% klöver) (165)	3	9	2.66667	0.63333		82.4	32.9	6.00	10.5	69.3	35.2
Ensilage, blandvall (1-50% klöver) (165)	4	1	3.00000	0.00000		78.6	64.2	6.19	10.5		
Korn, helsädesensilage (250)	1	6	6.00000	3.00000		70.9	-18	5.54	10.0	63.5	-38
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1				73.0	-22	5.30			
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1				64.5	27.4	5.18	9.7	59.0	10.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Havre helsädesensilage degmognad (296)	1	1	0.00000	3.00000		74.0	-48	4.71	8.4		
Vete, helsäd ensilage (299)	1	2	2.00000	2.00000		72.2	5.7	6.04	10.4		
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	2	2.00000	2.50000		72.1	-4.1	5.79	10.2		
Majs, helsädesensilage (305)	1	1	2.00000	0.00000		77.5	-44	5.97	10.8		
Ärter, helsädesensilage, sen skörd (315)	1	1				71.5	14.8	5.88	9.3	59.0	12.0
Hö, blandvall, 0-50% baljväxter (383)	1	4				88.9	-38	5.46	10.3	71.0	-26
Halm, sträsäd, ej behandlad (385)	0	0						0.00			
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1				86.4	56.4	6.24	10.9		
Ensilage, blandvall (51-100% klöver) (438)	1	3	2.66667	0.33333		81.8	25.5	6.25	11.1		
Ensilage, blandvall (51-100% klöver) (438)	2	1	2.00000	0.00000		82.3	65.2	6.05	10.4		
Ensilage, blandvall (1-50% klöver) (326)	1	4	2.75000	2.25000		91.2	33.9	6.35	10.9		

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	3	0.5	3.9	1.3	5.7	0.1		1.2	42	3	50.3	17.3	34.0	6.3	
Vete, kärna (005)	1	1	0.4	2.9	1.2	5.2		1.2	1.6	4	1	52.0	28.0	25.0	6.0	0.1
Rågvete (015)	1	1	0.3	3.7	1.2	5.1	0.1		1.1	46	1	34.0	39.0	45.0	5.6	
Blandsäd, kärna, 50%korn/50%vete (114)	1	1	0.4	3.6	1.3	5.3	0.1		1.2	37	1	55.0	25.0	40.0	5.4	
Grönmassa, gräs (0% baljv.) (161)	1	5	3.3	2.0	1.1	19.1	0.2		1.3	276	5	88.6	42.8	22.4	4.7	0.0
Ensilage, gräs (0% klöver) (162)	1	11	3.6	1.9	1.3	19.1	0.1	2.2	1.3	352	11	406.5	65.1	24.2	5.1	
Ensilage, gräs (0% klöver) (162)	2	1	3.0	2.4	2.0	26.4	0.1	0.7	1.8	547	1	94.0	69.0	29.0	7.4	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	37	5.3	2.8	1.7	25.0	0.8	4.0	2.1	416	33	167.8	56.5	30.2	7.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	23	6.8	3.0	2.2	25.3	1.1	9.0	2.5	365	19	144.7	67.9	32.6	8.1	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	12	7.4	3.0	2.4	25.5	0.6	13.0	2.6	343	11	199.4	75.9	28.7	8.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	2	4.4	2.8	1.7	26.8	0.3	4.8	1.8	452	2	251.0	45.0	33.5	6.6	
Ensilage, blandvall (1-50% klöver) (165)	1	96	4.8	2.4	1.6	24.0	0.6	3.7	1.9	416	89	204.1	59.4	27.6	6.4	0.0

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	2	53	6.5	2.9	2.2	26.0	0.8	7.1	2.3	352	49	196.0	70.4	27.3	7.6	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	8	6.5	2.9	2.4	23.1	0.9	8.5	2.5	215	8	416.4	83.6	26.6	8.5	
Ensilage, blandvall (1-50% klöver) (165)	4	1	10.4	3.0	2.7	22.1	1.9	3.7	2.8	369	0					
Korn, helsädesensilage (250)	1	6	3.2	2.7	1.6	17.2	0.7	3.8	1.8	254	6	125.2	45.0	28.3	5.3	0.1
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	2.4	2.1	1.3	12.2	0.5	1.0	1.2	231	1	93.0	43.0	25.0	5.0	
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	1	5.5	4.0	2.3	18.2	3.5	1.3	1.7	475	1	167.0	52.0	36.0	7.1	
Havre helsädesensilage degmognad (296)	1	1	1.3	2.6	1.2	10.7	1.0		1.2	22	0					
Vete, helsäd ensilage (299)	1	2	2.8	2.5	1.6	20.3	0.3	2.3	1.7	360	2	133.5	33.0	26.5	5.3	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	2	4.1	3.2	1.4	17.0	0.3	6.8	1.7	153	2	194.5	31.5	26.0	6.0	
Majs, helsädesensilage (305)	1	1	2.3	1.8	1.2	12.5			0.8	245	0					
Ärter, helsädesensilage, sen skörd (315)	1	1	8.4	2.4	1.9	14.1	0.1	2.5	1.3	213	1	855.0	26.0	30.0	6.9	
Hö, blandvall, 0-50% baljväxter (383)	1	4	3.1	1.9	1.0	17.2	0.3	1.7	1.4	248	2	68.0	53.5	18.5	5.0	0.0
Grönmassa, blandvall (51-100% baljväxter) (437)	1	1	11.7	3.2	2.8	24.1	1.5	0.2	2.6	513	0					
Ensilage, blandvall (51-100% klöver) (438)	1	3	6.6	3.0	2.5	29.8	0.3	3.1	2.1	558	3	97.3	57.0	27.0	5.7	0.1
Ensilage, blandvall (51-100% klöver) (438)	2	1	12.5	3.3	3.1	25.6	1.3	0.4	2.7	531	0					
Ensilage, blandvall (1-50% klöver) (326)	1	4	5.9	4.5	3.1	14.9	6.0	6.0	3.7	244	4	296.0	106.8	69.0	9.8	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	881.500	36.1870	841.000	930.000
Aska	6	24.017	2.0322	21.000	26.400
OS smbh	6	57.333	44.4102	0.000	86.000
Råprot	6	109.133	11.8520	98.900	124.100
sRåprot	2	350.000	83.4386	291.000	409.000
NH3-N	1	7.000	.	7.000	7.000
NDF	3	142.000	30.6105	113.000	174.000
iNDF	6	116.333	70.7465	25.000	162.000
nhNDF	6	3.150	0.0000	3.150	3.150
Stä	6	581.050	49.4203	517.000	643.700
TAF	6	0.000	0.0000	0.000	0.000
Socker	2	5.000	0.0000	5.000	5.000
AATp20	6	96.152	2.3896	94.058	99.212
PBVp20	6	-35.287	11.2453	-50.790	-18.542
NELp20	6	7.370	0.1922	7.118	7.625
OE*	4	13.300	0.1414	13.100	13.400
AAT*	2	92.500	0.7071	92.000	93.000
PBV*	2	-47.000	0.0000	-47.000	-47.000
Ca	3	0.467	0.0577	0.400	0.500
P	3	3.867	0.0577	3.800	3.900
Mg	3	1.300	0.0000	1.300	1.300
K	3	5.733	0.2309	5.600	6.000
Na	3	0.100	0.0000	0.100	0.100
S	3	1.200	0.1732	1.100	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	3	42.178	14.6973	26.268	55.248
Fe	3	50.333	4.7258	45.000	54.000
Mn	3	17.333	3.2146	15.000	21.000
Zn	3	34.000	5.2915	30.000	40.000
Cu	3	6.300	0.4000	5.900	6.700

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	924.000	.	924.000	924.000
Aska	1	22.000	.	22.000	22.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	116.000	.	116.000	116.000
sRåprot	1	278.000	.	278.000	278.000
NDF	1	120.000	.	120.000	120.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	513.000	.	513.000	513.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	111.757	.	111.757	111.757
PBVp20	1	-48.745	.	-48.745	-48.745
NELp20	1	7.924	.	7.924	7.924
OE*	1	14.100	.	14.100	14.100
Ca	1	0.400	.	0.400	0.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
P	1	2.900	.	2.900	2.900
Mg	1	1.200	.	1.200	1.200
K	1	5.200	.	5.200	5.200
Cl	1	1.200	.	1.200	1.200
S	1	1.600	.	1.600	1.600
CAB	1	3.537	.	3.537	3.537
Fe	1	52.000	.	52.000	52.000
Mn	1	28.000	.	28.000	28.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.000	.	6.000	6.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	883.000	29.698	862.000	904.000
Aska	2	16.100	0.141	16.000	16.200
OS smbh	2	44.740	63.271	0.000	89.479
Råprot	2	100.600	13.576	91.000	110.200
sRåprot	1	370.000	.	370.000	370.000
NDF	1	96.000	.	96.000	96.000
iNDF	2	106.000	114.551	25.000	187.000
nhNDF	2	3.500	0.000	3.500	3.500
Stä	2	649.100	77.923	594.000	704.200
TAF	2	0.000	0.000	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Rågvete (015) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	1	5.000	.	5.000	5.000
AATp20	2	109.255	0.460	108.930	109.580
PBVp20	2	-60.221	15.345	-71.071	-49.371
NELp20	2	7.846	0.087	7.785	7.907
OE*	2	13.450	0.636	13.000	13.900
AAT*	1	95.000	.	95.000	95.000
PBV*	1	-46.000	.	-46.000	-46.000
Ca	1	0.300	.	0.300	0.300
P	1	3.700	.	3.700	3.700
Mg	1	1.200	.	1.200	1.200
K	1	5.100	.	5.100	5.100
Na	1	0.100	.	0.100	0.100
S	1	1.100	.	1.100	1.100
CAB	1	46.314	.	46.314	46.314
Fe	1	34.000	.	34.000	34.000
Mn	1	39.000	.	39.000	39.000
Zn	1	45.000	.	45.000	45.000
Cu	1	5.600	.	5.600	5.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	815.000	.	815.000	815.000
Aska	1	23.000	.	23.000	23.000
OS smbh	2	87.000	0.00000	87.000	87.000
Råprot	1	121.000	.	121.000	121.000
NH3-N	1	6.000	.	6.000	6.000
NDF	1	151.000	.	151.000	151.000
iNDF	2	173.000	0.00000	173.000	173.000
nhNDF	2	3.300	0.00000	3.300	3.300
Stä	1	607.000	.	607.000	607.000
TAF	2	0.000	0.00000	0.000	0.000
AATp20	2	105.317	0.45214	104.998	105.637
PBVp20	2	-35.070	1.43710	-36.086	-34.054
NELp20	2	7.571	0.01551	7.560	7.582
OE*	1	13.300	.	13.300	13.300
AAT*	1	94.000	.	94.000	94.000
PBV*	1	-32.000	.	-32.000	-32.000
Ca	1	0.400	.	0.400	0.400
P	1	3.600	.	3.600	3.600
Mg	1	1.300	.	1.300	1.300
K	1	5.300	.	5.300	5.300
Na	1	0.100	.	0.100	0.100
S	1	1.200	.	1.200	1.200
CAB	1	36.729	.	36.729	36.729
Fe	1	55.000	.	55.000	55.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Blandsäd, kärna, 50%korn/50%vete (114) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	25.000	.	25.000	25.000
Zn	1	40.000	.	40.000	40.000
Cu	1	5.400	.	5.400	5.400

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	230.750	4.27200	226.000	236.000
OS smbh	4	73.150	0.00000	73.150	73.150
iNDF	4	170.460	0.00000	170.460	170.460
nhNDF	4	4.315	0.00000	4.315	4.315
TAF	4	0.000	0.00000	0.000	0.000
AATp20	4	96.439	0.00000	96.439	96.439
PBVp20	4	-4.418	0.00000	-4.418	-4.418
NELp20	4	5.943	0.00000	5.943	5.943
OE*	4	12.575	0.61305	11.800	13.200

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	592.200	183.673	296.000	743.000
Aska	5	52.800	19.652	35.000	85.000
OS smbh	5	70.380	5.271	66.600	79.400
Råprot	5	97.000	44.102	66.000	174.000
NDF	5	559.800	60.607	454.000	606.000
iNDF	5	181.074	44.250	105.385	215.475

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	5	4.239	0.846	3.566	5.685
TAF	5	61.000	0.000	61.000	61.000
Socker	5	125.400	20.057	92.000	143.000
AATp20	5	80.527	6.050	76.235	90.972
PBVp20	5	-25.451	30.475	-46.721	27.930
NELp20	5	5.646	0.489	5.308	6.487
OE*	5	10.360	0.662	9.900	11.500
AAT*	5	72.800	3.114	70.000	78.000
PBV*	5	-27.600	37.997	-54.000	39.000
Ca	5	3.260	0.391	2.700	3.800
P	5	1.980	0.638	1.400	3.000
Mg	5	1.120	0.277	0.900	1.600
K	5	19.140	7.759	10.900	31.100
Na	5	0.220	0.217	0.100	0.600
S	5	1.320	0.559	0.900	2.300
CAB	5	275.734	174.690	77.873	536.888
Fe	5	88.600	36.198	57.000	137.000
Mn	5	42.800	38.726	23.000	112.000
Zn	5	22.400	10.922	14.000	41.000
Cu	5	4.700	2.095	3.200	8.400
Se	4	0.020	0.028	0.005	0.062

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	666.750	172.929	391.000	835.00
Aska	12	73.083	16.031	58.000	90.00
OS smbh	12	67.483	5.857	59.700	75.00
Råprot	12	88.833	20.854	63.000	122.00
sRåprot	12	456.333	142.464	339.000	680.00
NH3-N	12	49.333	28.298	27.000	96.00
NDF	12	533.500	54.484	486.000	587.00
iNDF	12	216.517	49.879	156.671	275.04
nhNDF	12	3.618	0.735	2.750	4.51
TAF	12	31.500	17.941	8.500	51.90
Mjölksyra	12	23.750	15.076	2.000	41.00
Ättiksyra	12	5.667	3.447	1.000	10.00
Socker	12	96.083	19.346	73.000	111.00
BUF	12	1.083	1.123	0.500	2.90
AATp20	12	77.839	5.106	71.153	84.49
PBVp20	12	-28.468	14.503	-41.767	-5.70
NELp20	12	5.239	0.589	4.569	5.92
OE*	12	9.667	1.039	8.400	11.00
AAT*	12	67.833	3.271	64.000	72.00
PBV*	12	-26.833	17.028	-46.000	-3.00
Ca	11	3.600	1.299	2.400	5.40
P	11	1.882	0.316	1.600	2.30
Mg	11	1.336	0.277	1.000	1.70
K	11	19.127	4.638	14.900	22.90

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	11	0.109	0.030	0.100	0.10
Cl	12	2.183	1.252	0.700	3.80
S	11	1.345	0.356	1.000	1.70
CAB	11	352.478	103.276	270.410	451.21
Fe	11	406.455	582.369	88.000	1256.00
Mn	11	65.091	27.005	35.000	92.00
Zn	11	24.182	3.894	18.000	29.00
Cu	11	5.100	1.061	4.000	6.50

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	674.000	.	674.000	674.000
Aska	1	81.000	.	81.000	81.000
OS smbh	1	74.500	.	74.500	74.500
Råprot	1	128.000	.	128.000	128.000
sRåprot	1	387.000	.	387.000	387.000
NH3-N	1	43.000	.	43.000	43.000
NDF	1	526.000	.	526.000	526.000
iNDF	1	144.337	.	144.337	144.337
nhNDF	1	4.989	.	4.989	4.989
TAF	1	35.400	.	35.400	35.400
Mjölksyra	1	27.000	.	27.000	27.000
Ättiksyra	1	6.000	.	6.000	6.000
Socket	1	74.000	.	74.000	74.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
BUF	1	1.400	.	1.400	1.400
AATp20	1	88.557	.	88.557	88.557
PBVp20	1	-10.294	.	-10.294	-10.294
NELp20	1	5.985	.	5.985	5.985
OE*	1	10.700	.	10.700	10.700
AAT*	1	71.000	.	71.000	71.000
PBV*	1	6.000	.	6.000	6.000
Ca	1	3.000	.	3.000	3.000
P	1	2.400	.	2.400	2.400
Mg	1	2.000	.	2.000	2.000
K	1	26.400	.	26.400	26.400
Na	1	0.100	.	0.100	0.100
Cl	1	0.700	.	0.700	0.700
S	1	1.800	.	1.800	1.800
CAB	1	547.321	.	547.321	547.321
Fe	1	94.000	.	94.000	94.000
Mn	1	69.000	.	69.000	69.000
Zn	1	29.000	.	29.000	29.000
Cu	1	7.400	.	7.400	7.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	43	384.721	113.604	274.000	542.000
Aska	43	74.256	10.581	62.000	86.000
OS smbh	43	78.849	3.792	75.200	84.200
Råprot	43	152.209	25.357	110.000	181.000
sRåprot	12	472.000	103.215	381.000	650.000
NDF	43	443.442	42.315	394.000	499.000
iNDF	43	117.242	41.076	57.661	178.000
nhNDF	43	5.476	1.024	4.117	6.981
TAF	43	70.419	28.906	13.000	84.000
Mjölksyra	8	0.000	0.000	0.000	0.000
Ättiksyra	6	4.000	3.688	0.000	9.000
Socker	43	125.209	44.666	77.000	184.000
PRF	6	2.333	2.582	0.000	6.000
BUF	6	1.667	1.211	0.000	3.000
AATp20	43	89.335	5.340	82.566	95.229
PBVp20	43	13.319	19.701	-15.304	35.291
NELp20	43	6.446	0.378	6.041	6.986
OE*	43	11.534	0.654	10.700	12.500
AAT*	31	79.516	3.623	74.000	83.000
PBV*	31	13.419	25.595	-21.000	47.000
Ca	37	5.270	1.313	3.800	6.600
P	37	2.751	0.373	2.300	3.200
Mg	37	1.711	0.381	1.300	2.000
K	37	24.984	4.464	19.900	29.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	37	0.843	0.788	0.200	1.800
Cl	12	4.017	2.797	0.800	7.800
S	37	2.130	0.448	1.500	2.700
CAB	37	416.375	119.539	271.394	541.487
Fe	33	167.758	186.306	74.000	282.000
Mn	33	56.485	23.862	36.000	78.000
Zn	33	30.242	8.385	22.000	36.000
Cu	33	7.773	8.238	4.500	8.300
Se	9	0.017	0.003	0.013	0.021

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	23	387.304	147.646	248.000	615.000
Aska	23	83.261	10.669	74.000	97.000
OS smbh	23	75.070	3.228	71.100	79.400
Råprot	23	157.609	19.787	138.000	187.000
sRåprot	8	360.500	40.175	309.000	403.000
NDF	23	477.739	32.981	436.000	515.000
iNDF	23	153.424	36.865	107.953	183.000
nhNDF	23	4.792	0.689	4.282	5.871
TAF	23	80.478	16.890	84.000	84.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	0.000	.	0.000	0.000
Socker	23	81.130	30.239	49.000	119.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	23	85.901	4.514	81.588	91.960
PBVp20	23	24.051	15.775	4.440	43.124
NELp20	23	6.175	0.256	5.913	6.570
OE*	23	10.812	0.486	10.250	11.400
AAT*	15	75.267	3.011	72.000	79.000
PBV*	15	21.000	18.287	-1.000	41.000
Ca	23	6.796	2.051	4.600	8.300
P	23	2.991	0.345	2.500	3.300
Mg	23	2.178	0.543	1.600	2.500
K	23	25.252	6.082	16.800	31.700
Na	23	1.083	0.884	0.200	2.500
Cl	8	8.988	6.078	2.700	17.600
S	23	2.461	0.560	1.600	3.200
CAB	23	364.698	140.044	203.235	520.803
Fe	19	144.684	50.529	77.000	218.000
Mn	19	67.947	32.324	38.000	108.000
Zn	19	32.579	13.150	23.000	44.000
Cu	19	8.116	1.673	6.100	10.700
Se	8	0.035	0.017	0.011	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	12	397.083	95.883	283.000	507.000
Aska	12	98.500	15.121	80.000	112.000
OS smbh	12	73.483	2.614	70.500	76.800
Råprot	12	164.667	18.821	147.000	186.000
sRåprot	2	398.500	53.033	361.000	436.000
NDF	12	481.500	33.451	430.000	503.000
iNDF	12	161.255	26.367	138.809	194.888
nhNDF	12	4.407	0.391	3.871	4.768
TAF	12	84.000	0.000	84.000	84.000
Socker	12	58.583	27.003	36.000	91.000
AATp20	12	82.312	3.468	78.777	86.883
PBVp20	12	36.503	17.726	10.255	50.591
NELp20	12	6.025	0.226	5.737	6.366
OE*	12	10.397	0.490	9.900	11.100
AAT*	10	72.200	2.573	68.500	75.500
PBV*	10	43.200	18.293	18.500	64.500
Ca	12	7.350	2.253	5.300	10.900
P	12	2.992	0.427	2.600	3.500
Mg	12	2.400	0.505	1.800	3.100
K	12	25.475	6.468	17.500	32.000
Na	12	0.617	0.333	0.200	1.000
Cl	2	12.950	11.809	4.600	21.300
S	12	2.633	0.431	2.100	3.100
CAB	12	342.636	229.971	81.592	580.857

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	11	199.364	68.043	136.000	248.000
Mn	11	75.909	14.700	58.000	92.000
Zn	11	28.727	3.849	24.000	35.000
Cu	11	8.164	1.025	7.200	9.400
Se	4	0.031	0.011	0.020	0.042

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	334.750	56.958	292.000	413.000
Aska	2	78.000	7.071	73.000	83.000
OS smbh	4	73.050	0.835	71.800	73.500
Råprot	2	116.500	6.364	112.000	121.000
sRåprot	2	579.500	4.950	576.000	583.000
NH3-N	2	98.500	0.707	98.000	99.000
NDF	2	507.500	34.648	483.000	532.000
iNDF	4	170.420	2.068	169.282	173.521
nhNDF	4	4.306	0.025	4.292	4.344
TAF	4	81.725	11.817	70.500	98.400
Mjölksyra	2	65.000	12.728	56.000	74.000
Ättiksyra	2	17.500	7.778	12.000	23.000
Socker	2	28.500	0.707	28.000	29.000
BUF	2	0.950	0.778	0.400	1.500
AATp20	4	80.170	2.323	77.496	82.115
PBVp20	4	9.939	14.655	-7.440	22.077

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	4	5.989	0.094	5.861	6.060
OE*	2	10.450	0.071	10.400	10.500
AAT*	2	70.000	0.000	70.000	70.000
PBV*	2	-3.950	5.728	-8.000	0.100
Ca	2	4.350	0.778	3.800	4.900
P	2	2.750	0.071	2.700	2.800
Mg	2	1.650	0.071	1.600	1.700
K	2	26.800	0.707	26.300	27.300
Na	2	0.250	0.071	0.200	0.300
Cl	2	4.800	3.818	2.100	7.500
S	2	1.750	0.071	1.700	1.800
CAB	2	451.705	124.299	363.812	539.598
Fe	2	251.000	156.978	140.000	362.000
Mn	2	45.000	21.213	30.000	60.000
Zn	2	33.500	2.121	32.000	35.000
Cu	2	6.550	0.919	5.900	7.200

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	104	388.635	128.386	272.000	573.000
Aska	99	70.636	10.186	59.000	84.000
OS smbh	104	76.257	3.390	72.000	79.800
Råprot	99	137.061	23.078	113.000	160.000
sRåprot	99	616.717	98.049	479.000	724.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	99	77.051	32.700	29.000	121.000
NDF	99	451.141	45.026	391.000	512.000
iNDF	104	148.471	31.049	113.209	189.000
nhNDF	104	4.683	0.568	4.031	5.354
TAF	104	73.830	34.652	23.400	121.100
Mjölksyra	99	56.758	30.479	16.000	99.000
Ättiksyra	99	13.737	6.433	6.000	22.000
Socker	99	67.899	42.019	22.000	138.000
PRF	19	3.895	1.823	2.000	6.000
BUF	99	1.518	2.949	0.000	3.800
AATp20	104	83.023	3.360	78.458	87.747
PBVp20	104	9.880	20.447	-12.201	30.646
NELp20	104	6.250	0.387	5.779	6.646
OE*	98	11.172	0.559	10.400	11.800
AAT*	79	72.241	1.681	70.000	74.000
PBV*	79	8.165	18.942	-18.000	30.000
Ca	96	4.796	1.324	3.600	6.600
P	96	2.432	0.511	1.800	3.000
Mg	96	1.627	0.316	1.300	2.000
K	96	23.984	4.604	19.000	28.800
Na	96	0.553	0.471	0.100	1.300
Cl	99	3.660	2.379	1.100	6.900
S	96	1.886	0.451	1.400	2.400
CAB	96	416.329	102.540	305.118	505.615

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	89	204.146	180.309	81.000	372.000
Mn	89	59.382	17.256	41.000	74.000
Zn	89	27.618	5.902	21.000	35.000
Cu	89	6.429	1.457	4.400	8.400
Se	20	0.031	0.018	0.010	0.053

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	56	408.929	112.793	273.000	568.000
Aska	54	86.241	12.811	69.000	101.000
OS smbh	56	74.357	3.346	69.900	79.700
Råprot	54	148.815	21.802	123.000	178.000
sRåprot	54	561.037	72.359	462.000	651.000
NH3-N	54	74.241	27.262	42.000	110.000
NDF	54	446.481	38.125	406.000	491.000
iNDF	56	175.934	44.828	126.420	235.000
nhNDF	56	4.394	0.780	3.616	5.588
TAF	56	67.536	26.566	31.000	101.000
Mjölksyra	54	50.907	22.988	21.000	83.000
Ättiksyra	54	13.315	5.666	6.000	21.000
Socker	54	55.926	29.857	18.000	89.000
PRF	15	3.333	1.718	1.000	5.000
BUF	54	1.241	1.365	0.000	2.900
AATp20	56	82.308	4.442	76.567	87.267

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBVp20	56	21.600	17.375	0.133	44.722
NELp20	56	6.041	0.358	5.551	6.544
OE*	54	10.662	0.555	9.900	11.300
AAT*	39	70.308	1.575	68.000	72.000
PBV*	39	24.410	19.825	1.000	56.000
Ca	53	6.475	1.700	4.900	8.000
P	53	2.855	0.457	2.300	3.300
Mg	53	2.177	0.303	1.800	2.600
K	53	25.987	4.226	21.200	30.800
Na	53	0.760	0.735	0.200	1.400
Cl	53	7.136	5.667	2.700	11.300
S	53	2.308	0.448	1.800	2.900
CAB	53	352.027	165.495	191.505	506.850
Fe	49	195.980	213.170	86.000	320.000
Mn	49	70.429	20.431	44.000	95.000
Zn	49	27.327	4.337	22.000	33.000
Cu	49	7.620	1.425	6.000	9.000
Se	11	0.035	0.018	0.012	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	406.556	130.454	228.000	618.00
Aska	9	93.667	22.836	70.000	136.00
OS smbh	9	73.911	3.535	66.900	78.30
Råprot	9	161.000	28.049	115.000	201.00
sRåprot	9	516.444	45.346	464.000	603.00
NH3-N	9	61.667	19.577	37.000	95.00
NDF	9	431.222	46.289	343.000	488.00
iNDF	9	181.284	37.235	137.000	244.65
nhNDF	9	4.045	0.713	3.095	4.99
TAF	9	72.078	37.471	19.500	126.00
Mjölksyra	9	59.333	33.110	14.000	105.00
Ättiksyra	9	10.556	5.270	4.000	21.00
Socker	9	53.444	36.600	19.000	119.00
PRF	3	2.667	2.309	0.000	4.00
BUF	9	0.633	0.817	0.000	2.00
AATp20	9	82.386	4.467	76.465	90.87
PBVp20	9	32.865	22.651	-5.334	69.21
NELp20	9	6.004	0.498	5.014	6.72
OE*	9	10.520	0.640	9.100	11.24
AAT*	6	69.333	1.862	66.000	71.00
PBV*	6	35.167	27.426	-4.000	64.00
Ca	8	6.500	1.700	3.900	9.80
P	8	2.913	0.530	1.800	3.40
Mg	8	2.413	0.352	1.800	2.80

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	8	23.113	7.548	9.900	29.80
Na	8	0.925	0.528	0.300	1.60
Cl	9	8.533	7.824	1.600	24.80
S	8	2.525	0.341	2.200	3.10
CAB	8	214.715	203.958	-100.302	466.22
Fe	8	416.375	440.179	85.000	1144.00
Mn	8	83.625	36.602	48.000	145.00
Zn	8	26.625	3.378	22.000	32.00
Cu	8	8.450	0.630	7.500	9.00

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	342.000	.	342.000	342.000
Aska	1	94.000	.	94.000	94.000
OS smbh	1	74.200	.	74.200	74.200
Råprot	1	188.000	.	188.000	188.000
sRåprot	1	575.000	.	575.000	575.000
NH3-N	1	67.000	.	67.000	67.000
NDF	1	383.000	.	383.000	383.000
iNDF	1	259.000	.	259.000	259.000
nhNDF	1	4.575	.	4.575	4.575
TAF	1	118.000	.	118.000	118.000
Mjölksyra	1	89.000	.	89.000	89.000
Ättiksyra	1	26.000	.	26.000	26.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socket	1	22.000	.	22.000	22.000
PRF	1	3.000	.	3.000	3.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	78.601	.	78.601	78.601
PBVp20	1	64.183	.	64.183	64.183
NELp20	1	6.192	.	6.192	6.192
OE*	1	10.540	.	10.540	10.540
Ca	1	10.400	.	10.400	10.400
P	1	3.000	.	3.000	3.000
Mg	1	2.700	.	2.700	2.700
K	1	22.100	.	22.100	22.100
Na	1	1.900	.	1.900	1.900
Cl	1	3.700	.	3.700	3.700
S	1	2.800	.	2.800	2.800
CAB	1	368.601	.	368.601	368.601

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	499.333	130.187	299.000	670.000
Aska	6	58.000	16.297	35.000	77.000
OS smbh	6	68.833	2.765	64.300	72.100
Råprot	6	95.000	18.569	76.000	120.000
sRåprot	6	650.167	90.435	499.000	761.000
NH3-N	6	87.333	17.466	61.000	111.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	6	417.167	23.558	388.000	448.000
iNDF	6	268.368	39.420	206.562	315.000
nhNDF	6	2.589	0.464	2.183	3.484
Stä	6	175.167	68.805	44.000	245.000
TAF	6	54.750	32.063	21.700	112.700
Mjölksyra	6	38.333	28.612	12.000	93.000
Ättiksyra	5	13.200	6.723	6.000	22.000
Socker	6	57.667	20.096	37.000	84.000
PRF	1	6.000	.	6.000	6.000
BUF	1	3.000	.	3.000	3.000
AATp20	6	70.928	3.887	66.194	75.963
PBVp20	6	-18.375	17.772	-36.324	9.717
NELp20	6	5.540	0.278	5.102	5.891
OE*	4	9.953	0.356	9.700	10.480
AAT*	2	63.500	0.707	63.000	64.000
PBV*	2	-37.500	7.778	-43.000	-32.000
Ca	6	3.217	1.184	1.900	4.900
P	6	2.650	0.442	2.100	3.300
Mg	6	1.617	0.240	1.400	2.000
K	6	17.233	5.448	11.800	26.700
Na	6	0.667	0.398	0.300	1.400
Cl	6	3.783	1.965	1.600	6.100
S	6	1.750	0.493	1.200	2.500
CAB	6	253.788	167.621	60.602	533.963

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	6	125.167	39.168	85.000	192.000
Mn	6	45.000	30.977	19.000	95.000
Zn	6	28.333	5.680	20.000	36.000
Cu	6	5.267	0.680	4.700	6.500
Se	2	0.067	0.023	0.050	0.083

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	670.000	.	670.000	670.000
Aska	1	68.000	.	68.000	68.000
OS smbh	1	65.700	.	65.700	65.700
Råprot	1	90.000	.	90.000	90.000
sRåprot	1	506.000	.	506.000	506.000
NH3-N	1	25.000	.	25.000	25.000
NDF	1	448.000	.	448.000	448.000
iNDF	1	284.080	.	284.080	284.080
nhNDF	1	2.420	.	2.420	2.420
Stä	1	246.000	.	246.000	246.000
TAF	1	32.900	.	32.900	32.900
Mjölksyra	1	21.000	.	21.000	21.000
Ättiksyra	1	10.000	.	10.000	10.000
Socker	1	26.000	.	26.000	26.000
AATp20	1	72.953	.	72.953	72.953
PBVp20	1	-22.319	.	-22.319	-22.319

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	5.298	.	5.298	5.298
Ca	1	2.400	.	2.400	2.400
P	1	2.100	.	2.100	2.100
Mg	1	1.300	.	1.300	1.300
K	1	12.200	.	12.200	12.200
Na	1	0.500	.	0.500	0.500
Cl	1	1.000	.	1.000	1.000
S	1	1.200	.	1.200	1.200
CAB	1	230.591	.	230.591	230.591
Fe	1	93.000	.	93.000	93.000
Mn	1	43.000	.	43.000	43.000
Zn	1	25.000	.	25.000	25.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	382.000	.	382.000	382.000
Aska	1	74.000	.	74.000	74.000
OS smbh	1	62.900	.	62.900	62.900
Råprot	1	130.000	.	130.000	130.000
sRåprot	1	697.000	.	697.000	697.000
NH3-N	1	103.000	.	103.000	103.000
NDF	1	503.000	.	503.000	503.000
iNDF	1	467.201	.	467.201	467.201

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter/Vicker/Havre, hela plantan, axgång till blom Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	1	7.961	.	7.961	7.961
Stä	1	55.000	.	55.000	55.000
TAF	1	81.500	.	81.500	81.500
Mjölksyra	1	67.000	.	67.000	67.000
Ättiksyra	1	14.000	.	14.000	14.000
Socker	1	23.000	.	23.000	23.000
AATp20	1	64.509	.	64.509	64.509
PBVp20	1	27.422	.	27.422	27.422
NELp20	1	5.183	.	5.183	5.183
OE*	1	9.700	.	9.700	9.700
AAT*	1	59.000	.	59.000	59.000
PBV*	1	10.000	.	10.000	10.000
Ca	1	5.500	.	5.500	5.500
P	1	4.000	.	4.000	4.000
Mg	1	2.300	.	2.300	2.300
K	1	18.200	.	18.200	18.200
Na	1	3.500	.	3.500	3.500
Cl	1	1.300	.	1.300	1.300
S	1	1.700	.	1.700	1.700
CAB	1	474.777	.	474.777	474.777
Fe	1	167.000	.	167.000	167.000
Mn	1	52.000	.	52.000	52.000
Zn	1	36.000	.	36.000	36.000
Cu	1	7.100	.	7.100	7.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	476.000	.	476.000	476.000
Aska	1	41.000	.	41.000	41.000
OS smbh	1	58.200	.	58.200	58.200
Råprot	1	64.000	.	64.000	64.000
sRåprot	1	424.000	.	424.000	424.000
NH3-N	1	80.000	.	80.000	80.000
NDF	1	520.000	.	520.000	520.000
iNDF	1	394.000	.	394.000	394.000
nhNDF	1	2.291	.	2.291	2.291
Stä	1	195.000	.	195.000	195.000
TAF	1	6.000	.	6.000	6.000
Mjölksyra	1	0.000	.	0.000	0.000
Ättiksyra	1	3.000	.	3.000	3.000
Socker	1	28.000	.	28.000	28.000
PRF	1	0.000	.	0.000	0.000
BUF	1	3.000	.	3.000	3.000
AATp20	1	73.980	.	73.980	73.980
PBVp20	1	-48.181	.	-48.181	-48.181
NELp20	1	4.707	.	4.707	4.707
OE*	1	8.430	.	8.430	8.430
Ca	1	1.300	.	1.300	1.300
P	1	2.600	.	2.600	2.600
Mg	1	1.200	.	1.200	1.200
K	1	10.700	.	10.700	10.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	1.000	.	1.000	1.000
S	1	1.200	.	1.200	1.200
CAB	1	21.572	.	21.572	21.572

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	421.000	69.296	372.000	470.000
Aska	2	65.000	9.899	58.000	72.000
OS smbh	2	73.550	4.172	70.600	76.500
Råprot	2	126.000	33.941	102.000	150.000
sRåprot	2	712.500	139.300	614.000	811.000
NH3-N	2	65.000	45.255	33.000	97.000
NDF	2	452.000	14.142	442.000	462.000
iNDF	2	183.593	57.144	143.186	224.000
nhNDF	2	3.920	1.219	3.058	4.782
Stä	2	54.500	53.033	17.000	92.000
TAF	2	74.750	30.759	53.000	96.500
Mjölksyra	2	55.000	25.456	37.000	73.000
Ättiksyra	2	16.500	6.364	12.000	21.000
Socker	2	75.500	30.406	54.000	97.000
PRF	1	2.000	.	2.000	2.000
BUF	1	2.000	.	2.000	2.000
AATp20	2	72.175	1.549	71.079	73.270
PBVp20	2	5.700	32.487	-17.272	28.671

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	6.036	0.375	5.771	6.301
OE*	1	10.360	.	10.360	10.360
Ca	2	2.800	0.424	2.500	3.100
P	2	2.500	0.141	2.400	2.600
Mg	2	1.550	0.071	1.500	1.600
K	2	20.300	3.253	18.000	22.600
Na	2	0.250	0.212	0.100	0.400
Cl	2	2.250	0.495	1.900	2.600
S	2	1.700	0.424	1.400	2.000
CAB	2	360.421	61.392	317.010	403.832
Fe	2	133.500	27.577	114.000	153.000
Mn	2	33.000	2.828	31.000	35.000
Zn	2	26.500	4.950	23.000	30.000
Cu	2	5.300	0.424	5.000	5.600
Se	2	0.048	0.045	0.016	0.080

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	368.500	74.246	316.000	421.000
Aska	2	63.000	1.414	62.000	64.000
OS smbh	2	70.050	1.485	69.000	71.100
Råprot	2	109.500	16.263	98.000	121.000
sRåprot	2	646.500	58.690	605.000	688.000
NH3-N	2	126.500	38.891	99.000	154.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	2	415.000	114.551	334.000	496.000
iNDF	2	255.500	67.175	208.000	303.000
nhNDF	2	2.780	1.684	1.590	3.971
Stä	2	159.500	166.170	42.000	277.000
TAF	2	73.000	28.284	53.000	93.000
Mjölksyra	2	54.500	26.163	36.000	73.000
Ättiksyra	2	14.000	7.071	9.000	19.000
Socker	2	58.500	30.406	37.000	80.000
PRF	2	2.000	1.414	1.000	3.000
BUF	2	2.500	3.536	0.000	5.000
AATp20	2	72.067	1.000	71.360	72.774
PBVp20	2	-4.132	15.972	-15.426	7.161
NELp20	2	5.794	0.248	5.619	5.970
OE*	2	10.215	0.233	10.050	10.380
Ca	2	4.100	1.273	3.200	5.000
P	2	3.150	0.212	3.000	3.300
Mg	2	1.350	0.212	1.200	1.500
K	2	16.950	2.333	15.300	18.600
Na	2	0.300	0.141	0.200	0.400
Cl	2	6.750	1.202	5.900	7.600
S	2	1.650	0.354	1.400	1.900
CAB	2	153.281	77.592	98.415	208.147
Fe	2	194.500	67.175	147.000	242.000
Mn	2	31.500	2.121	30.000	33.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	26.000	1.414	25.000	27.000
Cu	2	6.000	1.414	5.000	7.000

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	261.000	.	261.000	261.000
Aska	1	34.000	.	34.000	34.000
OS smbh	1	71.800	.	71.800	71.800
Råprot	1	77.000	.	77.000	77.000
sRåprot	1	590.000	.	590.000	590.000
NH3-N	1	18.000	.	18.000	18.000
NDF	1	500.000	.	500.000	500.000
iNDF	1	156.000	.	156.000	156.000
nhNDF	1	3.222	.	3.222	3.222
Stä	1	121.000	.	121.000	121.000
TAF	1	67.000	.	67.000	67.000
Mjölksyra	1	50.000	.	50.000	50.000
Ättiksyra	1	15.000	.	15.000	15.000
Socker	1	11.000	.	11.000	11.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	77.461	.	77.461	77.461
PBVp20	1	-44.441	.	-44.441	-44.441
NELp20	1	5.975	.	5.975	5.975

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	1	10.830	.	10.830	10.830
Ca	1	2.300	.	2.300	2.300
P	1	1.800	.	1.800	1.800
Mg	1	1.200	.	1.200	1.200
K	1	12.500	.	12.500	12.500
S	1	0.800	.	0.800	0.800
CAB	1	244.831	.	244.831	244.831

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	408.000	.	408.000	408.000
Aska	1	70.000	.	70.000	70.000
OS smbh	1	72.800	.	72.800	72.800
Råprot	1	127.000	.	127.000	127.000
sRåprot	1	710.000	.	710.000	710.000
NH3-N	1	88.000	.	88.000	88.000
NDF	1	374.000	.	374.000	374.000
iNDF	1	233.128	.	233.128	233.128
nhNDF	1	2.900	.	2.900	2.900
Stä	1	119.000	.	119.000	119.000
TAF	1	81.000	.	81.000	81.000
Mjölksyra	1	66.000	.	66.000	66.000
Ättiksyra	1	15.000	.	15.000	15.000
Socket	1	58.000	.	58.000	58.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, helsädesensilage, sen skörd (315) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	71.499	.	71.499	71.499
PBVp20	1	14.843	.	14.843	14.843
NELp20	1	5.879	.	5.879	5.879
OE*	1	9.300	.	9.300	9.300
AAT*	1	59.000	.	59.000	59.000
PBV*	1	12.000	.	12.000	12.000
Ca	1	8.400	.	8.400	8.400
P	1	2.400	.	2.400	2.400
Mg	1	1.900	.	1.900	1.900
K	1	14.100	.	14.100	14.100
Na	1	0.100	.	0.100	0.100
Cl	1	2.500	.	2.500	2.500
S	1	1.300	.	1.300	1.300
CAB	1	213.289	.	213.289	213.289
Fe	1	855.000	.	855.000	855.000
Mn	1	26.000	.	26.000	26.000
Zn	1	30.000	.	30.000	30.000
Cu	1	6.900	.	6.900	6.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	759.500	153.285	547.000	910.000
Aska	4	55.750	9.500	45.000	66.000
OS smbh	4	69.875	2.265	67.400	72.800
Råprot	4	96.000	23.509	68.000	123.000
sRåprot	2	514.000	120.208	429.000	599.000
NDF	4	525.500	48.405	473.000	587.000
iNDF	4	197.334	8.989	187.000	206.823
nhNDF	4	3.709	0.205	3.416	3.895
TAF	4	0.000	0.000	0.000	0.000
Socker	4	140.000	14.445	122.000	154.000
AATp20	4	88.894	3.018	84.413	90.696
PBVp20	4	-38.393	18.726	-57.113	-14.618
NELp20	4	5.461	0.222	5.204	5.745
OE*	4	10.265	0.333	10.000	10.690
AAT*	2	71.000	0.000	71.000	71.000
PBV*	2	-25.500	37.477	-52.000	1.000
Ca	4	3.050	1.340	1.700	4.900
P	4	1.900	0.476	1.400	2.400
Mg	4	1.025	0.340	0.700	1.500
K	4	17.175	3.806	13.800	21.900
Na	4	0.325	0.386	0.100	0.900
Cl	1	1.700	.	1.700	1.700
S	4	1.400	0.432	1.000	2.000
CAB	4	248.283	109.895	153.944	379.446

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	2	68.000	24.042	51.000	85.000
Mn	2	53.500	37.477	27.000	80.000
Zn	2	18.500	2.121	17.000	20.000
Cu	2	4.950	1.485	3.900	6.000
Se	1	0.006	.	0.006	0.006

Fodermedel=Halm, sträsäd, ej behandlad (385) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OS smbh	1	47.000	.	47.000	47.000
iNDF	1	310.570	.	310.570	310.570
NELp20	1	0.000	.	0.000	0.000

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	195.000	.	195.000	195.000
Aska	1	89.000	.	89.000	89.000
OS smbh	1	75.900	.	75.900	75.900
Råprot	1	188.000	.	188.000	188.000
sRåprot	1	336.000	.	336.000	336.000
NDF	1	353.000	.	353.000	353.000
iNDF	1	236.000	.	236.000	236.000
nhNDF	1	4.215	.	4.215	4.215
TAF	1	72.000	.	72.000	72.000
Socker	1	47.000	.	47.000	47.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, blandvall (51-100% baljväxter) (437) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	86.403	.	86.403	86.403
PBVp20	1	56.423	.	56.423	56.423
NELp20	1	6.240	.	6.240	6.240
OE*	1	10.880	.	10.880	10.880
Ca	1	11.700	.	11.700	11.700
P	1	3.200	.	3.200	3.200
Mg	1	2.800	.	2.800	2.800
K	1	24.100	.	24.100	24.100
Na	1	1.500	.	1.500	1.500
Cl	1	0.200	.	0.200	0.200
S	1	2.600	.	2.600	2.600
CAB	1	513.452	.	513.452	513.452

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	400.333	57.4485	334.000	434.000
Aska	3	76.667	7.5719	68.000	82.000
OS smbh	3	76.600	0.5000	76.100	77.100
Råprot	3	148.000	23.5160	124.000	171.000
sRåprot	3	633.667	37.9781	590.000	659.000
NH3-N	3	48.667	15.0444	39.000	66.000
NDF	3	391.333	29.6873	366.000	424.000
iNDF	3	178.333	44.0038	131.000	218.000
nhNDF	3	4.241	0.3429	3.913	4.597

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	3	55.667	36.6652	34.000	98.000
Mjölksyra	3	39.333	31.7700	20.000	76.000
Ättiksyra	3	13.333	5.5076	8.000	19.000
Socker	3	92.333	30.7463	57.000	113.000
PRF	3	2.667	1.5275	1.000	4.000
BUF	3	0.333	0.5774	0.000	1.000
AATp20	3	81.783	2.5921	78.794	83.407
PBVp20	3	25.503	26.0377	0.287	52.291
NELp20	3	6.254	0.0930	6.194	6.361
OE*	3	11.137	0.1305	10.990	11.240
Ca	3	6.600	1.9519	4.600	8.500
P	3	3.033	0.3512	2.700	3.400
Mg	3	2.467	0.3786	2.200	2.900
K	3	29.800	2.3000	27.500	32.100
Na	3	0.267	0.0577	0.200	0.300
Cl	3	3.067	1.5948	1.300	4.400
S	3	2.067	0.5132	1.500	2.500
CAB	3	558.191	80.1881	480.277	640.474
Fe	3	97.333	28.7460	71.000	128.000
Mn	3	57.000	11.5326	44.000	66.000
Zn	3	27.000	3.0000	24.000	30.000
Cu	3	5.667	1.1547	5.000	7.000
Se	3	0.060	0.0173	0.050	0.080

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	310.000	.	310.000	310.000
Aska	1	90.000	.	90.000	90.000
OS smbh	1	72.700	.	72.700	72.700
Råprot	1	190.000	.	190.000	190.000
sRåprot	1	359.000	.	359.000	359.000
NH3-N	1	33.000	.	33.000	33.000
NDF	1	362.000	.	362.000	362.000
iNDF	1	303.000	.	303.000	303.000
nhNDF	1	3.807	.	3.807	3.807
TAF	1	82.000	.	82.000	82.000
Mjölksyra	1	54.000	.	54.000	54.000
Ättiksyra	1	26.000	.	26.000	26.000
Socker	1	36.000	.	36.000	36.000
PRF	1	2.000	.	2.000	2.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	82.274	.	82.274	82.274
PBVp20	1	65.174	.	65.174	65.174
NELp20	1	6.051	.	6.051	6.051
OE*	1	10.350	.	10.350	10.350
Ca	1	12.500	.	12.500	12.500
P	1	3.300	.	3.300	3.300
Mg	1	3.100	.	3.100	3.100
K	1	25.600	.	25.600	25.600
Na	1	1.300	.	1.300	1.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CI	1	0.400	.	0.400	0.400
S	1	2.700	.	2.700	2.700
CAB	1	531.236	.	531.236	531.236

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	447.500	20.793	429.000	466.000
Aska	4	74.750	4.500	71.000	80.000
OS smbh	4	75.050	1.654	73.200	77.000
Råprot	4	171.750	3.775	167.000	176.000
sRåprot	4	439.750	30.412	421.000	485.000
NH3-N	4	88.500	7.550	80.000	98.000
NDF	4	354.000	44.736	307.000	407.000
iNDF	4	223.250	17.231	211.000	248.000
nhNDF	4	3.354	0.454	3.047	4.027
Stä	4	145.250	53.761	72.000	198.000
TAF	4	39.250	11.383	27.000	54.000
Mjölksyra	4	27.750	9.743	21.000	42.000
Ättiksyra	4	6.500	4.509	0.000	10.000
Socker	4	20.750	6.602	12.000	28.000
PRF	4	2.750	0.500	2.000	3.000
BUF	4	2.250	0.957	1.000	3.000
AATp20	4	91.179	2.679	87.511	93.909
PBVp20	4	33.900	2.732	30.700	37.068

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	4	6.353	0.155	6.183	6.542
OE*	4	10.908	0.283	10.650	11.270
Ca	4	5.925	0.310	5.500	6.200
P	4	4.450	0.129	4.300	4.600
Mg	4	3.125	0.655	2.700	4.100
K	4	14.900	0.753	14.000	15.800
Na	4	5.975	2.195	2.800	7.800
Cl	4	6.000	1.203	5.100	7.700
S	4	3.650	1.234	3.000	5.500
CAB	4	243.718	187.739	-34.820	359.775
Fe	4	296.000	56.059	241.000	371.000
Mn	4	106.750	59.791	69.000	196.000
Zn	4	69.000	20.736	48.000	97.000
Cu	4	9.750	2.754	7.000	13.000

*= Parametrar från det gamla svenska fodervärderingssystemet