

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socker
Korn, kärna (001)	1	1	283	43	0.0	180	93		263	25	3.15	241	0.000			5
Ensilage, gräs (0% klöver) (162)	1	1	396	65	75.0	138	663	69.0	417	205	4.26		45.000	37.0	8.0	98
Ensilage, gräs (0% klöver) (162)	2	1	486	62	74.7	135	625	67.0	434	187	4.07		44.000	29.0	13.0	103
Grönmassa blandvall (1-50 % baljväxter) (164)	1	10	367	73	76.2	130	471		478	139	4.98		69.000	0.0	8.0	107
Grönmassa blandvall (1-50 % baljväxter) (164)	2	3	404	93	72.2	147			477	182	4.05		84.000			56
Grönmassa blandvall (1-50 % baljväxter) (164)	*	1	342	56	73.9	104			553	151	4.91		84.000			115
Ensilage, blandvall (1-50% klöver) (165)	0	1	450	66	70.0	88	595	69.0	463	224	3.27		56.800	45.0	9.0	106
Ensilage, blandvall (1-50% klöver) (165)	1	33	377	63	75.8	133	619	72.6	449	155	4.42		71.667	53.6	14.8	76
Ensilage, blandvall (1-50% klöver) (165)	2	9	437	82	74.5	142	479	62.0	442	181	4.33		64.111	49.3	12.1	59
Ensilage, blandvall (1-50% klöver) (165)	3	1	219	87	74.8	156	574	142	461	167	4.60		100.000	52.0	32.0	41
Åkerböna-vete, helsädesensilage, 50% vete (252)	1	1	395	57	69.2	122	562	54.0	451	243	2.94	96	67.900	50.0	16.0	39
Hö, blandvall, 0-50% baljväxter (383)	1	5	805	46	66.6	72			591	213	3.64		0.000			148

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	1				94.7	35.3	7.33	12.8		
Ensilage, gräs (0% klöver) (162)	1	1	0.0	0.0		82.1	9.6	6.02	11.0		
Ensilage, gräs (0% klöver) (162)	2	1	1.0	1.0		83.0	5.6	6.02	11.0		
Grönmassa blandvall (1-50 % baljväxter) (164)	1	10	1.0	0.0		85.8	-2.1	6.18	11.1	77.9	-4.4
Grönmassa blandvall (1-50 % baljväxter) (164)	2	3				79.7	23.9	5.84	10.2	72.0	22.3
Grönmassa blandvall (1-50 % baljväxter) (164)	*	1				82.6	-21	6.07	10.9	76.0	-26
Ensilage, blandvall (1-50% klöver) (165)	0	1		1.8		76.3	-25	5.43	10.2	69.0	-30
Ensilage, blandvall (1-50% klöver) (165)	1	33	3.5	1.0		82.9	6.3	6.21	11.2	73.0	1.8
Ensilage, blandvall (1-50% klöver) (165)	2	9	2.5	1.0		84.1	12.1	6.03	10.7	71.2	15.6
Ensilage, blandvall (1-50% klöver) (165)	3	1	9.0	7.0		80.0	31.8	6.18	10.7		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Åkerböna-vete, helsådesensilage, 50% vete (252)	1	1				73.3	5.6	5.72	9.6	68.0	5.0
Hö, blandvall, 0-50% baljväxter (383)	1	5				84.1	-53	5.14	9.8	69.8	-47

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, gräs (0% klöver) (162)	1	1	4.8	3.0	2.1	17.7	1.3	1.6	2.2	327	0					
Ensilage, gräs (0% klöver) (162)	2	1	4.9	2.9	2.0	18.9	1.4	1.9	2.1	359	0					
Grönmassa blandvall (1-50 % baljväxter) (164)	1	10	5.4	2.6	1.6	22.9	0.4	1.7	2.0	360	9	124.4	44.0	26.3	6.2	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	2	8.9	2.8	2.5	26.2	0.2		2.3	400	2	111.0	74.0	28.0	10.5	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	*	1	4.2	2.5	1.2	18.5	0.1		1.6	245	1	50.0	30.0	22.0	4.7	
Ensilage, blandvall (1-50% klöver) (165)	1	32	5.1	2.4	1.6	20.3	0.5	3.0	1.9	336	25	234.8	51.2	36.8	6.3	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	8	8.7	2.8	2.3	24.4	0.7	2.2	2.1	450	5	187.2	68.8	35.6	9.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	1	6.3	3.4	2.4	27.3	1.8	4.5	2.7	481	0					
Åkerböna-vete, helsådesensilage, 50% vete (252)	1	1	4.5	2.8	1.7	15.8	0.2	5.3	1.1	195	1	104.0	89.0	35.0	5.8	
Hö, blandvall, 0-50% baljväxter (383)	1	2	3.3	1.6	1.0	15.7	0.1		1.1	195	2	57.5	53.5	19.0	4.1	

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	283.000	.	283.000	283.000
Aska	1	43.000	.	43.000	43.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	180.000	.	180.000	180.000
sRåprot	1	93.000	.	93.000	93.000
NDF	1	263.000	.	263.000	263.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	3.150	.	3.150	3.150
Stä	1	241.000	.	241.000	241.000
TAF	1	0.000	.	0.000	0.000
Socket	1	5.000	.	5.000	5.000
AATp20	1	94.722	.	94.722	94.722
PBVp20	1	35.342	.	35.342	35.342
NELp20	1	7.325	.	7.325	7.325
OE*	1	12.800	.	12.800	12.800

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	396.000	.	396.000	396.000
Aska	1	65.000	.	65.000	65.000
OS smbh	1	75.000	.	75.000	75.000
Råprot	1	138.000	.	138.000	138.000
sRåprot	1	663.000	.	663.000	663.000
NH3-N	1	69.000	.	69.000	69.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	417.000	.	417.000	417.000
iNDF	1	205.000	.	205.000	205.000
nhNDF	1	4.257	.	4.257	4.257
TAF	1	45.000	.	45.000	45.000
Mjölksyra	1	37.000	.	37.000	37.000
Ättiksyra	1	8.000	.	8.000	8.000
Socker	1	98.000	.	98.000	98.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	82.148	.	82.148	82.148
PBVp20	1	9.646	.	9.646	9.646
NELp20	1	6.017	.	6.017	6.017
OE*	1	11.010	.	11.010	11.010
Ca	1	4.800	.	4.800	4.800
P	1	3.000	.	3.000	3.000
Mg	1	2.100	.	2.100	2.100
K	1	17.700	.	17.700	17.700
Na	1	1.300	.	1.300	1.300
Cl	1	1.600	.	1.600	1.600
S	1	2.200	.	2.200	2.200
CAB	1	326.637	.	326.637	326.637

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	486.000	.	486.000	486.000
Aska	1	62.000	.	62.000	62.000
OS smbh	1	74.700	.	74.700	74.700
Råprot	1	135.000	.	135.000	135.000
sRåprot	1	625.000	.	625.000	625.000
NH3-N	1	67.000	.	67.000	67.000
NDF	1	434.000	.	434.000	434.000
iNDF	1	187.000	.	187.000	187.000
nhNDF	1	4.068	.	4.068	4.068
TAF	1	44.000	.	44.000	44.000
Mjölksyra	1	29.000	.	29.000	29.000
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	103.000	.	103.000	103.000
PRF	1	1.000	.	1.000	1.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	82.970	.	82.970	82.970
PBVp20	1	5.575	.	5.575	5.575
NELp20	1	6.016	.	6.016	6.016
OE*	1	11.000	.	11.000	11.000
Ca	1	4.900	.	4.900	4.900
P	1	2.900	.	2.900	2.900
Mg	1	2.000	.	2.000	2.000
K	1	18.900	.	18.900	18.900
Na	1	1.400	.	1.400	1.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CI	1	1.900	.	1.900	1.900
S	1	2.100	.	2.100	2.100
CAB	1	359.474	.	359.474	359.474

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	366.500	100.149	266.000	529.000
Aska	10	73.000	7.242	63.500	83.000
OS smbh	10	76.160	4.399	69.750	81.300
Råprot	10	129.600	17.322	106.500	150.500
sRåprot	3	471.333	65.737	412.000	542.000
NDF	10	478.300	54.027	432.000	560.000
iNDF	10	138.863	40.580	89.823	192.551
nhNDF	10	4.985	0.906	3.990	6.239
TAF	10	69.000	31.679	9.000	84.000
Mjölksyra	2	0.000	0.000	0.000	0.000
Ättiksyra	2	8.000	4.243	5.000	11.000
Socker	10	106.600	50.658	57.000	183.000
PRF	2	1.000	1.414	0.000	2.000
BUF	2	0.000	0.000	0.000	0.000
AATp20	10	85.781	4.482	79.708	91.407
PBVp20	10	-2.056	15.943	-17.761	22.054
NELp20	10	6.178	0.389	5.579	6.638
OE*	10	11.112	0.759	10.050	12.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	7	77.857	4.706	70.000	83.000
PBV*	7	-4.429	19.165	-21.000	30.000
Ca	10	5.410	1.172	3.750	7.000
P	10	2.570	0.347	2.050	3.000
Mg	10	1.620	0.459	1.050	2.150
K	10	22.930	3.321	19.800	28.350
Na	10	0.370	0.501	0.100	1.200
Cl	2	1.650	0.495	1.300	2.000
S	10	2.040	0.207	1.750	2.300
CAB	10	359.821	81.423	275.942	482.552
Fe	9	124.444	43.532	70.000	194.000
Mn	9	44.000	10.770	32.000	64.000
Zn	9	26.333	4.031	20.000	30.000
Cu	9	6.167	1.940	4.000	9.000
Se	5	0.025	0.023	0.006	0.050

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	404.000	155.200	226.000	511.000
Aska	3	92.667	6.028	87.000	99.000
OS smbh	3	72.200	0.436	71.700	72.500
Råprot	3	146.667	12.342	133.000	157.000
NDF	3	477.333	4.933	474.000	483.000
iNDF	3	182.199	8.469	174.449	191.238

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	3	4.048	0.177	3.865	4.218
TAF	3	84.000	0.000	84.000	84.000
Socker	3	55.667	14.012	42.000	70.000
AATp20	3	79.726	0.767	78.842	80.216
PBVp20	3	23.884	10.531	12.327	32.938
NELp20	3	5.837	0.033	5.808	5.872
OE*	3	10.233	0.058	10.200	10.300
AAT*	3	72.000	0.000	72.000	72.000
PBV*	3	22.333	12.220	9.000	33.000
Ca	2	8.900	1.414	7.900	9.900
P	2	2.800	0.283	2.600	3.000
Mg	2	2.450	0.071	2.400	2.500
K	2	26.200	0.849	25.600	26.800
Na	2	0.150	0.071	0.100	0.200
S	2	2.300	0.000	2.300	2.300
CAB	2	400.454	18.627	387.283	413.625
Fe	2	111.000	28.284	91.000	131.000
Mn	2	74.000	33.941	50.000	98.000
Zn	2	28.000	2.828	26.000	30.000
Cu	2	10.500	3.818	7.800	13.200
Se	2	0.014	0.004	0.011	0.017

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=625

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	342.000	.	342.000	342.000
Aska	1	56.000	.	56.000	56.000
OS smbh	1	73.900	.	73.900	73.900
Råprot	1	104.000	.	104.000	104.000
NDF	1	553.000	.	553.000	553.000
iNDF	1	150.553	.	150.553	150.553
nhNDF	1	4.909	.	4.909	4.909
TAF	1	84.000	.	84.000	84.000
Socker	1	115.000	.	115.000	115.000
AATp20	1	82.600	.	82.600	82.600
PBVp20	1	-20.895	.	-20.895	-20.895
NELp20	1	6.074	.	6.074	6.074
OE*	1	10.900	.	10.900	10.900
AAT*	1	76.000	.	76.000	76.000
PBV*	1	-26.000	.	-26.000	-26.000
Ca	1	4.200	.	4.200	4.200
P	1	2.500	.	2.500	2.500
Mg	1	1.200	.	1.200	1.200
K	1	18.500	.	18.500	18.500
Na	1	0.100	.	0.100	0.100
S	1	1.600	.	1.600	1.600
CAB	1	245.099	.	245.099	245.099
Fe	1	50.000	.	50.000	50.000
Mn	1	30.000	.	30.000	30.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=625

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	22.000	.	22.000	22.000
Cu	1	4.700	.	4.700	4.700

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	450.000	.	450.000	450.000
Aska	1	66.000	.	66.000	66.000
OS smbh	1	70.000	.	70.000	70.000
Råprot	1	88.000	.	88.000	88.000
sRåprot	1	595.000	.	595.000	595.000
NH3-N	1	69.000	.	69.000	69.000
NDF	1	463.000	.	463.000	463.000
iNDF	1	223.555	.	223.555	223.555
nhNDF	1	3.269	.	3.269	3.269
TAF	1	56.800	.	56.800	56.800
Mjölksyra	1	45.000	.	45.000	45.000
Ättiksyra	1	9.000	.	9.000	9.000
Socker	1	106.000	.	106.000	106.000
BUF	1	1.800	.	1.800	1.800
AATp20	1	76.268	.	76.268	76.268
PBVp20	1	-25.337	.	-25.337	-25.337
NELp20	1	5.428	.	5.428	5.428
OE*	1	10.200	.	10.200	10.200
AAT*	1	69.000	.	69.000	69.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PBV*	1	-30.000	.	-30.000	-30.000
CI	1	1.300	.	1.300	1.300

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	33	376.576	101.791	269.000	494.000
Aska	32	63.344	8.841	51.000	74.000
OS smbh	33	75.767	3.536	70.200	80.000
Råprot	32	132.969	17.644	111.000	154.000
sRåprot	32	618.688	64.076	536.000	686.000
NH3-N	32	72.563	22.579	43.000	101.000
NDF	32	449.125	43.429	394.000	518.000
iNDF	33	154.776	31.744	120.229	198.044
nhNDF	33	4.424	0.534	3.792	5.203
TAF	33	71.667	26.380	38.500	111.000
Mjölksyra	32	53.594	21.519	28.000	81.000
Ättiksyra	32	14.750	5.495	8.000	23.000
Socker	32	76.250	39.503	35.000	137.000
PRF	14	3.500	2.029	1.000	7.000
BUF	32	1.000	1.177	0.000	2.800
AATp20	33	82.870	3.987	77.756	88.595
PBVp20	33	6.317	16.607	-10.560	26.447
NELp20	33	6.208	0.293	5.700	6.495
OE*	32	11.177	0.583	10.300	11.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AAT*	18	73.000	1.455	71.000	75.000
PBV*	18	1.839	10.233	-11.000	14.000
Ca	32	5.094	1.032	3.700	6.400
P	32	2.400	0.496	1.800	3.000
Mg	32	1.644	0.316	1.300	2.000
K	32	20.319	3.641	15.100	24.400
Na	32	0.497	0.497	0.100	1.300
Cl	31	2.977	1.955	0.700	5.000
S	32	1.916	0.364	1.600	2.400
CAB	32	336.150	103.071	181.924	450.260
Fe	25	234.760	236.624	84.000	351.000
Mn	25	51.160	15.926	35.000	72.000
Zn	25	36.760	28.415	19.000	47.000
Cu	25	6.264	1.009	5.000	7.600
Se	5	0.066	0.036	0.049	0.130

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	436.778	149.785	253.000	721.000
Aska	9	82.000	12.268	67.000	104.000
OS smbh	9	74.511	1.997	71.700	78.200
Råprot	9	141.778	17.326	133.000	186.000
sRåprot	9	478.667	81.587	302.000	581.000
NH3-N	9	62.000	22.372	23.000	92.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	9	442.111	52.059	352.000	497.000
iNDF	9	180.998	19.326	147.027	218.000
nhNDF	9	4.334	0.598	3.484	5.581
TAF	9	64.111	28.536	20.500	101.000
Mjölksyra	9	49.333	23.807	14.000	90.000
Ättiksyra	9	12.111	7.044	4.000	23.000
Socker	9	58.889	30.791	29.000	120.000
PRF	4	2.500	1.732	1.000	5.000
BUF	9	1.000	1.125	0.000	3.100
AATp20	9	84.077	4.340	79.047	93.985
PBVp20	9	12.105	17.862	-10.169	55.218
NELp20	9	6.032	0.201	5.814	6.447
OE*	9	10.738	0.258	10.360	11.100
AAT*	5	71.200	0.837	70.000	72.000
PBV*	5	15.600	6.542	11.000	27.000
Ca	8	8.700	1.494	7.200	10.800
P	8	2.788	0.380	2.200	3.500
Mg	8	2.338	0.588	1.800	3.500
K	8	24.400	3.255	21.200	30.400
Na	8	0.650	0.578	0.100	1.400
Cl	9	2.200	1.997	0.100	5.700
S	8	2.138	0.588	1.600	3.500
CAB	8	450.046	119.141	211.224	553.179
Fe	5	187.200	68.816	94.000	270.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	5	68.800	18.485	54.000	100.000
Zn	5	35.600	12.482	21.000	55.000
Cu	5	9.180	1.846	6.500	11.000
Se	2	0.029	0.030	0.008	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	219.000	.	219.000	219.000
Aska	1	87.000	.	87.000	87.000
OS smbh	1	74.800	.	74.800	74.800
Råprot	1	156.000	.	156.000	156.000
sRåprot	1	574.000	.	574.000	574.000
NH3-N	1	142.000	.	142.000	142.000
NDF	1	461.000	.	461.000	461.000
iNDF	1	167.000	.	167.000	167.000
nhNDF	1	4.601	.	4.601	4.601
TAF	1	100.000	.	100.000	100.000
Mjölksyra	1	52.000	.	52.000	52.000
Ättiksyra	1	32.000	.	32.000	32.000
Socker	1	41.000	.	41.000	41.000
PRF	1	9.000	.	9.000	9.000
BUF	1	7.000	.	7.000	7.000
AATp20	1	80.027	.	80.027	80.027
PBVp20	1	31.839	.	31.839	31.839

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	1	6.179	.	6.179	6.179
OE*	1	10.720	.	10.720	10.720
Ca	1	6.300	.	6.300	6.300
P	1	3.400	.	3.400	3.400
Mg	1	2.400	.	2.400	2.400
K	1	27.300	.	27.300	27.300
Na	1	1.800	.	1.800	1.800
Cl	1	4.500	.	4.500	4.500
S	1	2.700	.	2.700	2.700
CAB	1	480.960	.	480.960	480.960

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	395.000	.	395.000	395.000
Aska	1	57.000	.	57.000	57.000
OS smbh	1	69.200	.	69.200	69.200
Råprot	1	122.000	.	122.000	122.000
sRåprot	1	562.000	.	562.000	562.000
NH3-N	1	54.000	.	54.000	54.000
NDF	1	451.000	.	451.000	451.000
iNDF	1	242.610	.	242.610	242.610
nhNDF	1	2.945	.	2.945	2.945
Stä	1	96.000	.	96.000	96.000
TAF	1	67.900	.	67.900	67.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Åkerböna-vete, helsädesensilage, 50% vete (252) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	1	50.000	.	50.000	50.000
Ättiksyra	1	16.000	.	16.000	16.000
Socker	1	39.000	.	39.000	39.000
AATp20	1	73.255	.	73.255	73.255
PBVp20	1	5.605	.	5.605	5.605
NELp20	1	5.718	.	5.718	5.718
OE*	1	9.600	.	9.600	9.600
AAT*	1	68.000	.	68.000	68.000
PBV*	1	5.000	.	5.000	5.000
Ca	1	4.500	.	4.500	4.500
P	1	2.800	.	2.800	2.800
Mg	1	1.700	.	1.700	1.700
K	1	15.800	.	15.800	15.800
Na	1	0.200	.	0.200	0.200
Cl	1	5.300	.	5.300	5.300
S	1	1.100	.	1.100	1.100
CAB	1	194.742	.	194.742	194.742
Fe	1	104.000	.	104.000	104.000
Mn	1	89.000	.	89.000	89.000
Zn	1	35.000	.	35.000	35.000
Cu	1	5.800	.	5.800	5.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	804.800	147.082	566.000	932.000
Aska	5	45.600	5.225	41.000	54.000
OS smbh	5	66.580	1.354	65.100	68.400
Råprot	5	72.200	9.834	64.000	88.000
NDF	5	591.400	32.593	541.000	621.000
iNDF	5	212.914	6.569	201.823	219.028
nhNDF	5	3.641	0.148	3.519	3.882
TAF	5	0.000	0.000	0.000	0.000
Socker	5	148.400	15.962	129.000	173.000
AATp20	5	84.084	1.585	82.389	85.860
PBVp20	5	-52.598	7.170	-57.484	-40.672
NELp20	5	5.136	0.097	5.024	5.217
OE*	5	9.820	0.249	9.600	10.200
AAT*	5	69.800	1.483	68.000	72.000
PBV*	5	-46.600	8.933	-53.000	-32.000
Ca	2	3.300	0.141	3.200	3.400
P	2	1.550	0.495	1.200	1.900
Mg	2	1.000	0.141	0.900	1.100
K	2	15.650	2.333	14.000	17.300
Na	2	0.100	0.000	0.100	0.100
S	2	1.100	0.000	1.100	1.100
CAB	2	195.009	59.679	152.809	237.208
Fe	2	57.500	4.950	54.000	61.000
Mn	2	53.500	34.648	29.000	78.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	2	19.000	2.828	17.000	21.000
Cu	2	4.100	1.131	3.300	4.900

*= Parametrar från det gamla svenska fodervärderingssystemet