

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjök- syra	Ättik- syra	Socket
Korn, kärna (001)	1	1	815	24	0.0	119	223		144	25	3.15	492	0.0000			5
Prognos, blandvall (1-50% baljv) (042)	1	1	201		73.2					170	4.32		0.0000			
Prognos, blandvall (1-50% baljv) (042)	2	1	202		73.2					170	4.32		0.0000			
Ensilage, gräs (0% klöver) (162)	1	2	378	63	76.5	152	708	83.0	430	151	4.24		44.8500	33.0	9.5	104
Ensilage, gräs (0% klöver) (162)	2	1	509	73	73.5	151	548	70.0	444	186	3.84		41.5000	30.0	9.0	87
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	469	75	83.8	192			401	62	6.78		84.0000			155
Grönmassa blandvall (1-50 % baljväxter) (164)	1	16	374	62	77.0	138	400		483	129	5.29		84.0000			139
Grönmassa blandvall (1-50 % baljväxter) (164)	2	7	472	73	76.0	146			479	142	4.95		84.0000			109
Ensilage, blandvall (1-50% klöver) (165)	0	2	525	73	75.5	173	459	41.0	454	152	4.63		52.2000	19.0	4.0	83
Ensilage, blandvall (1-50% klöver) (165)	1	64	383	62	75.6	140	617	75.1	458	154	4.44		69.6328	54.4	12.8	76
Ensilage, blandvall (1-50% klöver) (165)	2	25	373	75	74.2	150	568	73.3	463	167	4.23		64.6560	46.8	14.3	59
Ensilage, blandvall (1-50% klöver) (165)	3	2	456	96	71.2	138	379	55.0	426	216	3.34		41.7500	30.0	9.5	60
Havre helsädesensilage degmognad (296)	1	3	381	78	78.6	154	694	56.0	373	164	4.83	41	74.0000	50.7	19.7	99
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	334	71	67.9	142	627	102	450	254	2.81	42	64.0000	45.5	18.5	32
Vete, helsäd ensilage (299)	1	1	450	50	67.2	102	573	86.0	401	320	2.18	223	41.0000	31.0	8.0	41
Hö, blandvall, 0-50% baljväxter (383)	1	3	865	69	71.8	103	424		476	214	4.27		0.0000			124

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Korn, kärna (001)	1	1				99.3	-32	7.55	13.4		
Prognos, blandvall (1-50% baljv) (042)	1	1				96.4	-4.4	5.94	11.9		
Prognos, blandvall (1-50% baljv) (042)	2	1				96.4	-4.4	5.94	11.1		
Ensilage, gräs (0% klöver) (162)	1	2	2.00000	0.85000		83.4	20.0	6.19	11.3	73.0	24.0
Ensilage, gräs (0% klöver) (162)	2	1		1.50000		84.0	18.6	5.89	10.7	71.0	29.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				94.8	41.5	7.00	12.3	82.0	50.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	16				87.0	4.2	6.34	11.4	78.4	2.9

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Grönmassa blandvall (1-50 % baljväxter) (164)	2	7				85.1	14.7	6.26	11.1	76.9	14.1
Ensilage, blandvall (1-50% klöver) (165)	0	2		1.40000		88.1	23.8	6.22	11.3	72.0	48.0
Ensilage, blandvall (1-50% klöver) (165)	1	64	2.83333	0.92969		83.3	12.1	6.22	11.1	72.1	10.7
Ensilage, blandvall (1-50% klöver) (165)	2	25	2.66667	1.97600		83.2	21.4	6.10	10.8	70.8	22.4
Ensilage, blandvall (1-50% klöver) (165)	3	2		1.25000		83.5	9.7	5.55	10.0	69.0	19.5
Havre helsädesensilage degmognad (296)	1	3	3.00000	0.66667		80.4	18.8	6.46	11.4		
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2				68.9	29.4	5.52	9.4	58.0	17.0
Vete, helsäd ensilage (299)	1	1	1.00000	1.00000		73.4	-17	5.56	9.9		
Hö, blandvall, 0-50% baljväxter (383)	1	3				93.3	-39	5.56	10.4		

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	1	0.4	2.9	1.2	4.8	0.2	1.5	1.3	8	1	66.0	21.0	35.0	7.0	0.1
Ensilage, gräs (0% klöver) (162)	1	2	5.2	2.7	2.0	19.4	0.4	1.8	2.1	335	1	96.0	51.0	29.0	6.7	
Ensilage, gräs (0% klöver) (162)	2	1	7.6	3.0	3.0	20.1	0.1	1.6	2.3	330	1	71.0	77.0	34.0	9.3	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	4.7	3.1	2.2	28.5	0.1		2.4	451	1	86.0	21.0	22.0	7.3	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	13	4.3	2.5	1.7	17.9	0.3	1.8	1.9	232	11	132.6	52.5	30.1	6.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	7	5.9	2.8	2.3	20.8	0.4		2.2	282	7	95.1	61.0	27.9	7.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	1	6.4	2.4	2.3	24.3	0.1	5.0	2.3	341	1	192.0	39.0	25.0	6.8	
Ensilage, blandvall (1-50% klöver) (165)	1	62	4.5	2.3	1.6	18.9	0.5	2.6	1.9	311	57	219.4	58.1	34.2	5.9	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	23	5.7	2.6	2.1	22.8	0.6	6.1	2.2	294	20	162.9	65.4	29.2	7.7	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	1	9.3	2.1	1.9	29.2	0.1	6.7	1.6	429	1	60.0	35.0	19.0	8.8	
Havre helsädesensilage degmognad (296)	1	3	6.1	3.6	2.4	27.5	1.7	7.9	2.4	405	1	100.0	88.0	36.0	5.0	
Vete-ärt, helsädesensilage, degmognad, 50% ärter (	1	2	6.0	2.7	2.6	20.3	0.4	5.1	2.0	268	2	218.5	63.5	42.0	13.2	
Vete, helsäd ensilage (299)	1	1	3.5	2.4	1.6	11.8	0.6	4.5	1.7	95	1	169.0	81.0	32.0	8.0	0.1
Hö, blandvall, 0-50% baljväxter (383)	1	3	3.8	1.6	1.2	13.8	0.2	3.8	1.3	177	3	384.3	87.0	25.3	9.0	0.1

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	815.000	.	815.000	815.000
Aska	1	24.000	.	24.000	24.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	119.000	.	119.000	119.000
sRåprot	1	223.000	.	223.000	223.000
NDF	1	144.000	.	144.000	144.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	3.150	.	3.150	3.150
Stä	1	492.000	.	492.000	492.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	99.290	.	99.290	99.290
PBVp20	1	-31.517	.	-31.517	-31.517
NElp20	1	7.549	.	7.549	7.549
OE*	1	13.400	.	13.400	13.400
Ca	1	0.400	.	0.400	0.400
P	1	2.900	.	2.900	2.900
Mg	1	1.200	.	1.200	1.200
K	1	4.800	.	4.800	4.800
Na	1	0.200	.	0.200	0.200
Cl	1	1.500	.	1.500	1.500
S	1	1.300	.	1.300	1.300
CAB	1	7.954	.	7.954	7.954
Fe	1	66.000	.	66.000	66.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, kärna (001) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	21.000	.	21.000	21.000
Zn	1	35.000	.	35.000	35.000
Cu	1	7.000	.	7.000	7.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	201.000	.	201.000	201.000
OS smbh	1	73.150	.	73.150	73.150
iNDF	1	170.460	.	170.460	170.460
nhNDF	1	4.315	.	4.315	4.315
TAF	1	0.000	.	0.000	0.000
AATp20	1	96.439	.	96.439	96.439
PBVp20	1	-4.418	.	-4.418	-4.418
NELp20	1	5.943	.	5.943	5.943
OE*	1	11.900	.	11.900	11.900

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	202.000	.	202.000	202.000
OS smbh	1	73.150	.	73.150	73.150
iNDF	1	170.460	.	170.460	170.460
nhNDF	1	4.315	.	4.315	4.315
TAF	1	0.000	.	0.000	0.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Prognos, blandvall (1-50% baljv) (042) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	1	96.439	.	96.439	96.439
PBVp20	1	-4.418	.	-4.418	-4.418
NELp20	1	5.943	.	5.943	5.943
OE*	1	11.100	.	11.100	11.100

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	378.000	38.184	351.000	405.000
Aska	2	63.000	14.142	53.000	73.000
OS smbh	2	76.500	0.990	75.800	77.200
Råprot	2	151.500	2.121	150.000	153.000
sRåprot	2	708.000	9.899	701.000	715.000
NH3-N	2	83.000	21.213	68.000	98.000
NDF	2	429.500	20.506	415.000	444.000
iNDF	2	151.118	8.652	145.000	157.236
nhNDF	2	4.239	0.105	4.164	4.313
TAF	2	44.850	23.829	28.000	61.700
Mjölksyra	2	33.000	22.627	17.000	49.000
Ättiksyra	2	9.500	0.707	9.000	10.000
Socker	2	104.000	22.627	88.000	120.000
PRF	1	2.000	.	2.000	2.000
BUF	2	0.850	1.202	0.000	1.700
AATp20	2	83.438	0.044	83.408	83.469
PBVp20	2	19.962	2.122	18.462	21.463

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	6.186	0.107	6.111	6.261
OE*	2	11.275	0.318	11.050	11.500
AAT*	1	73.000	.	73.000	73.000
PBV*	1	24.000	.	24.000	24.000
Ca	2	5.200	0.566	4.800	5.600
P	2	2.700	0.283	2.500	2.900
Mg	2	1.950	0.212	1.800	2.100
K	2	19.350	4.031	16.500	22.200
Na	2	0.400	0.424	0.100	0.700
Cl	2	1.750	1.061	1.000	2.500
S	2	2.050	0.212	1.900	2.200
CAB	2	334.855	138.148	237.170	432.541
Fe	1	96.000	.	96.000	96.000
Mn	1	51.000	.	51.000	51.000
Zn	1	29.000	.	29.000	29.000
Cu	1	6.700	.	6.700	6.700

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	509.000	.	509.000	509.000
Aska	1	73.000	.	73.000	73.000
OS smbh	1	73.500	.	73.500	73.500
Råprot	1	151.000	.	151.000	151.000
sRåprot	1	548.000	.	548.000	548.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	70.000	.	70.000	70.000
NDF	1	444.000	.	444.000	444.000
iNDF	1	186.471	.	186.471	186.471
nhNDF	1	3.841	.	3.841	3.841
TAF	1	41.500	.	41.500	41.500
Mjölksyra	1	30.000	.	30.000	30.000
Ättiksyra	1	9.000	.	9.000	9.000
Socker	1	87.000	.	87.000	87.000
BUF	1	1.500	.	1.500	1.500
AATp20	1	84.013	.	84.013	84.013
PBVp20	1	18.646	.	18.646	18.646
NELp20	1	5.886	.	5.886	5.886
OE*	1	10.700	.	10.700	10.700
AAT*	1	71.000	.	71.000	71.000
PBV*	1	29.000	.	29.000	29.000
Ca	1	7.600	.	7.600	7.600
P	1	3.000	.	3.000	3.000
Mg	1	3.000	.	3.000	3.000
K	1	20.100	.	20.100	20.100
Na	1	0.100	.	0.100	0.100
Cl	1	1.600	.	1.600	1.600
S	1	2.300	.	2.300	2.300
CAB	1	329.594	.	329.594	329.594
Fe	1	71.000	.	71.000	71.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mn	1	77.000	.	77.000	77.000
Zn	1	34.000	.	34.000	34.000
Cu	1	9.300	.	9.300	9.300

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	469.000	.	469.000	469.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	83.800	.	83.800	83.800
Råprot	1	192.000	.	192.000	192.000
NDF	1	401.000	.	401.000	401.000
iNDF	1	61.833	.	61.833	61.833
nhNDF	1	6.779	.	6.779	6.779
TAF	1	84.000	.	84.000	84.000
Socker	1	155.000	.	155.000	155.000
AATp20	1	94.829	.	94.829	94.829
PBVp20	1	41.515	.	41.515	41.515
NELp20	1	6.999	.	6.999	6.999
OE*	1	12.300	.	12.300	12.300
AAT*	1	82.000	.	82.000	82.000
PBV*	1	50.000	.	50.000	50.000
Ca	1	4.700	.	4.700	4.700
P	1	3.100	.	3.100	3.100
Mg	1	2.200	.	2.200	2.200

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	28.500	.	28.500	28.500
Na	1	0.100	.	0.100	0.100
S	1	2.400	.	2.400	2.400
CAB	1	450.854	.	450.854	450.854
Fe	1	86.000	.	86.000	86.000
Mn	1	21.000	.	21.000	21.000
Zn	1	22.000	.	22.000	22.000
Cu	1	7.300	.	7.300	7.300

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	16	374.375	134.703	230.000	537.000
Aska	16	62.188	9.765	51.000	75.000
OS smbh	16	77.031	5.465	67.800	83.000
Råprot	16	138.375	32.684	91.000	169.000
sRåprot	2	400.000	28.284	380.000	420.000
NDF	16	482.875	53.876	423.000	568.000
iNDF	16	128.561	46.000	80.907	203.692
nhNDF	16	5.286	1.016	3.810	6.454
TAF	16	84.000	0.000	84.000	84.000
Socker	16	139.125	41.729	71.000	167.000
AATp20	16	86.965	6.744	74.215	93.416
PBVp20	16	4.219	22.278	-34.573	25.747
NELp20	16	6.344	0.528	5.349	6.855

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	16	11.374	0.943	9.900	12.400
AAT*	14	78.429	5.185	71.000	82.000
PBV*	14	2.929	29.372	-42.000	30.000
Ca	13	4.315	1.025	3.100	6.000
P	13	2.515	0.589	1.800	3.200
Mg	13	1.662	0.539	1.200	2.600
K	13	17.900	3.432	14.200	22.000
Na	13	0.254	0.145	0.100	0.400
Cl	2	1.750	1.202	0.900	2.600
S	13	1.869	0.433	1.200	2.300
CAB	13	232.400	117.288	159.006	386.160
Fe	11	132.636	116.043	71.000	137.000
Mn	11	52.545	16.819	37.000	73.000
Zn	11	30.091	8.916	22.000	40.000
Cu	11	6.755	2.423	5.000	10.200
Se	3	0.007	0.002	0.006	0.010

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	7	472.143	61.404	374.000	537.000
Aska	7	72.571	17.662	58.000	110.000
OS smbh	7	76.014	3.860	69.900	79.400
Råprot	7	146.286	19.906	122.000	176.000
NDF	7	479.143	21.482	456.000	503.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	7	142.386	35.197	109.541	195.312
nhNDF	7	4.947	0.727	3.912	5.653
TAF	7	84.000	0.000	84.000	84.000
Socker	7	108.714	47.559	25.000	158.000
AATp20	7	85.129	4.095	78.544	89.567
PBVp20	7	14.661	21.936	-11.137	53.442
NELp20	7	6.261	0.342	5.706	6.647
OE*	7	11.100	0.787	9.700	11.800
AAT*	7	76.857	4.298	69.000	80.000
PBV*	7	14.143	24.341	-15.000	56.000
Ca	7	5.929	1.785	4.000	9.600
P	7	2.800	0.572	1.900	3.700
Mg	7	2.314	0.598	1.400	3.200
K	7	20.829	5.326	15.100	30.400
Na	7	0.429	0.783	0.100	2.200
S	7	2.186	0.324	1.600	2.700
CAB	7	282.332	161.200	118.741	609.501
Fe	7	95.143	31.593	61.000	156.000
Mn	7	61.000	24.509	38.000	112.000
Zn	7	27.857	5.984	21.000	37.000
Cu	7	7.343	1.527	4.900	8.800
Se	3	0.010	0.006	0.006	0.017

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	524.500	50.2046	489.000	560.000
Aska	1	73.000	.	73.000	73.000
OS smbh	2	75.450	2.7577	73.500	77.400
Råprot	1	173.000	.	173.000	173.000
sRåprot	1	459.000	.	459.000	459.000
NH3-N	1	41.000	.	41.000	41.000
NDF	1	454.000	.	454.000	454.000
iNDF	2	151.848	24.8769	134.258	169.439
nhNDF	2	4.625	0.4717	4.292	4.959
TAF	2	52.200	37.9009	25.400	79.000
Mjölksyra	1	19.000	.	19.000	19.000
Ättiksyra	1	4.000	.	4.000	4.000
Socker	1	83.000	.	83.000	83.000
BUF	1	1.400	.	1.400	1.400
AATp20	2	88.070	8.4214	82.115	94.025
PBVp20	2	23.781	2.4096	22.077	25.485
NELp20	2	6.224	0.2325	6.060	6.389
OE*	1	11.300	.	11.300	11.300
AAT*	1	72.000	.	72.000	72.000
PBV*	1	48.000	.	48.000	48.000
Ca	1	6.400	.	6.400	6.400
P	1	2.400	.	2.400	2.400
Mg	1	2.300	.	2.300	2.300
K	1	24.300	.	24.300	24.300

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.100	.	0.100	0.100
Cl	1	5.000	.	5.000	5.000
S	1	2.300	.	2.300	2.300
CAB	1	341.236	.	341.236	341.236
Fe	1	192.000	.	192.000	192.000
Mn	1	39.000	.	39.000	39.000
Zn	1	25.000	.	25.000	25.000
Cu	1	6.800	.	6.800	6.800

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	64	383.391	137.812	274.000	543.000
Aska	64	62.109	10.201	48.000	73.000
OS smbh	64	75.556	3.852	69.600	80.000
Råprot	64	140.375	26.582	106.000	170.000
sRåprot	64	617.000	93.028	519.000	728.000
NH3-N	63	75.111	28.818	45.000	115.000
NDF	64	457.672	51.126	398.000	534.000
iNDF	64	154.285	34.519	114.915	202.301
nhNDF	64	4.442	0.655	3.765	5.303
TAF	64	69.633	31.135	25.400	112.000
Mjölksyra	64	54.406	26.866	16.000	86.000
Ättiksyra	64	12.781	5.683	6.000	20.000
Socker	64	76.344	46.117	28.000	141.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
PRF	18	2.833	1.425	1.000	5.000
BUF	64	0.930	1.363	0.000	3.400
AATp20	64	83.346	3.613	78.695	88.535
PBVp20	64	12.113	22.742	-16.799	39.040
NELp20	64	6.221	0.399	5.623	6.672
OE*	64	11.140	0.623	10.260	11.900
AAT*	46	72.130	2.029	69.000	74.000
PBV*	46	10.652	23.730	-21.000	37.000
Ca	62	4.458	1.056	3.300	5.800
P	62	2.263	0.419	1.800	2.800
Mg	62	1.597	0.366	1.200	2.000
K	62	18.861	3.651	14.500	23.100
Na	62	0.508	0.536	0.100	1.000
Cl	63	2.603	2.479	0.600	5.300
S	62	1.881	0.401	1.400	2.400
CAB	62	311.288	104.499	193.419	429.152
Fe	57	219.351	154.879	71.000	413.000
Mn	57	58.053	25.165	37.000	79.000
Zn	57	34.228	50.026	21.000	37.000
Cu	57	5.888	1.232	4.100	7.300
Se	21	0.031	0.019	0.009	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	25	373.440	86.497	291.000	491.000
Aska	25	74.640	7.082	69.000	84.000
OS smbh	25	74.208	3.035	72.300	77.500
Råprot	25	149.920	17.609	128.000	168.000
sRåprot	25	567.920	66.981	495.000	639.000
NH3-N	25	73.280	34.841	41.000	102.000
NDF	25	463.120	27.440	441.000	486.000
iNDF	25	167.201	28.881	129.165	208.000
nhNDF	25	4.235	0.446	3.845	4.658
TAF	25	64.656	22.366	27.900	90.000
Mjölksyra	25	46.800	17.769	17.000	65.000
Ättiksyra	25	14.280	5.542	7.000	22.000
Socker	25	59.000	25.966	33.000	93.000
PRF	9	2.667	1.000	1.000	4.000
BUF	25	1.976	6.064	0.000	2.500
AATp20	25	83.163	3.664	81.250	86.220
PBVp20	25	21.389	16.479	0.975	37.451
NELp20	25	6.098	0.279	5.766	6.358
OE*	25	10.768	0.516	10.300	11.300
AAT*	16	70.750	2.017	69.000	73.000
PBV*	16	22.375	16.593	3.000	41.000
Ca	23	5.735	1.129	4.700	7.200
P	23	2.609	0.275	2.400	3.000
Mg	23	2.065	0.431	1.600	2.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	23	22.791	3.822	19.100	28.100
Na	23	0.596	0.519	0.100	1.300
Cl	25	6.068	4.389	1.700	11.200
S	23	2.183	0.311	1.900	2.700
CAB	23	293.938	160.041	80.417	445.127
Fe	20	162.850	88.120	80.000	283.500
Mn	20	65.350	25.541	46.000	93.000
Zn	20	29.200	5.653	22.000	36.500
Cu	20	7.695	1.508	5.850	9.600
Se	7	0.044	0.015	0.011	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	455.500	163.342	340.000	571.000
Aska	2	96.000	11.314	88.000	104.000
OS smbh	2	71.200	1.838	69.900	72.500
Råprot	2	138.000	36.770	112.000	164.000
sRåprot	2	379.000	91.924	314.000	444.000
NH3-N	2	55.000	16.971	43.000	67.000
NDF	2	425.500	3.536	423.000	428.000
iNDF	2	216.178	18.172	203.329	229.028
nhNDF	2	3.339	0.237	3.171	3.507
TAF	2	41.750	34.436	17.400	66.100
Mjölksyra	2	30.000	25.456	12.000	48.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	2	9.500	9.192	3.000	16.000
Socker	2	60.000	45.255	28.000	92.000
BUF	2	1.250	0.212	1.100	1.400
AATp20	2	83.520	0.477	83.183	83.857
PBVp20	2	9.661	35.131	-15.180	34.502
NELp20	2	5.545	0.075	5.492	5.598
OE*	2	10.000	0.424	9.700	10.300
AAT*	2	69.000	1.414	68.000	70.000
PBV*	2	19.500	38.891	-8.000	47.000
Ca	1	9.300	.	9.300	9.300
P	1	2.100	.	2.100	2.100
Mg	1	1.900	.	1.900	1.900
K	1	29.200	.	29.200	29.200
Na	1	0.100	.	0.100	0.100
Cl	2	6.650	1.768	5.400	7.900
S	1	1.600	.	1.600	1.600
CAB	1	428.616	.	428.616	428.616
Fe	1	60.000	.	60.000	60.000
Mn	1	35.000	.	35.000	35.000
Zn	1	19.000	.	19.000	19.000
Cu	1	8.800	.	8.800	8.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	380.667	15.5671	366.000	397.000
Aska	3	78.333	4.0415	74.000	82.000
OS smbh	3	78.600	1.1790	77.300	79.600
Råprot	3	154.333	18.1475	141.000	175.000
sRåprot	3	694.000	15.5242	678.000	709.000
NH3-N	3	56.000	6.5574	49.000	62.000
NDF	3	373.333	29.5353	343.000	402.000
iNDF	3	163.667	16.4418	145.000	176.000
nhNDF	3	4.833	0.3059	4.562	5.165
Stä	3	41.000	12.7671	27.000	52.000
TAF	3	74.000	11.5326	61.000	83.000
Mjölksyra	3	50.667	10.2144	39.000	58.000
Ättiksyra	3	19.667	2.5166	17.000	22.000
Socker	3	98.667	32.3316	64.000	128.000
PRF	3	3.000	0.0000	3.000	3.000
BUF	3	0.667	1.1547	0.000	2.000
AATp20	3	80.385	0.3727	80.163	80.816
PBVp20	3	18.813	16.0857	6.712	37.067
NELp20	3	6.462	0.0432	6.413	6.494
OE*	3	11.443	0.1935	11.220	11.560
Ca	3	6.100	1.8520	4.000	7.500
P	3	3.633	0.5033	3.100	4.100
Mg	3	2.400	0.2000	2.200	2.600
K	3	27.533	3.1565	24.500	30.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre helsädesensilage degmognad (296) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	3	1.667	0.9292	0.600	2.300
Cl	3	7.933	3.3322	4.900	11.500
S	3	2.367	0.1155	2.300	2.500
CAB	3	405.250	52.1787	346.117	444.820
Fe	1	100.000	.	100.000	100.000
Mn	1	88.000	.	88.000	88.000
Zn	1	36.000	.	36.000	36.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	334.000	31.113	312.000	356.000
Aska	2	71.000	11.314	63.000	79.000
OS smbh	2	67.900	1.556	66.800	69.000
Råprot	2	141.500	14.849	131.000	152.000
sRåprot	2	626.500	77.075	572.000	681.000
NH3-N	2	101.500	27.577	82.000	121.000
NDF	2	450.000	28.284	430.000	470.000
iNDF	2	254.400	0.629	253.955	254.844
nhNDF	2	2.808	0.092	2.743	2.874
Stä	2	42.000	29.698	21.000	63.000
TAF	2	64.000	12.728	55.000	73.000
Mjölksyra	2	45.500	16.263	34.000	57.000
Ättiksyra	2	18.500	3.536	16.000	21.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete-ärt, helsädesensilage, degmognad, 50% ärter (Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	2	31.500	9.192	25.000	38.000
AATp20	2	68.910	1.769	67.659	70.161
PBVp20	2	29.366	16.747	17.525	41.208
NELp20	2	5.519	0.230	5.357	5.682
OE*	1	9.400	.	9.400	9.400
AAT*	1	58.000	.	58.000	58.000
PBV*	1	17.000	.	17.000	17.000
Ca	2	5.950	0.495	5.600	6.300
P	2	2.700	0.283	2.500	2.900
Mg	2	2.600	0.141	2.500	2.700
K	2	20.300	0.990	19.600	21.000
Na	2	0.400	0.000	0.400	0.400
Cl	2	5.100	0.424	4.800	5.400
S	2	2.000	0.566	1.600	2.400
CAB	2	267.911	48.723	233.459	302.363
Fe	2	218.500	161.927	104.000	333.000
Mn	2	63.500	16.263	52.000	75.000
Zn	2	42.000	5.657	38.000	46.000
Cu	2	13.200	5.940	9.000	17.400

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	450.000	.	450.000	450.000
Aska	1	50.000	.	50.000	50.000
OS smbh	1	67.200	.	67.200	67.200
Råprot	1	102.000	.	102.000	102.000
sRåprot	1	573.000	.	573.000	573.000
NH3-N	1	86.000	.	86.000	86.000
NDF	1	401.000	.	401.000	401.000
iNDF	1	320.000	.	320.000	320.000
nhNDF	1	2.184	.	2.184	2.184
Stä	1	223.000	.	223.000	223.000
TAF	1	41.000	.	41.000	41.000
Mjölksyra	1	31.000	.	31.000	31.000
Ättiksyra	1	8.000	.	8.000	8.000
Socker	1	41.000	.	41.000	41.000
PRF	1	1.000	.	1.000	1.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	73.441	.	73.441	73.441
PBVp20	1	-17.478	.	-17.478	-17.478
NELp20	1	5.558	.	5.558	5.558
OE*	1	9.870	.	9.870	9.870
Ca	1	3.500	.	3.500	3.500
P	1	2.400	.	2.400	2.400
Mg	1	1.600	.	1.600	1.600
K	1	11.800	.	11.800	11.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.600	.	0.600	0.600
Cl	1	4.500	.	4.500	4.500
S	1	1.700	.	1.700	1.700
CAB	1	94.867	.	94.867	94.867
Fe	1	169.000	.	169.000	169.000
Mn	1	81.000	.	81.000	81.000
Zn	1	32.000	.	32.000	32.000
Cu	1	8.000	.	8.000	8.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	864.667	78.526	774.000	911.000
Aska	3	69.000	21.656	56.000	94.000
OS smbh	3	71.767	5.572	66.500	77.600
Råprot	3	103.000	31.796	69.000	132.000
sRåprot	3	423.667	46.801	370.000	456.000
NDF	3	476.000	85.159	382.000	548.000
iNDF	3	214.000	34.073	190.000	253.000
nhNDF	3	4.272	0.883	3.733	5.291
TAF	3	0.000	0.000	0.000	0.000
Socker	3	124.333	13.317	113.000	139.000
AATp20	3	93.334	8.528	84.730	101.785
PBVp20	3	-39.315	15.637	-56.741	-26.507

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	3	5.559	0.466	5.055	5.974
OE*	3	10.417	0.707	9.680	11.090
Ca	3	3.800	0.854	2.900	4.600
P	3	1.600	0.346	1.200	1.800
Mg	3	1.200	0.300	0.900	1.500
K	3	13.800	2.343	12.300	16.500
Na	2	0.200	0.000	0.200	0.200
Cl	3	3.800	1.732	1.800	4.800
S	3	1.333	0.252	1.100	1.600
CAB	3	177.058	71.787	95.735	231.621
Fe	3	384.333	456.334	49.000	904.000
Mn	3	87.000	53.019	26.000	122.000
Zn	3	25.333	16.289	14.000	44.000
Cu	3	9.000	7.810	4.000	18.000
Se	2	0.065	0.021	0.050	0.080

*= Parametrar från det gamla svenska fodervärderingssystemet