

type	CuttingNumber	Number	DM	Ash	OMD	CP	sCP	NH3N	NDF	iNDF	kdNDF	ST	Sugar	LAF	ACF	AATp20	PBVp20	NELp20
Korn, kärna (001)	1	46	872	23	49.9	113	324	7.0	150	104	3.15	569	5			96.0	-31	7.34
Vete, kärna (005)	1	30	874	18	60.5	132	384	5.3	96	136	3.50	643	5			115	-37	8.01
Prognos, blandvall (1-50% baljv) (042)	0	13	245		73.2					170	4.32					96.4	-4.4	5.94
Grönmassa, gräs (0% baljv.) (161)	1	46	407	63	72.9	151	428		487	176	4.24	32	111			86.4	14.4	5.96
Ensilage, gräs (0% klöver) (162)	1	62	477	65	73.1	132	568	72.7	496	171	4.41		66	41.9	12.8	81.5	4.7	6.01
Ensilage, gräs (0% klöver) (162)	2	34	432	75	74.1	151	523	74.4	465	171	4.25		57	41.6	13.6	83.8	18.5	6.08
Grönmassa blandvall (1-50 % baljväxter) (164)	0	63	881	78	74.4	138			474	159	4.84		127			82.5	11.2	6.04
Grönmassa blandvall (1-50 % baljväxter) (164)	1	458	422	71	76.7	151	434		472	131	5.08		115			87.0	15.9	6.34
Grönmassa blandvall (1-50 % baljväxter) (164)	2	294	446	82	74.9	158	390		480	155	4.77		89			85.0	26.3	6.18
Grönmassa blandvall (1-50 % baljväxter) (164)	3	73	448	88	75.1	174	381		446	165	4.54		81			85.0	40.5	6.17
Ensilage, blandvall (1-50% klöver) (165)	0	75	464	79	73.5	142	567	83.2	467	174	4.24		71	39.8	11.5	82.7	15.4	6.00
Ensilage, blandvall (1-50% klöver) (165)	1	1326	392	71	76.0	152	641	80.3	461	147	4.70	74	62	52.3	13.7	83.4	22.8	6.34
Ensilage, blandvall (1-50% klöver) (165)	2	766	451	78	74.4	154	546	68.5	459	172	4.36	21	63	43.4	12.7	84.2	23.3	6.15
Ensilage, blandvall (1-50% klöver) (165)	3	169	457	80	74.8	162	531	66.4	434	178	4.32	31	72	39.8	11.8	85.6	28.9	6.16
Ensilage, blandvall (1-50% klöver) (165)	4	23	360	91	75.1	171	583	79.3	418	187	4.45		49	68.7	15.7	81.3	43.5	6.22
Korn, helsädesensilage (250)	1	82	429	57	69.8	110	623	75.1	448	243	3.14	112	76	37.3	13.0	72.7	-8.4	5.69
Havre-ärt, helsädesensilage, 50% ärter (251)	1	24	375	69	67.9	116	647	84.6	444	259	2.77	80	53	57.3	16.1	69.5	6.8	5.58
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	20	375	68	69.3	128	613	65.4	462	304	4.82	64	53	50.2	17.4	72.0	12.4	5.88
Havre helsädesensilage degmognad (296)	1	23	388	71	68.1	116	666	85.5	498	235	3.45	40	59	49.9	13.8	72.6	-1.3	5.61
Vete, helsäd ensilage (299)	1	56	405	59	69.0	118	625	74.4	480	234	3.36	79	69	38.2	15.6	71.8	-0.8	5.72
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	34	379	63	71.3	120	629	70.9	412	241	3.12	118	61	48.1	14.6	75.0	0.6	5.91
Majs, helsädesensilage (305)	1	34	348	38	75.0	79	579	64.2	377	214	3.19	266	13	54.3	15.2	79.6	-47	6.42
Hö, blandvall, 0-50% baljväxter (383)	1	50	853	52	65.7	81	423		573	236	3.56		121			84.4	-45	5.09
Grunnblanding Middels ford.grovfôr (326)	1	34	418	63	73.2	148	522	63.6	361	252	3.05	173	37	35.8	18.3	84.9	21.2	6.27
Fullfoder (TMR) ej kompletta data (1E3)	1	13	417	68	69.8	151	562	68.3	346	207	3.27	163	37	56.0	24.0			0.00

*= Parametrar från det gamla svenska fodervärderingssystemet

type	CuttingNumber	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Korn, kärna (001)	1	24	1.3	3.5	1.3	5.6	0.3	2.6	1.4	19	24	86.0	19.5	38.6	7.1	0.2
Vete, kärna (005)	1	23	0.5	3.1	1.1	4.7	0.1	1.5	1.4	9	23	46.5	30.7	28.9	4.7	0.0
Grönmassa, gräs (0% baljv.) (161)	1	45	4.9	2.3	1.6	20.0	0.6	8.0	1.9	211	27	117.4	142.8	30.4	5.7	0.0
Ensilage, gräs (0% klöver) (162)	1	58	4.6	2.4	1.7	19.9	0.6	4.7	1.8	295	53	185.8	79.5	27.4	6.0	0.0
Ensilage, gräs (0% klöver) (162)	2	32	6.4	2.7	2.2	24.0	1.0	8.2	2.3	290	32	127.6	69.8	29.0	7.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	0	58	3.7	2.6	1.4	23.1	1.0		2.1	372	58	189.9	50.0	24.5	6.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	1	432	5.2	2.7	1.6	23.8	0.7	7.3	2.0	354	335	130.6	55.8	27.5	5.8	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	233	6.8	2.9	2.2	24.6	1.0	12.9	2.3	318	192	116.0	58.4	27.7	7.3	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	63	9.5	2.8	2.6	23.1	1.4	8.2	2.6	333	51	125.8	56.2	25.2	7.3	0.0
Ensilage, blandvall (1-50% klöver) (165)	0	63	6.1	2.6	2.0	23.2	0.9	6.9	2.1	317	64	203.0	71.0	26.4	6.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	1	1285	5.3	2.7	1.7	23.6	0.9	6.0	2.0	346	1105	181.9	56.7	31.7	6.2	0.0
Ensilage, blandvall (1-50% klöver) (165)	2	741	6.7	2.8	2.3	24.4	1.2	8.2	2.3	299	640	154.0	69.2	33.7	7.4	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	165	7.9	2.7	2.6	22.8	1.4	9.4	2.5	225	120	152.1	77.2	28.0	7.5	0.0
Ensilage, blandvall (1-50% klöver) (165)	4	22	7.5	3.2	2.7	24.0	1.5	8.0	2.8	274	12	243.8	90.8	28.3	7.3	
Korn, helsädesensilage (250)	1	76	4.4	2.5	1.7	17.2	1.1	5.9	1.7	213	57	164.3	54.2	33.8	6.1	0.0
Havre-ärt, helsädesensilage, 50% ärter (251)	1	21	5.9	2.8	1.9	20.4	1.2	6.5	1.7	281	20	206.4	65.7	38.4	5.7	0.0
Ärter/Vicker/Havre, hela plantan, axgång till blom	1	20	5.9	2.8	1.8	22.0	1.3	6.9	1.9	312	12	140.4	63.6	58.0	5.4	0.0
Havre helsädesensilage degmognad (296)	1	22	4.1	2.7	1.7	21.2	1.8	6.5	1.9	319	19	212.3	97.3	84.8	5.6	
Vete, helsäd ensilage (299)	1	54	3.8	2.4	1.4	18.3	0.6	5.9	1.7	226	36	138.3	57.4	27.6	5.2	0.0
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	33	5.2	2.7	1.8	17.9	0.9	5.8	1.6	235	26	163.2	44.8	31.1	6.0	0.0
Majs, helsädesensilage (305)	1	34	1.9	1.8	1.1	9.7	0.4	2.2	0.9	152	21	166.8	28.2	30.2	5.2	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	43	3.4	1.9	1.3	14.7	0.3	4.6	1.3	169	35	97.3	76.0	21.8	4.4	0.0
Grunnblanding Middels ford.grovfôr (326)	1	34	7.1	3.7	3.2	14.6	3.3	9.5	2.5	97	25	316.2	91.8	77.6	17.5	0.5
Fullfoder (TMR) ej kompletta data (1E3)	1	9	6.2	3.3	3.2	15.9	2.7	7.2	2.3	152	9	412.7	76.3	75.1	14.0	0.7

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Korn, kärna (001) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	46	871.739	33.5542	840.000	904.000
Aska	46	22.546	3.9367	17.200	28.000
OS smbh	50	49.880	42.8770	0.000	86.000
Råprot	46	113.070	16.2044	94.000	133.000
sRåprot	21	323.762	66.0673	269.000	436.000
NDF	24	150.042	34.5612	116.000	205.000
iNDF	50	104.460	68.3040	25.000	162.000
nhNDF	50	3.150	0.0000	3.150	3.150
Stä	46	569.393	60.0778	490.000	650.600
Socker	21	5.000	0.0000	5.000	5.000
TAF	50	0.000	0.0000	0.000	0.000
AAT20	50	96.004	1.7856	94.108	98.731
PBV20	50	-30.576	15.2290	-50.236	-14.577
NEL20	50	7.340	0.1144	7.211	7.481
Ca	24	1.308	2.2175	0.400	6.700
P	24	3.513	0.7024	2.900	4.900
Mg	24	1.304	0.3906	1.000	2.200
K	24	5.596	0.8078	4.800	7.100
Na	23	0.330	0.5397	0.100	1.400
Cl	12	2.575	1.4245	1.100	4.400
S	24	1.354	0.4718	1.100	2.200
CAB	24	19.261	27.9777	-24.044	43.883
Fe	24	86.000	70.6892	46.000	257.000
Mn	24	19.542	13.5068	10.000	45.000
Zn	24	38.625	20.8344	25.000	75.000
Cu	24	7.092	5.0074	4.000	18.000

Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	30	874.367	24.215	848.000	914.000
Aska	30	17.897	2.498	15.050	21.400
OS smbh	32	60.500	41.442	0.000	88.000
Råprot	30	132.167	18.511	110.950	151.600
sRåprot	10	384.100	102.585	313.500	548.500
NDF	10	95.500	11.472	81.500	111.000
iNDF	32	136.375	76.291	25.000	187.000
nhNDF	32	3.500	0.000	3.500	3.500
Stä	30	642.710	61.309	554.000	707.650
Socker	10	5.000	0.000	5.000	5.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Vete, kärna (005) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TAF	32	0.000	0.000	0.000	0.000
AAT20	32	115.170	1.976	112.851	117.648
PBV20	32	-37.278	16.715	-55.623	-23.438
NEL20	32	8.008	0.089	7.905	8.099
Ca	23	0.452	0.237	0.300	0.500
P	23	3.126	0.353	2.700	3.600
Mg	23	1.100	0.171	0.900	1.300
K	23	4.687	0.352	4.300	5.200
Na	19	0.100	0.000	0.100	0.100
S	22	1.364	0.159	1.200	1.500
CAB	23	8.642	19.995	-12.874	26.758
Fe	23	46.478	16.278	37.000	53.000
Mn	23	30.739	10.212	15.000	40.000
Zn	23	28.913	4.747	24.000	34.000
Cu	23	4.730	0.768	3.900	5.400

Type=Prognos, blandvall (1-50% baljv) (042) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	13	245.077	40.7359	201.000	296.000
OS smbh	13	73.150	0.0000	73.150	73.150
iNDF	13	170.460	0.0000	170.460	170.460
nhNDF	13	4.315	0.0000	4.315	4.315
TAF	13	0.000	0.0000	0.000	0.000
AAT20	13	96.439	0.0000	96.439	96.439
PBV20	13	-4.418	0.0000	-4.418	-4.418
NEL20	13	5.943	0.0000	5.943	5.943

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	46	406.652	195.883	201.000	750.000
Aska	46	63.065	11.426	49.000	77.000
OS smbh	46	72.948	5.934	65.000	80.900
Råprot	46	150.630	44.710	94.000	215.000
sRåprot	39	427.564	75.857	341.000	511.000
NDF	46	486.522	63.959	396.000	574.000
iNDF	46	176.446	74.629	83.492	285.000
nhNDF	46	4.238	0.895	3.377	5.634
Socker	46	111.348	26.473	81.000	148.000
TAF	46	61.000	0.000	61.000	61.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa, gräs (0% baljv.) (161) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
AAT20	46	86.409	7.638	76.505	97.993
PBV20	46	14.389	29.697	-21.376	59.179
NEL20	46	5.962	0.573	5.231	6.818
Ca	45	4.862	2.947	2.500	7.900
P	45	2.322	0.625	1.500	3.100
Mg	45	1.551	0.569	0.900	2.400
K	45	20.031	5.951	12.500	27.900
Na	43	0.633	0.569	0.100	1.400
Cl	37	7.968	6.792	2.200	16.900
S	45	1.913	0.609	1.000	2.700
CAB	45	210.777	196.372	-28.265	427.943
Fe	27	117.407	104.381	56.000	228.000
Mn	27	142.815	148.677	20.000	369.000
Zn	27	30.407	10.349	21.000	43.000
Cu	27	5.652	1.873	3.000	8.000

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	62	476.774	186.111	280.000	763.000
Aska	62	65.468	13.512	48.000	80.000
OS smbh	62	73.116	6.119	64.100	80.300
Råprot	62	131.629	39.755	80.000	178.000
sRåprot	62	568.194	136.303	359.000	687.000
NH3-N	60	72.650	33.532	21.000	109.500
NDF	62	495.597	62.756	424.000	578.000
iNDF	62	170.814	60.396	102.551	247.979
nhNDF	62	4.411	0.839	3.475	5.429
Socker	62	66.000	37.657	22.000	112.000
TAF	62	57.187	34.725	13.500	108.000
Mjölksyra	62	41.855	28.653	7.000	80.000
Ättiksyra	60	12.817	7.791	2.500	22.500
PRF	12	2.333	2.015	0.000	5.000
BUF	60	1.127	1.410	0.100	2.850
AAT20	62	81.548	4.908	76.737	86.260
PBV20	62	4.669	33.447	-39.637	40.168
NEL20	62	6.006	0.631	5.068	6.721
Ca	58	4.617	1.376	3.100	7.000
P	58	2.383	0.562	1.600	3.100
Mg	58	1.697	0.385	1.300	2.300

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
K	58	19.890	5.695	12.800	28.000
Na	57	0.640	0.559	0.100	1.700
Cl	61	4.728	3.273	1.200	8.600
S	58	1.790	0.538	1.000	2.500
CAB	58	295.288	135.907	86.070	465.501
Fe	53	185.755	151.114	74.000	323.000
Mn	53	79.472	50.259	40.000	123.000
Zn	53	27.377	6.425	21.000	35.000
Cu	53	6.036	1.929	4.300	8.000

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	34	432.059	164.345	285.000	700.000
Aska	34	75.059	10.626	58.000	86.000
OS smbh	34	74.085	2.560	71.000	77.400
Råprot	34	150.618	23.938	119.000	180.000
sRåprot	34	523.176	114.647	362.000	664.000
NH3-N	34	74.382	35.349	39.000	129.000
NDF	34	464.941	36.049	419.000	509.000
iNDF	34	170.543	29.781	128.862	205.000
nhNDF	34	4.251	0.507	3.747	4.903
Socker	34	56.824	36.966	11.000	112.000
TAF	34	57.641	28.007	14.400	86.100
Mjölksyra	34	41.559	22.632	6.000	65.000
Ättiksyra	34	13.559	7.007	4.000	22.000
BUF	34	1.259	2.689	0.100	3.800
AAT20	34	83.765	4.460	78.000	90.463
PBV20	34	18.492	22.408	-4.206	43.336
NEL20	34	6.082	0.295	5.658	6.426
Ca	32	6.447	1.648	4.800	8.800
P	32	2.716	0.457	2.000	3.200
Mg	32	2.247	0.365	1.800	2.600
K	32	23.991	4.887	16.800	30.500
Na	32	0.950	0.800	0.200	1.900
Cl	34	8.174	4.964	3.500	14.600
S	32	2.275	0.450	1.800	2.800
CAB	32	289.624	130.800	75.774	440.667
Fe	32	127.625	45.294	82.000	180.000
Mn	32	69.750	24.377	40.000	101.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, gräs (0% klöver) (162) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Zn	32	29.000	6.466	22.000	37.000
Cu	32	7.369	1.504	5.700	9.100

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	63	881.254	255.160	369.000	1000.00
Aska	62	77.500	12.560	64.000	97.00
OS smbh	63	74.413	6.302	66.000	83.20
Råprot	62	138.000	36.906	91.000	186.00
NDF	62	473.823	59.724	400.000	544.00
iNDF	63	159.006	60.634	74.060	233.75
nhNDF	63	4.843	1.938	3.186	6.66
Socker	62	126.758	46.361	72.000	194.00
TAF	63	84.000	0.000	84.000	84.00
AAT20	63	82.543	7.852	73.380	92.94
PBV20	63	11.235	24.481	-15.682	46.12
NEL20	63	6.042	0.624	5.279	6.87
Ca	58	3.734	1.063	2.700	5.00
P	58	2.559	0.478	1.900	3.20
Mg	58	1.398	0.455	1.000	2.00
K	58	23.091	4.906	15.500	29.70
Na	58	1.041	3.010	0.100	1.30
S	58	2.105	0.419	1.600	2.70
CAB	58	371.882	167.523	203.843	518.23
Fe	58	189.914	214.807	52.000	393.00
Mn	58	50.017	19.941	34.000	80.00
Zn	58	24.483	4.624	20.000	33.00
Cu	58	6.786	1.962	5.000	9.30

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	458	421.919	151.330	245.000	618.000
Aska	458	71.066	11.088	58.000	86.000
OS smbh	458	76.722	5.349	68.900	82.400
Råprot	458	150.893	33.079	106.000	193.000
sRåprot	165	434.297	56.589	361.000	498.000
NDF	458	471.675	60.606	396.000	555.000
iNDF	458	131.078	59.868	69.950	213.542
nhNDF	458	5.084	1.154	3.776	6.518

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Socker	458	114.817	41.450	58.000	165.000
TAF	458	84.000	0.000	84.000	84.000
AAT20	458	86.989	6.473	77.737	93.748
PBV20	458	15.943	23.575	-14.944	44.787
NEL20	458	6.342	0.501	5.617	6.871
Ca	432	5.177	2.224	3.300	7.300
P	432	2.687	0.507	2.100	3.300
Mg	432	1.646	0.372	1.200	2.200
K	432	23.794	5.180	17.300	30.000
Na	424	0.692	0.575	0.100	1.400
Cl	159	7.334	7.213	2.500	12.200
S	432	1.995	0.453	1.400	2.600
CAB	432	354.210	176.431	198.938	525.229
Fe	335	130.627	106.913	62.000	210.000
Mn	335	55.818	35.693	30.000	83.000
Zn	335	27.469	6.828	20.000	35.000
Cu	335	5.800	1.351	4.100	7.500
Se	93	0.020	0.019	0.005	0.050

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	294	446.065	174.423	215.000	689.000
Aska	294	82.320	13.331	65.000	102.000
OS smbh	294	74.935	3.819	70.100	79.700
Råprot	294	158.446	29.275	125.000	195.000
sRåprot	79	389.696	66.540	333.000	441.000
NDF	294	479.663	43.609	420.000	533.000
iNDF	294	154.713	54.361	94.446	225.194
nhNDF	294	4.775	0.955	3.700	5.907
Socker	294	88.840	35.757	39.000	134.000
TAF	294	84.000	0.000	84.000	84.000
AAT20	294	85.026	5.158	78.439	91.285
PBV20	294	26.268	22.520	-0.876	55.572
NEL20	294	6.179	0.394	5.665	6.647
Ca	233	6.781	2.813	3.900	10.900
P	233	2.865	0.424	2.400	3.400
Mg	233	2.205	0.538	1.600	2.900
K	233	24.596	5.153	17.300	30.700
Na	232	0.986	0.736	0.200	1.800

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Cl	79	12.941	11.690	3.800	28.200
S	233	2.279	0.468	1.700	2.800
CAB	233	318.303	247.615	100.550	515.368
Fe	192	116.000	127.217	63.000	159.000
Mn	192	58.432	28.123	27.000	99.000
Zn	192	27.734	7.871	21.000	35.000
Cu	192	7.268	3.767	5.200	9.000
Se	48	0.028	0.095	0.005	0.050

Type=Grönmassa blandvall (1-50 % baljväxter) (164) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	73	447.562	151.255	266.000	644.000
Aska	72	87.861	11.704	74.000	104.000
OS smbh	73	75.052	3.884	68.700	79.800
Råprot	72	173.917	22.515	148.000	202.000
sRåprot	15	380.867	59.513	324.000	410.000
NDF	72	446.458	28.612	414.000	482.000
iNDF	73	164.626	56.506	100.122	257.337
nhNDF	73	4.536	0.959	2.825	5.681
Socket	72	81.278	34.476	31.000	123.000
TAF	73	84.000	0.000	84.000	84.000
AAT20	73	85.001	4.234	78.975	89.956
PBV20	73	40.525	22.628	16.025	77.008
NEL20	73	6.173	0.335	5.707	6.592
Ca	63	9.492	4.327	5.600	17.900
P	63	2.849	0.417	2.300	3.400
Mg	63	2.583	0.503	2.000	3.400
K	63	23.067	5.419	14.500	28.700
Na	63	1.416	0.893	0.600	2.200
Cl	15	8.167	2.082	5.900	10.600
S	63	2.600	0.428	2.100	3.200
CAB	63	333.355	137.937	139.057	507.919
Fe	51	125.765	117.294	75.000	188.000
Mn	51	56.157	30.137	31.000	86.000
Zn	51	25.235	4.629	21.000	31.000
Cu	51	7.300	1.062	6.000	8.600
Se	13	0.026	0.014	0.009	0.048

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=0

Variabel	Number	Mean	STD	P10	P90
TS	75	464.418	166.199	270.000	705.202
Aska	63	78.810	23.326	58.000	111.000
OS smbh	77	73.514	4.433	67.700	78.900
Råprot	72	142.187	28.867	110.000	179.000
sRåprot	69	567.103	107.115	436.000	692.000
NH3-N	71	83.151	34.277	41.000	127.000
NDF	70	467.014	61.302	388.000	546.000
iNDF	77	173.925	47.888	117.555	247.833
nhNDF	77	4.238	0.872	2.898	5.436
Socker	70	71.204	43.461	15.500	131.000
TAF	77	55.829	32.704	16.500	104.300
Mjölksyra	72	39.780	27.414	8.000	76.000
Ättiksyra	72	11.490	6.649	5.000	21.000
BUF	64	1.942	3.106	0.100	4.900
AAT20	77	82.675	5.572	75.973	90.546
PBV20	77	15.375	24.392	-12.922	47.920
NEL20	77	5.996	0.453	5.354	6.550
Ca	63	6.144	2.815	3.600	9.546
P	63	2.614	0.550	1.876	3.200
Mg	63	2.031	0.569	1.400	2.700
K	63	23.156	5.919	16.082	30.313
Na	63	0.861	0.857	0.100	2.200
Cl	62	6.913	3.785	2.400	11.400
S	63	2.073	0.569	1.400	2.700
CAB	63	317.181	129.924	141.659	473.443
Fe	64	203.000	292.936	69.000	293.000
Mn	63	70.961	37.519	31.000	114.000
Zn	63	26.361	5.457	20.000	33.000
Cu	63	6.371	1.441	4.900	8.300
Se	18	0.014	0.008	0.005	0.028

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	1326	392.054	116.508	268.000	542.000
Aska	1324	70.940	11.731	58.000	83.000
OS smbh	1328	75.992	4.082	70.100	80.100
Råprot	1324	151.956	29.943	113.000	189.000
sRåprot	1324	640.551	84.929	536.000	732.000
NH3-N	1313	80.328	33.291	41.000	117.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NDF	1324	460.832	55.941	398.000	537.000
iNDF	1328	146.664	43.913	102.729	205.000
nhNDF	1328	4.701	0.697	3.873	5.541
Socker	1324	61.585	35.699	20.000	112.000
TAF	1328	68.620	31.200	23.900	108.100
Mjölksyra	1324	52.314	27.152	15.000	87.000
Ättiksyra	1314	13.659	6.550	6.000	21.000
PRF	466	1.567	2.166	0.000	4.000
BUF	1314	1.387	2.632	0.000	3.500
AAT20	1328	83.399	4.431	78.071	88.934
PBV20	1328	22.834	25.556	-10.956	55.617
NEL20	1328	6.344	0.414	5.782	6.781
Ca	1285	5.250	1.545	3.700	7.300
P	1285	2.677	0.477	2.100	3.300
Mg	1285	1.713	0.345	1.300	2.100
K	1285	23.630	4.464	17.800	29.000
Na	1284	0.856	0.748	0.100	1.900
Cl	1321	6.017	3.829	2.200	10.100
S	1285	2.020	0.436	1.500	2.600
CAB	1285	345.728	131.635	185.811	494.332
Fe	1105	181.948	195.161	73.000	334.000
Mn	1105	56.685	24.130	31.000	83.000
Zn	1105	31.733	30.750	22.000	36.000
Cu	1105	6.177	1.396	4.700	8.000
Se	179	0.031	0.029	0.007	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
TS	766	450.611	139.492	302.000	661.000
Aska	765	78.246	12.141	64.000	92.000
OS smbh	766	74.364	2.766	71.000	77.500
Råprot	765	153.839	26.336	119.000	188.000
sRåprot	765	546.097	97.135	418.000	655.000
NH3-N	756	68.499	28.276	33.000	105.000
NDF	765	459.128	38.542	409.000	507.000
iNDF	766	171.619	37.186	131.291	215.813
nhNDF	766	4.363	0.607	3.635	5.005
Socker	765	63.312	34.977	21.000	114.000
TAF	766	58.403	28.462	17.500	95.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=2

Variabel	Number	Mean	STD	P10	P90
Mjölksyra	764	43.365	23.913	11.000	74.000
Ättiksyra	756	12.669	6.620	5.000	20.000
PRF	241	1.710	1.886	0.000	4.000
BUF	756	1.035	1.665	0.000	2.800
AAT20	766	84.242	4.637	79.119	90.392
PBV20	766	23.311	24.110	-8.219	54.585
NEL20	766	6.147	0.314	5.743	6.517
Ca	741	6.694	1.869	4.700	9.200
P	741	2.817	0.405	2.300	3.300
Mg	741	2.265	0.409	1.800	2.800
K	741	24.415	4.866	18.000	30.500
Na	741	1.167	0.926	0.200	2.400
Cl	764	8.191	5.305	3.400	13.400
S	741	2.302	0.501	1.700	2.900
CAB	741	299.360	163.862	143.599	473.490
Fe	640	153.970	158.526	72.500	235.000
Mn	640	69.194	27.079	38.000	106.000
Zn	640	33.689	82.115	22.000	36.000
Cu	640	7.385	1.964	5.700	9.100
Se	88	0.030	0.022	0.008	0.050

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
TS	169	457.497	119.664	323.000	642.000
Aska	169	79.580	10.268	67.000	94.000
OS smbh	169	74.832	3.097	71.000	78.300
Råprot	169	162.118	25.109	135.000	197.000
sRåprot	169	531.355	86.056	409.000	632.000
NH3-N	168	66.411	32.373	31.000	106.000
NDF	169	434.343	38.213	387.000	483.000
iNDF	169	178.463	49.186	129.000	229.245
nhNDF	169	4.316	0.756	3.438	5.036
Socker	169	72.047	34.592	28.000	119.000
TAF	169	53.989	29.912	16.500	95.000
Mjölksyra	169	39.846	25.525	8.000	74.000
Ättiksyra	165	11.812	7.422	4.000	21.000
PRF	74	1.108	1.891	0.000	3.000
BUF	165	1.141	2.263	0.000	2.700
AAT20	169	85.614	5.462	78.270	92.462

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=3

Variabel	Number	Mean	STD	P10	P90
PBV20	169	28.892	22.109	2.763	56.489
NEL20	169	6.160	0.317	5.760	6.503
Ca	165	7.890	2.249	5.700	11.200
P	165	2.738	0.465	2.100	3.400
Mg	165	2.601	0.467	2.100	3.200
K	165	22.804	4.300	17.800	27.700
Na	165	1.448	0.867	0.400	2.600
Cl	169	9.390	5.997	4.000	14.500
S	165	2.527	0.526	1.900	3.000
CAB	165	224.529	167.815	83.362	380.308
Fe	120	152.142	118.841	72.500	302.500
Mn	120	77.192	33.298	38.000	115.500
Zn	120	28.000	9.922	20.000	36.500
Cu	120	7.535	1.703	5.650	9.900
Se	16	0.032	0.018	0.013	0.056

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
TS	23	359.913	88.080	287.000	450.000
Aska	23	91.174	11.827	78.000	106.000
OS smbh	23	75.078	3.348	70.900	79.200
Råprot	23	170.522	26.299	141.000	202.000
sRåprot	23	583.174	54.662	517.000	650.000
NH3-N	23	79.261	20.107	55.000	106.000
NDF	23	417.565	43.398	366.000	472.000
iNDF	23	186.851	55.803	134.113	241.000
nhNDF	23	4.448	0.634	3.664	5.088
Socker	23	49.391	31.546	14.000	90.000
TAF	23	86.909	32.985	34.100	135.000
Mjölksyra	23	68.652	28.163	22.000	108.000
Ättiksyra	23	15.696	6.865	6.000	22.000
PRF	11	2.455	2.115	0.000	4.000
BUF	23	0.865	1.422	0.000	2.100
AAT20	23	81.286	3.794	75.204	86.272
PBV20	23	43.526	24.046	14.894	71.433
NEL20	23	6.218	0.339	5.806	6.581
Ca	22	7.495	1.511	5.600	9.700
P	22	3.164	0.498	2.500	3.700
Mg	22	2.668	0.261	2.500	3.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ensilage, blandvall (1-50% klöver) (165) CuttingNumber=4

Variabel	Number	Mean	STD	P10	P90
K	22	23.986	2.915	20.600	28.400
Na	22	1.500	0.549	0.800	2.100
Cl	23	8.030	4.231	4.500	10.400
S	22	2.764	0.385	2.300	3.200
CAB	22	274.454	113.628	169.919	428.040
Fe	12	243.750	126.059	140.000	426.000
Mn	12	90.833	34.082	53.000	132.000
Zn	12	28.250	5.529	22.000	35.000
Cu	12	7.267	1.148	6.000	8.600

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	82	429.012	97.470	304.000	578.000
Aska	82	57.110	16.499	39.000	81.000
OS smbh	82	69.784	3.395	65.300	73.600
Råprot	82	110.268	30.706	73.000	149.000
sRåprot	82	622.659	114.962	473.000	745.000
NH3-N	82	75.085	32.834	36.000	106.000
NDF	82	448.012	58.035	375.000	521.000
iNDF	82	242.503	49.165	191.918	297.000
nhNDF	82	3.144	0.909	2.091	4.127
Stä	80	112.000	86.370	18.000	245.500
Socker	82	76.024	40.124	31.000	147.000
TAF	82	52.393	24.754	21.700	83.000
Mjölksyra	82	37.317	20.146	12.000	61.000
Ättiksyra	80	12.988	7.330	5.500	22.000
PRF	36	1.361	1.693	0.000	5.000
BUF	36	1.111	1.369	0.000	3.000
AAT20	82	72.719	3.562	68.402	77.910
PBV20	82	-8.385	26.613	-38.744	24.895
NEL20	82	5.685	0.326	5.232	6.089
Ca	76	4.353	2.074	2.500	6.700
P	77	2.540	0.574	1.900	3.400
Mg	77	1.664	0.531	1.100	2.300
K	77	17.209	6.595	10.500	24.600
Na	77	1.066	0.668	0.400	2.000
Cl	81	5.935	3.330	2.800	10.200
S	77	1.704	0.543	1.100	2.400
CAB	76	212.956	140.707	53.396	381.679

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Korn, helsädesensilage (250) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Fe	57	164.281	212.070	54.000	401.000
Mn	57	54.193	37.155	18.000	100.000
Zn	57	33.772	28.778	19.000	45.000
Cu	57	6.077	4.391	3.800	8.100

Type=Havre-ärt, helsädesensilage, 50% ärter (251) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	24	375.375	72.049	296.000	460.000
Aska	24	69.167	12.282	54.000	88.000
OS smbh	25	67.916	3.305	64.200	70.100
Råprot	24	115.625	20.805	81.000	134.000
sRåprot	24	646.583	115.650	458.000	750.000
NH3-N	24	84.625	27.295	46.000	119.000
NDF	24	444.208	54.502	409.000	496.000
iNDF	25	258.608	28.988	215.168	295.196
nhNDF	25	2.774	0.419	2.282	3.367
Stä	24	80.083	55.010	31.000	165.000
Socker	24	52.667	33.192	19.000	104.000
TAF	25	75.600	27.385	48.000	114.000
Mjölksyra	24	57.250	24.140	29.000	96.000
Ättiksyra	24	16.083	6.724	9.000	28.000
AAT20	25	69.453	4.263	64.084	75.187
PBV20	25	6.789	20.497	-29.019	29.644
NEL20	25	5.582	0.340	5.281	5.944
Ca	21	5.929	2.197	4.200	7.700
P	21	2.795	0.606	2.100	3.300
Mg	21	1.914	0.292	1.500	2.100
K	21	20.414	4.601	13.900	25.700
Na	21	1.233	1.110	0.400	1.800
Cl	24	6.463	3.979	3.100	11.100
S	21	1.690	0.425	1.400	2.100
CAB	21	281.475	139.813	68.622	458.315
Fe	20	206.350	187.923	103.500	558.000
Mn	20	65.650	34.207	25.500	102.500
Zn	20	38.400	40.595	22.500	42.500
Cu	20	5.745	0.930	4.600	7.200

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Ärter/Vicker/Havre, hela plantan, axgång till blom CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	20	375.250	113.256	252.500	501.000
Aska	20	68.050	8.918	54.500	78.000
OS smbh	20	69.310	4.214	63.500	74.500
Råprot	20	127.550	20.679	102.500	159.000
sRåprot	20	613.100	89.520	484.000	729.500
NH3-N	18	65.444	35.072	33.000	109.000
NDF	20	461.950	46.953	389.500	523.000
iNDF	20	304.174	99.277	180.000	469.047
nhNDF	20	4.815	1.545	3.497	7.639
Stä	20	63.700	37.180	24.500	98.000
Socker	20	52.600	39.417	18.500	104.500
TAF	20	69.075	35.707	25.500	123.500
Mjölksyra	20	50.150	30.356	9.500	92.000
Ättiksyra	19	17.368	9.075	5.000	28.000
PRF	15	1.733	2.120	0.000	4.000
BUF	15	0.533	1.246	0.000	3.000
AAT20	20	72.012	5.130	66.078	81.628
PBV20	20	12.388	21.138	-15.481	40.259
NEL20	20	5.875	0.418	5.291	6.250
Ca	20	5.945	1.581	4.750	8.250
P	20	2.830	0.388	2.450	3.400
Mg	20	1.815	0.504	1.250	2.550
K	20	21.990	4.179	16.400	26.400
Na	20	1.270	0.680	0.400	2.200
Cl	19	6.947	5.476	2.100	15.700
S	20	1.855	0.339	1.400	2.300
CAB	20	311.543	184.273	15.613	499.710
Fe	12	140.417	62.916	84.000	220.000
Mn	12	63.583	41.058	24.000	86.000
Zn	12	58.000	48.919	27.000	147.000
Cu	12	5.367	0.813	4.000	6.000

Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	23	387.913	82.754	272.000	475.000
Aska	23	70.739	11.620	56.000	88.000
OS smbh	23	68.117	4.239	63.000	73.300
Råprot	23	116.000	23.353	83.000	146.000
sRåprot	23	666.478	89.125	537.000	750.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Type=Havre helsädesensilage degmognad (296) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
NH3-N	23	85.522	28.318	45.000	125.000
NDF	23	497.609	44.580	452.000	541.000
iNDF	23	234.902	54.414	155.000	307.736
nhNDF	23	3.450	0.711	2.680	4.345
Stä	23	40.304	33.016	17.000	105.000
Socker	23	59.348	36.369	27.000	106.000
TAF	23	64.739	21.130	44.000	90.000
Mjölksyra	23	49.870	17.943	31.000	70.000
Ättiksyra	23	13.783	4.680	8.000	19.000
AAT20	23	72.622	5.715	65.668	81.352
PBV20	23	-1.312	20.508	-28.919	24.889
NEL20	23	5.611	0.406	5.155	6.173
Ca	22	4.055	1.721	2.700	5.300
P	22	2.718	0.416	2.200	3.200
Mg	22	1.700	0.466	1.200	2.000
K	22	21.164	4.309	16.400	26.200
Na	21	1.819	1.666	0.300	3.000
Cl	22	6.505	3.790	2.000	12.100
S	22	1.859	0.712	1.300	3.000
CAB	22	318.651	113.827	172.010	456.816
Fe	19	212.263	127.910	77.000	426.000
Mn	19	97.316	52.185	47.000	182.000
Zn	19	84.842	243.568	21.000	60.000
Cu	19	5.637	1.719	3.800	8.000

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	56	404.696	116.589	265.000	573.000
Aska	56	59.357	15.395	37.000	74.000
OS smbh	56	69.027	5.371	61.600	75.400
Råprot	56	118.304	32.818	82.000	167.000
sRåprot	56	625.071	129.930	444.000	789.000
NH3-N	55	74.400	41.293	25.000	130.000
NDF	56	480.161	66.023	391.000	564.000
iNDF	56	234.181	73.798	134.000	318.000
nhNDF	56	3.364	0.928	2.216	4.555
Stä	55	79.236	85.392	17.000	218.000
Socker	56	68.786	42.793	21.000	135.000
TAF	56	56.705	30.827	20.000	88.500

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Vete, helsäd ensilage (299) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
Mjölksyra	56	38.179	26.282	7.000	71.000
Ättiksyra	55	15.618	7.945	7.000	23.000
PRF	30	2.200	2.355	0.000	6.500
BUF	30	1.200	1.518	0.000	3.500
AAT20	56	71.813	4.911	65.355	77.386
PBV20	56	-0.802	28.143	-38.878	40.455
NEL20	56	5.715	0.497	5.122	6.446
Ca	54	3.770	1.803	1.900	6.400
P	54	2.420	0.650	1.700	3.100
Mg	52	1.381	0.503	0.700	2.000
K	54	18.339	5.858	11.700	26.200
Na	54	0.641	0.515	0.100	1.400
Cl	53	5.874	3.428	1.700	10.200
S	54	1.720	0.471	1.100	2.400
CAB	54	226.413	160.222	3.594	435.067
Fe	36	138.250	112.512	59.000	294.000
Mn	36	57.417	39.034	17.000	98.000
Zn	36	27.611	8.990	18.000	40.000
Cu	36	5.231	1.463	4.000	7.300

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	34	379.206	110.896	278.000	512.000
Aska	34	63.029	14.036	45.000	79.000
OS smbh	34	71.294	3.645	67.500	74.400
Råprot	34	120.441	26.964	93.000	154.000
sRåprot	34	628.941	104.362	501.000	750.000
NH3-N	34	70.912	32.143	29.000	112.000
NDF	34	411.971	59.931	343.000	489.000
iNDF	34	241.328	49.458	185.000	298.642
nhNDF	34	3.124	0.992	2.144	4.502
Stä	34	118.206	86.012	19.000	223.000
Socker	34	60.676	35.359	23.000	111.000
TAF	34	63.618	29.043	18.000	100.000
Mjölksyra	34	48.118	22.614	16.000	77.000
Ättiksyra	34	14.559	8.575	7.000	23.000
PRF	15	1.600	2.131	0.000	5.000
BUF	15	0.533	1.356	0.000	2.000
AAT20	34	74.959	5.947	68.001	83.470

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Korn-ärt helsädesensilage degmognad, 40% ärter (30 CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
PBV20	34	0.650	22.536	-28.185	33.466
NEL20	34	5.913	0.357	5.558	6.245
Ca	33	5.242	1.186	3.700	6.700
P	33	2.682	0.438	2.100	3.200
Mg	33	1.812	0.456	1.300	2.600
K	33	17.888	5.122	11.500	22.400
Na	33	0.948	0.835	0.300	1.800
Cl	33	5.836	2.900	2.800	9.900
S	33	1.594	0.490	1.100	2.200
CAB	33	235.326	141.641	105.123	372.186
Fe	26	163.192	184.032	56.000	361.000
Mn	26	44.846	30.273	19.000	91.000
Zn	26	31.115	8.683	21.000	45.000
Cu	26	6.038	1.472	4.600	8.600

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	34	347.735	49.419	299.000	425.000
Aska	34	37.882	23.902	22.000	92.000
OS smbh	34	75.044	2.496	71.800	78.200
Råprot	34	78.588	7.472	69.000	86.000
sRåprot	34	578.559	109.209	462.000	706.000
NH3-N	30	64.167	26.948	28.000	101.500
NDF	34	377.059	75.307	227.000	444.000
iNDF	34	214.498	41.919	179.000	270.000
nhNDF	34	3.187	0.672	2.203	3.815
Stä	34	266.382	71.189	190.000	339.000
Socker	34	12.765	15.857	5.000	21.000
TAF	34	73.647	16.345	47.000	95.000
Mjölksyra	34	54.265	13.630	39.000	73.000
Ättiksyra	34	15.206	6.034	6.000	21.000
PRF	24	4.667	2.390	2.000	8.000
BUF	24	0.000	0.000	0.000	0.000
AAT20	34	79.644	2.570	76.318	83.742
PBV20	34	-46.908	6.560	-55.113	-39.894
NEL20	34	6.423	0.265	6.102	6.754
Ca	34	1.888	0.444	1.300	2.500
P	34	1.756	0.219	1.500	2.000
Mg	33	1.088	0.344	0.700	1.500

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Majs, helsädesensilage (305) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
K	34	9.679	2.055	7.800	13.700
Na	33	0.364	0.286	0.100	0.600
Cl	21	2.224	1.070	1.300	3.500
S	34	0.909	0.144	0.800	1.000
CAB	34	151.764	70.656	87.380	292.913
Fe	21	166.810	222.504	65.000	200.000
Mn	21	28.238	11.090	15.000	41.000
Zn	21	30.190	24.679	17.000	33.000
Cu	21	5.200	2.179	3.500	6.000

Type=Hö, blandvall, 0-50% baljväxter (383) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	50	853.100	74.126	746.000	914.500
Aska	50	51.940	10.452	40.500	62.500
OS smbh	50	65.722	3.362	62.100	70.650
Råprot	50	80.840	20.991	53.000	107.000
sRåprot	15	422.533	53.130	363.000	478.000
NDF	50	572.720	47.551	512.500	634.000
iNDF	50	236.275	39.360	190.743	295.000
nhNDF	50	3.564	0.440	2.915	4.077
Socker	50	121.320	31.272	89.000	159.000
TAF	50	0.000	0.000	0.000	0.000
AAT20	50	84.446	5.138	78.453	89.824
PBV20	50	-45.085	15.078	-64.290	-24.537
NEL20	50	5.087	0.291	4.728	5.451
Ca	43	3.388	1.682	1.700	5.200
P	43	1.928	0.371	1.500	2.500
Mg	43	1.288	0.483	0.800	1.900
K	43	14.667	3.517	11.000	19.400
Na	42	0.300	0.277	0.100	0.700
Cl	10	4.550	3.198	1.000	9.200
S	43	1.302	0.391	1.000	2.100
CAB	43	169.181	111.298	55.415	284.666
Fe	35	97.286	89.124	44.000	157.000
Mn	35	76.029	46.887	34.000	151.000
Zn	35	21.771	5.214	17.000	29.000
Cu	35	4.431	1.557	3.000	6.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Grunnblanding Middels ford.grovför (326) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	34	418.059	40.266	372.000	477.000
Aska	34	63.471	7.952	54.000	73.000
OS smbh	34	73.244	3.648	66.800	76.700
Råprot	34	148.353	20.895	122.000	167.000
sRåprot	34	521.588	42.648	468.000	588.000
NH3-N	34	63.618	25.806	33.000	99.000
NDF	34	361.441	68.811	290.000	468.000
iNDF	34	251.559	41.831	201.000	322.000
nhNDF	34	3.049	0.681	2.289	4.041
Stä	33	173.424	53.095	114.000	222.000
Socker	34	36.676	14.887	25.000	53.000
TAF	34	58.912	21.902	24.000	82.000
Mjölksyra	34	35.794	14.852	17.000	56.000
Ättiksyra	34	18.324	9.603	3.000	30.000
PRF	34	4.118	1.855	2.000	6.000
BUF	34	0.676	1.364	0.000	2.000
AAT20	34	84.907	3.937	79.211	90.472
PBV20	34	21.190	16.060	2.586	36.894
NEL20	34	6.275	0.379	5.698	6.655
Ca	34	7.091	2.090	4.600	9.400
P	34	3.662	0.600	2.900	4.600
Mg	34	3.206	0.869	2.400	4.500
K	34	14.559	3.171	11.000	18.500
Na	34	3.347	1.589	2.000	4.700
Cl	33	9.533	5.579	4.400	18.300
S	34	2.532	0.857	2.000	3.000
CAB	34	97.463	160.083	-187.040	267.997
Fe	25	316.160	105.148	214.000	497.000
Mn	25	91.760	32.712	51.000	140.000
Zn	25	77.640	27.907	51.000	111.000
Cu	25	17.520	5.987	12.000	24.000
Se	10	0.533	0.415	0.110	1.245

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
TS	13	417.462	41.7425	364.000	465.000
Aska	12	67.667	10.0935	58.000	79.000
OS smbh	13	69.823	21.4168	68.100	79.600
Råprot	12	150.833	15.3495	134.000	166.000

***= Parametrar från det gamla svenska fodervärderingssystemet**

Type=Fullfoder (TMR) ej kompletta data (1E3) CuttingNumber=1

Variabel	Number	Mean	STD	P10	P90
sRåprot	12	561.583	61.7303	492.000	622.000
NH3-N	12	68.250	13.9878	48.000	82.000
NDF	12	346.167	47.4645	307.000	406.000
iNDF	12	207.108	55.1704	152.166	272.861
nhNDF	12	3.275	0.6971	2.498	4.118
Stä	12	163.250	46.1029	129.000	196.000
Socker	12	36.667	10.6287	23.000	50.000
NEL20	13	0.000	0.0000	0.000	0.000
CI	12	7.233	3.9656	1.600	13.000