

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå- prot	sRå- prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjöl- syra	Ättik- syra	Socker
Vete, kärna (005)	1	1	911	18	0.0	132	348		92	25	3.50	565	0.000			5
Vete (121)	1	1	182	52	77.8	43	570		90	65	3.50	628	0.000			99
Ärter, kärna (006)	1	1	813	33	0.0	227	769		94	25	7.90	435	0.000			5
Majs hela plantan, grönmassa (030)	1	5	276	45	76.1	77	331		364	179	2.99	256	57.000			13
Grönmassa, gräs (0% baljv.) (161)	1	8	415	61	75.0	163	461		471	152	4.64		61.000			130
Ensilage, gräs (0% klöver) (162)	0	1	299	75	81.3	167	717	101	383	101	5.39		128.500	103	24.0	27
Ensilage, gräs (0% klöver) (162)	1	2	689	51	70.8	138	494	38.0	484	218	4.03		19.500	3.5	11.0	112
Ensilage, gräs (0% klöver) (162)	2	1	700	69	75.7	150	546	60.0	509	114	4.47		19.000	6.0	9.0	99
Ensilage, gräs (0% klöver) (162)	3	1	702	68	76.3	166	529	63.0	467	145	4.74		16.000	3.0	9.0	117
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	369		74.7					151	4.71		84.000			
Grönmassa blandvall (1-50 % baljväxter) (164)	1	58	410	68	79.0	159	443		437	109	5.10		84.000			134
Grönmassa blandvall (1-50 % baljväxter) (164)	2	32	551	78	75.1	159	374		490	150	4.88		84.000			98
Grönmassa blandvall (1-50 % baljväxter) (164)	3	1	505	76	74.5	148	358		485	140	4.18		84.000			100
Ensilage, blandvall (1-50% klöver) (165)	0	4	556	100	73.7	170	568	75.8	439	176	4.10		28.150	17.0	8.0	70
Ensilage, blandvall (1-50% klöver) (165)	1	96	426	72	77.2	161	663	65.3	432	134	4.63	61	73.469	56.8	14.9	77
Ensilage, blandvall (1-50% klöver) (165)	2	57	472	75	74.1	167	587	62.1	471	169	4.35		62.786	46.5	14.1	63
Ensilage, blandvall (1-50% klöver) (165)	3	15	462	75	75.4	173	557	67.3	445	168	4.55		57.640	41.2	13.0	68
Ensilage, blandvall (1-50% klöver) (165)	4	4	351	99	75.4	186	622	66.8	411	199	4.89		106.750	87.8	15.8	44
Ensilage, blandvall (1-50% klöver) (165)	5	1	265	86	76.6	185	605	60.0	378	168	3.92		156.100	138	17.0	10
Korn, helsädesensilage (250)	1	6	395	43	68.9	97	649	73.7	425	240	2.37	174	55.450	41.0	11.5	88
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	300	78	70.9	173	706	72.0	239	275	2.55	202	111.500	106	33.0	36
Majskolv, ensilerad (257)	1	1	417	5	76.7	64	588	67.0	342	218	2.97	442	58.000	44.0	13.0	5
Vete, helsäd ensilage (299)	1	9	369	50	69.7	118	677	81.5	502	228	3.77	55	64.778	41.2	20.2	79
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	2	456	50	72.0	100	720	87.5	364	247	2.38	217	54.500	42.5	12.0	59
Majs, helsädesensilage (305)	1	10	352	42	76.1	77	577	65.8	341	230	3.14	299	73.700	55.3	14.1	8

***= Parametrar från det gamla svenska fodervärderingssystemet**

Fodermedel	Sk. nr.	Ant.	TS	Aska	OS smbh	Rå-prot	sRå-prot	NH3-N	NDF	iNDF	nhNDF	Stä	TAF	Mjolk-syra	Ättik-syra	Socker
Hö, blandvall, 0-50% baljväxter (383)	1	3	903	44	63.8	67	386		606	248	3.50		0.000			119
Ensilage, blandvall (51-100% klöver) (438)	1	2	324	89	72.3	172	681	88.0	411	283	4.48		110.500	85.5	22.5	36
Grunnblanding Middels ford.grovför (326)	1	4	435	68	73.0	140	525	59.3	364	254	3.18	192	52.750	31.0	16.8	34

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT-p20	PBV-p20	NEL-p20	OE*	AAT*	PBV*
Vete, kärna (005)	1	1				115	-37	7.97	14.1		
Vete (121)	1	1				99.3	-103	7.30	11.6		
Ärter, kärna (006)	1	1				100	80.6	7.70	14.0		
Majs hela plantan, grönmassa (030)	1	5				87.0	-60	6.24	11.4		
Grönmassa, gräs (0% baljv.) (161)	1	8				89.0	21.9	6.18	11.1		
Ensilage, gräs (0% klöver) (162)	0	1	1.10000	0.40000		80.0	38.9	6.86	11.9	74.0	54.0
Ensilage, gräs (0% klöver) (162)	1	2	0.00000	2.00000		85.3	5.0	5.73	10.4		
Ensilage, gräs (0% klöver) (162)	2	1	3.00000	1.00000		89.2	9.3	6.24	11.1		
Ensilage, gräs (0% klöver) (162)	3	1	2.00000	2.00000		91.1	21.0	6.27	11.2		
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1				83.3	17.4	6.11			
Grönmassa blandvall (1-50 % baljväxter) (164)	1	58				90.1	18.4	6.55	11.6	80.3	14.7
Grönmassa blandvall (1-50 % baljväxter) (164)	2	32				86.8	24.3	6.24	10.9	76.0	28.1
Grönmassa blandvall (1-50 % baljväxter) (164)	3	1				87.0	13.3	6.18	10.8		
Ensilage, blandvall (1-50% klöver) (165)	0	4		2.15000		85.1	37.2	5.86	10.4	69.5	49.5
Ensilage, blandvall (1-50% klöver) (165)	1	96	1.36486	0.46809		83.7	31.1	6.47	11.3	72.0	19.5
Ensilage, blandvall (1-50% klöver) (165)	2	57	1.67500	0.49630		83.9	36.4	6.22	10.7	69.7	27.9
Ensilage, blandvall (1-50% klöver) (165)	3	15	1.60000	1.43077		86.5	37.2	6.31	11.0	72.3	39.3
Ensilage, blandvall (1-50% klöver) (165)	4	4	3.25000	0.00000		79.3	61.1	6.33	10.7		
Ensilage, blandvall (1-50% klöver) (165)	5	1		0.10000		76.9	63.8	6.60	11.0	71.0	61.0
Korn, helsädesensilage (250)	1	6	1.20000	2.00000		71.7	-18	5.70	10.4		

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant.	PRF	BUF	FOF	AAT- p20	PBV- p20	NEL- p20	OE*	AAT*	PBV*
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	5.00000	0.00000		69.7	37.7	6.01	11.5		
Majskolv, ensilerad (257)	1	1	1.00000	0.00000		86.2	-70	6.71	12.0		
Vete, helsäd ensilage (299)	1	9	2.11111	1.22222		71.2	0.3	5.86	10.3		
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	2	0.00000	0.00000		74.6	-17	5.96	10.6		
Majs, helsädesensilage (305)	1	10	4.85714	0.00000		80.1	-49	6.51	11.3		
Hö, blandvall, 0-50% baljväxter (383)	1	3				82.1	-54	4.93	9.3	67.5	-51
Ensilage, blandvall (51-100% klöver) (438)	1	2	2.00000	1.00000		72.6	63.5	6.10	10.3	66.0	46.0
Grunnblanding Middels ford.grovför (326)	1	4	4.00000	1.00000		84.4	14.1	6.23	10.6		

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Vete (121)	1	1	9.1	3.2	2.3	12.6	1.5		1.0	305	0					
Majs hela plantan, grönmassa (030)	1	5	2.0	1.9	0.9	11.5	0.3		0.8	219	0					
Grönmassa, gräs (0% baljv.) (161)	1	8	3.2	2.4	1.2	21.1	0.7	10.2	2.0	175	2	91.0	31.0	28.0	5.5	
Ensilage, gräs (0% klöver) (162)	0	1	6.5	2.9	1.8	23.9	1.0	7.4	2.1	315	1	245.0	56.0	26.0	6.1	
Ensilage, gräs (0% klöver) (162)	1	2	4.2	2.4	1.6	14.4	1.7	19.8	2.2	-50	1	75.0	43.0	28.0	4.0	
Ensilage, gräs (0% klöver) (162)	2	1	5.1	3.2	1.5	31.3	0.6	22.3	3.0	11	1	60.0	40.0	31.0	4.0	
Ensilage, gräs (0% klöver) (162)	3	1	7.2	2.1	2.2	26.7	1.6	35.6	2.8	***	1	70.0	32.0	26.0	3.0	
Grönmassa blandvall (1-50 % baljväxter) (164)	0	1	5.8	2.7	2.0	24.1	23.3		2.4	1E3	1	80.0	48.0	24.0	5.5	
Grönmassa blandvall (1-50 % baljväxter) (164)	1	58	4.7	2.8	1.6	24.0	0.8	4.1	2.1	392	24	160.7	51.0	28.2	5.4	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	2	30	5.5	2.9	2.1	25.7	1.1	8.0	2.4	375	17	124.0	57.4	29.4	6.6	0.0
Grönmassa blandvall (1-50 % baljväxter) (164)	3	1	5.9	3.0	2.3	26.1	1.7	9.5	2.4	324	0					
Ensilage, blandvall (1-50% klöver) (165)	1	90	5.2	2.9	1.7	23.6	1.3	7.3	2.0	328	51	152.6	47.2	47.1	6.2	0.1
Ensilage, blandvall (1-50% klöver) (165)	2	53	6.0	3.0	2.1	23.9	1.8	9.1	2.4	285	34	123.8	57.0	34.8	7.0	0.0
Ensilage, blandvall (1-50% klöver) (165)	3	15	7.1	2.8	2.5	21.5	1.8	9.0	2.6	209	7	151.1	66.9	29.1	6.8	
Ensilage, blandvall (1-50% klöver) (165)	4	4	7.3	3.4	2.7	23.0	1.9	7.4	2.8	290	0					

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel	Sk. nr.	Ant. Ca	Ca	P	Mg	K	Na	Cl	S	CAB	Ant. Fe	Fe	Mn	Zn	Cu	Se
Ensilage, blandvall (1-50% klöver) (165)	5	1	6.4	4.3	2.9	21.5	2.3	7.2	3.0	260	1	465.0	125.0	39.0	11.4	
Korn, helsädesensilage (250)	1	5	3.0	2.4	1.4	14.6	1.6	7.6	1.6	116	3	59.3	30.3	22.0	4.5	
Havre-ärt, helsädesensilage, 50% ärter (251)	1	1	9.8	4.6	2.1	20.8	1.8	7.9	1.8	275	0					
Majskolv, ensilerad (257)	1	1	1.1	1.8	1.1	3.7	0.4		0.7	36	0					
Vete, helsäd ensilage (299)	1	9	2.8	2.3	1.1	18.2	0.4	4.4	1.5	263	3	145.7	35.7	22.0	4.7	0.1
Korn-ärt helsädesensilage degmognad, 40% ärter (30)	1	2	3.8	2.8	1.5	15.2	0.9	3.7	1.3	244	1	83.0	26.0	26.0	3.8	
Majs, helsädesensilage (305)	1	10	1.7	1.8	1.1	9.6	0.3	1.5	0.9	159	7	81.7	28.6	26.6	4.4	0.0
Hö, blandvall, 0-50% baljväxter (383)	1	3	2.2	1.9	1.0	13.9	0.3	3.7	1.1	169	2	49.5	43.5	20.0	3.1	
Ensilage, blandvall (51-100% klöver) (438)	1	1	4.3	2.6	1.9	19.7	1.2	7.9	2.2	179	1	88.0	41.0	26.0	5.0	
Grunnblanding Middels ford.grovför (326)	1	4	8.1	3.7	2.9	14.5	3.7	11.1	2.3	140	3	372.3	116.0	90.0	18.7	0.5

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, kärna (005) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	911.000	.	911.000	911.000
Aska	1	18.000	.	18.000	18.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	132.000	.	132.000	132.000
sRåprot	1	348.000	.	348.000	348.000
NDF	1	92.000	.	92.000	92.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	565.000	.	565.000	565.000
TAF	1	0.000	.	0.000	0.000
Socker	1	5.000	.	5.000	5.000
AATp20	1	115.306	.	115.306	115.306
PBVp20	1	-37.273	.	-37.273	-37.273
NELp20	1	7.969	.	7.969	7.969
OE*	1	14.100	.	14.100	14.100

Fodermedel=Vete (121) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	182.000	.	182.000	182.000
Aska	1	52.000	.	52.000	52.000
OS smbh	1	77.800	.	77.800	77.800
Råprot	1	43.000	.	43.000	43.000
sRåprot	1	570.000	.	570.000	570.000
NDF	1	90.000	.	90.000	90.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete (121) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	65.000	.	65.000	65.000
nhNDF	1	3.500	.	3.500	3.500
Stä	1	628.000	.	628.000	628.000
TAF	1	0.000	.	0.000	0.000
Socker	1	99.000	.	99.000	99.000
AATp20	1	99.295	.	99.295	99.295
PBVp20	1	-102.593	.	-102.593	-102.593
NELp20	1	7.298	.	7.298	7.298
OE*	1	11.640	.	11.640	11.640
Ca	1	9.100	.	9.100	9.100
P	1	3.200	.	3.200	3.200
Mg	1	2.300	.	2.300	2.300
K	1	12.600	.	12.600	12.600
Na	1	1.500	.	1.500	1.500
S	1	1.000	.	1.000	1.000
CAB	1	305.250	.	305.250	305.250

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	813.000	.	813.000	813.000
Aska	1	33.000	.	33.000	33.000
OS smbh	1	0.000	.	0.000	0.000
Råprot	1	227.000	.	227.000	227.000
sRåprot	1	769.000	.	769.000	769.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ärter, kärna (006) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	94.000	.	94.000	94.000
iNDF	1	25.000	.	25.000	25.000
nhNDF	1	7.900	.	7.900	7.900
Stä	1	435.000	.	435.000	435.000
TAF	1	0.000	.	0.000	0.000
Socket	1	5.000	.	5.000	5.000
AATp20	1	100.142	.	100.142	100.142
PBVp20	1	80.617	.	80.617	80.617
NELp20	1	7.696	.	7.696	7.696
OE*	1	14.000	.	14.000	14.000

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	5	275.800	24.3249	236.000	297.000
Aska	5	45.400	36.6783	28.000	111.000
OS smbh	5	76.100	0.8515	75.200	77.400
Råprot	5	77.000	6.2048	72.000	87.000
sRåprot	5	330.800	84.8746	180.000	379.000
NDF	5	363.800	80.0262	222.000	414.000
iNDF	5	179.200	34.2082	157.000	237.000
nhNDF	5	2.988	0.5691	1.992	3.409
Stä	5	255.600	24.5316	219.000	285.000
TAF	5	57.000	0.0000	57.000	57.000
Socket	5	13.400	0.5477	13.000	14.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs hela plantan, grönmassa (030) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	5	87.028	1.3472	85.012	88.701
PBVp20	5	-60.313	6.4103	-65.404	-49.177
NELp20	5	6.238	0.2081	5.873	6.375
OE*	5	11.426	0.3325	10.850	11.660
Ca	5	2.020	0.2588	1.600	2.300
P	5	1.880	0.1095	1.700	2.000
Mg	5	0.940	0.4722	0.100	1.200
K	5	11.540	3.3035	8.900	17.300
Na	2	0.300	0.2828	0.100	0.500
S	5	0.800	0.0000	0.800	0.800
CAB	5	218.748	90.0561	142.533	374.758

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	8	415.250	262.183	196.000	791.000
Aska	8	60.500	13.448	45.000	78.000
OS smbh	8	75.038	8.477	63.900	83.800
Råprot	8	163.375	61.486	79.000	235.000
sRåprot	8	461.250	29.354	411.000	506.000
NDF	8	470.750	97.902	362.000	600.000
iNDF	8	151.625	103.236	45.000	285.000
nhNDF	8	4.638	0.692	3.909	5.815
TAF	8	61.000	0.000	61.000	61.000
Socker	8	130.250	31.640	77.000	158.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa, gräs (0% baljv.) (161) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
AATp20	8	88.964	10.071	76.926	100.433
PBVp20	8	21.922	40.689	-35.935	68.850
NELp20	8	6.180	0.790	5.231	7.023
OE*	8	11.056	1.270	9.360	12.320
Ca	8	3.163	1.388	0.500	4.800
P	8	2.388	0.671	1.600	3.600
Mg	8	1.175	0.486	0.400	1.800
K	8	21.075	6.632	10.700	29.700
Na	8	0.688	0.517	0.100	1.400
Cl	7	10.214	10.224	2.100	27.800
S	8	2.000	0.682	0.900	2.900
CAB	8	174.528	234.582	-298.748	427.943
Fe	2	91.000	8.485	85.000	97.000
Mn	2	31.000	15.556	20.000	42.000
Zn	2	28.000	2.828	26.000	30.000
Cu	2	5.500	0.707	5.000	6.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	299.000	.	299.000	299.000
Aska	1	75.000	.	75.000	75.000
OS smbh	1	81.300	.	81.300	81.300
Råprot	1	167.000	.	167.000	167.000
sRåprot	1	717.000	.	717.000	717.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NH3-N	1	101.000	.	101.000	101.000
NDF	1	383.000	.	383.000	383.000
iNDF	1	101.000	.	101.000	101.000
nhNDF	1	5.387	.	5.387	5.387
TAF	1	128.500	.	128.500	128.500
Mjölksyra	1	103.000	.	103.000	103.000
Ättiksyra	1	24.000	.	24.000	24.000
Socker	1	27.000	.	27.000	27.000
PRF	1	1.100	.	1.100	1.100
BUF	1	0.400	.	0.400	0.400
AATp20	1	79.997	.	79.997	79.997
PBVp20	1	38.866	.	38.866	38.866
NELp20	1	6.863	.	6.863	6.863
OE*	1	11.900	.	11.900	11.900
AAT*	1	74.000	.	74.000	74.000
PBV*	1	54.000	.	54.000	54.000
Ca	1	6.500	.	6.500	6.500
P	1	2.900	.	2.900	2.900
Mg	1	1.800	.	1.800	1.800
K	1	23.900	.	23.900	23.900
Na	1	1.000	.	1.000	1.000
Cl	1	7.400	.	7.400	7.400
S	1	2.100	.	2.100	2.100
CAB	1	315.031	.	315.031	315.031

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Fe	1	245.000	.	245.000	245.000
Mn	1	56.000	.	56.000	56.000
Zn	1	26.000	.	26.000	26.000
Cu	1	6.100	.	6.100	6.100

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	688.500	40.305	660.000	717.000
Aska	2	50.500	17.678	38.000	63.000
OS smbh	2	70.750	13.930	60.900	80.600
Råprot	2	138.000	33.941	114.000	162.000
sRåprot	2	494.000	176.777	369.000	619.000
NH3-N	2	38.000	31.113	16.000	60.000
NDF	2	483.500	129.401	392.000	575.000
iNDF	2	218.000	183.848	88.000	348.000
nhNDF	2	4.033	0.789	3.475	4.592
TAF	2	19.500	0.707	19.000	20.000
Mjölksyra	2	3.500	4.950	0.000	7.000
Ättiksyra	1	11.000	.	11.000	11.000
Socker	2	111.500	61.518	68.000	155.000
PRF	1	0.000	.	0.000	0.000
BUF	1	2.000	.	2.000	2.000
AATp20	2	85.338	8.941	79.016	91.660
PBVp20	2	4.984	15.886	-6.249	16.217

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	2	5.731	1.168	4.905	6.557
OE*	2	10.445	2.157	8.920	11.970
Ca	2	4.200	0.707	3.700	4.700
P	2	2.350	1.202	1.500	3.200
Mg	2	1.550	0.212	1.400	1.700
K	2	14.400	12.728	5.400	23.400
Na	2	1.650	0.495	1.300	2.000
Cl	1	19.800	.	19.800	19.800
S	2	2.200	0.566	1.800	2.600
CAB	2	-49.587	20.877	-64.350	-34.824
Fe	1	75.000	.	75.000	75.000
Mn	1	43.000	.	43.000	43.000
Zn	1	28.000	.	28.000	28.000
Cu	1	4.000	.	4.000	4.000

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	700.000	.	700.000	700.000
Aska	1	69.000	.	69.000	69.000
OS smbh	1	75.700	.	75.700	75.700
Råprot	1	150.000	.	150.000	150.000
sRåprot	1	546.000	.	546.000	546.000
NH3-N	1	60.000	.	60.000	60.000
NDF	1	509.000	.	509.000	509.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
iNDF	1	114.000	.	114.000	114.000
nhNDF	1	4.468	.	4.468	4.468
TAF	1	19.000	.	19.000	19.000
Mjölksyra	1	6.000	.	6.000	6.000
Ättiksyra	1	9.000	.	9.000	9.000
Socker	1	99.000	.	99.000	99.000
PRF	1	3.000	.	3.000	3.000
BUF	1	1.000	.	1.000	1.000
AATp20	1	89.207	.	89.207	89.207
PBVp20	1	9.263	.	9.263	9.263
NELp20	1	6.243	.	6.243	6.243
OE*	1	11.080	.	11.080	11.080
Ca	1	5.100	.	5.100	5.100
P	1	3.200	.	3.200	3.200
Mg	1	1.500	.	1.500	1.500
K	1	31.300	.	31.300	31.300
Na	1	0.600	.	0.600	0.600
Cl	1	22.300	.	22.300	22.300
S	1	3.000	.	3.000	3.000
CAB	1	10.929	.	10.929	10.929
Fe	1	60.000	.	60.000	60.000
Mn	1	40.000	.	40.000	40.000
Zn	1	31.000	.	31.000	31.000
Cu	1	4.000	.	4.000	4.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	702.000	.	702.000	702.000
Aska	1	68.000	.	68.000	68.000
OS smbh	1	76.300	.	76.300	76.300
Råprot	1	166.000	.	166.000	166.000
sRåprot	1	529.000	.	529.000	529.000
NH3-N	1	63.000	.	63.000	63.000
NDF	1	467.000	.	467.000	467.000
iNDF	1	145.000	.	145.000	145.000
nhNDF	1	4.744	.	4.744	4.744
TAF	1	16.000	.	16.000	16.000
Mjölksyra	1	3.000	.	3.000	3.000
Ättiksyra	1	9.000	.	9.000	9.000
Socker	1	117.000	.	117.000	117.000
PRF	1	2.000	.	2.000	2.000
BUF	1	2.000	.	2.000	2.000
AATp20	1	91.094	.	91.094	91.094
PBVp20	1	21.018	.	21.018	21.018
NELp20	1	6.267	.	6.267	6.267
OE*	1	11.190	.	11.190	11.190
Ca	1	7.200	.	7.200	7.200
P	1	2.100	.	2.100	2.100
Mg	1	2.200	.	2.200	2.200
K	1	26.700	.	26.700	26.700
Na	1	1.600	.	1.600	1.600

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, gräs (0% klöver) (162) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Cl	1	35.600	.	35.600	35.600
S	1	2.800	.	2.800	2.800
CAB	1	-425.387	.	-425.387	-425.387
Fe	1	70.000	.	70.000	70.000
Mn	1	32.000	.	32.000	32.000
Zn	1	26.000	.	26.000	26.000
Cu	1	3.000	.	3.000	3.000

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	369.00	.	369.00	369.00
OS smbh	1	74.70	.	74.70	74.70
iNDF	1	151.40	.	151.40	151.40
nhNDF	1	4.71	.	4.71	4.71
TAF	1	84.00	.	84.00	84.00
AATp20	1	83.28	.	83.28	83.28
PBVp20	1	17.39	.	17.39	17.39
NELp20	1	6.11	.	6.11	6.11
Ca	1	5.80	.	5.80	5.80
P	1	2.70	.	2.70	2.70
Mg	1	2.00	.	2.00	2.00
K	1	24.10	.	24.10	24.10
Na	1	23.30	.	23.30	23.30
S	1	2.40	.	2.40	2.40

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
CAB	1	1347.02	.	1347.02	1347.02
Fe	1	80.00	.	80.00	80.00
Mn	1	48.00	.	48.00	48.00
Zn	1	24.00	.	24.00	24.00
Cu	1	5.50	.	5.50	5.50

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	58	409.603	126.001	225.000	606.000
Aska	58	67.879	10.291	57.000	83.000
OS smbh	58	79.047	3.103	76.200	81.700
Råprot	58	158.914	26.930	123.000	186.000
sRåprot	37	443.000	49.593	392.000	505.000
NDF	58	436.897	47.584	368.000	499.000
iNDF	58	109.379	43.992	72.000	157.000
nhNDF	58	5.100	0.933	3.997	6.289
TAF	58	84.000	0.000	84.000	84.000
Socker	58	133.552	31.113	97.000	171.000
AATp20	58	90.098	4.136	85.171	95.099
PBVp20	58	18.353	19.973	-7.261	40.670
NELp20	58	6.546	0.301	6.203	6.811
OE*	58	11.648	0.474	11.160	12.100
AAT*	21	80.286	1.554	79.000	82.000
PBV*	21	14.667	21.070	-14.000	36.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ca	58	4.697	1.202	3.700	6.500
P	58	2.764	0.414	2.300	3.300
Mg	58	1.598	0.327	1.200	2.000
K	58	24.022	4.686	19.800	30.300
Na	58	0.779	0.433	0.300	1.300
Cl	32	4.138	2.474	0.700	6.800
S	58	2.116	0.378	1.700	2.600
CAB	58	392.395	117.261	238.226	570.744
Fe	24	160.708	105.521	81.000	304.000
Mn	24	51.042	18.770	34.000	70.000
Zn	24	28.208	4.736	24.000	35.000
Cu	24	5.354	1.030	4.400	6.700
Se	2	0.010	0.001	0.009	0.010

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	32	551.156	147.386	360.000	735.000
Aska	32	77.969	12.087	64.000	98.000
OS smbh	32	75.113	3.731	70.900	79.800
Råprot	32	159.438	24.267	126.000	193.000
sRåprot	17	373.941	31.630	334.000	420.000
NDF	32	490.375	35.533	446.000	538.000
iNDF	32	150.221	58.494	97.000	194.961
nhNDF	32	4.884	0.845	3.964	5.946

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TAF	32	84.000	0.000	84.000	84.000
Socker	32	98.469	27.667	59.000	130.000
AATp20	32	86.795	4.322	80.438	91.087
PBVp20	32	24.327	17.623	-0.283	45.017
NELp20	32	6.237	0.368	5.738	6.685
OE*	32	10.872	0.539	10.170	11.600
AAT*	15	76.000	3.071	71.000	80.000
PBV*	15	28.133	29.971	-14.000	66.000
Ca	30	5.503	1.542	3.750	7.500
P	30	2.933	0.341	2.500	3.400
Mg	30	2.063	0.412	1.500	2.500
K	30	25.740	4.302	20.800	31.550
Na	30	1.113	0.572	0.400	1.850
Cl	17	7.982	3.629	3.200	12.500
S	30	2.353	0.357	1.900	2.850
CAB	30	374.846	118.574	251.582	520.187
Fe	17	124.000	67.446	69.000	208.000
Mn	17	57.353	21.949	28.000	100.000
Zn	17	29.412	6.011	23.000	39.000
Cu	17	6.629	0.813	5.500	8.000
Se	1	0.016	.	0.016	0.016

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grönmassa blandvall (1-50 % baljväxter) (164) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	505.000	.	505.000	505.000
Aska	1	76.000	.	76.000	76.000
OS smbh	1	74.500	.	74.500	74.500
Råprot	1	148.000	.	148.000	148.000
sRåprot	1	358.000	.	358.000	358.000
NDF	1	485.000	.	485.000	485.000
iNDF	1	140.000	.	140.000	140.000
nhNDF	1	4.179	.	4.179	4.179
TAF	1	84.000	.	84.000	84.000
Socket	1	100.000	.	100.000	100.000
AATp20	1	86.975	.	86.975	86.975
PBVp20	1	13.298	.	13.298	13.298
NELp20	1	6.175	.	6.175	6.175
OE*	1	10.800	.	10.800	10.800
Ca	1	5.900	.	5.900	5.900
P	1	3.000	.	3.000	3.000
Mg	1	2.300	.	2.300	2.300
K	1	26.100	.	26.100	26.100
Na	1	1.700	.	1.700	1.700
Cl	1	9.500	.	9.500	9.500
S	1	2.400	.	2.400	2.400
CAB	1	323.827	.	323.827	323.827

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=0

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	555.500	160.612	393.000	715.000
Aska	4	99.500	13.304	87.000	111.000
OS smbh	4	73.650	4.796	68.300	79.600
Råprot	4	170.000	33.506	146.000	218.000
sRåprot	4	567.750	60.517	507.000	627.000
NH3-N	4	75.750	23.768	47.000	99.000
NDF	4	439.000	59.234	382.000	522.000
iNDF	4	176.293	52.606	98.819	213.983
nhNDF	4	4.102	1.047	3.335	5.639
TAF	4	28.150	10.018	19.500	41.500
Mjölksyra	4	17.000	8.485	9.000	27.000
Ättiksyra	4	8.000	2.708	4.000	10.000
Socker	4	69.750	24.061	52.000	104.000
BUF	4	2.150	1.921	0.500	4.100
AATp20	4	85.108	7.026	80.555	95.471
PBVp20	4	37.226	21.207	19.308	65.087
NELp20	4	5.862	0.501	5.354	6.550
OE*	4	10.375	0.768	9.400	11.200
AAT*	4	69.500	1.915	67.000	71.000
PBV*	4	49.500	30.490	26.000	93.000
CI	4	9.650	2.918	6.700	13.500

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	96	425.865	130.587	287.000	600.000
Aska	96	71.844	13.229	63.000	82.000
OS smbh	96	77.246	4.209	71.900	80.400
Råprot	96	161.229	28.924	127.000	194.000
sRåprot	96	663.115	88.830	566.000	751.000
NH3-N	92	65.348	46.874	31.000	98.000
NDF	96	431.958	60.071	369.000	490.000
iNDF	96	134.233	46.610	91.000	196.748
nhNDF	96	4.633	0.711	3.880	5.214
Stä	3	61.000	63.663	17.000	134.000
TAF	96	73.469	35.293	18.000	111.000
Mjölksyra	96	56.792	32.157	9.000	96.000
Ättiksyra	94	14.851	6.956	6.000	22.000
Socker	96	76.635	32.166	34.000	117.000
PRF	74	1.365	2.097	0.000	3.000
BUF	94	0.468	1.927	0.000	1.400
AATp20	96	83.669	4.074	79.012	88.524
PBVp20	96	31.052	24.807	-1.560	63.280
NELp20	96	6.473	0.449	5.889	6.903
OE*	96	11.301	0.676	10.410	11.900
AAT*	20	71.950	2.417	67.500	74.000
PBV*	20	19.450	26.049	-11.500	54.000
Ca	90	5.197	1.408	3.650	7.250
P	90	2.933	0.438	2.400	3.450

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mg	90	1.710	0.392	1.300	2.200
K	90	23.611	4.109	18.600	28.100
Na	90	1.314	0.802	0.500	2.100
Cl	96	7.298	5.881	3.100	12.900
S	90	2.026	0.492	1.450	2.550
CAB	90	328.408	175.584	142.465	500.334
Fe	51	152.588	98.888	85.000	264.000
Mn	51	47.157	12.982	32.000	63.000
Zn	51	47.137	69.483	21.000	64.000
Cu	51	6.229	1.950	5.000	8.000
Se	7	0.050	0.000	0.050	0.050

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	57	471.632	153.431	309.000	668.000
Aska	57	75.070	16.795	63.000	83.000
OS smbh	57	74.067	3.734	68.900	77.100
Råprot	57	167.035	26.377	131.000	197.000
sRåprot	57	587.140	122.077	378.000	708.000
NH3-N	56	62.089	25.336	22.000	86.000
NDF	57	470.754	34.153	432.000	514.000
iNDF	57	169.339	50.445	127.000	226.102
nhNDF	57	4.347	0.562	3.860	4.829
TAF	57	62.786	29.072	17.000	101.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=2

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Mjölksyra	57	46.491	24.921	11.000	80.000
Ättiksyra	54	14.093	6.394	5.000	22.000
Socker	57	62.860	33.302	29.000	107.000
PRF	40	1.675	1.457	0.000	3.500
BUF	54	0.496	1.304	0.000	1.200
AATp20	57	83.851	4.623	79.611	90.485
PBVp20	57	36.421	23.635	3.431	63.556
NELp20	57	6.224	0.439	5.705	6.603
OE*	57	10.744	0.679	10.070	11.200
AAT*	14	69.714	3.429	67.000	73.000
PBV*	14	27.857	27.012	-13.000	61.000
Ca	53	6.008	1.590	4.500	8.100
P	53	2.991	0.398	2.300	3.500
Mg	53	2.079	0.380	1.600	2.500
K	53	23.883	4.348	17.400	29.000
Na	53	1.770	1.031	0.700	2.800
Cl	57	9.054	4.840	3.500	15.200
S	53	2.362	0.544	1.900	2.900
CAB	53	284.532	170.242	14.262	412.720
Fe	34	123.824	45.825	76.000	197.000
Mn	34	57.000	15.184	41.000	82.000
Zn	34	34.824	16.716	23.000	43.000
Cu	34	6.994	2.042	5.000	9.400
Se	3	0.038	0.021	0.014	0.050

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	15	461.800	120.186	317.000	678.000
Aska	15	74.933	11.889	66.000	87.000
OS smbh	15	75.413	2.839	71.700	78.700
Råprot	15	172.533	20.455	152.000	205.000
sRåprot	15	557.467	82.321	420.000	641.000
NH3-N	14	67.286	51.861	27.000	80.000
NDF	15	444.867	43.723	403.000	511.000
iNDF	15	167.540	39.548	125.167	228.000
nhNDF	15	4.552	0.832	3.882	5.036
TAF	15	57.640	31.821	21.000	105.000
Mjölksyra	15	41.200	29.015	15.000	98.000
Ättiksyra	13	13.000	12.007	3.000	20.000
Socker	15	68.200	33.730	20.000	108.000
PRF	10	1.600	3.777	0.000	7.500
BUF	13	1.431	3.541	0.000	1.700
AATp20	15	86.508	6.244	77.001	95.578
PBVp20	15	37.237	15.052	24.831	55.812
NELp20	15	6.314	0.260	5.904	6.618
OE*	15	10.956	0.416	10.320	11.350
AAT*	3	72.333	0.577	72.000	73.000
PBV*	3	39.333	7.234	31.000	44.000
Ca	15	7.107	1.386	5.600	9.500
P	15	2.847	0.422	2.400	3.300
Mg	15	2.453	0.259	2.100	2.800

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=3

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	15	21.487	2.692	18.000	23.400
Na	15	1.767	0.592	0.800	2.300
Cl	15	8.993	5.313	3.700	16.400
S	15	2.620	0.334	2.300	3.000
CAB	15	209.259	133.177	-18.526	320.556
Fe	7	151.143	91.332	66.000	282.000
Mn	7	66.857	16.025	44.000	94.000
Zn	7	29.143	4.981	24.000	39.000
Cu	7	6.786	1.217	5.100	8.800

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	350.750	97.1301	212.000	438.000
Aska	4	99.250	15.5215	86.000	118.000
OS smbh	4	75.400	2.8856	73.600	79.700
Råprot	4	186.000	16.2481	166.000	202.000
sRåprot	4	622.250	30.4891	580.000	652.000
NH3-N	4	66.750	5.9090	59.000	73.000
NDF	4	410.750	43.2464	346.000	436.000
iNDF	4	198.500	34.4529	157.000	241.000
nhNDF	4	4.891	0.5156	4.488	5.579
TAF	4	106.750	26.7753	78.000	142.000
Mjölksyra	4	87.750	20.0728	62.000	111.000
Ättiksyra	4	15.750	8.1394	6.000	25.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=4

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Socker	4	43.750	27.1339	14.000	71.000
PRF	4	3.250	2.5000	0.000	6.000
BUF	4	0.000	0.0000	0.000	0.000
AATp20	4	79.289	3.5614	74.129	82.018
PBVp20	4	61.128	14.7885	39.534	71.433
NELp20	4	6.326	0.2170	6.055	6.581
OE*	4	10.673	0.3303	10.360	11.130
Ca	4	7.275	0.6292	6.400	7.900
P	4	3.425	0.1708	3.200	3.600
Mg	4	2.700	0.1155	2.600	2.800
K	4	23.025	0.7365	22.200	23.900
Na	4	1.900	0.3559	1.600	2.400
Cl	4	7.400	1.4071	6.000	9.300
S	4	2.775	0.2500	2.500	3.100
CAB	4	289.595	31.0128	259.879	329.212

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	265.000	.	265.000	265.000
Aska	1	86.000	.	86.000	86.000
OS smbh	1	76.600	.	76.600	76.600
Råprot	1	185.000	.	185.000	185.000
sRåprot	1	605.000	.	605.000	605.000
NH3-N	1	60.000	.	60.000	60.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	1	378.000	.	378.000	378.000
iNDF	1	167.635	.	167.635	167.635
nhNDF	1	3.921	.	3.921	3.921
TAF	1	156.100	.	156.100	156.100
Mjölksyra	1	138.000	.	138.000	138.000
Ättiksyra	1	17.000	.	17.000	17.000
Socker	1	10.000	.	10.000	10.000
BUF	1	0.100	.	0.100	0.100
AATp20	1	76.879	.	76.879	76.879
PBVp20	1	63.834	.	63.834	63.834
NELp20	1	6.604	.	6.604	6.604
OE*	1	11.000	.	11.000	11.000
AAT*	1	71.000	.	71.000	71.000
PBV*	1	61.000	.	61.000	61.000
Ca	1	6.400	.	6.400	6.400
P	1	4.300	.	4.300	4.300
Mg	1	2.900	.	2.900	2.900
K	1	21.500	.	21.500	21.500
Na	1	2.300	.	2.300	2.300
Cl	1	7.200	.	7.200	7.200
S	1	3.000	.	3.000	3.000
CAB	1	259.555	.	259.555	259.555
Fe	1	465.000	.	465.000	465.000
Mn	1	125.000	.	125.000	125.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (1-50% klöver) (165) Skörd nr.=5

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	39.000	.	39.000	39.000
Cu	1	11.400	.	11.400	11.400

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	6	395.000	80.831	300.000	537.000
Aska	6	43.167	7.808	35.000	53.000
OS smbh	6	68.933	2.530	65.300	73.200
Råprot	6	96.667	34.483	63.000	158.000
sRåprot	6	648.500	74.204	536.000	733.000
NH3-N	6	73.667	29.187	27.000	107.000
NDF	6	424.667	73.948	330.000	521.000
iNDF	6	240.359	36.713	193.000	281.000
nhNDF	6	2.374	0.863	1.060	3.226
Stä	5	174.200	128.836	20.000	325.000
TAF	6	55.450	22.749	24.000	81.000
Mjölksyra	6	41.000	22.441	14.000	67.000
Ättiksyra	6	11.500	5.010	6.000	19.000
Socker	6	87.833	42.532	43.000	147.000
PRF	5	1.200	1.643	0.000	4.000
BUF	5	2.000	1.871	0.000	4.000
AATp20	6	71.691	1.739	69.489	74.026
PBVp20	6	-18.029	30.852	-50.254	37.843
NELp20	6	5.697	0.362	5.084	6.171

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn, helsädesensilage (250) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	5	10.386	0.345	10.200	11.000
Ca	5	2.980	0.795	1.900	4.000
P	6	2.400	0.518	1.700	3.000
Mg	6	1.383	0.397	1.000	2.000
K	6	14.633	3.318	9.000	18.700
Na	6	1.567	0.750	0.800	3.000
Cl	6	7.600	3.758	3.800	13.700
S	6	1.600	0.443	1.100	2.400
CAB	5	115.864	96.256	48.867	271.187
Fe	3	59.333	14.742	48.000	76.000
Mn	3	30.333	15.308	21.000	48.000
Zn	3	22.000	3.606	19.000	26.000
Cu	3	4.500	1.323	3.000	5.500

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	300.000	.	300.000	300.000
Aska	1	78.000	.	78.000	78.000
OS smbh	2	70.850	11.6673	62.600	79.100
Råprot	1	173.000	.	173.000	173.000
sRåprot	1	706.000	.	706.000	706.000
NH3-N	1	72.000	.	72.000	72.000
NDF	1	239.000	.	239.000	239.000
iNDF	2	274.890	40.8570	246.000	303.781

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Havre-ärt, helsädesensilage, 50% ärter (251) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	2	2.554	0.4410	2.242	2.866
Stä	1	202.000	.	202.000	202.000
TAF	2	111.500	45.9619	79.000	144.000
Mjölksyra	1	106.000	.	106.000	106.000
Ättiksyra	1	33.000	.	33.000	33.000
Socker	1	36.000	.	36.000	36.000
PRF	1	5.000	.	5.000	5.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	69.691	1.4576	68.661	70.722
PBVp20	2	37.670	24.1658	20.582	54.758
NELp20	2	6.009	1.1426	5.201	6.817
OE*	1	11.530	.	11.530	11.530
Ca	1	9.800	.	9.800	9.800
P	1	4.600	.	4.600	4.600
Mg	1	2.100	.	2.100	2.100
K	1	20.800	.	20.800	20.800
Na	1	1.800	.	1.800	1.800
Cl	1	7.900	.	7.900	7.900
S	1	1.800	.	1.800	1.800
CAB	1	275.195	.	275.195	275.195

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	1	417.000	.	417.000	417.000
Aska	1	5.000	.	5.000	5.000
OS smbh	1	76.700	.	76.700	76.700
Råprot	1	64.000	.	64.000	64.000
sRåprot	1	588.000	.	588.000	588.000
NH3-N	1	67.000	.	67.000	67.000
NDF	1	342.000	.	342.000	342.000
iNDF	1	218.000	.	218.000	218.000
nhNDF	1	2.968	.	2.968	2.968
Stä	1	442.000	.	442.000	442.000
TAF	1	58.000	.	58.000	58.000
Mjölksyra	1	44.000	.	44.000	44.000
Ättiksyra	1	13.000	.	13.000	13.000
Socker	1	5.000	.	5.000	5.000
PRF	1	1.000	.	1.000	1.000
BUF	1	0.000	.	0.000	0.000
AATp20	1	86.156	.	86.156	86.156
PBVp20	1	-69.630	.	-69.630	-69.630
NELp20	1	6.712	.	6.712	6.712
OE*	1	12.020	.	12.020	12.020
Ca	1	1.100	.	1.100	1.100
P	1	1.800	.	1.800	1.800
Mg	1	1.100	.	1.100	1.100
K	1	3.700	.	3.700	3.700

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majskolv, ensilerad (257) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Na	1	0.400	.	0.400	0.400
S	1	0.700	.	0.700	0.700
CAB	1	35.876	.	35.876	35.876

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	9	369.222	88.566	203.000	474.000
Aska	9	50.111	16.389	19.000	71.000
OS smbh	9	69.722	6.514	59.700	80.500
Råprot	9	117.556	47.162	49.000	192.000
sRåprot	9	677.222	116.793	469.000	812.000
NH3-N	8	81.500	54.253	20.000	184.000
NDF	9	502.000	67.233	372.000	591.000
iNDF	9	228.111	97.902	120.000	385.000
nhNDF	9	3.771	0.743	2.344	4.971
Stä	8	55.125	68.317	1.000	193.000
TAF	9	64.778	35.351	20.000	142.000
Mjölksyra	9	41.222	28.800	0.000	94.000
Ättiksyra	9	20.222	9.770	10.000	44.000
Socker	9	79.444	32.577	28.000	117.000
PRF	9	2.111	2.028	0.000	6.000
BUF	9	1.222	1.986	0.000	5.000
AATp20	9	71.228	3.744	63.594	77.048
PBVp20	9	0.327	41.943	-57.866	77.173

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Vete, helsäd ensilage (299) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NELp20	9	5.863	0.604	4.813	6.640
OE*	9	10.284	0.945	8.890	11.850
Ca	9	2.822	1.496	0.600	4.900
P	9	2.267	0.921	0.900	3.700
Mg	7	1.129	0.275	0.600	1.500
K	9	18.156	7.619	5.900	30.300
Na	9	0.422	0.323	0.100	1.000
Cl	7	4.429	2.742	1.700	9.400
S	9	1.511	0.611	0.700	2.400
CAB	9	263.116	209.545	-29.958	581.397
Fe	3	145.667	125.878	71.000	291.000
Mn	3	35.667	16.921	17.000	50.000
Zn	3	22.000	6.245	17.000	29.000
Cu	3	4.667	2.082	3.000	7.000
Se	1	0.050	.	0.050	0.050

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	456.000	96.1665	388.000	524.000
Aska	2	49.500	6.3640	45.000	54.000
OS smbh	2	71.950	0.0707	71.900	72.000
Råprot	2	99.500	2.1213	98.000	101.000
sRåprot	2	719.500	43.1335	689.000	750.000
NH3-N	2	87.500	24.7487	70.000	105.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
NDF	2	364.000	12.7279	355.000	373.000
iNDF	2	246.961	15.5014	236.000	257.922
nhNDF	2	2.384	0.2385	2.215	2.552
Stä	2	217.000	8.4853	211.000	223.000
TAF	2	54.500	30.4056	33.000	76.000
Mjölksyra	2	42.500	23.3345	26.000	59.000
Ättiksyra	2	12.000	7.0711	7.000	17.000
Socker	2	59.000	42.4264	29.000	89.000
PRF	1	0.000	.	0.000	0.000
BUF	1	0.000	.	0.000	0.000
AATp20	2	74.618	2.5417	72.821	76.415
PBVp20	2	-16.715	2.2976	-18.339	-15.090
NELp20	2	5.958	0.0748	5.905	6.011
OE*	1	10.640	.	10.640	10.640
Ca	2	3.750	1.7678	2.500	5.000
P	2	2.750	0.3536	2.500	3.000
Mg	2	1.500	0.0000	1.500	1.500
K	2	15.200	0.4243	14.900	15.500
Na	2	0.900	0.8485	0.300	1.500
Cl	2	3.650	1.2021	2.800	4.500
S	2	1.300	0.4243	1.000	1.600
CAB	2	243.810	12.6347	234.876	252.744
Fe	1	83.000	.	83.000	83.000
Mn	1	26.000	.	26.000	26.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Korn-ärt helsädesensilage degmognad, 40% ärter (30 Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Zn	1	26.000	.	26.000	26.000
Cu	1	3.800	.	3.800	3.800

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	10	352.300	54.709	283.000	432.000
Aska	10	42.400	34.086	19.500	106.000
OS smbh	10	76.130	2.035	73.200	78.200
Råprot	10	76.600	6.222	68.500	84.000
sRåprot	10	576.500	139.739	372.500	776.500
NH3-N	8	65.750	31.171	24.000	120.000
NDF	10	341.400	90.029	187.000	433.000
iNDF	10	229.895	40.787	184.502	285.000
nhNDF	10	3.140	0.973	1.365	3.838
Stä	10	298.700	49.951	236.000	367.500
TAF	10	73.700	11.748	58.000	88.000
Mjölksyra	10	55.300	8.603	42.000	63.500
Ättiksyra	10	14.100	7.031	3.000	22.000
Socker	10	8.100	4.818	5.000	16.000
PRF	7	4.857	1.952	2.000	8.000
BUF	7	0.000	0.000	0.000	0.000
AATp20	10	80.096	2.565	77.281	83.933
PBVp20	10	-49.449	8.128	-62.530	-41.997
NELp20	10	6.507	0.207	6.220	6.738

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Majs, helsädesensilage (305) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
OE*	7	11.290	0.351	10.780	11.870
Ca	10	1.720	0.355	1.250	2.200
P	10	1.810	0.242	1.550	2.200
Mg	9	1.122	0.156	0.900	1.300
K	10	9.570	1.867	8.000	12.350
Na	10	0.340	0.425	0.100	0.950
Cl	7	1.529	0.325	1.200	2.200
S	10	0.920	0.063	0.850	1.000
CAB	10	159.223	65.313	110.140	255.533
Fe	7	81.714	24.226	64.000	134.000
Mn	7	28.571	12.921	15.000	55.000
Zn	7	26.571	6.399	17.000	36.000
Cu	7	4.429	0.995	3.100	6.000
Se	1	0.006	.	0.006	0.006

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	3	903.000	11.3578	890.000	911.000
Aska	3	44.000	3.0000	41.000	47.000
OS smbh	3	63.833	0.6110	63.300	64.500
Råprot	3	66.667	8.0829	58.000	74.000
sRåprot	1	386.000	.	386.000	386.000
NDF	3	605.667	17.0978	586.000	617.000
iNDF	3	248.223	33.2043	223.660	286.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Hö, blandvall, 0-50% baljväxter (383) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
nhNDF	3	3.502	0.2306	3.280	3.740
TAF	3	0.000	0.0000	0.000	0.000
Socker	3	118.667	27.7369	88.000	142.000
AATp20	3	82.104	2.6215	79.760	84.935
PBVp20	3	-54.365	3.6667	-58.595	-52.100
NELp20	3	4.928	0.0735	4.848	4.991
OE*	3	9.347	0.0503	9.300	9.400
AAT*	2	67.500	0.7071	67.000	68.000
PBV*	2	-51.000	5.6569	-55.000	-47.000
Ca	3	2.233	0.4933	1.900	2.800
P	3	1.867	0.0577	1.800	1.900
Mg	3	1.033	0.0577	1.000	1.100
K	3	13.867	2.0793	11.500	15.400
Na	3	0.267	0.2887	0.100	0.600
Cl	1	3.700	.	3.700	3.700
S	3	1.100	0.0000	1.100	1.100
CAB	3	168.852	72.1592	88.870	229.071
Fe	2	49.500	7.7782	44.000	55.000
Mn	2	43.500	2.1213	42.000	45.000
Zn	2	20.000	1.4142	19.000	21.000
Cu	2	3.050	0.0707	3.000	3.100

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	2	324.000	9.899	317.000	331.000
Aska	2	89.000	28.284	69.000	109.000
OS smbh	2	72.300	7.778	66.800	77.800
Råprot	2	172.000	15.556	161.000	183.000
sRåprot	2	681.000	86.267	620.000	742.000
NH3-N	2	88.000	35.355	63.000	113.000
NDF	2	410.500	37.477	384.000	437.000
iNDF	2	282.603	246.926	108.000	457.206
nhNDF	2	4.479	0.279	4.282	4.676
TAF	2	110.500	4.950	107.000	114.000
Mjölksyra	2	85.500	2.121	84.000	87.000
Ättiksyra	2	22.500	6.364	18.000	27.000
Socker	2	36.000	28.284	16.000	56.000
PRF	1	2.000	.	2.000	2.000
BUF	2	1.000	1.414	0.000	2.000
AATp20	2	72.572	8.626	66.473	78.671
PBVp20	2	63.478	0.854	62.874	64.081
NELp20	2	6.097	0.976	5.406	6.787
OE*	2	10.315	1.577	9.200	11.430
AAT*	1	66.000	.	66.000	66.000
PBV*	1	46.000	.	46.000	46.000
Ca	1	4.300	.	4.300	4.300
P	1	2.600	.	2.600	2.600
Mg	1	1.900	.	1.900	1.900

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Ensilage, blandvall (51-100% klöver) (438) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
K	1	19.700	.	19.700	19.700
Na	1	1.200	.	1.200	1.200
Cl	2	7.900	0.849	7.300	8.500
S	1	2.200	.	2.200	2.200
CAB	1	179.074	.	179.074	179.074
Fe	1	88.000	.	88.000	88.000
Mn	1	41.000	.	41.000	41.000
Zn	1	26.000	.	26.000	26.000
Cu	1	5.000	.	5.000	5.000

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
TS	4	434.750	60.742	384.000	507.000
Aska	4	67.750	13.574	48.000	79.000
OS smbh	4	72.950	2.306	70.800	76.000
Råprot	4	140.250	33.886	90.000	162.000
sRåprot	4	524.500	24.076	502.000	556.000
NH3-N	4	59.250	36.755	10.000	99.000
NDF	4	363.750	81.008	258.000	433.000
iNDF	4	254.000	29.541	224.000	289.000
nhNDF	4	3.182	1.395	1.112	4.139
Stä	4	192.250	119.019	116.000	369.000
TAF	4	52.750	21.407	34.000	82.000
Mjölksyra	4	31.000	20.688	8.000	56.000

*= Parametrar från det gamla svenska fodervärderingssystemet

Fodermedel=Grunnblanding Middels ford.grovför (326) Skörd nr.=1

Parameter	Antal	Medelvärde	Std avv	10% percentil	90% percentil
Ättiksyra	4	16.750	5.679	11.000	23.000
Socker	4	33.750	10.874	25.000	49.000
PRF	4	4.000	1.414	3.000	6.000
BUF	4	1.000	1.414	0.000	3.000
AATp20	4	84.442	0.785	83.709	85.529
PBVp20	4	14.073	32.425	-34.210	33.584
NELp20	4	6.229	0.224	6.062	6.559
OE*	4	10.640	0.391	10.240	11.010
Ca	4	8.100	3.178	4.500	12.200
P	4	3.650	0.289	3.300	4.000
Mg	4	2.850	0.370	2.600	3.400
K	4	14.450	4.729	7.600	18.300
Na	4	3.700	1.958	2.000	6.300
Cl	3	11.133	1.365	10.200	12.700
S	4	2.275	0.330	1.800	2.500
CAB	4	140.360	59.347	88.817	225.693
Fe	3	372.333	4.726	367.000	376.000
Mn	3	116.000	26.058	99.000	146.000
Zn	3	90.000	12.124	79.000	103.000
Cu	3	18.667	2.517	16.000	21.000
Se	1	0.510	.	0.510	0.510

*= Parametrar från det gamla svenska fodervärderingssystemet